

Your (**Half Yearly Compliance Report**) has been **Submitted** with following details

<b>Proposal No</b>	EC No:IA-J-11011/301/2020-IA-II(I) Dated 2021
<b>Compliance ID</b>	126478101
<b>Compliance Number(For Tracking)</b>	EC/M/COMPLIANCE/126478101/2026
<b>Reporting Year</b>	2025
<b>Reporting Period</b>	01 Dec(01 Apr - 30 Sep)
<b>Submission Date</b>	13-01-2026
<b>RO/SRO Name</b>	Shri S Senthil Kumar
<b>RO/SRO Email</b>	jk083.ifs@nic.in
<b>State</b>	KARNATAKA
<b>RO/SRO Office Address</b>	Integrated Regional Offices, Bengaluru

**Note:-** SMS and E-Mail has been sent to Shri S Senthil Kumar, KARNATAKA with Notification to Project Proponent.



## Half yearly compliance report for the term April -2025 to September-2025

From EHS <ehs@shilpapharma.com>

Date Thu 27/11/2025 14:30

To Env Section Regional Office Bangalore <rosz.bng-mefcc@gov.in>

Cc R Elangovan <r.elangovan@shilpapharma.com>; K.Sharath Reddy <sharath@shilpapharma.com>

1 attachment (20 MB)

EC2.pdf;

**Respected Sir / Madam,**

**To**

The Additional Principal Chief Conservator of Forests,  
Regional Office, Ministry of Environment and Forests (SZ),  
Kendriya Sadan, 4th Floor, E&F Wing, 17th Main Road,  
II nd Block, Koramangala, Bangalore-560034.

Sub : Submission of EC Six Months Compliance status report – Reg

Ref : 1. EC No: IA-J-11011/301/2020—IA-II(I)Dated 05.01.2021  
2. Corrigendum No: F.No. IA-J-11011/301/2020-II(I)Date30.09.2021  
3. EC Transfer letter IA-J-11011/301/2020-II(I) dtd 20th June 2022

We are herewith submitting half yearly compliance report for the term **April -2025 to September-2025**

**Project Name :** "Shilpa Pharma LifeSciences Ltd. Unit II"- bulk drugs, APIs & intermediates manufacturing industry with R&D at Shilpa Pharma Lifesciences Ltd Unit-II, Plot no 30,31,32and35-39,33, 33A, 40 to 47, Raichur Growth Centre, Chiksugur,Raichur-584134.

Environment Clearance: EC was obtained from Expert Appraisal Committee (EAC), MoEF & CC, vide letter no. EC No: SEIAIAJ-11011/301/2020—IA-II (I)Dated 05.11.2021.; Corrigendum Dtd 30-09-2021 & EC transfer letter dtd 20th June 2022

**The following documents are attached**

- 1) Waste water monitoring reports attached as Annexure-1
- 2) VOC Copy attached as Annexure -2
- 3) Ambient Air Quality Reports attached as Annexure -3
- 4) Water mass balance chart attached as Annexure-4
- 5) Medical Reports attached one Employee report as Annexure-5
- 6) Fire Hydrant system photos attached as Annexre-6
- 7) Sample training record attached as Annexure-7
- 8) KIDBI Agreement copy attached as Annexure-8

- 9) Stack emission reports are attached as Annexure-9
- 10) Flow meter record of one day is attached as Annexure-10
- 11) Manifesto attached as Annexure-11
- 12) The green belt layout attached as Annexure-12
- 13) Environment cell attached as Annexure-13
- 14) Noise reports attached as Annexure-14
- 15) The CER activities details attached as Annexure-15
- 16) Capital and running costs of environmental management system attached as Annexure-16
- 17) Copy of the letter submitted to Gram Panchayat Is attached as Annexure-17
- 18) Form -V attached as Annexure-18
- 19) EC Advertisement in Deccan Herald (English) of SML U2 Annexure-19
- 20) EC advertisement in Prajavani (Kannada) of SMLU2-Annexure-20
- 21) EC, Corrigendum & EC Transfer letter attached as Annexure-21

Kindly acknowledge the receipt of the document and e-mail.

Thanks & Regards,  
Shaikh B H  
Environment, Health & Safety  
Mobile, No: 9021516823  
Shilpa Pharma LifeSciences Limited, Unit-2  
Raichur Industrial growth Center, Chicksugur-584134



# Shilpa Pharma Lifesciences Limited

(Unit-2: 100% Export Oriented Unit)

OLC

Plot No: 33, 33A & 40-47, Raichur Industrial Growth Centre,  
Chicksugur-584 134, Raichur District, Karnataka State, India.

CIN No. U24100KA2020PLC134081

SPL/100%EOU/EHS/037/2025-26

Date: 25.11.2025

To

The Additional Principal Chief Conservator of Forests,  
Regional Office, Ministry of Environment and Forests (SZ),  
Kendriya Sadan, 4th Floor, E&F Wing, 17<sup>th</sup> Main Road,  
II nd Block, Koramangala, Bangalore-560034.

Respected Sir / Madam,



Sub : Submission of EC Six Months Compliance status report – Reg

Ref : 1. EC No: IA-J-11011/301/2020—IA-II(I)Dated 05.01.2021  
2. Corrigendum No: F.No. IA-J-11011/301/2020-II(I)Date30.09.2021  
3. EC Transfer letter IA-J-11011/301/2020-II(I) dtd 20<sup>th</sup> June 2022

We are herewith submitting half yearly compliance report for the term **April -2025 to September-2025**

**Project Name :** "Shilpa Pharma LifeSciences Ltd. Unit II"- bulk drugs, APIs & intermediates manufacturing industry with R&D at Shilpa Pharma Lifesciences Ltd Unit-II, Plot no 30.31.32 and 35-39,33, 33A, 40 to 47, Raichur Growth Centre, Chiksugur, Raichur-584134.

**Environment Clearance:** EC was obtained from Expert Appraisal Committee (EAC), MoEF & CC. vide letter no. EC No: SEIAAIAJ-11011/301/2020—IA-II (I)Dated 05.11.2021.; Corrigendum Dtd 30-09-2021 & EC transfer letter dtd 20<sup>th</sup> June 2022

The following documents are attached

- 1) Waste water monitoring reports attached as Annexure-1
- 2) VOC Copy attached as Annexure -2
- 3) Ambient Air Quality Reports attached as Annexure -3
- 4) Water mass balance chart attached as Annexure-4
- 5) Medical Reports attached one Employee report as Annexure-5
- 6) Fire Hydrant system photos attached as Annexure-6
- 7) Sample training record attached as Annexure-7
- 8) KIDBI Agreement copy attached as Annexure-8
- 9) Stack emission reports are attached as Annexure-9
- 10) Flow meter record of one day is attached as Annexure-10
- 11) Manifesto attached as Annexure-11
- 12) The green belt layout attached as Annexure-12
- 13) Environment cell attached as Annexure-13

Page 1 of 2

# Shilpa Pharma Lifesciences Limited

(Unit-2: 100% Export Oriented Unit)

Plot No: 33, 33A & 40-47, Raichur Industrial Growth Centre,  
Chicksugur-584 134, Raichur District, Karnataka State, India.

CIN No. U24100KA2020PLC134081

- 14) Noise reports attached as Annexure-14
- 15) The CER activities details attached as Annexure-15
- 16) Capital and running costs of environmental management system attached as Annexure-16
- 17) Copy of the letter submitted to Gram Panchayat Is attached as Annexure-17
- 18) Form -V attached as Annexure-18
- 19) EC Advertisement in Deccan Herald (English) of SML U2 Annexure-19
- 20) EC advertisement in Prajavani (Kannada) of SMLU2-Annexure-20
- 21) EC, Corrigendum & EC Transfer letter attached as Annexure-21

Kindly acknowledge the receipt of the document and e-mail.

Thanking you,

Yours faithfully

For SHILPA PHARMA LIFESCIENCES LIMITED-UNIT-02

Authorized Signatory



**CC to:**

1. Office of the Regional Office, Karnataka State Pollution Control Board, Building st Shed No.C-03  
KSSIDC Industrial Estate, 3rd Cross, Hyderabad Road, Raichur - 584102 (✓)
2. The Member secretary, Karnataka state pollution control board, Parisara Bhavan, #49, 4th & 5th Floor, Church Street, Bengaluru, Karnataka 560001. (By Mail)
3. The Principal secretary, Department of forest, Ecology & Environment Government of Karnataka, Room No: 404, 4th floor, II nd stage, Multi Storied Building, Bangalore-560 001 (By Mail)

Page 2 of 2

**SHILPA PHARMA LIFE SCIENCES LIMITED, 100% EOU**  
**MoEF Conditions Compliance Status Report**  
**(From April -2025 to September -2025)**

**Sub: Expansion and Modification of the Active Pharmaceutical Ingredients (API's Manufacturing Unit with R&D Activity by M/s Shilpa Medicare Limited, 100% EOU, Unit-II, located at Plot 30, 31, 32 and 35-39, 33, 33A and 40-47, Raichur Industrial Growth Center, Wadloor Road, Chicksugur, Raichur, Karnataka - Environmental Clearance regarding**

**The Project is under implementation CFE is obtained and after completion CFO will be obtained & the expansion activities will be commissioned; all the systems for all the conditions are in place, The water consumption & waste water generation will be generated as per the conditions after the completion of the implementation of the expansion & obtaining the CFO**

Shilpa Medicare limited, 100% EOU Environment clearance F.NO.IA-J-1101/301/202-IA-II (I) dated 5-01-2021 compliance status.

**Part-A/Specific Conditions**

1.	<p><b>A. Specific condition</b></p> <p>(i). The Unit shall install waste water flow meter at the outlet of Unit - I and inlet of Unit- II, and keep record of waste water flow from Unit-I to Unit- II. The monitoring report shall be submitted to the SPCB/MoEFCC Regional office.</p>	<p>Flow meters installed at Unit-1 &amp; unit-2 &amp; kept the Records &amp; submitted</p>	<p>Complied, Waste water monitoring reports attached As Annexure-1</p>
2.	<p>(ii). The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented.</p>	<p>The company has implemented all the environmental Protection measures and safeguards proposed in the docs submitted to the ministry &amp; All the recommendations in EIA/EMP implemented . Following Details of Env. Protection measures implemented.</p> <ul style="list-style-type: none"> <li>• ZLD treatment plant</li> <li>• Scrubber installed to control process emission</li> <li>• Condenser are installed to control the VOC &amp; odour emission</li> <li>• Acoustic enclosure in diesel generator for noise level reduction</li> </ul>	<p>Complied,</p>

**SHILPA PHARMA LIFE SCIENCES LIMITED, 100% EOU****MoEF Conditions Compliance Status Report****(From April -2025 to September -2025)**

**Sub: Expansion and Modification of the Active Pharmaceutical Ingredients (API's Manufacturing Unit with R&D Activity by M/s Shilpa Medicare Limited, 100% EOU, Unit-II, located at Plot 30, 31, 32 and 35-39, 33, 33A and 40-47, Raichur Industrial Growth Center, Wadloor Road, Chicksugur, Raichur, Karnataka - Environmental Clearance regarding**

The Project is under implementation CFE is obtained and after completion CFO will be obtained & the expansion activities will be commissioned; all the systems for all the conditions are in place, The water consumption & waste water generation will be generated as per the conditions after the completion of the implementation of the expansion & obtaining the CFO

		<ul style="list-style-type: none"> <li>Installed bag filter for dust emission control</li> <li>Installed isolators for controlling dust exposures</li> </ul>	
3.	(iii). Fugitive emissions shall be controlled at 99.98% with effective chillers. Volatile organic compounds (VOCs)/Fugitive emissions shall be controlled at 99.997% with effective chillers/modern technology. Regular VOCs monitoring should be carried out.	Effective chilled water circulation given to the condensers to control the fugitive emissions & VOCs are controlled to 99.997%, Regularly VOC's are monitored	Complied, VOC Copy's attached as <b>Annexure No-2</b> & Ambient air Quality reports attached as <b>Annexure No-3</b>
4.	(iv). As already committed by the project proponent, Zero Liquid Discharge shall be ensured and no waste/treated water shall be discharged outside the premises. Treated effluent shall be reused in the process/utilities. Treated Industrial effluent shall not be used for gardening/greenbelt development/horticulture.	Zero Liquid discharge system is installed & effectively functioning & treated effluent is reused in utilities	Complied, water mass balance chart from Oct-24- March-25 attached as <b>Annexure no-4</b>
5.	(v). Occupational health center for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection..	Occupational Health Centre is available, Health data of the workers is maintained & is used for allocating work location & The workers are provided with safety kits & PPE's	Complied, Medical reports attached , one employee report as <b>Annexure -5</b>
6.	(vi). The unit shall arrange for protection of possible fire hazards during manufacturing process in material handling. Fire-fighting system shall be as per the norms.	The Industry has taken all the control measures to prevent the Fire in the premises & Firefighting systems are in place as per the relevant codes	Complied, Fire hydrant system photos Attached as <b>Annexure -6</b>
7.	(vii). Training shall be imparted to all employees on safety and health aspects of chemicals handling. Safety and visual reality training shall be provided to employees..	Training class room & onjob is imparted to all the employees/workers on Storage & Handling of Hazardous chemicals	Complied Sample training records attached as <b>Annexure -7</b>

**SHILPA PHARMA LIFE SCIENCES LIMITED, 100% EOU****MoEF Conditions Compliance Status Report****(From April -2025 to September -2025)**

**Sub: Expansion and Modification of the Active Pharmaceutical Ingredients (API's Manufacturing Unit with R&D Activity by M/s Shilpa Medicare Limited, 100% EOU, Unit-II, located at Plot 30, 31, 32 and 35-39, 33, 33A and 40-47, Raichur Industrial Growth Center, Wadloor Road, Chicksugur, Raichur, Karnataka - Environmental Clearance regarding**

**The Project is under implementation CFE is obtained and after completion CFO will be obtained & the expansion activities will be commissioned; all the systems for all the conditions are in place, The water consumption & waste water generation will be generated as per the conditions after the completion of the implementation of the expansion & obtaining the CFO**

8.	(viii). Total fresh water requirement shall not exceed 293.114 m <sup>3</sup> /day, proposed to be met from KIADB sourced from River Krishna. Prior permission in this regard shall be obtained from the concerned regulatory authority.	Fresh water water intake does not exceed 293.114 M3/Day, will be met from KIADB water supply ; this qty will be used after completion of the expansion	Complied, KIDBI Agreement copy attached as <b>Annexure-8</b>
9.	. (ix). Storm water from the roof top shall be channelized through pipes to the storage tank constructed for harvesting of rain water in the premises and harvested water shall be used for various industrial processes in the unit. No recharge shall be permitted within the premises. Process effluent/ any wastewater shall not be allowed to mix with storm	Storm water from the roof tops is collected & stored & reused & is not Recharged(200KL Roof top rain water harvesting tank capacity) , The Process effluents or waste water is not allowed to mixed into storm water , The effluent is transferred through pipe lines to ETP by pumping	Complied,
10.	(x). Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For ZLD, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.	Stack emission Reports are attached and are within the limits , Flow meter & Camera is installed	Complied, Monthly stack emission Reports are attached as <b>Annexure -9</b> ; Flow meter Record of one day is attached as <b>Annexure-10</b> , Having 24x7 Monitoring system will be installed before obtaining CFO under this EC,(EC/Under implementation)
11.	(i). Solvent management shall be carried out as follows: (a) Reactor shall be connected to chilled water condenser system. (b) Reactor and solvent handling pump shall have mechanical seals to prevent leakages. (c) Solvents shall be	1) All the Reactors sub Condensers are connected with Chilled water	Complied,

**SHILPA PHARMA LIFE SCIENCES LIMITED, 100% EOU**  
**MoEF Conditions Compliance Status Report**  
**(From April -2025 to September -2025)**

**Sub: Expansion and Modification of the Active Pharmaceutical Ingredients (API's Manufacturing Unit with R&D Activity by Mls Shilpa Medicare Limited, 100% EOU, Unit-II, located at Plot 30, 31, 32 and 35-39, 33, 33A and 40-47, Raichur Industrial Growth Center, Wadloor Road, Chicksugur, Raichur, Karnataka - Environmental Clearance regarding**

**The Project is under implementation CFE is obtained and after completion CFO will be obtained & the expansion activities will be commissioned; all the systems for all the conditions are in place, The water consumption & waste water generation will be generated as per the conditions after the completion of the implementation of the expansion & obtaining the CFO**

	stored in a separate space specified with all safety measures. (d) Proper earthing shall be provided in all the electrical equipment wherever solvent handling is done. (e) Entire plant shall be flameproof. The solvent storage tanks shall be provided with breather valve to prevent losses. (f) All the solvent storage tanks shall be connected with vent condensers with chilled water circulation.	2) All solvents handling pumps are provided with mechanical seals 3) Solvents are stored separately & is segregated with all the all the safety Measures in place 4) All the equipment , electrical installations are provided with earthing 5) All the electrical fittings in the plant are Flameproof fittings 6) The solvents storage tanks are provided with the Breather valves 7) The solvent storage tanks are connected to the vent condensers with chilled water circulation	
12.	(ii). Process organic residue and spent carbon, if any, shall be sent to Cement other suitable industries for its incinerations. ETP sludge, process inorganic & evaporation salt shall be disposed of to the TSDF.	Process residues & spent Carbon shall be sent to the co processing in cement plants , The ETP sludge , inorganic salts from Process & evaporation salts shall be disposed to the TSDF	Complied, Manifesto attached as <b>Annexure-11</b>
13.	(iii). The company shall undertake waste minimization measures as below (a) Metering and control of quantities of active ingredients to minimize waste; (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. (c) Use of automated filling to minimize spillage. (d) Use of Close Feed system into batch reactors. (e) Venting equipment through vapour recovery system. (f) Use of high-pressure hoses for equipment clearing to reduce wastewater generation.	1) All the Raw materials are metered /weighed on the scales & only the required quantities are taken 2) The Byproducts are reused in the other processes by other industries 3) All the solvents &	Complied,

**SHILPA PHARMA LIFE SCIENCES LIMITED, 100% EOU****MoEF Conditions Compliance Status Report****(From April -2025 to September -2025)**

**Sub: Expansion and Modification of the Active Pharmaceutical Ingredients (API's Manufacturing Unit with R&D Activity by M/s Shilpa Medicare Limited, 100% EOU, Unit-II, located at Plot 30, 31, 32 and 35-39, 33, 33A and 40-47, Raichur Industrial Growth Center, Wadloor Road, Chicksugur, Raichur, Karnataka - Environmental Clearance regarding**

The Project is under implementation CFE is obtained and after completion CFO will be obtained & the expansion activities will be commissioned; all the systems for all the conditions are in place, The water consumption & waste water generation will be generated as per the conditions after the completion of the implementation of the expansion & obtaining the CFO

		raw materials are handling in closed loop system with level transmitters & flow transmitters to avoid the spillages 4) All the vapours are condensed before venting 5) Pressure cleaning systems are used to reduce the waste water generation	
14.	(iv). The green belt of at least 5-10 m width shall be developed in nearly 33% of the total project area, mainly along the plant periphery. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department. Records of tree canopy shall be monitored through remote sensing map.	Green belt of 33% of the area is developed with local species, Records are monitored green belt photos attached	Complied; The green belt layout attached as <b>Annexure-12</b>
15.	(v). The activities and the action plan proposed by the project proponent to address the socio-economic issues in the study area, shall be completed as per the schedule presented before the Committee and as described in the EMP report in letter and spirit. All the commitments made shall be satisfactorily implemented. Preference shall be given to local villagers for employment in the unit. Preference shall be given to local villagers for employment in the unit.	All the socio economic issues in the study area as committed in the emp will be completed in time Preference is given to locals for employment in the unit	Complied
16.	(vi). A separate Environmental Management Cell (having qualified person with Environmental Science/Environmental Engineering/specialization in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.	Environmental Management cell with Qualified personnel is in place The Laboratory is set up to array out the day to day monitoring the Effluent treatment	Complied Environment cell attached as <b>Annexure-13</b>
17.	(i) No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SEIM, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made	No expansions other than that of those envisaged in the EMP will be carried out with out Clearance from the ministry/SEIAA	Complied

**SHILPA PHARMA LIFE SCIENCES LIMITED, 100% EOU**  
**MoEF Conditions Compliance Status Report**  
**(From April -2025 to September -2025)**

**Sub: Expansion and Modification of the Active Pharmaceutical Ingredients (API's Manufacturing Unit with R&D Activity by M/s Shilpa Medicare Limited, 100% EOU, Unit-II, located at Plot 30, 31, 32 and 35-39, 33, 33A and 40-47, Raichur Industrial Growth Center, Wadloor Road, Chicksugur, Raichur, Karnataka - Environmental Clearance regarding**

**The Project is under implementation CFE is obtained and after completion CFO will be obtained & the expansion activities will be commissioned; all the systems for all the conditions are in place, The water consumption & waste water generation will be generated as per the conditions after the completion of the implementation of the expansion & obtaining the CFO**

	to the Ministry/SEIM, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.		
18.	(ii) The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment	All the light fittings are with LED lamps	Complied
19.	(iii). The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods. Silencers, enclosures etc. On all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the environment ( Protection ) Act, 1986 Rules, 1989 viz. 75 dBA ( day time ) and 70 dBA ( night time ).	Acoustic enclosures are installed for DG sets & maintain the noise levels within 75 DBA in Day & 70 DBA in night Reports attached	Complied; Noise reports attached as <b>Annexure - 14</b>
20.	(iv) The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. CER activities shall be undertaken by involving local villages and administration and shall be implemented. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.	The CER activities are undertaken , The company is spending the amount as committed for CER activities	Complied, The CER activities details attached as <b>Annexure-15</b>
21.	(v) The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.	The industry has invested in the Pollution control Measures & Recurring costs are budgeted as committed in the EMP The funds earmarked shall not be diverted for other purposes	Complied, capital and running costs of environmental management system attached as <b>Annexure-16</b>

**General Conditions**

1.	(vi) A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishat/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.	Copy of the EC is submitted to the grampanchayat	Complied; Copy of the letter submitted to Grampanchayat is attached as <b>Annexure -17</b>
2.	(vii) The project proponent shall also submit six monthly reports on the status of compliance of the stipulated	The Industry is Submitting the 6 monthly	Complied,

**SHILPA PHARMA LIFE SCIENCES LIMITED, 100% EOU****MoEF Conditions Compliance Status Report****(From April -2025 to September -2025)**

**Sub: Expansion and Modification of the Active Pharmaceutical Ingredients (API's Manufacturing Unit with R&D Activity by M/s Shilpa Medicare Limited, 100% EOU, Unit-II, located at Plot 30, 31, 32 and 35-39, 33, 33A and 40-47, Raichur Industrial Growth Center, Wadloor Road, Chicksugur, Raichur, Karnataka - Environmental Clearance regarding**

**The Project is under implementation CFE is obtained and after completion CFO will be obtained & the expansion activities will be commissioned; all the systems for all the conditions are in place, The water consumption & waste water generation will be generated as per the conditions after the completion of the implementation of the expansion & obtaining the CFO**

	Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.	compliance to Regional office of MOEF ,CPCB & SPCB , & is posted in its website	
3.	(viii) The environmental statement for each financial year ending 31st March in Form-Vas is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rule, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail.	The environmental statement form -V is submitted to SPCB Yearly & is posted on its website	Complied, Form -V attached as Annexure No-18
4.	(ix) The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry and at <a href="https://parivesh.nic.in/">https://parivesh.nic.in/</a> . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.	News paper advertisement is given to two local papers intimating the public about the accordance of EC for this project news paper images attached	Complied, advertisement attached as Annexure No-19&20
5.	(x) The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	The Financial closure of this expansion activity and the date of start of will be intimated to the ministry	Complied,
6.	(xi) This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.		Noted
7.	The Ministry reserves the right to stipulate additional conditions, if found necessary at subsequent stages and the project proponent shall implement all the said conditions in a time bound manner. The Ministry may revoke or suspend the environmental clearance, if implementation of any of the above conditions is not found satisfactory.		Noted

Order No: F.NO. 1A-J-11011/361/2026-1A-HCJ

**SHILPA PHARMA LIFE SCIENCES LIMITED, 100% EOU**  
**MoEF Conditions Compliance Status Report**  
**(From April -2025 to September -2025)**

**Sub: Expansion and Modification of the Active Pharmaceutical Ingredients (API's Manufacturing Unit with R&D activity by M/s Shilpa Medicare Limited, 100% EOU, Unit-II, located at Plot 30, 31, 32 and 35-39, 33, 33A and 40-47, Raichur Industrial Growth Center, Wadloor Road, Chicksugur, Raichur, Karnataka - Environmental Clearance regarding the Project is under implementation CFE is obtained and after completion CFO will be obtained & the expansion activities will be commissioned; all the systems for all the conditions are in place, The water consumption & waste generation will be generated as per the conditions after the completion of the implementation of the expansion & obtaining the CFO**

8.	Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.		Noted
9.	Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.		Noted
10.	The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 read with subsequent amendments therein.		Noted
11.	This issues with the approval of the competent authority		Noted

anking you,

SHILPA PHARMA LIFE SCIENCES LIMITED, 100% EOU

horized Signatory





# MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

*Annumai*

MSVAL/W/RF/01/00

## ANALYSIS REPORT OF WATER QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksgur village, Raichur.
2.	Sample Marked as	:	Effluent treated Water
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Sample quantity	:	Pet Bottle, 2 Liter.
5.	Sample Description/condition	:	Water/Good
6.	Date of Sample Collection	:	28.04.2025
7.	Date of sample receipt	:	29.04.2025
8.	Sample Code	:	13398
9.	Analysis Starting Date	:	29.04.2025
10.	Analysis Completion Date	:	02.05.2025
11.	Report Issue Date	:	02.05.2025

Discipline: Chemical Group: Pollution &amp; Environment Sub Group: Waste Water ULR No: TC407125000008366F


S.No	Parameters	Protocol	Unit	Result	KSPCB Standards
<b>Physical parameters</b>					
1	Color	IS : 3025(Part-4)	Hazen	<5	---
2	Odor	IS : 3025(Part-5)	---	Unobjectionable	---
3	pH @ 25°C	4500 H+ B APHA 23rdEdn: 2017	-	7.52	6.5-8.5
4	Turbidity	2530 B-APHA 23rd Edition :2017	NTU	0.41	---
<b>Chemical parameters</b>					
5	Total Suspended solids	2540 F APHA 23rd Edn : 2017	mg/L	15	100
6	Total Dissolved Solids	2540 C APHA 23rd Edn : 2017	mg/L	460	2250
7	Oil & Grease	5520 D APHA 23rd Edition :2017	mg/L	3	10
8	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025(Part-44): 2019	mg/L	28	30
9	Chemical Oxygen Demand	5230 B-APHA23rd Edn : 2017	mg/L	94	250

Analysed by

Authorized Signatory

  
Hanumathaiah P  
Technical Manager


Note: 1. The results listed only to the tested samples & applicable parameters,  
2. Water samples will be destroyed after 10 days. Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.  
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.  
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.





# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
**(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)**  
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



MSVAL/QR/7.4/01

## ANALYSIS REPORT OF WATER QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Marked as	:	Effluent treated Water
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Sample quantity	:	Pet Bottle, 2 Liter.
5.	Sample Description/condition	:	Water/Good
6.	Date of Sample Collection	:	21.07.2025
7.	Date of sample receipt	:	22.07.2025
8.	Sample Code	:	WW/315
9.	Analysis Starting Date	:	22.07.2025
10.	Analysis Completion Date	:	30.07.2025
11.	Report Issue Date	:	31.07.2025
12.	Latitude	:	16.309915
13.	Longitude	:	77.356209

Discipline: Chemical Group: Pollution & Environment Sub Group: Waste Water ULR No: TC407124000014947F

S.No	Parameters	Protocol	Unit	Result	KSPCB Standards
<b>Physical parameters</b>					
1	Color	IS : 3025(Part-4)	Hazen	<5	---
2	Odor	IS : 3025(Part-5)	---	Unobjectionable	---
3	pH @ 25°C	4500 H+ B APHA 23rd Edn: 2017	-	7.75	6.5-8.5
4	Turbidity	2530 B-APHA 23 <sup>rd</sup> Edition :2017	NTU	0.56	---
<b>Chemical parameters</b>					
5	Total Suspended solids	2540 F APHA 23rd Edn : 2017	mg/L	14	100
6	Total Dissolved Solids	2540 C APHA 23 <sup>rd</sup> Edn : 2017	mg/L	480	2250
7	Oil & Grease	5520 D APHA 23 <sup>rd</sup> Edition :2017	mg/L	6	10
8	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025(Part-44): 2019	mg/L	14	30
9	Chemical Oxygen Demand	5230 B-APHA23rd Edn : 2017	mg/L	46.8	250

Analysed by


Authorized Signatory

Hanumanthaiah P  
Technical Manager

-- END OF REPORT --



Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Samples Will be disposed after the specified retention period.  
 3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
 5. Sampling is not done by us unless otherwise specified





# MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,  
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC-4071

MSVAL/W/RF/01/00

## ANALYSIS REPORT OF WATER QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Marked as	:	Effluent treated Water
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Sample quantity	:	Pet Bottle, 2 Liter.
5.	Sample Description/condition	:	Water/Good
6.	Date of Sample Collection	:	28.06.2025
7.	Date of sample receipt	:	30.06.2025
8.	Sample Code	:	WW/199
9.	Analysis Starting Date	:	30.06.2025
10.	Analysis Completion Date	:	03.07.2025
11.	Report Issue Date	:	04.07.2025

Discipline: Chemical Group: Pollution &amp; Environment Sub Group: Waste Water ULR No: TC407125000013407F

S.No	Parameters	Protocol	Unit	Result	KSPCB Standards
<b>Physical parameters</b>					
1	Color	IS : 3025(Part-4)	Hazen	<5	---
2	Odor	IS : 3025(Part-5)	---	Unobjectionable	---
3	pH @ 25°C	4500 H+ B APHA 23rdEdn: 2017	-	7.62	6.5-8.5
4	Turbidity	2530 B-APHA 23rd Edition :2017	NTU	0.60	---
<b>Chemical parameters</b>					
5	Total Suspended solids	2540 F APHA 23rd Edn : 2017	mg/L	6	100
6	Total Dissolved Solids	2540 C APHA 23rd Edn : 2017	mg/L	486	2250
7	Oil & Grease	5520 D APHA 23rd Edition :2017	mg/L	6	10
8	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025(Part-44): 2019	mg/L	15.9	30
9	Chemical Oxygen Demand	5230 B-APHA23rd Edn : 2017	mg/L	52.4	250

Analysed by


Authorized Signatory

  
Hanumanthaiah P  
Technical Manager

-: END OF REPORT:-



Note: 1. The results listed only to the tested samples & applicable parameters,  
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.





# MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,  
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/W/RF/01/00

## ANALYSIS REPORT OF WATER QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Marked as	:	Effluent treated Water
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Sample quantity	:	Pet Bottle, 2 Liter.
5.	Sample Description/condition	:	Water/Good
6.	Date of Sample Collection	:	21.05.2025
7.	Date of sample receipt	:	22.05.2025
8.	Sample Code	:	16145
9.	Analysis Starting Date	:	22.05.2025
10.	Analysis Completion Date	:	26.05.2025
11.	Report Issue Date	:	27.05.2025

Discipline: Chemical Group: Pollution &amp; Environment Sub Group: Waste Water ULR No: TC407125000009888F


S.No	Parameters	Protocol	Unit	Result	KSPCB Standards
<b>Physical parameters</b>					
1	Color	IS : 3025(Part-4)	Hazen	<5	---
2	Odor	IS : 3025(Part-5)	---	Unobjectionable	---
3	pH @ 25°C	4500 H+ B APHA 23rdEdn: 2017	-	7.41	6.5-8.5
4	Turbidity	2530 B-APHA 23 <sup>rd</sup> Edition :2017	NTU	0.52	---
<b>Chemical parameters</b>					
5	Total Suspended solids	2540 F APHA 23rd Edn : 2017	mg/L	8	100
6	Total Dissolved Solids	2540 C APHA 23 <sup>rd</sup> Edn : 2017	mg/L	468	2250
7	Oil & Grease	5520 D APHA 23 <sup>rd</sup> Edition :2017	mg/L	4	10
8	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025(Part-44): 2019	mg/L	18	30
9	Chemical Oxygen Demand	5230 B-APHA23rd Edn : 2017	mg/L	47.6	250

Analysed by

Authorized Signatory

  
Hanumanthaiah P  
Technical Manager


Note: 1. The results listed only to the tested samples & applicable parameters,  
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



Chicksugur, Karnataka, India  
33, Chicksugur, Karnataka 584134,  
Lat 16.31059° Long 77.355982°  
21/05/25 05:51 PM GMT +05:30

Google



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.4/01

## ANALYSIS REPORT OF WATER QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Marked as	:	Effluent treated Water
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Sample quantity	:	Pet Bottle, 2 Liter.
5.	Sample Description/condition	:	Water/Good
6.	Date of Sample Collection	:	29.08.2025
7.	Date of sample receipt	:	30.08.2025
8.	Sample Code	:	WW/597
9.	Analysis Starting Date	:	30.08.2025
10.	Analysis Completion Date	:	03.09.2025
11.	Report Issue Date	:	03.09.2025
12.	Latitude	:	16.310324
13.	Longitude	:	77.355502

Discipline: Chemical Group: Pollution & Environment Sub Group: Waste Water ULR No: TC407124000018717  
F

S.No	Parameters	Protocol	Unit	Result	KSPCB Standards
<b>Physical parameters</b>					
1	Color	IS : 3025(Part-4)	Hazen	<5	---
2	Odor	IS : 3025(Part-5)	---	Unobjectionable	---
3	pH @ 25°C	4500 H+ B APHA 23rd Edn: 2017	-	7.85	6.5-8.5
4	Turbidity	2530 B-APHA 23rd Edition :2017	NTU	0.61	---
<b>Chemical parameters</b>					
5	Total Suspended solids	2540 F APHA 23rd Edn : 2017	mg/L	12	100
6	Total Dissolved Solids	2540 C APHA 23rd Edn : 2017	mg/L	472	2250
7	Oil & Grease	5520 D APHA 23rd Edition :2017	mg/L	4	10
8	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025(Part-44): 2019	mg/L	12	75
9	Chemical Oxygen Demand	5230 B-APHA23rd Edn : 2017	mg/L	42.8	250


Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager



Note : 1. The results listed only to the tested samples & applicable parameters,  
 2. Water samples will be destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.





# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.8/01

## ANALYSIS REPORT OF WATER QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Marked as	:	Effluent treated Water
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Sample quantity	:	Pet Bottle, 2 Liter.
5.	Sample Description/condition	:	Water/Good
6.	Date of Sample Collection	:	25.09.2025
7.	Date of sample receipt	:	26.09.2025
8.	Sample Code	:	WW/761
9.	Analysis Starting Date	:	26.09.2025
10.	Analysis Completion Date	:	03.10.2025
11.	Report Issue Date	:	04.10.2025
12.	Latitude	:	16.311482
13.	Longitude	:	77.356192

Discipline: Chemical Group: Pollution & Environment Sub Group: Waste Water ULR No: TC407124000021986F

S.No	Parameters	Protocol	Unit	Result	KSPCB Standards
<b>Physical parameters</b>					
1	Color	IS : 3025(Part-4)	Hazen	<5	---
2	Odor	IS : 3025(Part-5)	---	Unobjectionable	---
3	pH @ 25°C	4500 H+ BAPHA 23rdEdn: 2017	-	7.36	6.5-8.5
4	Turbidity	2530 B-APHA 23 <sup>rd</sup> Edition :2017	NTU	0.47	---
<b>Chemical parameters</b>					
5	Total Suspended solids	2540 F APHA 23rd Edn : 2017	mg/L	26	100
6	Total Dissolved Solids	2540 C APHA 23 <sup>rd</sup> Edn : 2017	mg/L	460	2250
7	Oil & Grease	5520 D APHA 23 <sup>rd</sup> Edition :2017	mg/L	4	10
8	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025(Part-44): 2019	mg/L	18	30
9	Chemical Oxygen Demand	5230 B-APHA23rd Edn : 2017	mg/L	86.4	250

Analysed by


Authorized Signatory

Hanumanthaiah P  
Technical Manager



END OF REPORT:-

Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Samples Will be disposed after the specified retention period.  
 3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
 5. Sampling is not done by us unless otherwise specified



**Wadloor, Karnataka, India**  
8964+cm9, Wadloor, Karnataka 584134, In  
Lat 16.311482° Long 77.356192°  
25/09/2025 05:44 PM GMT +05:30



# MSV Analytical Laboratories

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
 Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169  
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

*Annexure - 2*

## ANALYSIS REPORT

MSVAL/A/F/16/02

Test Report No:MSVAL/2025/1963

Issued Date:04.07.2025

1.	Name of the Industry	:	M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
3.	Name of the parameter	:	Volatile Organic Compounds
4.	Date of Monitoring	:	28.06.2025

S. No	Name of the location	Date of Sampling	Duration of monitoring	Method		
				EPA/625/R-96/010b Compendium of Methods Second Edition Compendium Method TO-17	Result	Units
1	Near Boiler chimney Area	28.06.2025	8hours	0.26	mg/m <sup>3</sup>	---
2	Near Production Block Area	28.06.2025	8hours	0.31	mg/m <sup>3</sup>	---
3	Scrubber-H/SCR-02 Block Pharma Area	28.06.2025	8hours	0.38	mg/m <sup>3</sup>	---
4	Scrubber-C/SCR-03 Block Pharma Area	28.06.2025	8hours	0.46	mg/m <sup>3</sup>	---
5	Scrubber-A/ Block-SCR-01 Area Area	28.06.2025	8hours	0.35	mg/m <sup>3</sup>	---
6	Scrubber-E Block-SCR-03 Pharm	28.06.2025	8hours	0.41	mg/m <sup>3</sup>	---
7	E- Block intermediate area	30.06.2025	8hours	0.43	mg/m <sup>3</sup>	---
8	G- Block intermediate area	30.06.2025	8hours	0.42	mg/m <sup>3</sup>	---
9	A/- Block intermediate area	30.06.2025	8hours	0.45	mg/m <sup>3</sup>	---
10	I- Block intermediate area	30.06.2025	8hours	0.36	mg/m <sup>3</sup>	---
11	H- Block intermediate area	30.06.2025	8hours	0.35	mg/m <sup>3</sup>	---

Analysed by

Authorized Signatory

Handumanthaiah.P  
Technical Manager

END OF REPORT



Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified.



# MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

*Annexure -3*

MSVAL/AA/RF/01/00

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

1. Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Name of the location	:	Near Main Gate
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4. Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5. Duration of Monitoring	:	8 Hours
6. Date of Monitoring	:	28.04.2025
7. Date of Sample Receipt	:	29.04.2025
8. Analysis Starting Date	:	29.04.2025
9. Analysis Completion Date	:	02.05.2025
10. Report Issue Date	:	02.05.2025
11. Sampling Protocol	:	IS 5182:Part 14
12. Latitude	:	16.310651
13. Longitude	:	77.356011

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC40712500008349F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			13377	13378	13379			
1	Particulate Matter (Size less than 10 $\mu\text{m}$ ) PM <sub>10</sub>	IS-5182(Part-23):2017	76.4	71.3	67.2	$\mu\text{g}/\text{m}^3$	71.6	100
2	Particulate Matter (Size less than 2.5 $\mu\text{m}$ ) or PM <sub>2.5</sub>	IS-5182(Part-24):2019	29.2	24.7	20.4	$\mu\text{g}/\text{m}^3$	24.8	60
3	Sulphur Dioxide as SO <sub>2</sub>	IS-5182(Part-2):2017	19.3	16.6	12.1	$\mu\text{g}/\text{m}^3$	16	80
4	Oxides of Nitrogen as NO <sub>x</sub>	IS-5182(Part-6):2017	26.4	21.8	17.2	$\mu\text{g}/\text{m}^3$	21.8	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.58	0.53	0.45	$\text{mg}/\text{m}^3$	0.52	2

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits
-----------	---

Analysed by



Authorized Signatory

  
Hanumanthaiah P  
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



# MSV Analytical Laboratories

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169  
Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com

MSVAL/AA/RF/01/00

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	28.04.2025
7.	Date of Sample Receipt	:	29.04.2025
8.	Analysis Starting Date	:	29.04.2025
9.	Analysis Completion Date	:	02.05.2025
10.	Report Issue Date	:	02.05.2025
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.310651
13.	Longitude	:	77.356011

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: MSVAL/2025/1652

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			1890	1891	1892			
6	Carbon Dioxide as CO <sub>2</sub>	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H <sub>2</sub> S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m <sup>3</sup>	BDL	--

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits		
-----------	---	--	--



Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager



Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified.





# MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392 255169,  
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/AA/RF/01/00

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	28.04.2025
7.	Date of Sample Receipt	:	29.04.2025
8.	Analysis Starting Date	:	29.04.2025
9.	Analysis Completion Date	:	02.05.2025
10.	Report Issue Date	:	02.05.2025
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.310637
13.	Longitude	:	77.35601

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407125000008350F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			13380	13381	13382			
1	Particulate Matter (Size less than 10 $\mu\text{m}$ ) PM <sub>10</sub>	IS-5182(Part-23):2017	74.8	71.3	66.8	$\mu\text{g}/\text{m}^3$	71	100
2	Particulate Matter (Size less than 2.5 $\mu\text{m}$ ) or PM <sub>2.5</sub>	IS-5182(Part-24):2019	31.2	28.4	23.2	$\mu\text{g}/\text{m}^3$	27.6	60
3	Sulphur Dioxide as SO <sub>2</sub>	IS-5182(Part-2):2017	16.8	13.5	10.7	$\mu\text{g}/\text{m}^3$	13.7	80
4	Oxides of Nitrogen as NO <sub>x</sub>	IS-5182(Part-6):2017	23.9	18.6	15.8	$\mu\text{g}/\text{m}^3$	19.4	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.51	0.47	0.41	$\text{mg}/\text{m}^3$	0.46	2

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits
-----------	---

Analysed by

Authorized Signatory

  
Hanumanthaiah P  
Technical Manager


Note : 1. The results listed only to the tested samples & applicable parameters,  
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



# MSV Analytical Laboratories

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169  
 Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com

MSVAL/AA/RF/01/00

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	28.04.2025
7.	Date of Sample Receipt	:	29.04.2025
8.	Analysis Starting Date	:	29.04.2025
9.	Analysis Completion Date	:	02.05.2025
10.	Report Issue Date	:	02.05.2025
11.	Sampling Protocol	:	IS 5182 : Part 14
12.	Latitude	:	16.310637
13.	Longitude	:	77.35601

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: MSVAL/2025/1653

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			1893	1894	1895			
6	Carbon Dioxide as CO <sub>2</sub>	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H <sub>2</sub> S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m <sup>3</sup>	BDL	--



INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits		
-----------	---	--	--

Analysed by

Authorized Signatory

  
Hanumanthaiah P  
Technical Manager


Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified.





# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
 (Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.4/01

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	29.08.2025
7.	Date of Sample Receipt	:	30.08.2025
8.	Analysis Starting Date	:	30.08.2025
9.	Analysis Completion Date	:	03.09.2025
10.	Report Issue Date	:	03.09.2025
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.310725
13.	Longitude	:	77.35611

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407124000018701F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			AAQ/2690	AAQ/2690	AAQ/2690			
1	Particulate Matter (Size less than 10	IS-5182(Part-23):2017	76.8	72.3	70.5	µg/m <sup>3</sup>	73.2	100
2	Particulate Matter (Size less than 2.5 µm)	IS-5182(Part-24):2019	27.3	28.9	25.8	µg/m <sup>3</sup>	27.3	60
3	Sulphur Dioxide as SO <sub>2</sub>	IS-5182(Part-2):2017	23.8	23.7	19.2	µg/m <sup>3</sup>	22.2	80
4	Oxides of Nitrogen as NO <sub>x</sub>	IS-5182(Part-6):2017	30.1	28.2	26.7	µg/m <sup>3</sup>	28.3	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.52	0.58	0.55	mg/m	0.60	2

## INFERENCE

As per NAAQS Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

  
Hanumanthaiah P  
Technical Manager


Note : 1. The results listed only to the tested samples & applicable parameters,  
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 563103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/QR/7.4/01

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	29.08.2025
7.	Date of Sample Receipt	:	30.08.2025
8.	Analysis Starting Date	:	30.08.2025
9.	Analysis Completion Date	:	03.09.2025
10.	Report Issue Date	:	03.09.2025
11.	Sampling Protocol	:	IS 5182 : Part 14
12.	Latitude	:	16.310725
13.	Longitude	:	77.35611

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: MSVAL/2024/3311

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			7444	7445	7446			
6	Carbon Dioxide as CO <sub>2</sub>	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H <sub>2</sub> S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m <sup>3</sup>	BDL	---

### INFEERENCE

As per NAAQS Standards

Report Status :- The analyzed values for above measured parameter are within the limits


Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager



Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4 Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified.





# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
 (Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



MSVAL/QR/7.4/01

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	21.07.2025
7.	Date of Sample Receipt	:	22.07.2025
8.	Analysis Starting Date	:	22.07.2025
9.	Analysis Completion Date	:	30.07.2025
10.	Report Issue Date	:	31.07.2025
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.311642
13.	Longitude	:	77.358016

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407124000014930F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			AAQ/1248	AAQ/1248	AAQ/1248			
1	Particulate Matter (Size less than 10 $\mu\text{m}$ )PM <sub>10</sub>	IS-5182(Part-23):2017	66.1	63.4	60.2	$\mu\text{g}/\text{m}^3$	63.2	100
2	Particulate Matter (Size less than 2.5 $\mu\text{m}$ ) or	IS-5182(Part-24):2019	23.8	21.6	18.4	$\mu\text{g}/\text{m}^3$	21.3	60
3	Sulphur Dioxide as SO <sub>2</sub>	IS-5182(Part-2):2017	19.3	16.8	14	$\mu\text{g}/\text{m}^3$	16.7	80
4	Oxides of Nitrogen as NO <sub>x</sub>	IS-5182(Part-6):2017	28.1	24.2	22.1	$\mu\text{g}/\text{m}^3$	24.8	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.51	0.48	0.45	$\text{mg}/\text{m}^3$	0.48	2

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits
-----------	---

Analysed by



Authorized Signatory

Handumanthaiah P  
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Samples Will be disposed after the specified retention period.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
 5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
 Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169  
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/QR/7.4/01

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	21.07.2025
7.	Date of Sample Receipt	:	22.07.2025
8.	Analysis Starting Date	:	22.07.2025
9.	Analysis Completion Date	:	30.07.2025
10.	Report Issue Date	:	31.07.2025
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.311642
13.	Longitude	:	77.358016

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: MSVAL/2024/2644

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			4914	4915	4916			
6	Carbon Dioxide as CO <sub>2</sub>	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H <sub>2</sub> S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m <sup>3</sup>	BDL	--

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits		
-----------	---	--	--


Analysed by

Authorized Signatory

  
Hanumanthaiah P  
Technical Manager


Note:

1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.



Google

Chicksugur, Karnataka, India

24, Chicksugur, Karnataka 584134, India

Lat 16.311642° Long 77.358016°

21/07/2025 09:40 AM GMT +05:30



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.4/01

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	21.07.2025
7.	Date of Sample Receipt	:	22.07.2025
8.	Analysis Starting Date	:	22.07.2025
9.	Analysis Completion Date	:	30.07.2025
10.	Report Issue Date	:	31.07.2025
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.310626
13.	Longitude	:	77.356042

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407124000014931F

S.No	Parameter	Protocols	Shift wise results			Unit s	Result in Avg.	Toleranc e limits
			1	2	3			
			AAQ/1249	AAQ/1249	AAQ/1249			
1	Particulate Matter (Size less than 10 $\mu\text{m}$ ) PM <sub>10</sub>	IS-5182(Part-23):2017	73.4	70.9	68.1	$\mu\text{g}/\text{m}^3$	70.8	100
2	Particulate Matter (Size less than 2.5 $\mu\text{m}$ ) or	IS-5182(Part-24):2019	29.3	26.7	23.2	$\mu\text{g}/\text{m}^3$	26.4	60
3	Sulphur Dioxide as SO <sub>2</sub>	IS-5182(Part-2):2017	21.5	19.1	17.3	$\mu\text{g}/\text{m}^3$	19.3	80
4	Oxides of Nitrogen as NO <sub>x</sub>	IS-5182(Part-6):2017	28.5	26.4	24.9	$\mu\text{g}/\text{m}^3$	26.6	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.56	0.53	0.50	$\text{mg}/\text{m}^3$	0.53	2

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits
-----------	---

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager



Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Samples Will be disposed after the specified retention period.  
 3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
 5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/QR/7.4/01

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	21.07.2025
7.	Date of Sample Receipt	:	22.07.2025
8.	Analysis Starting Date	:	22.07.2025
9.	Analysis Completion Date	:	30.07.2025
10.	Report Issue Date	:	31.07.2025
11.	Sampling Protocol	:	IS 5182 : Part 14
12.	Latitude	:	16.310626
13.	Longitude	:	77.356042

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: MSVAL/2024/2645

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			4917	4918	4919			
6	Carbon Dioxide as CO <sub>2</sub>	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H <sub>2</sub> S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m <sup>3</sup>	BDL	--

INFEERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits		
------------	---	--	--


Analysed by



Authorized Signatory

Hanumanthaiah P  
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified.



GPS Map C...

## Chicksugur, Karnataka, India

33, Chicksugur, Karnataka 584134, India

Lat 16.310626° Long 77.356042°

21/07/2025 09:53 AM GMT +05:30



Google



# MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
 E-mail : [msvalbellary2018@gmail.com](mailto:msvalbellary2018@gmail.com), [labmsv@gmail.com](mailto:labmsv@gmail.com), Website : [www.msvalbellary.com](http://www.msvalbellary.com)



MSVAL/AA/RF/01/00

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	28.06.2025
7.	Date of Sample Receipt	:	30.06.2025
8.	Analysis Starting Date	:	30.06.2025
9.	Analysis Completion Date	:	03.07.2025
10.	Report Issue Date	:	04.07.2025
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.311622
13.	Longitude	:	77.358007

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407125000013390F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			AAQ/977 (A)	AAQ/977 (B)	AAQ/977 (C)			
1	Particulate Matter (Size less than 10 $\mu\text{m}$ ) PM <sub>10</sub>	IS-5182(Part-23):2017	70.4	67.2	65.2	$\mu\text{g}/\text{m}^3$	67.6	100
2	Particulate Matter (Size less than 2.5 $\mu\text{m}$ ) or PM <sub>2.5</sub>	IS-5182(Part-24):2019	30.6	28.4	26.3	$\mu\text{g}/\text{m}^3$	28.4	60
3	Sulphur Dioxide as SO <sub>2</sub>	IS-5182(Part-2):2017	23.6	21.6	18.6	$\mu\text{g}/\text{m}^3$	21.3	80
4	Oxides of Nitrogen as NO <sub>x</sub>	IS-5182(Part-6):2017	30.2	28.9	26.9	$\mu\text{g}/\text{m}^3$	28.7	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.51	0.48	0.43	$\text{mg}/\text{m}^3$	0.47	2

## INFERENCE

As per NAAQS Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

  
Hanumanthaiah P  
Technical Manager

-: END OF REPORT:-



Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Water samples will be destroyed after 10 days. Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



# MSV Analytical Laboratories

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/AA/RF/01/00

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksgur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	28.06.2025
7.	Date of Sample Receipt	:	30.06.2025
8.	Analysis Starting Date	:	30.06.2025
9.	Analysis Completion Date	:	03.07.2025
10.	Report Issue Date	:	04.07.2025
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.311622
13.	Longitude	:	77.358007

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: MSVAL/2025/2147

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1 AAQ/977 (A)	2 AAQ/977 (B)	3 AAQ/977 (C)			
6	Carbon Dioxide as CO <sub>2</sub>	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H <sub>2</sub> S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m <sup>3</sup>	BDL	--

### INFERENCE

As per NAAQS Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory


Hanumanthaiah P  
Technical Manager

-: END OF REPORT:-



Note:

1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.





# MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
 E-mail : [msvalbellary2018@gmail.com](mailto:msvalbellary2018@gmail.com), [labmsv@gmail.com](mailto:labmsv@gmail.com), Website : [www.msvalbellary.com](http://www.msvalbellary.com)



TC- 4071

MSVAL/AA/RF/01/00

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	28.06.2025
7.	Date of Sample Receipt	:	30.06.2025
8.	Analysis Starting Date	:	30.06.2025
9.	Analysis Completion Date	:	03.07.2025
10.	Report Issue Date	:	04.07.2025
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.310555
13.	Longitude	:	77.35602

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407125000013391F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1 AAQ/978 (A)	2 AAQ/978 (B)	3 AAQ/978 (C)			
1	Particulate Matter (Size less than 10 $\mu\text{m}$ ) PM <sub>10</sub>	IS-5182(Part-23):2017	68.8	65.2	62.3	$\mu\text{g}/\text{m}^3$	65.4	100
2	Particulate Matter (Size less than 2.5 $\mu\text{m}$ ) or PM <sub>2.5</sub>	IS-5182(Part-24):2019	24.2	22.6	19.4	$\mu\text{g}/\text{m}^3$	22.1	60
3	Sulphur Dioxide as SO <sub>2</sub>	IS-5182(Part-2):2017	17	14.6	12.4	$\mu\text{g}/\text{m}^3$	14.7	80
4	Oxides of Nitrogen as NO <sub>x</sub>	IS-5182(Part-6):2017	24.6	22.9	20.8	$\mu\text{g}/\text{m}^3$	22.8	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.46	0.48	0.39	mg / $\text{m}^3$	0.44	2


## INFERENCE

As per NAAQS Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

  
Hanumanthaiah P  
Technical Manager


:- END OF REPORT :-

Note : 1. The results listed only to the tested samples & applicable parameters,  
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



# MSV Analytical Laboratories

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
 Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169  
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/AA/RF/01/00

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	28.06.2025
7.	Date of Sample Receipt	:	30.06.2025
8.	Analysis Starting Date	:	30.06.2025
9.	Analysis Completion Date	:	03.07.2025
10.	Report Issue Date	:	04.07.2025
11.	Sampling Protocol	:	IS 5182 : Part 14
12.	Latitude	:	16.310555
13.	Longitude	:	77.35602

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: MSVAL/2025/2148

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			AAQ/978 (A)	AAQ/978 (B)	AAQ/978 (C)			
6	Carbon Dioxide as CO <sub>2</sub>	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H <sub>2</sub> S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m <sup>3</sup>	BDL	--

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits				
-----------	---	--	--	--	--

Analysed by


Authorized Signatory

  
Hanumanthaiah P  
Technical Manager

-: END OF REPORT:-



Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4 Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified.





# MSV Analytical Laboratories

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
 Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169  
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/AA/RF/01/00

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksgur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	28.06.2025
7.	Date of Sample Receipt	:	30.06.2025
8.	Sample Code	:	253
9.	Analysis Starting Date	:	30.06.2025
10.	Analysis Completion Date	:	03.07.2025
11.	Report Issue Date	:	04.07.2025
12.	Sampling Protocol	:	IS 5182 : Part 14

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air Test Report No: MSVAL/2025/426

S.No	Parameter	Protocols	Units	Result
1	Benzene	EPA/625/R-96/010b Compendium of Methods Second Edition Compendium Method TO-17	PPM	BDL
2	Isopropyl alcohol		PPM	0.04
3	Methanol		PPM	0.02
4	Toluene		PPM	0.05
5	Dichloromethane		PPM	BDL
6	Acetone		PPM	BDL
7	Hexane		PPM	BDL
8	Xylene		PPM	BDL

INFERENCE	As per NAAQS Standards Report Status: - The analyzed values for above measured parameter are within the limits.
Analysed by	Authorized Signatory

Authorised Signatory

Hanumanthaiah P  
Technical Manager

-: END OF REPORT:-



Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified.



# MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



## ANALYSIS REPORT OF AMBIENT AIR QUALITY

MSVAL/AA/RF/01/00

1. Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Name of the location	:	Near Main Gate
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4. Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5. Duration of Monitoring	:	8 Hours
6. Date of Monitoring	:	21.05.2025
7. Date of Sample Receipt	:	22.05.2025
8. Analysis Starting Date	:	22.05.2025
9. Analysis Completion Date	:	26.05.2025
10. Report Issue Date	:	27.05.2025
11. Sampling Protocol	:	IS 5182:Part 14
12. Latitude	:	16.31059
13. Longitude	:	77.355982

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407125000009871F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			16124	16125	16126			
1	Particulate Matter (Size less than 10 $\mu\text{m}$ ) PM <sub>10</sub>	IS-5182(Part-23):2017	72.8	68.5	63.1	$\mu\text{g}/\text{m}^3$	68.1	100
2	Particulate Matter (Size less than 2.5 $\mu\text{m}$ ) or PM <sub>2.5</sub>	IS-5182(Part-24):2019	32.5	27.9	23.5	$\mu\text{g}/\text{m}^3$	27.9	60
3	Sulphur Dioxide as SO <sub>2</sub>	IS-5182(Part-2):2017	21.6	18.4	16.7	$\mu\text{g}/\text{m}^3$	18.9	80
4	Oxides of Nitrogen as NO <sub>x</sub>	IS-5182(Part-6):2017	28.4	24.8	19.4	$\mu\text{g}/\text{m}^3$	24.2	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.53	0.5	0.42	mg/m <sup>3</sup>	0.48	2

## INFERENCE

As per NAAQS Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by



Authorized Signatory

  
Hanumanthaiah P  
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



# MSV Analytical Laboratories

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/AA/RF/01/00

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	21.05.2025
7.	Date of Sample Receipt	:	22.05.2025
8.	Analysis Starting Date	:	22.05.2025
9.	Analysis Completion Date	:	26.05.2025
10.	Report Issue Date	:	27.05.2025
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.31059
13.	Longitude	:	77.355982

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: MSVAL/2025/2147

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			2569	2570	2571			
6	Carbon Dioxide as CO <sub>2</sub>	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H <sub>2</sub> S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/m <sup>3</sup>	BDL	--

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits		
-----------	---	--	--

Analysed by




Authorized Signatory

Hanumanthaiah P  
Technical Manager

Note:

- The results listed only to the tested samples & applicable parameters.
- Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
- Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
- Sampling is not done by us unless otherwise specified.





# MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/AA/RF/01/00

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	21.05.2025
7.	Date of Sample Receipt	:	22.05.2025
8.	Analysis Starting Date	:	22.05.2025
9.	Analysis Completion Date	:	26.05.2025
10.	Report Issue Date	:	27.05.2025
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.31059
13.	Longitude	:	77.355982

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407125000009872F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			16127	16128	16129			
1	Particulate Matter (Size less than 10 $\mu\text{m}$ ) PM <sub>10</sub>	IS-5182(Part-23):2017	71.4	68.4	64.1	$\mu\text{g}/\text{m}^3$	67.9	100
2	Particulate Matter (Size less than 2.5 $\mu\text{m}$ ) or PM <sub>2.5</sub>	IS-5182(Part-24):2019	26.5	23.7	21.2	$\mu\text{g}/\text{m}^3$	23.8	60
3	Sulphur Dioxide as SO <sub>2</sub>	IS-5182(Part-2):2017	19.4	16.1	13.5	$\mu\text{g}/\text{m}^3$	16.3	80
4	Oxides of Nitrogen as NO <sub>x</sub>	IS-5182(Part-6):2017	26.7	23.5	19.8	$\mu\text{g}/\text{m}^3$	23.3	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.48	0.42	0.36	$\text{mg}/\text{m}^3$	0.42	2

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits		
-----------	---	--	--

Analysed by



Authorized Signatory

  
Hanumanthaiah P  
Technical Manager

Note : 1. The results listed only to the tested samples & applicable parameters,  
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



# MSV Analytical Laboratories

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
 Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169  
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/AA/RF/01/00

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	21.05.2025
7.	Date of Sample Receipt	:	22.05.2025
8.	Analysis Starting Date	:	22.05.2025
9.	Analysis Completion Date	:	26.05.2025
10.	Report Issue Date	:	27.05.2025
11.	Sampling Protocol	:	IS 5182 : Part 14
12.	Latitude	:	16.31059
13.	Longitude	:	77.355982

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: MSVAL/2025/2148

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			2572	2573	2574			
6	Carbon Dioxide as CO <sub>2</sub>	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H <sub>2</sub> S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m <sup>3</sup>	BDL	--

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits					
-----------	---	--	--	--	--	--


Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager



Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified.





# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
 (Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,  
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



## ANALYSIS REPORT OF AMBIENT AIR QUALITY

MSVAL/QR/7.8/01

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	25.09.2025
7.	Date of Sample Receipt	:	26.09.2025
8.	Analysis Starting Date	:	26.09.2025
9.	Analysis Completion Date	:	03.10.2025
10.	Report Issue Date	:	04.10.2025
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.311642
13.	Longitude	:	77.358015

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407124000021970F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			AAQ/3589	AAQ/3589	AAQ/3589			
1	Particulate Matter (Size less than 10 $\mu\text{m}$ )PM <sub>10</sub>	IS-5182(Part-23):2017	64.2	60.8	58.4	$\mu\text{g}/\text{m}^3$	61.1	100
2	Particulate Matter (Size less than 2.5 $\mu\text{m}$ ) or	IS-5182(Part-24):2019	20.9	18.7	16.5	$\mu\text{g}/\text{m}^3$	18.7	60
3	Sulphur Dioxide as SO <sub>2</sub>	IS-5182(Part-2):2017	17.8	15.1	13.2	$\mu\text{g}/\text{m}^3$	15.4	80
4	Oxides of Nitrogen as NO <sub>x</sub>	IS-5182(Part-6):2017	25.6	23.2	20.7	$\mu\text{g}/\text{m}^3$	23.2	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.49	0.46	0.42	$\text{mg}/\text{m}^3$	0.46	2

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits
-----------	---

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager

-: END OF REPORT:-



Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Samples Will be disposed after the specified retention period.  
 3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
 5. Sampling is not done by us unless otherwise specified



## MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/QR/7.8/01

### ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	25.09.2025
7.	Date of Sample Receipt	:	26.09.2025
8.	Analysis Starting Date	:	26.09.2025
9.	Analysis Completion Date	:	03.10.2025
10.	Report Issue Date	:	04.10.2025
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.311642
13.	Longitude	:	77.358015

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air Test Report No: MSVAL/2024/3938

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			8824	8824	8824			
6	Carbon Dioxide as CO <sub>2</sub>	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H <sub>2</sub> S	IS-5182 (Part-7)	BDL	BDL	BDL	µg / m <sup>3</sup>	BDL	--

#### INFERENCE

As per NAAQS Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by


Authorized Signatory

Hanumanthaiah P  
Technical Manager

-: END OF REPORT:-



Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified.



**Chicksugur, Karnataka, India**  
24, Chicksugur, Karnataka 584134, India  
Lat 16.311642° Long 77.358015°  
25/09/2025 09:12 AM GMT +05:30



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
 (Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.8/01

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary,
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	25.09.2025
7.	Date of Sample Receipt	:	26.09.2025
8.	Analysis Starting Date	:	26.09.2025
9.	Analysis Completion Date	:	03.10.2025
10.	Report Issue Date	:	04.10.2025
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.310555
13.	Longitude	:	77.35602

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407124000021971F

S.No	Parameter	Protocols	Shift wise results			Unit s	Result in Avg.	Toleranc e limits
			1	2	3			
			AAQ/3590	AAQ/3590	AAQ/3590			
1	Particulate Matter (Size less than 10 $\mu\text{m}$ ) PM <sub>10</sub>	IS-5182(Part-23):2017	72.3	70.1	65.7	$\mu\text{g}/\text{m}^3$	69.4	100
2	Particulate Matter (Size less than 2.5 $\mu\text{m}$ ) or	IS-5182(Part-24):2019	25.7	23.3	20.1	$\mu\text{g}/\text{m}^3$	23.0	60
3	Sulphur Dioxide as SO <sub>2</sub>	IS-5182(Part-2):2017	19.5	17.7	15.2	$\mu\text{g}/\text{m}^3$	17.5	80
4	Oxides of Nitrogen as NO <sub>x</sub>	IS-5182(Part-6):2017	25.3	22.8	20.3	$\mu\text{g}/\text{m}^3$	22.8	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.52	0.50	0.48	$\text{mg}/\text{m}^3$	0.50	2

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits
-----------	---

Analysed by

Authorized Signatory

  
Hanumanthaiah P  
Technical Manager

-: END OF REPORT:-



Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Samples Will be disposed after the specified retention period.  
 3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
 5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/QR/7.8/01

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksgur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	25.09.2025
7.	Date of Sample Receipt	:	26.09.2025
8.	Analysis Starting Date	:	26.09.2025
9.	Analysis Completion Date	:	03.10.2025
10.	Report Issue Date	:	04.10.2025
11.	Sampling Protocol	:	IS 5182 : Part 14
12.	Latitude	:	16.310555
13.	Longitude	:	77.35602

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air Test Report No: MSVAL/2024/3939

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			8825	8825	8825			
6	Carbon Dioxide as CO <sub>2</sub>	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H <sub>2</sub> S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m <sup>3</sup>	BDL	--

### INFERENCE

As per NAAQS Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory


Hanumanthaiah P  
Technical Manager

-- END OF REPORT --



Note:

- The results listed only to the tested samples & applicable parameters.
- Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
- Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
- Sampling is not done by us unless otherwise specified.




**Chicksugur, Karnataka, India**

33, Chicksugur, Karnataka 584134, India

Lat 16.310555° Long 77.35602°

25/09/2025 9:32 AM GMT +05:30

## WATER BALANCE CHART Apr-Sep 2025





**PANCHASHEEL**  
**MEDICAL SERVICES PVT. LTD.,**  
**INSTITUTE OF INDUSTRIAL & OCCUPATIONAL HEALTH**

# 401 A & B, Navketan Complex, Clock Tower, Secunderabad-500 003. T.S. INDIA.  
 Cell: 90001 44488, 99634 17491 | Email: drraaj@hotmail.com | Website: www.panchasheel.co.in



*Annexure -5*

*Confidential*

**SHILPA PHARMA LIFESCIENCES LTD UNIT-2**  
 Plot No:33,33A & 40-47, Raichur Industrial Growth Centre Chicksugur-584134,Raichur,  
 District, Karnataka State, India  
**MEDICAL SURVEILLANCE PROFORMA**

**DATE: 21/11/2024**

NAME	Mr.Badesab Husen Shaikh	DEPARTMENT	Environment Health And Safety
D.O.B/SEX	29/01/1994 / Male	SECTION	EHS
Lab No / E. Code	2139 / 7188	D.O.J	15/09/2023
DIET	Normal (Mixed)	BLOOD GROUP	"A" Positive
ALLERGY	No		

**PERSONAL HISTORY**

	SMOKING	ALCOHOL	TOBACCO CHEWING	SNUFF
QUANTITY				
DURATION	No	No	No	No
TYPE				

PRESENTING COMPLAINTS	Nil
PAST HISTORY	Nil Particular
FAMILY HISTORY	DM:- No HTN:- No

**GENERAL PHYSICAL EXAMINATION**

DEFECTS/DISABILITY	No
--------------------	----


Height	163Cms	Weight	69 Kgs	Body Mass Index (BMI)	25.97 kg/m <sup>2</sup>
Ideal Weight	63 Kgs	Pulse Rate (Normal 60-100pm)	82per Min	Blood Pressure (BP) (Normal: 120/80 mmhg)	135/82 mmhg
Normal Weight	58 - 68 Kgs				

Interpreting Your BODY MASS INDEX

Adults	Women	Men
Under weight	<19.1	<20.7
In normal range	19.1-25.8	20.7-26.4
Marginally over weight	25.8-27.3	26.4-27.8
Over weight	27.3-32.3	27.8-31.1
Very overweight or obese	>32.3	>31.1

*Diagnosis Makes the Difference*

**"Exclusive NABL Accredited Lab for Industrial & Occupational Health"**



ST LEVEL (mV)

I	II	III	aVR	aVL	aVF
+0.00	+0.01	+0.00	-0.00	+0.00	+0.00
V1	V2	V3	V4	V5	V6
+0.07	+0.20	+0.10	+0.00	+0.03	+0.01

ECG Analysis Result 2:

Var.	Rate(BPM)	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272	273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340	341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374	375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391	392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408	409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425	426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442	443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459	460	461	462	463	464	465	466	467	468	469	470	471	472	473	474	475	476	477	478	479	480	481	482	483	484	485
------	-----------	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----



**PANCHASHEEL**  
**MEDICAL SERVICES PVT. LTD.,**  
**INSTITUTE OF INDUSTRIAL & OCCUPATIONAL HEALTH**

# 401 A & B, Navketan Complex, Clock Tower, Secunderabad-500 003. T.S. INDIA.

Cell: 90001 44488, 99634 17491 | Email: drraj@hotmail.com | Website: www.panchasheel.co.in



E. Code : 7188

**VISUAL ACUITY**

VISION	DISTANT VISION	NEAR VISION	COLOUR VISION	CORRECTIONS
RIGHT	6/9	N8	Normal	Normal Vision
LEFT	6/9	N8	Normal	

**SYSTEMIC EXAMINATION**

RESPIRATORY SYSTEM	Respiratory Sounds are Clear.
CARDIO-VASCULAR SYSTEM	S1 S2 Normal.
CENTRAL NERVOUS SYSTEM	Normal.
ELECTRO CARDIOGRAM (ECG)	Within Normal Limits.
CHEST X-RAY IMPRESSION	Normal Chest Radiograph.
ABDOMEN	Liver and Spleen Not Palpable

**LAB INVESTIGATION**

<b>BLOOD</b>			<b>URINE</b>		
Test	Result	Normal Range	Test	Result	Normal Range
HB	15.9	M14 to 18 gm/dL F 12 to 16 gm/dL	Colour	Pale Yellow	White to Yellow
RBC	5.3	4.0 - 6.0 mill/cumm	Appearance	Clear	Clear
TC	8200	4000 - 11000 cells/cumm	Reaction	Acidic	Acidic
DLC (%)	P-65 L-26 E-4 M-5	Neutrophils (or segs): 40 - 70% Lymphocytes: 20 - 40% Eosinophils: 02 - 06% Monocytes: 02 - 08% Basophils: 0.4% - 1%	Albumin	Nil	Nil
AEC	328	40-440 cells/cumm	Sugar	Nil	Nil
RBC Smear	Normocytic Normochromic		Pus cells	1-2 /Hpf	1-5/hpf
WBC Smear	Within Normal Limits		RBC	Nil	Nil
VDRL	Non-Reactive	Non-Reactive	EP CELLS	Occasional	1-5/hpf
RBS	71	70 - 160 mg/dl	Others	Nil	Nil

**SPUTUM FOR AFB:** Negative.  
(Acid fast bacillus)

**ADVICE/REMARKS:** Healthy & free from contagious diseases.


**FIT TO WORK**

**Dr. RAJA VOJJALA**  
MD(Path)AFIH(CLI)  
Physician Industrial Medicine  
Regd. No. 13057

Medical officer

*Diagnosis Makes the Difference*


**"Exclusive NABL Accredited Lab for Industrial & Occupational Health"**



2139

## Annexure-6





## Employee Training Information Report

Status : Active

Information Type : Training Information

Latest Version : Yes

Assigned From :01 Apr 2025

Departments : ALL

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
1	Bharath Kumar Pisay [1618]	Electrical	Adhoc Training	NA	Operation and maintenance of fire extinguisher (SOP-U-2-EHS-GEN-004-07)	02 Apr 2025	02 Apr 2025	NA	NA	Pass	R.ELANG OVAN - [6808]	Classroom
2	Ramachand ra Rao Paidi [1171]	Electrical	Adhoc Training	NA	Operation and maintenance of fire extinguisher (SOP-U-2-EHS-GEN-004-07)	02 Apr 2025	02 Apr 2025	NA	NA	Pass	R.ELANG OVAN - [6808]	Classroom
3	Shivakumar Shivappa [1902]	Electrical	Adhoc Training	NA	Operation and maintenance of fire extinguisher (SOP-U-2-EHS-GEN-004-07)	02 Apr 2025	02 Apr 2025	NA	NA	Pass	R.ELANG OVAN - [6808]	Classroom

SOP Copy : NA

Training Status:Completed

Ref. Doc. No.:SOP-U-2-EHS-GEN-004

Assigned To :NA

Employee.:ALL

*Annexure - 1*

SHILPA  
PHARMA  
LIFESCIENCES  
LIMITED

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
4	Aklak Pasha [1912]	Electrical	Adhoc Training	NA	Operation and maintenance of fire extinguisher (SOP-U-2-EHS-GEN-004-07)	02 Apr 2025	02 Apr 2025	NA	NA	Pass	R.ELANG OVAN - [6808]	Classroom
5	Suresh [3086]	Electrical	Adhoc Training	NA	Operation and maintenance of fire extinguisher (SOP-U-2-EHS-GEN-004-07)	02 Apr 2025	02 Apr 2025	NA	NA	Pass	R.ELANG OVAN - [6808]	Classroom
6	Ashok [3087]	Electrical	Adhoc Training	NA	Operation and maintenance of fire extinguisher (SOP-U-2-EHS-GEN-004-07)	02 Apr 2025	02 Apr 2025	NA	NA	Pass	R.ELANG OVAN - [6808]	Classroom
7	Chandra Shekar [3084]	Electrical	Adhoc Training	NA	Operation and maintenance of fire extinguisher (SOP-U-2-EHS-GEN-004-07)	02 Apr 2025	02 Apr 2025	NA	NA	Pass	R.ELANG OVAN - [6808]	Classroom

SHILPA  
PHARMA  
LIFESCIENCES  
LIMITED  
UNIT-2

## Employee Training Information Report

Status : Active

Information Type : Training Information

Latest Version : Yes

Assigned From :01 Apr 2025

Departments : ALL

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
1	Devendra Pratap Singh [1209]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	02 Aug 2025	07 Aug 2025	NA	NA	Pass	Bolla Surendra Reddy [2236]	Classroom

SOP Copy : NA  
Training Status:Completed  
Ref. Doc. No.:SOP-U-2-EHS-GEN-001  
Assigned To :28 Sep 2025  
Employee.:ALL

**SHILPA  
PHARMA  
LIFESCIENCES  
LIMITED**  
UNIT-2

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
2	Naveen Samgapu [2919]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	22 Aug 2025	22 Aug 2025	NA	NA	Pass	NAGARAJ U GAMIDI [5528]	Classroom
3	Devi Krishna Gujula [2229]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	18 Aug 2025	18 Aug 2025	NA	NA	Pass	B.Siva Kumar [2636]	Classroom

**SHILPA  
PHARMA  
LIFE SCIENCES  
LIMITED**

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
4	Masuldar Abdul Zaber shaik [3476]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilit ies (FM- PA-059-02)	13 Aug 2025	14 Aug 2025	NA	NA	Pass	M Ramu [1958]	Classroom
5	Jindoba Kashinath Waghmode [2006]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilit ies (FM- PA-059-02)	23 Aug 2025	23 Aug 2025	NA	NA	Pass	M Ramu [1958]	Classroom

SHILPA  
PHARMA  
LIFESCIENCES  
LIMITED  
UNIT-2

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
6	Ranga Rao Baggu [1962]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	19 Aug 2025	19 Aug 2025	NA	N/A	Pass	B.Siva Kumar [2636]	Classroom
7	Rajeev Perimi [2787]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	13 Aug 2025	14 Aug 2025	NA	N/A	Pass	M Ramu . [1958]	Classroom

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
8	Thondamall a Venkata Praveen Kumar [3100]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	13 Aug 2025	14 Aug 2025	NA	NA	Pass	M Ramu [1958]	Classroom
9	Badrinath . [4344]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	22 Apr 2025	19 May 2025	NA	NA	Pass	DIVI VENUGOPAL [4866]	Classroom

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
10	GOOTLO PAVAN KUMAR .. [4649]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	18 Aug 2025	19 Aug 2025	NA	NA	Pass	M Ramu , [1958]	Classroom
11	SANDRAL A PRASAD - [6427]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	12 Aug 2025	14 Aug 2025	NA	NA	Pass	M Ramu , [1958]	Classroom

**SHILPA  
PHARMA  
LIFE SCIENCES  
LIMITED**

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
12	OJA SUBRAMA NYAM - [6670]	Quality control	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	25 Apr 2025	30 Apr 2025	NA	NA	Pass	V.N.PRASAD ANDE. [1581.]	Classroom
13	SURENDRA A BABU GOLLA [5596]	Quality control	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	25 Apr 2025	28 Apr 2025	NA	NA	Pass	V.N.PRASAD ANDE. [1581.]	Classroom

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
14	VAIBHAV SANJAY KOTHARE [5928]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absenees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	12 Aug 2025	14 Aug 2025	N/A	N/A	Pass	Attunuru Prasad Reddy [2952]	Classroom
15	CHEKUBO YINA SURYAVA MSI GOKUL - [6157]	Quality control	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absenees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	09 Apr 2025	21 Apr 2025	N/A	N/A	Pass	GYANESH WAR MANIKRA O SHEP .. [4826]	Classroom

**SHILPA  
PHARMA  
LIFE SCIENCES  
LIMITED  
UNIT-2**

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
16	S MAHESH . [6033]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilit ies (FM- PA-059-02)	12 Aug 2025	14 Aug 2025	NA	NA	Pass	Attunuru Prasad Reddy [2952]	Classroom
17	GOLLA PANDUKU MAR. [6069]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilit ies (FM- PA-059-02)	18 Aug 2025	19 Aug 2025	NA	NA	Pass	DIVI VENUGOP AL.. [4866]	Classroom

**SHILPA  
PHARMA  
LIFESCIENCES  
LIMITED  
UNIT-2**

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
18	SAGAR LAXMAN GAVALI - [7565]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description/ additional job responsibilities (FM-PA-059-02)	11 Jul 2025	22 Jul 2025	NA	NA	Pass	M Ramu , [1958]	Classroom
19	A VENKATA SHIVA REDDY - [7549]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description/ additional job responsibilities (FM-PA-059-02)	24 Apr 2025	14 May 2025	NA	NA	Pass	SHANI P T [7539]	Classroom

**SHILPA  
PHARMA  
LIFE SCIENCES  
LIMITED**

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
20	OMKAR CHINTAM ANI GURAV - [8440]	Quality control	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	18 Aug 2025	19 Aug 2025	NA	NA	Pass	Bharmanna Shivaraya Petarge [1186]	Classroom
21	AJIT CHANDRA KANT BORUTE . [6040]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	12 Aug 2025	14 Aug 2025	NA	NA	Pass	Attunuru Prasad Reddy [2952]	Classroom

**SHILPA  
PHARMA  
LIFE SCIENCES  
LIMITED  
UNIT-2**

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
22	RAMAVA TH VENKATE SUNAIK . [5592]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absences /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	12 Aug 2025	16 Aug 2025	N/A	N/A	Pass	Narasimha Murthy Venkata Nanduri [1937]	Classroom
23	Balachandar B [3481]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absences /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	14 Aug 2025	16 Aug 2025	N/A	N/A	Pass	M Ramu [1958]	Classroom




## Sop Training Log

RefDocNo.:SOP-U-2-EHS-GEN-003

### Completed Training

#	Employee Name	Department	Revision No.	Assign Date	Completion Date	Trainer Name	Score(in %)	Training Mode	Status	Comment	Training Due Date
1	Amare Gouda . [1392]	Production	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online Pass	Employee has cleared the test	14-Jul-2025	
2	MANDA SRIRAMULU - [8184]	Production	08	04-Jul-2025	04-Jul-2025	Self	90.0	Online Pass	Employee has cleared the test	14-Jul-2025	
3	Venkatesh Regula [3614]	Production	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online Pass	Employee has cleared the test	14-Jul-2025	
4	Ediga Khaajan Goud [1627]	Quality control	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online Pass	Employee has cleared the test	14-Jul-2025	
5	Mujahid Hussain [1716]	Quality Assurance	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online Pass	Employee has cleared the test	14-Jul-2025	
6	Yuvraji . [3725]	Production	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online Pass	Employee has cleared the test	14-Jul-2025	
7	Arun Kumar Gunjanur [1307]	Production	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online Pass	Employee has cleared the test	14-Jul-2025	
8	MANIDEEP BH - [6501]	Quality control	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online Pass	Employee has cleared the test	14-Jul-2025	
9	Prasanna Ravindra Dhanshetti [1496]	Production	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online Pass	Employee has cleared the test	14-Jul-2025	



## Sop Training Log

RefDocNo.:SOP-U-2-EHS-GEN-003

### Completed Training

#	Employee Name	Department	Revision No.	Assign Date	Completion Date	Trainer Name	Score(in %)	Training Mode	Status	Comment	Training Due Date
10	M.Veerendra Kumar [1161]	Production	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online Pass		Employee has cleared the test	14-Jul-2025
11	Veereshappa . [1045]	Production	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online Pass		Employee has cleared the test	14-Jul-2025
12	Rajshekhar Bhimasha Gaikwad [3421]	Production	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online Pass		Employee has cleared the test	14-Jul-2025
13	SHUBHAM KORALE - [7529]	Quality Assurance	08	04-Jul-2025	04-Jul-2025	Self	90.0	Online Pass		Employee has cleared the test	14-Jul-2025
14	Umesh Jalkote [1304]	Production	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online Pass		Employee has cleared the test	14-Jul-2025
15	VELPULALA MALLESWARA RAO - [7615]	Production	08	04-Jul-2025	04-Jul-2025	Self	90.0	Online Pass		Employee has cleared the test	14-Jul-2025
16	Boya Mallikarjuna [2836]	Production	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online Pass		Employee has cleared the test	14-Jul-2025
17	S SATISH - [7569]	Production	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online Pass		Employee has cleared the test	14-Jul-2025
18	Praveen Kumar Gadwal [1308]	Production	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online Pass		Employee has cleared the test	14-Jul-2025



## Sop Training Log

RefDocNo.:SOP-U-2-EHS-GEN-003

### Completed Training

#	Employee Name	Department	Revision No.	Assign Date	Completion Date	Trainer Name	Score(in %)	Training Mode	Comment	Training Due Date
19	MAHESH VASANTRAO SONAWANE - [7639]	Quality Assurance	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online Pass	Employee has cleared the test	14-Jul-2025
20	Bajeswara Rao Gotipati [3192]	Production	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online Pass	Employee has cleared the test	14-Jul-2025
21	Nageswara Rao Gudavalli [372]	Production	08	04-Jul-2025	04-Jul-2025	Self	90.0	Online Pass	Employee has cleared the test	14-Jul-2025
22	SHIVANAND RAMESH KOLLI - [7431]	Quality Assurance	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online Pass	Employee has cleared the test	14-Jul-2025
23	Govindappa Galagali .[3940]	Production	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online Pass	Employee has cleared the test	14-Jul-2025
24	AVINASH ANNASO BHUJA WADKAR - [7660]	Production	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online Pass	Employee has cleared the test	14-Jul-2025
25	SHRIKRUSHNA SUBHASH TELORE - [7110]	Production	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online Pass	Employee has cleared the test	14-Jul-2025
26	SATENDRA VERMA - [8218]	Production	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online Pass	Employee has cleared the test	14-Jul-2025
27	AJIT CHANDRAKANT BORUTE .[6040]	Production	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online Pass	Employee has cleared the test	14-Jul-2025




## Sop Training Log

RefdocNo.:SOP-U-2-EHS-GEN-003

### Completed Training

#	Employee Name	Department	Revision No.	Assign Date	Completion Date	Trainer Name	Score(in %)	Training Mode	Status	Comment	Training Due Date
28	BYRAKONDA HARIKRISHNA - [7311]	Production	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
29	Bolla Surendra Reddy	Production	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
30	Lingaraju Cholappa Bettapnor [2362]	Production	08	04-Jul-2025	04-Jul-2025	Self	90.0	Online	Pass	Employee has cleared the test	14-Jul-2025
31	Arun Kumar Singh [1355]	Production	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
32	Puramshetti Srinivas [2908]	Production	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
33	SUNIL KUMAR YADAV - [7413]	Production	08	04-Jul-2025	04-Jul-2025	Self	90.0	Online	Pass	Employee has cleared the test	14-Jul-2025
34	PRUTHIVIRAJ POPAT RANANAVARE - [7277]	Production	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
35	NITINKUMAR VIRBHADRAPPA NASALE - [7286]	Production	08	04-Jul-2025	04-Jul-2025	Self	90.0	Online	Pass	Employee has cleared the test	14-Jul-2025
36	MAHESH SIDDAPPA JATTI - [7426]	Production	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025



**Sop Training Log**  
**RefdocNo.:SOP-U-2-EHS-GEN-003**

**Completed Training**

#	Employee Name	Department	Revision No.	Assign Date	Completion Date	Trainer Name	Score(in %)	Training Mode	Status	Comment	Training Due Date
37	MANVENDRA SINGH - [7322]	Production	08	04-Jul-2025	04-Jul-2025	Self	90.0	Online Pass	Employee has cleared the test	14-Jul-2025	
38	PRADEEP S HANCHINAL - [8028]	Production	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online Pass	Employee has cleared the test	14-Jul-2025	
39	Avinash Digambar Bhalerao [3573]	Production	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online Pass	Employee has cleared the test	14-Jul-2025	
40	Venkateshwarlu C [1190]	Production	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online Pass	Employee has cleared the test	14-Jul-2025	
41	Amarsing Kisansing Rajput [3523]	Production	08	04-Jul-2025	04-Jul-2025	Self	90.0	Online Pass	Employee has cleared the test	14-Jul-2025	
42	Balaveeriah Valadasu [1495]	Production	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online Pass	Employee has cleared the test	14-Jul-2025	
43	ASHOK BALASAHEB BAGAL - [7862]	Production	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online Pass	Employee has cleared the test	14-Jul-2025	
44	Anjaliya Babu Dandu [1135]	Production	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online Pass	Employee has cleared the test	14-Jul-2025	
45	VIKAS SINGH - [8016]	Production	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online Pass	Employee has cleared the test	14-Jul-2025	



## Sop Training Log

RefDocNo.:SOP-U-2-EHS-GEN-003

### Completed Training

#	Employee Name	Department	Revision No.	Assign Date	Completion Date	Trainer Name	Score(in %)	Training Mode	Status	Comment	Training Due Date
46	DEEPAK GOVINDRAO NATKARE .. [4799]	Production	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
47	PRABHAKAR SHIVAJI LOHAR - [7910]	Production	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
48	YOGESH ATMARAM METE - [7762]	Production	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
49	Vidyadhar Chiuveri [2502]	Production	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
50	KOTKAR PRAVIN RAMESH - [7764]	Production	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
51	KAVALI NARSIMLU - [7706]	Production	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
52	Samir Kisan Ghuge : [4359]	Production	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
53	SRIHARI CHOUDHURY - [7722]	Production	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
54	Gunti Venkateswari [2900]	Production	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025



## Sop Training Log

RefDocNo.:SOP-U-2-EHS-GEN-003

### Completed Training

#	Employee Name	Department	Revision No.	Assign Date	Completion Date	Trainer Name	Score(in %)	Training Mode	Status	Comment	Training Due Date
55	JAVED GHUDUJAL SAYYAD - [8014]	Production	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online Pass	Employee has cleared the test	14-Jul-2025	
56	AVINASH MACHINDRA SHINDE - [7981]	Production	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online Pass	Employee has cleared the test	14-Jul-2025	
57	SHUBHAM DILIP PHASE - [7986]	Production	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online Pass	Employee has cleared the test	14-Jul-2025	
58	SHRISHAIL JYOTIBA GADE - [8257]	Production	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online Pass	Employee has cleared the test	14-Jul-2025	
59	OMKARESWARAR AO PASUMARTHI [4454]	Production	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online Pass	Employee has cleared the test	14-Jul-2025	
60	Anantha Sena Reddy Gaunolla [1395]	Quality Assurance	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online Pass	Employee has cleared the test	14-Jul-2025	
61	Omprakash . [2199]	Quality control	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online Pass	Employee has cleared the test	14-Jul-2025	
62	RAMAVATH VENKATESU NAIK . [5592]	Production	08	04-Jul-2025	05-Jul-2025	Self	90.0	Online Pass	Employee has cleared the test	14-Jul-2025	
63	AVADHUT ASHOK KULKARNI . [5694]	Production	08	04-Jul-2025	05-Jul-2025	Self	90.0	Online Pass	Employee has cleared the test	14-Jul-2025	




## Sop Training Log

RefDocNo.:SOP-U-2-EHS-GEN-003

### Completed Training

#	Employee Name	Department	Revision No.	Assign Date	Completion Date	Trainer Name	Score(in %)	Training Mode	Status	Comment	Training Due Date
64	VIVEK TULSHIRAM JADHAV - [8195]	Production	08	04-Jul-2025	05-Jul-2025	Self	90.0	Online Pass	Employee has cleared the test	14-Jul-2025	
65	VINUKONDA SRIRAMULU - [6763]	Production	08	04-Jul-2025	05-Jul-2025	Self	90.0	Online Pass	Employee has cleared the test	14-Jul-2025	
66	AMRUTHALURI SURESH BABU - [7665]	Production	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online Pass	Employee has cleared the test	14-Jul-2025	
67	DAGGUPATI VENKATARAMANA - [6322]	Production	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online Pass	Employee has cleared the test	14-Jul-2025	
68	Jalandar Pasula [1610]	Quality control	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online Pass	Employee has cleared the test	14-Jul-2025	
69	APPIKATLA SAI KUMAR - [6542]	Production	08	04-Jul-2025	05-Jul-2025	Self	90.0	Online Pass	Employee has cleared the test	14-Jul-2025	
70	SURENDER RAMACHANDRUNI [4926]	Personnel & Administration	08	04-Jul-2025	05-Jul-2025	Self	90.0	Online Pass	Employee has cleared the test	14-Jul-2025	
71	PERUMALA SATISH KUMAR . [4666]	Production	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online Pass	Employee has cleared the test	14-Jul-2025	
72	PANKAJ SHAMUVEL PANDIT - [7732]	Production	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online Pass	Employee has cleared the test	14-Jul-2025	



Sop Training Log

Ref ID: SOP-II-2-EHS-GEN-003

## Completed Training

#	Employee Name	Department	Revision No.	Assign Date	Completion Date	Trainer Name	Score(in %)	Training Mode	Status	Comment	Training Due Date
73	VIJAY DATTATRAY BHANDALKAR - [7288]	Production	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online Pass	Employee has cleared the test	14-Jul-2025	
74	Shivyogi Shankar Kognure [1413]	Production	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online Pass	Employee has cleared the test	14-Jul-2025	
75	BADESAB HUSEN SHAIKH [7188]	EHS	08	04-Jul-2025	05-Jul-2025	Self	90.0	Online Pass	Employee has cleared the test	14-Jul-2025	
76	T BALAJI SAVANTH . [6585]	Production	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online Pass	Employee has cleared the test	14-Jul-2025	
77	Attunuru Prasad Reddy [2952]	Production	08	04-Jul-2025	05-Jul-2025	Self	90.0	Online Pass	Employee has cleared the test	14-Jul-2025	
78	Pulla Reddy Gowreddy [1846]	Quality control	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online Pass	Employee has cleared the test	14-Jul-2025	
79	VABHAV SANJAY KOTHARE . [5928]	Production	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online Pass	Employee has cleared the test	14-Jul-2025	
80	Nageshwar Rao Padamati [1364]	Production	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online Pass	Employee has cleared the test	14-Jul-2025	
81	KUMMARI RAMESH - [7273]	Production	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online Pass	Employee has cleared the test	14-Jul-2025	



## Sop Training Log

RefDocNo.:SOP-U-2-EHS-GEN-003

### Completed Training

#	Employee Name	Department	Revision No.	Assign Date	Completion Date	Trainer Name	Score(in %)	Training Mode	Status	Comment	Training Due Date
82	Manjeet Singh - [7310]	Analytical research and Development (AR&D)	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
83	KESANA SIVANAGARAJU - [7796]	Production	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
84	S MAHESH . [6033]	Production	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
85	Raja Kumar Anipe [1798]	Quality control	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
86	CHANNESHAPPA H . . [4824]	Production	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
87	Venkata Reddy Padala [1756]	Quality Assurance	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
88	SWAPNIL SHIVAJI KANDEKAR - [7824]	Production	08	04-Jul-2025	05-Jul-2025	Self	90.0	Online	Pass	Employee has cleared the test	14-Jul-2025
89	Virendra B Kalshetti [4412]	Production	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
90	Abinash Parida [7388]	Production	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025

SHILPA  
PHARMA  
LIFESCIENCES  
LIMITED  
UNIT-2

## Employee Training Information Report

Status : Active

Information Type : Training Information

Latest Version : Yes

Assigned From :01 Apr 2025

Departments : ALL

SOP Copy : NA

Training Status:Completed

Ref. Doc. No.:-SOP-U-2-EHS-GEN-006

Assigned To :28 Sep 2025

Employee.:ALL

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
1	Devendra Pratap Singh [1209]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	02 Aug 2025	07 Aug 2025	NA	NA	Pass	Bolla Surendra Reddy [2236]	Classroom

**SINH.PA**  
**PHARMA**  
**LIFESCIENCES**  
**LIMITED**  
**UNIT-2**

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
2	Naveen Samgapu [2919]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absenees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	22 Aug 2025	22 Aug 2025	NA	NA	Pass	NAGARAJ U GAMIDI [5528]	Classroom
3	Devi Krishna Gujjula [2229]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absenees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	18 Aug 2025	18 Aug 2025	NA	NA	Pass	B.Siva Kumar [2636]	Classroom

**SHILPA  
PHARMA  
LIFESCIENCES  
LIMITED**  
**UNIT-2**

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
4	Masuldar Abdul Zaber shaik [3476]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	13 Aug 2025	14 Aug 2025	NA	NA	Pass	M Ramu [1958]	Classroom
5	Jindoba Kashinath Waghmode [2006]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	23 Aug 2025	23 Aug 2025	NA	NA	Pass	M Ramu [1958]	Classroom

**SHILPA  
PHARMA  
LIFESCIENCES  
LIMITED**  
**UNIT-2**

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
6	Ranga Rao Baggu [1962]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	19 Aug 2025	19 Aug 2025	NA	NA	Pass	B.Siva Kumar [2636]	Classroom
7	Rajeev Perimi [2787]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	13 Aug 2025	14 Aug 2025	NA	NA	Pass	M Ramu . [1958]	Classroom

**SHILPA  
PHARMA  
LIFESCIENCES  
LIMITED**

**UNIT-2**

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
8	Thondamall a Venkata Praveen Kumar [3100]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees 'transfer employee/ changes in job description / additional job responsibilit ies (FM- PA-059-02)	13 Aug 2025	14 Aug 2025	NA	NA	Pass	M Ramu . [1958]	Classroom
9	Badrinath , [4344]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees 'transfer employee/ changes in job description / additional job responsibilit ies (FM- PA-059-02)	22 Apr 2025	19 May 2025	NA	NA	Pass	DIVI VENU GOPAL . [4866]	Classroom

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
10	GOOTLO PAVAN KUMAR .. [4649]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absences /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	18 Aug 2025	19 Aug 2025	NA	NA	Pass	M Ramu . [1958]	Classroom
11	SANDRAL A PRASAD - [6427]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absences /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	12 Aug 2025	14 Aug 2025	NA	NA	Pass	M Ramu . [1958]	Classroom

**SHILPA  
PHARMA  
LIFESCIENCES  
LIMITED  
UNIT-2**

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
12	OJA SUBRAMA NYAM - [6670]	Quality control	Adhoc Training	NA	ON JOB TRAINING (IST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	25 Apr 2025	30 Apr 2025	NA	NA	Pass	V.N.PRASAD ANDE [1581.]	Classroom
13	SURENDRA BABU GOLLA [5596]	Quality control	Adhoc Training	NA	ON JOB TRAINING (IST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	25 Apr 2025	28 Apr 2025	NA	NA	Pass	V.N.PRASAD ANDE [1581.]	Classroom

**SHILPA  
PHARMA  
LIFE SCIENCES  
LIMITED  
UNIT-2**

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
14	VAIBHAV SANJAY KOTHARE .[5928]	Production	Adhoc Training	NA	ON JOB TRAINING (IST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM- PA-059-02)	12 Aug 2025	14 Aug 2025	NA	NA	Pass	Attunuru Prasad Reddy [2952]	Classroom
15	CHEKUBO YINA SURYAVA MSI GOKUL - [6157]	Quality control	Adhoc Training	NA	ON JOB TRAINING (IST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM- PA-059-02)	09 Apr 2025	21 Apr 2025	NA	NA	Pass	GYANESH WAR MANKRA O SHEP .. [4826]	Classroom

**SHILPA  
PHARMA  
LIFESCIENCES  
LIMITED  
UNIT-2**

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
16	S MAHESH . [6033]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	12 Aug 2025	14 Aug 2025	NA	NA	Pass	Attunuru Prasad Reddy [2952]	Classroom
17	GOLLA PANDUKU MAR . [6069]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	18 Aug 2025	19 Aug 2025	NA	NA	Pass	DIVI VENUGOPAL [4866]	Classroom

**SHILPA  
PHARMA  
LIFESCIENCES  
LIMITED  
UNIT-2**

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
18	SAGAR LAXMAN GAVALLI - [7565]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absenees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	11 Jul 2025	22 Jul 2025	NA	N/A	Pass	M Ranu . [1958]	Classroom
19	A VENKATA SHIVA REDDY - [7549]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absenees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	24 Apr 2025	14 May 2025	NA	N/A	Pass	SHANI P T [7539]	Classroom

**SHILPA  
PHARMA  
LIFESCIENCES  
LIMITED  
UNIT-2**

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
20	OMKAR CHINTAM ANI GURAV - [8440]	Quality control	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	18 Aug 2025	19 Aug 2025	NA	NA	Pass	Bharannna Shivaraya Petarge [1186]	Classroom
21	AJIT CHANDRA KANT BORUTE . [6040]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	12 Aug 2025	14 Aug 2025	NA	NA	Pass	Attunuru Prasad Reddy [2952]	Classroom

**SHILPA  
PHARMA  
LIFESCIENCES  
LIMITED  
UNIT-2**

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
22	RAMAVA TH VENKATE SU NAIK . [5592]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absences /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	12 Aug 2025	16 Aug 2025	NA	NA	Pass	Narasimha Murthy Venkata Nanduri [1937]	Classroom
23	Balachandar B [3481]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absences /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	14 Aug 2025	16 Aug 2025	NA	NA	Pass	M Ranu . [1958]	Classroom

SHILPA PHARMA LIFESCIENCES LIMITED UNIT-2									
#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score
									Status
24	Vithal Abaso Babar [1411]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	18 Aug 2025	19 Aug 2025	NA	Pass
25	RAHUL MOHAN JANKAR - [8351]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR NEW EMPLOYEE (FM-PA-058)	03 Apr 2025	19 Apr 2025	NA	Pass
26	SHAMBHO RAJE BHAGAWAN SING - [8357]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR NEW EMPLOYEE (FM-PA-058)	05 Apr 2025	09 May 2025	NA	Pass

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
27	G GANESH - [8370]	IT	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR NEW EMPLOYEE (FM-PA-058)	14 Apr 2025	21 Apr 2025	NA	NA	Pass	Alkesh Kashte . [3938]	Classroom
28	VEER PRATAP SINGH - [8383]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR NEW EMPLOYEE (FM-PA-058)	18 Apr 2025	16 May 2025	NA	NA	Pass	Arun Kumar Singh [1355]	Classroom
29	SAPPOGU RATHNA M - [8389]	Microbiology	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR NEW EMPLOYEE (FM-PA-058)	19 Apr 2025	10 May 2025	NA	NA	Pass	Sharan Prasad Hampayya swamy Shivaling [1497]	Classroom
30	INAPURAPU PRAVEEN KUMAR - [8398]	Quality Assurance	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR NEW EMPLOYEE (FM-PA-058)	24 Apr 2025	12 May 2025	NA	NA	Pass	Satish Babu Kota [1489]	Classroom

**SHILPA  
PHARMA  
LIFESCIENCES  
LIMITED  
UNIT-2**

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
31	INAPURAPU U PRAVEEN KUMAR - [8398]	Quality Assurance	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR NEW EMPLOYEE (FM-PA-058)	24 Apr 2025	12 May 2025	NA	NA	Pass	Satish Babu Kota [489]	Classroom
32	GAURAV PRAKASH PATIL - [8405]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR NEW EMPLOYEE (FM-PA-058)	29 Apr 2025	23 May 2025	NA	NA	Pass	SHANI P T [7539]	Classroom
33	SUNIL KUMAR - [8433]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR NEW EMPLOYEE (FM-PA-058)	21 May 2025	11 Jun 2025	NA	NA	Pass	Narasimha Murthy Venkata Nanduri [1937]	Classroom
34	SOURABH RAMDAS SURYAWANSHI - [8436]	Quality control	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR NEW EMPLOYEE (FM-PA-058)	22 May 2025	10 Jun 2025	NA	NA	Pass	Bharmanna Shivaraya Petarge [1186]	Classroom

SHILPA  
PHARMA  
LIFESCIENCES  
LIMITED  
UNIT-2

## Employee Training Information Report

Status : Active

Information Type : Training Information

Latest Version : Yes

Assigned From :01 Apr 2025

Departments : ALL

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
1	Devendra Pratap Singh [1209]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	02 Aug 2025	07 Aug 2025	NA	NA	Pass	Bolla Surendra Reddy [2236]	Classroom

SOP Copy : NA  
Training Status:Completed  
Ref. Doc. No.:SOP-U-2-EHS-GEN-014  
Assigned To :28 Sep 2025  
Employee.:ALL

**SHILPA  
PHARMA  
LIFESCIENCES  
LIMITED  
UNIT-2**

#	Employee Name	Department	Ref/Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
2	Naveen Samgapu [2919]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	22 Aug 2025	22 Aug 2025	NA	NA	Pass	NAGARAJ U GAMIDI [5528]	Classroom
3	Devi Krishna Gujula [2229]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	18 Aug 2025	18 Aug 2025	NA	NA	Pass	B.Siva Kumar [2636]	Classroom

**SHILPA  
PHARMA  
LIFESCIENCES  
LIMITED  
UNIT-2**

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
4	Masuldar Abdul Zaber shaik [3476]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilit ies (FM- PA-059-02)	13 Aug 2025	14 Aug 2025	NA	NA	Pass	M Ramu , [1958]	Classroom
5	Jindoba Kashinath Waghmode [2006]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilit ies (FM- PA-059-02)	23 Aug 2025	23 Aug 2025	NA	NA	Pass	M Ramu , [1958]	Classroom

**SHILPA  
PHARMA  
LIFESCIENCES  
LIMITED  
UNIT-2**

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
6	Ranga Rao Baggu [1962]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	19 Aug 2025	19 Aug 2025	N/A	N/A	Pass	B.Siva Kumar [2636]	Classroom
7	Rajeev Perimi [2787]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	13 Aug 2025	14 Aug 2025	N/A	N/A	Pass	M Ramu . [1958]	Classroom

**SHILPA  
PHARMA  
LIFESCIENCES  
LIMITED**  
**UNIT -2**

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
8	Thondamall a Venkata Praveen Kumar [3100]	Production	Adhoc Training	NA	ON JOB TRAINING (IST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	13 Aug 2025	14 Aug 2025	NA	NA	Pass	M Ramu [1958]	Classroom
9	Badrinath . [4344]	Production	Adhoc Training	NA	ON JOB TRAINING (IST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	22 Apr 2025	19 May 2025	NA	NA	Pass	DIVI VENUGOPAL [4866]	Classroom

**SHILPA  
PHARMA  
LIFESCIENCES  
LIMITED  
UNIT-2**

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
10	GOOTLO PAVAN KUMAR ... [4649]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees &transfer employee/ changes in job description / additional job responsibilit ies (FM- PA-059-02)	18 Aug 2025	19 Aug 2025	NA	NA	Pass	M Ramu . [1958]	Classroom
11	SANDRA A PRASAD -[6427]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees &transfer employee/ changes in job description / additional job responsibilit ies (FM- PA-059-02)	12 Aug 2025	14 Aug 2025	NA	NA	Pass	M Ramu . [1958]	Classroom

**SHILPA  
PHARMA  
LIFESCIENCES  
LIMITED  
UNIT-2**

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
12	OJA SUBRAMA NYAM - [6670]	Quality control	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2)	25 Apr 2025	30 Apr 2025	NA	NA	Pass	V.N.PRASAD ANDE . [1581.]	Classroom
13	SURENDRA BABU GOLLA [5596]	Quality control	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2)	25 Apr 2025	28 Apr 2025	NA	NA	Pass	V.N.PRASAD ANDE . [1581.]	Classroom

**SHILPA  
PHARMA  
LIFESCIENCES  
LIMITED  
UNIT-2**

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
14	VAIBHAV SANJAY KOTHARE [5928]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	12 Aug 2025	14 Aug 2025	NA	NA	Pass	Attunuru Prasad Reddy [2952]	Classroom
15	CHEKUBO YINA SURYAVA MSI GOKUL - [6157]	Quality control	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	09 Apr 2025	21 Apr 2025	NA	NA	Pass	GYANESH WAR MANIKRA O SHEP .. [4826]	Classroom

**SHILPA  
PHARMA  
LIFE SCIENCES  
LIMITED  
UNIT-2**

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
16	S MAHESH [6033]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absenees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	12 Aug 2025	14 Aug 2025	NA	NA	Pass	Attunuru Prasad Reddy [2952]	Classroom
17	GOLLA PANDUKU MAR. [6069]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absenees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	18 Aug 2025	19 Aug 2025	NA	NA	Pass	DIVI VENUGOPAL [4866]	Classroom

**SHILPA  
PHARMA  
LIFESCIENCES  
LIMITED**  
**UNIT-2**

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
18	SAGAR LAXMAN GAVALI - [7565]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	11 Jul 2025	22 Jul 2025	NA	NA	Pass	M Ramu , [1958]	Classroom
19	A VENKATA SHIVA REDDY - [7549]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	24 Apr 2025	14 May 2025	NA	NA	Pass	SHANI P T .[7539]	Classroom

**SHILPA  
PHARMA  
LIFESCIENCES  
LIMITED  
UNIT-2**

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
20	OMKAR CHINTAM ANI GURAV - [8440]	Quality control	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absenees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	18 Aug 2025	19 Aug 2025	NA	N/A	Pass	Bharmanna Shivaraya Petarge [1186]	Classroom
21	AJIT CHANDRA KANT BORUTE . [6040]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absenees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	12 Aug 2025	14 Aug 2025	NA	N/A	Pass	Attunuru Prasad Reddy [2952]	Classroom

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
22	RAMA VATHI VENKATE SU NAIK . [5592]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	12 Aug 2025	16 Aug 2025	NA	NA	Pass	Narasimha Murthy Venkata Nanduri [1937]	Classroom
23	Balachandar B [3481]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	14 Aug 2025	16 Aug 2025	NA	NA	Pass	M Ramu . [1958]	Classroom

SHILPA  
PHARMA  
LIFESCIENCES  
LIMITED  
UNIT-2

## Employee Training Information Report

Status : Active

Information Type : Training Information

Latest Version : Yes

Assigned From :01 Apr 2025

Departments : ALL

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
1	Devendra Pratap Singh [1209]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	02 Aug 2025	07 Aug 2025	NA	NA	Pass	Bolla Surendra Reddy [2236]	Classroom

SOP Copy : NA  
Training Status:Completed  
Ref. Doc. No.:SOP-U-2-EHS-GEN-018  
Assigned To :28 Sep 2025  
Employee.:ALL

**SHILPA  
PHARMA  
LIFESCIENCES  
LIMITED  
UNIT-2**

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
2	Naveen Samapu [2919]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absenees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	22 Aug 2025	22 Aug 2025	N/A	N/A	Pass	NAGARAJ U GAMIDI [5528]	Classroom
3	Devi Krishna Gujula [2229]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absenees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	18 Aug 2025	18 Aug 2025	N/A	N/A	Pass	B.Siva Kumar [2636]	Classroom

SHILPA  
PHARMA  
LIFESCIENCES  
LIMITED  
UNIT-2

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
4	Masuldar Abdul Zaber shaik [3476]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee) changes in job description / additional job responsibilit ies (FM- PA-059-02)	13 Aug 2025	14 Aug 2025	NA	NA	Pass	M Ramu . [1958]	Classroom
5	Jindoba Kashinath Waghmode [2006]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee) changes in job description / additional job responsibilit ies (FM- PA-059-02)	23 Aug 2025	23 Aug 2025	NA	NA	Pass	M Ramu . [1958]	Classroom

**SHILPA  
PHARMA  
LIFESCIENCES  
LIMITED  
UNIT-2**

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
6	Ranga Rao Baggu [1962]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	19 Aug 2025	19 Aug 2025	NA	NA	Pass	B.Siva Kumar [2636]	Classroom
7	Rajeev Perimi [2787]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	13 Aug 2025	14 Aug 2025	NA	NA	Pass	M Ramu . [1958]	Classroom

SHRI PA PHARMA LIFESCIENCES LIMITED UNIT-2											
#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Status	Trainer	Training Mode
8	Thondamall a Venkata Praveen Kumar [3100]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	13 Aug 2025	14 Aug 2025	NA	Pass	M Ramu . [1958]	Classroom
9	Badrinath . [4344]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	22 Apr 2025	19 May 2025	NA	Pass	DIVI VENUGOP AL . [4866]	Classroom

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
10	GOOTLO PAVAN KUMAR . . [4649]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2)	18 Aug 2025	19 Aug 2025	NA	NA	Pass	M Ramu . [1958]	Classroom
11	SANDRAL A PRASAD - [6427]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2)	12 Aug 2025	14 Aug 2025	NA	NA	Pass	M Ramu . [1958]	Classroom

**SHILPA  
PHARMA  
LIFESCIENCES  
LIMITED  
UNIT-2**

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
12	OJA SUBRAMA NYAM - [6670]	Quality control	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absenees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	25 Apr 2025	30 Apr 2025	NA	NA	Pass	V.N.PRASAD ANDE. [1581.]	Classroom
13	SURENDRA BABU GOLLA [5596]	Quality control	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absenees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	25 Apr 2025	28 Apr 2025	NA	NA	Pass	V.N.PRASAD ANDE. [1581.]	Classroom

**SHILPA  
PHARMA  
LIFESCIENCES  
LIMITED  
UNIT-2**

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
14	VAIBHAV SANJAY KOTHARE [5928]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	12 Aug 2025	14 Aug 2025	NA	NA	Pass	Attunuru Prasad Reddy [2952]	Classroom
15	CHEKUBO YINA SURYAVA MSI GOKUL - [6157]	Quality control	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	09 Apr 2025	21 Apr 2025	NA	NA	Pass	GYANESH WAR MANIKRA O SHEP . [4826]	Classroom

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
16	S MAHESH . [6033]	Production	Adhoc Training	N/A	ON JOB TRAINING (JST-1 & JST-2)	12 Aug 2025	14 Aug 2025	N/A	N/A	Pass	Attunuru Prasad Reddy [2952]	Classroom
17	GOLLA PANDUKU MAR. [6069]	Production	Adhoc Training	N/A	ON JOB TRAINING (JST-1 & JST-2)	18 Aug 2025	19 Aug 2025	N/A	N/A	Pass	DIVI VENUGOPAL [4866]	Classroom

**SHILPA  
PHARMA  
LIFESCIENCES  
LIMITED  
UNIT-2**

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
18	SAGAR LAXMAN GAVALI - [7565]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absenees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	11 Jul 2025	22 Jul 2025	NA	NA	Pass	M Ramu [1958]	Classroom
19	A VENKATA SHIVA REDDY - [7549]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absenees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	24 Apr 2025	14 May 2025	NA	NA	Pass	SHANI P T [7539]	Classroom

## Annexure-8


**INDIA NON JUDICIAL**  
**Government of Karnataka**



**e-Stamp**

Certificate No.	: IN-KA80755190001275M
Certificate Issued Date	: 16-Jun-2014 11:47 AM
Account Reference	: NONACC (BK)/ kakscub08/ RAICHUR/ KA-RC
Unique Doc. Reference	: SUBIN-KAKAKSCUB0816241109760662M
Purchased by	: SHILPA MEDICARE LTD RAICHUR
Description of Document	: Article 12 Bond
Description	: AGREEMENT
Consideration Price (Rs.)	: 0 (Zero)
First Party	: SHILPA MEDICARE LTD RAICHUR
Second Party	: K I A D B RAICHUR
Stamp Duty Paid By	: SHILPA MEDICARE LTD RAICHUR
Stamp Duty Amount(Rs.)	: 200 (Two Hundred only)

  
 Authorised Officer  
 Raichur City Urban Co-op Bank Ltd  
 Gunj Road Raichur.



.....Please write or type below this line.....

An Agreement entered into the 17th day of June Month Two Thousand Fourteen and / between The Karnataka Industrial Areas Development Board herein after called the supplier and M/s. Shilpa Medicare Ltd. here in after referred to as the consumer which terms wherever it occur in these presents will include its successors, interest, heirs, administrators assigns. For Shilpa Medicare Ltd. 100% EOU

For Karnataka Industrial Area Development Board

Managing Director Cont.....2.

Deputy Development Of

Secretary Alert

This is a non-judicial electronic certificate issued by the Government of Karnataka. It is not a legal document. It is issued for record only. It is not valid in a court of law. It is issued for record only. It is not valid in a court of law.

## Annexure-8

-2-

Whereas the consumer applied for supply of 500.00 Kilo Liters of water per day for Shilpa Medicare Limited at Plot No: 33, 33A, 40 to 47, of Raichur Growth Centre Industrial Area and whereas the suppliers agreed to supply water from their water mains subject to terms and conditions enumerated hereinafter.

### PROVISION OF WATER METER :

For the purpose of measuring the quantity of water supplied to the consumer, the consumer shall provide water meter as per the directions of the supplier and shall keep it in a good working conditions of the at the cost of the consumer. If at any time, it is found defective or out of order, the consumer shall have it replaced or repairs at his cost and during the period it is defective, the charges will be levied bases on the average consumption for three months prior to the month in which the defect was noticed.

### **METER READING**

The supplier shall arrange for the meter reading every month & furnish a return of the meter reading every month to the consumer.

### **WATER CHARGES :**

The quantities of water supply shall be charged at Rs. 30.00 Per Kilo liters only

Consumer shall pay the charges regularly on presentation of the bill by the supplier within fifteen days of the posting of the Bill. Failing which the water supply shall be dis-connected. If a reconnection is given, the consumer shall be charged with Rs. 100.00 ( Rupees. One.Hundred only) as reconnection charges.

### **REVISION IN WATER CHARGES**


The consumer shall pay the water supply charges at such other revised rates as may be fixed by the Board from time to time.

For Karnataka Industrial Area Development Board

  
Deputy Development Officer

Cont.....3.

For Shilpa Medicare Ltd. 100% EOU

  
Managing Director

## Annexure-8

-3-

### IN CORRECT WATER METER READING :

In the event of meter reading appearing to be incorrect in the opinion of the consumer the meter shall be tested by the supplier an application made by the consumer and if found defective water charges will be revised basis on the cost results provided on such revision shall be made if the error is less then 3%.

### INTERRUPTION :

The supplier shall as far as practicable give notice in case of inability on his part to supply water on account of temporary shut down of power or break down in supply system or any other reason. As regards permanent stoppage of water supply the consumer to make his own arrangements.

### REVISION IN QUANTITIES :

If the quantity of water to be supplied has to be revised in future based on charged conditions and circumstances prior intimation in this regard will be given by the supplier to the consumer and for such supply of revised quantity of water, the rate applicable is subject to determination a fresh by the supplier.

### EXCESS USAGE :

The supplier is not bound to supply more water than the quantity hereby agreed upon. However, if the consumer draws more than the agreed quantity of water he is liable to charge at double, the aforesaid rate for the excess quantity so drawn, the connection is liable to be disconnected in the even of the supplier being unable to permit the excess drawl after issue of a notice in writing given to the consumer for the consumption within the agreed quantity.

### USE OF WATER :


It is expressly agreed between the supplier and the consumer that the water supply shall be employed for domestic/industrial use only. The consumer shall endeavor to avoid any wastage of water by leakage or otherwise if the consumer is found to misuse or waste the water supply will be disconnected.

### ARBITRATION :

In case of dispute closing out of this agreement which cannot be settled by the General examination of the supplier and the consumer, the matter shall be referred to the Chairman of the Board whose decision shall be final and legally binding on both the parties, not with standing any thing herein contained. However, the parties to this agreement by giving to the other party at any time three months notice in writing by registered post to the last known address.

For: Karnataka Industrial Area Development Board

Cont.....4.

  
Deputy Development Commissioner

For Sesa Sugarculture Ltd. 100% EOU

  
Managing Director

## Annexure-8

-4-

### IN WITNESS WHEREOF :

The supplier hath caused it's the Deputy Development Officer, to set his hand and affix the official seal there to and the consumer hath set his hand official seal on the day and year first above written.

Signed, Sealed and Delivered,

On behalf of KIADB,

By

Deputy Development Officer.

Karnataka Industrial Areas Development Board,

Plot No: 49, Raichur Industrial Area,

Hyderabad Road,

RAICHUR.

For Karnataka Industrial Areas Development Board





Deputy Development Officer

In the presence of :




1) 



2) 

For Shilpa Medicare Ltd. 100% EOU



Managing Director

Signed, Sealed and Delivered,

By the above named lessee:

In the presence of :



# MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

*Annexure 9*

MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksgur village, Raichur.
2. Stack ID	:	Scrubber-H Block
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	28.04.2025
5. Date of Sample Receipt	:	29.04.2025
6. Sample Code	:	13384
7. Analysis Starting Date	:	29.04.2025
8. Analysis Completion Date	:	02.05.2025
9. Report Issue date	:	02.05.2025
10. Latitude	:	16.310651
11. Longitude	:	77.356011

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407125000008352F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	36
Stack Temperature (°C)	48
Velocity (m/s)	4.9
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m <sup>2</sup> )	0.0908

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m <sup>3</sup> /hr	1601.7	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm <sup>3</sup>	41.3	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm <sup>3</sup>	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm <sup>3</sup>	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm <sup>3</sup>	10.8	35

<b>INFERENCE</b>	As per KSPCB Standards
Report Status: - The analyzed value for above measured parameter is within the limits.	

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager



Note : 1. The results listed only to the tested samples & applicable parameters.  
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



# MSV Analytical Laboratories

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 9945456764, 08392-255169  
 Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com

MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-H Block
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	28.04.2025
5.	Date of Sample Receipt	:	29.04.2025
6.	Sample Code	:	1896
7.	Analysis Starting Date	:	29.04.2025
8.	Analysis Completion Date	:	02.05.2025
9.	Report Issue date	:	02.05.2025
10.	Latitude	:	16.310651
11.	Longitude	:	77.356011

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2025/1654

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	36
Stack Temperature (°C)	48
Velocity (m/s)	4.9
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m <sup>2</sup> )	0.0908

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory


Hanumanthaiah P  
 Technical Manager



-END OF REPORT-

Note:

1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.





# MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	Scrubber- E Block
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	28.04.2025
5. Date of Sample Receipt	:	29.04.2025
6. Sample Code	:	13385
7. Analysis Starting Date	:	29.04.2025
8. Analysis Completion Date	:	02.05.2025
9. Report Issue date	:	02.05.2025
10. Latitude	:	16.310651
11. Longitude	:	77.356011

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407125000008353F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	35
Stack Temperature (°C)	48
Velocity (m/s)	4.7
Height (m)	3 mtr AGL
Diameter (m)	0.35
Cross sectional area (m <sup>2</sup> )	0.0963

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m <sup>3</sup> /hr	1629.4	...
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm <sup>3</sup>	39.2	...
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm <sup>3</sup>	BDL	...
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm <sup>3</sup>	BDL	...
Acid mist[HCl Mist]	MSVAL/SOP/SE/002:2022	mg/Nm <sup>3</sup>	10.2	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory

Hanumanthaiah P

Technical Manager



Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



# MSV Analytical Laboratories

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
 Sanganakallu Road, KEB Circle, Bellary - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169  
 Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com

MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber- E Block
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	28.04.2025
5.	Date of Sample Receipt	:	29.04.2025
6.	Sample Code	:	1897
7.	Analysis Starting Date	:	29.04.2025
8.	Analysis Completion Date	:	02.05.2025
9.	Report Issue date	:	02.05.2025
10.	Latitude	:	16.310651
11.	Longitude	:	77.356011

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2025/1655

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	35
Stack Temperature (°C)	48
Velocity (m/s)	4.7
Height (m)	3 mtr AGL
Diameter (m)	0.35
Cross sectional area (m <sup>2</sup> )	0.0963

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--


Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager



Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified.





# MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksgur village, Raichur.
2. Stack ID	:	Scrubber-D Block Pharma
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	28.04.2025
5. Date of Sample Receipt	:	29.04.2025
6. Sample Code	:	13386
7. Analysis Starting Date	:	29.04.2025
8. Analysis Completion Date	:	02.05.2025
9. Report Issue date	:	02.05.2025
10. Latitude	:	16.310651
11. Longitude	:	77.356011

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407125000008354F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	34
Stack Temperature (°C)	42
Velocity (m/s)	4.4
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m <sup>2</sup> )	0.06160

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m <sup>3</sup> /hr	975.7	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm <sup>3</sup>	43.4	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm <sup>3</sup>	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm <sup>3</sup>	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm <sup>3</sup>	8.8	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory

  
Hanumanthaiah P  
Technical Manager


END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters,  
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



# MSV Analytical Laboratories

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 9945456764, 08392-255169  
Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com

MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-D Block Pharma
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	28.04.2025
5.	Date of Sample Receipt	:	29.04.2025
6.	Sample Code	:	1898
7.	Analysis Starting Date	:	29.04.2025
8.	Analysis Completion Date	:	02.05.2025
9.	Report Issue date	:	02.05.2025
10.	Latitude	:	16.310651
11.	Longitude	:	77.356011

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2025/1656

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	34
Stack Temperature (°C)	42
Velocity (m/s)	4.4
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m <sup>2</sup> )	0.06160

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--


Analysed by

Authorized Signatory

Hanumathaiah P  
Technical Manager



Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified.





# MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	Scrubber-Al Block
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	28.04.2025
5. Date of Sample Receipt	:	29.04.2025
6. Sample Code	:	13387
7. Analysis Starting Date	:	29.04.2025
8. Analysis Completion Date	:	02.05.2025
9. Report Issue date	:	02.05.2025
10. Latitude	:	16.310651
11. Longitude	:	77.356011

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407125000008355F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	36
Stack Temperature (°C)	48
Velocity (m/s)	4.9
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m <sup>2</sup> )	0.0908

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255[Part-3] - 2018	m <sup>3</sup> /hr	1601.7	---
Particulate Matter	IS-11255[Part-1] - 2019	mg/Nm <sup>3</sup>	46.5	---
Sulphur dioxide	IS-11255[Part-2] - 2019	mg/Nm <sup>3</sup>	BDL	---
Nitrogen dioxide	IS-11255[Part-7] - 2017	mg/Nm <sup>3</sup>	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm <sup>3</sup>	12.8	35

### INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

  
Handmanthaiah P  
Technical Manager


END OF REPORT:-

Note : 1. The results listed only to the tested samples & applicable parameters,  
 2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



# MSV Analytical Laboratories

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 9945456764, 08392-255169  
 Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com

MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	Scrubber-AI Block
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	28.04.2025
5. Date of Sample Receipt	:	29.04.2025
6. Sample Code	:	1899
7. Analysis Starting Date	:	29.04.2025
8. Analysis Completion Date	:	02.05.2025
9. Report Issue date	:	02.05.2025
10. Latitude	:	16.310651
11. Longitude	:	77.356011

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2025/1657

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	36
Stack Temperature (°C)	48
Velocity (m/s)	4.9
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m <sup>2</sup> )	0.0908

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

### INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumathaiah P


Technical Manager



END OF REPORT

Note.

1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.





# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
 (Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
 E-mail : msvabellary2018@gmail.com, labmsv@gmail.com, Website : www.msvabellary.com



TC- 4071

MSVAL/QR/7.4/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	AI/SCR-01-Intermediate Area
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	29.08.2025
5. Date of Sample Receipt	:	30.08.2025
6. Sample Code	:	SE/1910
7. Analysis Starting Date	:	30.08.2025
8. Analysis Completion Date	:	03.09.2025
9. Report Issue date	:	03.09.2025
10. Latitude	:	16.310324
11. Longitude	:	77.355502

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000018703F  
**GENERAL DETAILS**

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	32
Stack Temperature (°C)	38
Velocity (m/s)	4.9
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m <sup>2</sup> )	0.06154

## RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m <sup>3</sup> /hr	1085.5	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm <sup>3</sup>	50.3	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm <sup>3</sup>	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm <sup>3</sup>	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm <sup>3</sup>	15.7	35

<b>INFERENCE</b>	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--

Analysed by

Authorized Signatory

  
Hanumanthaiah P  
Technical Manager


Note: 1. The results listed only to the tested samples & applicable parameters,  
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/QR/7.4/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	AI/SCR-01-Intermediate Area
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	29.08.2025
5.	Date of Sample Receipt	:	30.08.2025
6.	Sample Code	:	7447
7.	Analysis Starting Date	:	30.08.2025
8.	Analysis Completion Date	:	03.09.2025
9.	Report Issue date	:	03.09.2025
10.	Latitude	:	16.310324
11.	Longitude	:	77.355502

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2024/3312

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	32
Stack Temperature (°C)	38
Velocity (m/s)	4.9
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m <sup>2</sup> )	0.06154

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--


Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager



Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4 Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified.





# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
 (Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.4/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	E/SCR-01-Intermediate Area
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	29.08.2025
5. Date of Sample Receipt	:	30.08.2025
6. Sample Code	:	SE/1911
7. Analysis Starting Date	:	30.08.2025
8. Analysis Completion Date	:	03.09.2025
9. Report Issue date	:	03.09.2025
10. Latitude	:	16.310324
11. Longitude	:	77.355502

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000018704F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	33
Stack Temperature (°C)	39
Velocity (m/s)	5.0
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m <sup>2</sup> )	0.066

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m <sup>3</sup> /hr	1188	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm <sup>3</sup>	41.8	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm <sup>3</sup>	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm <sup>3</sup>	BDL	---
Acid mist[HCl Mist]	MSVAL/SOP/SE/002:2022	mg/Nm <sup>3</sup>	6.9	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory

  
Hanumanthaiah P  
Technical Manager


Note : 1. The results listed only to the tested samples & applicable parameters,  
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/QR/7.4/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	E/SCR-01-Intermediate Area
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	29.08.2025
5.	Date of Sample Receipt	:	30.08.2025
6.	Sample Code	:	7448
7.	Analysis Starting Date	:	30.08.2025
8.	Analysis Completion Date	:	03.09.2025
9.	Report Issue date	:	03.09.2025
10.	Latitude	:	16.310324
11.	Longitude	:	77.355502

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2024/3313

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	33
Stack Temperature (°C)	39
Velocity (m/s)	5.0
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m <sup>2</sup> )	0.066

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

### INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager




Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4 Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified.



GPS Map Ca

Chicksugur, Karnataka, India

34/p1, Chicksugur, Karnataka 584134, India

Lat 16.310324° Long 77.355502°

Google

29/08/2025 03:16 PM GMT +05:30



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.4/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	C/SCR-01-Intermediate Area
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	29.08.2025
5. Date of Sample Receipt	:	30.08.2025
6. Sample Code	:	SE/1912
7. Analysis Starting Date	:	30.08.2025
8. Analysis Completion Date	:	03.09.2025
9. Report Issue date	:	03.09.2025
10. Latitude	:	16.310324
11. Longitude	:	77.355502

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000018705F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	33
Stack Temperature (°C)	40
Velocity (m/s)	5.2
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m <sup>2</sup> )	0.0908

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m <sup>3</sup> /hr	1699.8	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm <sup>3</sup>	44.7	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm <sup>3</sup>	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm <sup>3</sup>	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm <sup>3</sup>	14.6	35

INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by



Authorized Signatory

Hanumanthaiah P  
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters,  
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/QR/7.4/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	C/SCR-01-Intermediate Area
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	29.08.2025
5.	Date of Sample Receipt	:	30.08.2025
6.	Sample Code	:	7449
7.	Analysis Starting Date	:	30.08.2025
8.	Analysis Completion Date	:	03.09.2025
9.	Report Issue date	:	03.09.2025
10.	Latitude	:	16.310324
11.	Longitude	:	77.355502

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2024/3314

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	33
Stack Temperature (°C)	40
Velocity (m/s)	5.2
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m <sup>2</sup> )	0.0907

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

### INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.


Analysed by



Authorized Signatory

Hanumanthaiah P  
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified.



 GPS Map Camera

Chicksugur, Karnataka, India

34/p1, Chicksugur, Karnataka 584134, India

Lat 16.310324° Long 77.355502°

29/08/2025 04:50 PM GMT +05:30

Google



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
 (Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
 C.M.C Ward No 18 & C.T.C W.No. 16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.4/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	AJ/SCR-01- Scrubber Block
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	29.08.2025
5.	Date of Sample Receipt	:	30.08.2025
6.	Sample Code	:	SE/1913
7.	Analysis Starting Date	:	30.08.2025
8.	Analysis Completion Date	:	03.09.2025
9.	Report Issue date	:	03.09.2025
10.	Latitude	:	16.310324
11.	Longitude	:	77.355502

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000018706F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	32
Stack Temperature (°C)	39
Velocity (m/s)	4.9
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m <sup>2</sup> )	0.0908

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m <sup>3</sup> /hr	1601.7	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm <sup>3</sup>	46.4	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm <sup>3</sup>	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm <sup>3</sup>	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm <sup>3</sup>	12.4	35

### INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager



Note : 1. The results listed only to the tested samples & applicable parameters,  
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/QR/7.4/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	AJ/SCR-01- Scrubber Block
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	29.08.2025
5.	Date of Sample Receipt	:	30.08.2025
6.	Sample Code	:	7450
7.	Analysis Starting Date	:	30.08.2025
8.	Analysis Completion Date	:	03.09.2025
9.	Report Issue date	:	03.09.2025
10.	Latitude	:	16.310324
11.	Longitude	:	77.355502

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2024/3315

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	32
Stack Temperature (°C)	39
Velocity (m/s)	4.9
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m <sup>2</sup> )	0.0908

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

### INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.


Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager



Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified.




 GPS Map Ca

**Chicksugur, Karnataka, India**

34/p1, Chicksugur, Karnataka 584134, India

Lat 16.310324° Long 77.355502°

29/08/2025 03:58 PM GMT +05:30

 Google



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
 (Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



MSVAL/QR/7.4/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	H/SCR-01-Intermediate Area
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	21.07.2025
5. Date of Sample Receipt	:	22.07.2025
6. Sample Code	:	SE/967
7. Analysis Starting Date	:	22.07.2025
8. Analysis Completion Date	:	30.07.2025
9. Report Issue date	:	31.07.2025
10. Latitude	:	16.301668
11. Longitude	:	77.356168

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000014933F  
**GENERAL DETAILS**

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	39
Velocity (m/s)	4.6
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m <sup>2</sup> )	0.06154

## RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m <sup>3</sup> /hr	1020.1	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm <sup>3</sup>	52.4	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm <sup>3</sup>	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm <sup>3</sup>	BDL	---
Acid mist(HCl Mist)	MSVAL/SÖP/SE/002:2022	mg/Nm <sup>3</sup>	13.4	35

### INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by



Authorized Signatory

Hanumanthaiah P  
 Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Samples Will be disposed after the specified retention period.  
 3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
 5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/QR/7.4/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	H/SCR-01-Intermediate Area
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	21.07.2025
5. Date of Sample Receipt	:	22.07.2025
6. Sample Code	:	4926
7. Analysis Starting Date	:	22.07.2025
8. Analysis Completion Date	:	30.07.2025
9. Report Issue date	:	31.07.2025
10. Latitude	:	16.301668
11. Longitude	:	77.356168

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2024/2646

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	31
Stack Temperature (°C)	39
Velocity (m/s)	4.6
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m <sup>2</sup> )	0.06154

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE


As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by


Authorized Signatory

Hanumanthaiah P  
Technical Manager



-: END OF REPORT:-

Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified.





# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



MSVAL/QR/7.4/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	C/SCR-03-Centrifuge Area
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	21.07.2025
5.	Date of Sample Receipt	:	22.07.2025
6.	Sample Code	:	SE/968
7.	Analysis Starting Date	:	22.07.2025
8.	Analysis Completion Date	:	30.07.2025
9.	Report Issue date	:	31.07.2025
10.	Latitude	:	16.30167
11.	Longitude	:	77.356166

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000014934F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	38
Velocity (m/s)	4.5
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m <sup>2</sup> )	0.066

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m <sup>3</sup> /hr	1070.5	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm <sup>3</sup>	38.4	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm <sup>3</sup>	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm <sup>3</sup>	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm <sup>3</sup>	7.2	35

### INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by



Authorized Signatory

Hanumathaiah P  
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Samples Will be disposed after the specified retention period.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
 5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/QR/7.4/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	C/SCR-03-Centrifuge Area
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	21.07.2025
5.	Date of Sample Receipt	:	22.07.2025
6.	Sample Code	:	4927
7.	Analysis Starting Date	:	22.07.2025
8.	Analysis Completion Date	:	30.07.2025
9.	Report Issue date	:	31.07.2025
10.	Latitude	:	16.30167
11.	Longitude	:	77.356166

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2024/2647

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	38
Velocity (m/s)	4.5
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m <sup>2</sup> )	0.066

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--


Analysed by



Authorized Signatory

Hanumanthaiah P  
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified.



 GPS Map Camera

**Chicksugur, Karnataka, India**

33, Chicksugur, Karnataka 584134, India

Lat 16.31067° Long 77.356166°

21/07/2025 02:39 PM GMT +05:30

Google



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.4/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	I/SCR-02-Pharma Area
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	21.07.2025
5. Date of Sample Receipt	:	22.07.2025
6. Sample Code	:	SE/969
7. Analysis Starting Date	:	22.07.2025
8. Analysis Completion Date	:	30.07.2025
9. Report Issue date	:	31.07.2025
10. Latitude	:	16.310668
11. Longitude	:	77.356168

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000014935F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	33
Stack Temperature (°C)	40
Velocity (m/s)	5.1
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m <sup>2</sup> )	0.0908

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m <sup>3</sup> /hr	1667.1	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm <sup>3</sup>	42.4	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm <sup>3</sup>	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm <sup>3</sup>	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm <sup>3</sup>	12.2	35

INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by



END OF REPORT

Authorized Signatory

Hanumanthaiah P  
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Samples Will be disposed after the specified retention period.  
 3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
 5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/QR/7.4/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	I/SCR-02-Pharma Area
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	21.07.2025
5. Date of Sample Receipt	:	22.07.2025
6. Sample Code	:	4928
7. Analysis Starting Date	:	22.07.2025
8. Analysis Completion Date	:	30.07.2025
9. Report Issue date	:	31.07.2025
10. Latitude	:	16.310668
11. Longitude	:	77.356168

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2024/2648

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	33
Stack Temperature (°C)	40
Velocity (m/s)	5.1
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m <sup>2</sup> )	0.0907

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--


Analysed by



Authorized Signatory

Hanumathaiah P  
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified.




GPS Map Ca

**Chicksugur, Karnataka, India**

33, Chicksugur, Karnataka 584134, India

Lat 16.310668° Long 77.356168°

21/07/2025 03:36 PM GMT +05:30



Google



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.4/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	D/SCR-02-Pharma Area
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	21.07.2025
5. Date of Sample Receipt	:	22.07.2025
6. Sample Code	:	SE/970
7. Analysis Starting Date	:	22.07.2025
8. Analysis Completion Date	:	30.07.2025
9. Report Issue date	:	31.07.2025
10. Latitude	:	16.309915
11. Longitude	:	77.356209

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000014936F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	40
Velocity (m/s)	4.8
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m <sup>2</sup> )	0.0908

### RESULTS


Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m <sup>3</sup> /hr	1569	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm <sup>3</sup>	43.1	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm <sup>3</sup>	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm <sup>3</sup>	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm <sup>3</sup>	10.2	35

INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by



Authorized Signatory

Hanumanthaiah P  
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Samples Will be disposed after the specified retention period.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
 5. Sampling is not done by us unless otherwise specified



## MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/QR/7.4/01

### ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	D/SCR-02-Pharma Area
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	21.07.2025
5.	Date of Sample Receipt	:	22.07.2025
6.	Sample Code	:	4930
7.	Analysis Starting Date	:	22.07.2025
8.	Analysis Completion Date	:	30.07.2025
9.	Report Issue date	:	31.07.2025
10.	Latitude	:	16.309915
11.	Longitude	:	77.356209

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2024/2649

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	40
Velocity (m/s)	4.8
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m <sup>2</sup> )	0.0908

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE


As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.


Analysed by



Authorized Signatory

  
Hanumanthaiah P  
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4 Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified.





# MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-H/SCR-02 Block Pharma
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	28.06.2025
5.	Date of Sample Receipt	:	30.06.2025
6.	Sample Code	:	SE/609
7.	Analysis Starting Date	:	30.06.2025
8.	Analysis Completion Date	:	03.07.2025
9.	Report Issue date	:	04.07.2025
10.	Latitude	:	16.309575
11.	Longitude	:	77.356659

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407125000013393F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	36
Stack Temperature (°C)	42
Velocity (m/s)	4.9
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m <sup>2</sup> )	0.0908

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m <sup>3</sup> /hr	1601.7	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm <sup>3</sup>	44.2	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm <sup>3</sup>	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm <sup>3</sup>	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm <sup>3</sup>	10.2	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory

  
Hanumanthaiah P  
Technical Manager


Note: 1. The results listed only to the tested samples & applicable parameters,  
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



# MSV Analytical Laboratories

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
 Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169  
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-H/SCR-02 Block Pharma
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	28.06.2025
5.	Date of Sample Receipt	:	30.06.2025
6.	Sample Code	:	126
7.	Analysis Starting Date	:	30.06.2025
8.	Analysis Completion Date	:	03.07.2025
9.	Report Issue date	:	04.07.2025
10.	Latitude	:	16.309575
11.	Longitude	:	77.356659

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2025/2149

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	36
Stack Temperature (°C)	42
Velocity (m/s)	4.9
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m <sup>2</sup> )	0.0908

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

### INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by


Authorized Signatory

Hanumagathaiah P  
 Technical Manager

-: END OF REPORT:-



Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4 Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified.





# MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	Scrubber-C/SCR-03 Block Pharma
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	28.06.2025
5. Date of Sample Receipt	:	30.06.2025
6. Sample Code	:	SE/610
7. Analysis Starting Date	:	30.06.2025
8. Analysis Completion Date	:	03.07.2025
9. Report Issue date	:	04.07.2025
10. Latitude	:	16.310463
11. Longitude	:	77.355243

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407125000013394F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	36
Stack Temperature (°C)	43
Velocity (m/s)	4.8
Height (m)	3 mtr AGL
Diameter (m)	0.35
Cross sectional area (m <sup>2</sup> )	0.0963

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m <sup>3</sup> /hr	1664.0	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm <sup>3</sup>	43.9	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm <sup>3</sup>	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm <sup>3</sup>	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm <sup>3</sup>	8.6	35

### INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

  
Hanumanthaiah P  
Technical Manager

- END OF REPORT -



Note : 1. The results listed only to the tested samples & applicable parameters,  
 2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



# MSV Analytical Laboratories

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
 Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169  
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	Scrubber-C/SCR-03 Block Pharma
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	28.06.2025
5. Date of Sample Receipt	:	30.06.2025
6. Sample Code	:	127
7. Analysis Starting Date	:	30.06.2025
8. Analysis Completion Date	:	03.07.2025
9. Report Issue date	:	04.07.2025
10. Latitude	:	16.310463
11. Longitude	:	77.355243

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2025/2150

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	36
Stack Temperature (°C)	43
Velocity (m/s)	4.8
Height (m)	3 mtr AGL
Diameter (m)	0.35
Cross sectional area (m <sup>2</sup> )	0.0963

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumathaiah P  
Technical Manager

-: END OF REPORT:-




Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4 Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified.



Chicksugur, Karnataka, India

34/p1, Chicksugur, Karnataka 584134, India

Lat 16.310463° Long 77.355243°

28/06/2025 04:42 PM GMT +05:30

Google



# MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	Scrubber-AJ Block-SCR-01
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	28.06.2025
5. Date of Sample Receipt	:	30.06.2025
6. Sample Code	:	SE/611
7. Analysis Starting Date	:	30.06.2025
8. Analysis Completion Date	:	03.07.2025
9. Report Issue date	:	04.07.2025
10. Latitude	:	16.310463
11. Longitude	:	77.355243

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407125000013395F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	34
Stack Temperature (°C)	40
Velocity (m/s)	4.7
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m <sup>2</sup> )	0.06160

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m <sup>3</sup> /hr	1629.4	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm <sup>3</sup>	36.3	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm <sup>3</sup>	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm <sup>3</sup>	BDL	---
Acid mist[HCl Mist]	MSVAL/SOP/SE/002:2022	mg/Nm <sup>3</sup>	10.4	35

### INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

  
Hanumanthaiah P  
Technical Manager


Note: 1. The results listed only to the tested samples & applicable parameters,  
 2. Water samples will be destroyed after 10 days. Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



# MSV Analytical Laboratories

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	Scrubber-AJ Block-SCR-01
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	28.06.2025
5. Date of Sample Receipt	:	30.06.2025
6. Sample Code	:	128
7. Analysis Starting Date	:	30.06.2025
8. Analysis Completion Date	:	03.07.2025
9. Report Issue date	:	04.07.2025
10. Latitude	:	16.310463
11. Longitude	:	77.355243

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2025/2151

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	34
Stack Temperature (°C)	40
Velocity (m/s)	4.7
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m <sup>2</sup> )	0.06160

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by


Authorized Signatory

Hanumanthaiah P  
Technical Manager

-: END OF REPORT :-



Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4 Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified.



## Chicksugur, Karnataka, India

34/p1, Chicksugur, Karnataka 584134, India

Lat 16.310463° Long 77.355243°

28/06/2025 03:06 PM GMT +05:30



# MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	Scrubber-E Block-SCR-03 Pharma
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	28.06.2025
5. Date of Sample Receipt	:	30.06.2025
6. Sample Code	:	SE/612
7. Analysis Starting Date	:	30.06.2025
8. Analysis Completion Date	:	03.07.2025
9. Report Issue date	:	04.07.2025
10. Latitude	:	16.310463
11. Longitude	:	77.355243

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407125000013396F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	37
Stack Temperature (°C)	44
Velocity (m/s)	5.0
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m <sup>2</sup> )	0.0908

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m <sup>3</sup> /hr	1634.4	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm <sup>3</sup>	51.6	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm <sup>3</sup>	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm <sup>3</sup>	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm <sup>3</sup>	12.4	35

### INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

  
Hanumanthaiah P  
Technical Manager


Note: 1. The results listed only to the tested samples & applicable parameters,  
 2. Water samples will destroyed after 10days. Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL



## MSV Analytical Laboratories

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
 Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169  
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/SE/RF/01/00

### ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	Scrubber-E Block-SCR-03 Pharma
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	28.06.2025
5. Date of Sample Receipt	:	30.06.2025
6. Sample Code	:	129
7. Analysis Starting Date	:	30.06.2025
8. Analysis Completion Date	:	03.07.2025
9. Report Issue date	:	04.07.2025
10. Latitude	:	16.310463
11. Longitude	:	77.355243

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2025/2152

#### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	37
Stack Temperature (°C)	44
Velocity (m/s)	5.0
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m <sup>2</sup> )	0.0908

#### RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

#### INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by


Authorized Signatory

Hanumanthaiah P  
Technical Manager

-: END OF REPORT:-



Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified.





# MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksgur village, Raichur.
2. Stack ID	:	I Block - Scrubber -02
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	21.05.2025
5. Date of Sample Receipt	:	22.05.2025
6. Sample Code	:	16131
7. Analysis Starting Date	:	22.05.2025
8. Analysis Completion Date	:	26.05.2025
9. Report Issue date	:	27.05.2025
10. Latitude	:	16.31059
11. Longitude	:	77.355982

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407125000009874F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	32
Stack Temperature (°C)	54
Velocity (m/s)	5.2
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m <sup>2</sup> )	0.0908

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m <sup>3</sup> /hr	1699.8	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm <sup>3</sup>	46.8	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm <sup>3</sup>	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm <sup>3</sup>	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm <sup>3</sup>	12.4	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory

  
Hanumanthaiah P  
Technical Manager


Note : 1. The results listed only to the tested samples & applicable parameters,  
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



# MSV Analytical Laboratories

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	I Block - Scrubber -02
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	21.05.2025
5.	Date of Sample Receipt	:	22.05.2025
6.	Sample Code	:	2575
7.	Analysis Starting Date	:	22.05.2025
8.	Analysis Completion Date	:	26.05.2025
9.	Report Issue date	:	27.05.2025
10.	Latitude	:	16.31059
11.	Longitude	:	77.355982

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2025/2149

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	32
Stack Temperature (°C)	54
Velocity (m/s)	5.2
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m <sup>2</sup> )	0.0908

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

### INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.


Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager



Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified.





# MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,  
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	Scrubber- C Block Reactor
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	21.05.2025
5. Date of Sample Receipt	:	22.05.2025
6. Sample Code	:	16132
7. Analysis Starting Date	:	22.05.2025
8. Analysis Completion Date	:	26.05.2025
9. Report Issue date	:	27.05.2025
10. Latitude	:	16.31059
11. Longitude	:	77.355982

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407125000009875F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	32
Stack Temperature (°C)	56
Velocity (m/s)	5.1
Height (m)	3 mtr AGL
Diameter (m)	0.35
Cross sectional area (m <sup>2</sup> )	0.0963

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m <sup>3</sup> /hr	1768.1	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm <sup>3</sup>	41.2	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm <sup>3</sup>	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm <sup>3</sup>	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm <sup>3</sup>	9.2	35

### INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by



Authorized Signatory

  
Hanumanthaiah P  
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters,  
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



# MSV Analytical Laboratories

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	Scrubber- C Block Reactor
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	21.05.2025
5. Date of Sample Receipt	:	22.05.2025
6. Sample Code	:	2576
7. Analysis Starting Date	:	22.05.2025
8. Analysis Completion Date	:	26.05.2025
9. Report Issue date	:	27.05.2025
10. Latitude	:	16.31059
11. Longitude	:	77.355982

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2025/2150

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	32
Stack Temperature (°C)	56
Velocity (m/s)	5.1
Height (m)	3 mtr AGL
Diameter (m)	0.35
Cross sectional area (m <sup>2</sup> )	0.0963

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01


INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.


Analysed by

Authorized Signatory

  
Hanumanthaiah P  
Technical Manager



Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4 Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified.



Chicksugur, Karnataka, India  
33, Chicksugur, Karnataka 584134, India  
Lat 16.31059° Long 77.355982°  
21/05/25 04:57 PM GMT +05:30

Google

GPS Map



# MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-D Block Intermediate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	21.05.2025
5.	Date of Sample Receipt	:	22.05.2025
6.	Sample Code	:	16133
7.	Analysis Starting Date	:	22.05.2025
8.	Analysis Completion Date	:	26.05.2025
9.	Report Issue date	:	27.05.2025
10.	Latitude	:	16.31059
11.	Longitude	:	77.355982

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407125000009876F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	46
Velocity (m/s)	4.8
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m <sup>2</sup> )	0.06160

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge ..	IS-11255(Part-3) - 2018	m <sup>3</sup> /hr	1064.4	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm <sup>3</sup>	39.5	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm <sup>3</sup>	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm <sup>3</sup>	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm <sup>3</sup>	9.2	35

### INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by



Authorized Signatory

  
 Hanumanthaiah P  
 Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters,  
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



# MSV Analytical Laboratories

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-D Block Intermediate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	21.05.2025
5.	Date of Sample Receipt	:	22.05.2025
6.	Sample Code	:	2577
7.	Analysis Starting Date	:	22.05.2025
8.	Analysis Completion Date	:	26.05.2025
9.	Report Issue date	:	27.05.2025
10.	Latitude	:	16.31059
11.	Longitude	:	77.355982

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2025/2151

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	46
Velocity (m/s)	4.8
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m <sup>2</sup> )	0.06160

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--


Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager



Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified.





# MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	AI Block- Scrubber no-02
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	21.05.2025
5.	Date of Sample Receipt	:	22.05.2025
6.	Sample Code	:	16134
7.	Analysis Starting Date	:	22.05.2025
8.	Analysis Completion Date	:	26.05.2025
9.	Report Issue date	:	27.05.2025
10.	Latitude	:	16 31059
11.	Longitude	:	77.355982

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407125000009877F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	42
Velocity (m/s)	4.1
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m <sup>2</sup> )	0.0908

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m <sup>3</sup> /hr	1340.2	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm <sup>3</sup>	49.2	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm <sup>3</sup>	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm <sup>3</sup>	BDL	---
Acid mist[HCl Mist]	MSVAL/SOP/SE/002:2022	mg/Nm <sup>3</sup>	10.8	35

INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by



Authorized Signatory

  
Hanumanthaiah P  
Technical Manager

Note : 1. The results listed only to the tested samples & applicable parameters,  
 2. Water samples will be destroyed after 10 days. Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



# MSV Analytical Laboratories

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	AI Block- Scrubber no-02
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	21.05.2025
5.	Date of Sample Receipt	:	22.05.2025
6.	Sample Code	:	2578
7.	Analysis Starting Date	:	22.05.2025
8.	Analysis Completion Date	:	26.05.2025
9.	Report Issue date	:	27.05.2025
10.	Latitude	:	16.31059
11.	Longitude	:	77.355982

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2025/2152

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	42
Velocity (m/s)	4.1
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m <sup>2</sup> )	0.0908

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--


Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager



Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified.





# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
 (Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.8/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-D Block -Intermediate Area-SCR-1
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	25.09.2025
5.	Date of Sample Receipt	:	26.09.2025
6.	Sample Code	:	SE/2599
7.	Analysis Starting Date	:	26.09.2025
8.	Analysis Completion Date	:	03.10.2025
9.	Report Issue date	:	04.10.2025
10.	Latitude	:	16.310517
11.	Longitude	:	77.356007

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000021973F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	33
Stack Temperature (°C)	40
Velocity (m/s)	4.8
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m <sup>2</sup> )	0.06154

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m <sup>3</sup> /hr	1063.4	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm <sup>3</sup>	50.3	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm <sup>3</sup>	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm <sup>3</sup>	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm <sup>3</sup>	12.1	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory

  
Hanumanthaiah P  
Technical Manager


Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Samples Will be disposed after the specified retention period.  
 3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
 5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/QR/7.8/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-D Block -Intermediate Area-SCR-1
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	25.09.2025
5.	Date of Sample Receipt	:	26.09.2025
6.	Sample Code	:	8826
7.	Analysis Starting Date	:	26.09.2025
8.	Analysis Completion Date	:	03.10.2025
9.	Report Issue date	:	04.10.2025
10.	Latitude	:	16.310517
11.	Longitude	:	77.356007

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2024/3940  
**GENERAL DETAILS**

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	33
Stack Temperature (°C)	40
Velocity (m/s)	4.8
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m <sup>2</sup> )	0.06154

## RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.006	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by


Authorized Signatory

Hanumanthaiah P  
Technical Manager

-: END OF REPORT



Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified.



 GPS Map C:



**Chicksugur, Karnataka, India**

33, Chicksugur, Karnataka 584134, India

Lat 16.310517° Long 77.356007°

25/09/2025 03:52 PM GMT +05:30



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,  
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.8/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	Scrubber- C Block -Pharma Area-SCR-2
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	25.09.2025
5. Date of Sample Receipt	:	26.09.2025
6. Sample Code	:	SE/2600
7. Analysis Starting Date	:	26.09.2025
8. Analysis Completion Date	:	03.10.2025
9. Report Issue date	:	04.10.2025
10. Latitude	:	16.310405
11. Longitude	:	77.356308

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000021974F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	30
Stack Temperature (°C)	39
Velocity (m/s)	4.5
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m <sup>2</sup> )	0.066

### RESULTS


Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m <sup>3</sup> /hr	1069.2	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm <sup>3</sup>	36.2	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm <sup>3</sup>	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm <sup>3</sup>	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm <sup>3</sup>	6.6	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.	
-----------	--	--

Analysed by

Authorized Signatory

Handimathaiah P  
Technical Manager



Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Samples Will be disposed after the specified retention period.  
 3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
 5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/QR/7.8/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber- C Block -Pharma Area-SCR-2
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	25.09.2025
5.	Date of Sample Receipt	:	26.09.2025
6.	Sample Code	:	8827
7.	Analysis Starting Date	:	26.09.2025
8.	Analysis Completion Date	:	03.10.2025
9.	Report Issue date	:	04.10.2025
10.	Latitude	:	16.310405
11.	Longitude	:	77.356308

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2024/3941

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	30
Stack Temperature (°C)	39
Velocity (m/s)	4.5
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m <sup>2</sup> )	0.066

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.004	Shall not be more than 0.01

### INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by


Authorized Signatory

Hanumanthaiah P  
Technical Manager



Note:

1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.





# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
 (Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.8/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	Scrubber-E Block -Intermediate Area-01
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	25.09.2025
5. Date of Sample Receipt	:	26.09.2025
6. Sample Code	:	SE/2601
7. Analysis Starting Date	:	26.09.2025
8. Analysis Completion Date	:	03.10.2025
9. Report Issue date	:	04.10.2025
10. Latitude	:	16.310629
11. Longitude	:	77.355925

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000021975F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	41
Velocity (m/s)	5.0
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m <sup>2</sup> )	0.0907

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m <sup>3</sup> /hr	1632.6	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm <sup>3</sup>	45.6	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm <sup>3</sup>	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm <sup>3</sup>	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm <sup>3</sup>	10.9	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory

  
Hanumathaiah P  
Technical Manager


Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Samples Will be disposed after the specified retention period.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
 5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/QR/7.8/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-E Block -Intermediate Area-01
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	25.09.2025
5.	Date of Sample Receipt	:	26.09.2025
6.	Sample Code	:	8827
7.	Analysis Starting Date	:	26.09.2025
8.	Analysis Completion Date	:	03.10.2025
9.	Report Issue date	:	04.10.2025
10.	Latitude	:	16.310629
11.	Longitude	:	77.355925

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2024/3942

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	41
Velocity (m/s)	5.0
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m <sup>2</sup> )	0.0907

### RESULTS


Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.002	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager



Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified.



 GPS Map C

**Wadloor, Karnataka, India**  
8964+cm9, Wadloor, Karnataka 584134, In  
Lat 16.310629° Long 77.355925°  
25/09/2025 04:53 PM GMT +05:30

Google



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
 (Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.8/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	Scrubber-I Block-Intermediate Area-01
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	25.09.2025
5. Date of Sample Receipt	:	26.09.2025
6. Sample Code	:	SE/2602
7. Analysis Starting Date	:	26.09.2025
8. Analysis Completion Date	:	03.10.2025
9. Report Issue date	:	04.10.2025
10. Latitude	:	16.310077
11. Longitude	:	77.356043

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000021976F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	30
Stack Temperature (°C)	38
Velocity (m/s)	4.7
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m <sup>2</sup> )	0.0908

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m <sup>3</sup> /hr	1536.3	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm <sup>3</sup>	45.7	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm <sup>3</sup>	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm <sup>3</sup>	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm <sup>3</sup>	11.2	35

### INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P  
 Technical Manager



- END OF REPORT -

Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Samples Will be disposed after the specified retention period.  
 3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
 5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 563103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/QR/7.8/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	Scrubber-I Block-Intermediate Area-01
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	25.09.2025
5. Date of Sample Receipt	:	26.09.2025
6. Sample Code	:	8828
7. Analysis Starting Date	:	26.09.2025
8. Analysis Completion Date	:	03.10.2025
9. Report Issue date	:	04.10.2025
10. Latitude	:	16.310077
11. Longitude	:	77.356043

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2024/3943

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	30
Stack Temperature (°C)	38
Velocity (m/s)	4.7
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m <sup>2</sup> )	0.0908

### RESULTS


Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.008	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager



-: END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified.



11/26/25, 12:15 PM

*Annexure 10*  
about:blank

EnviroConnect  
Environmental Monitoring

## Historical Data

Plant Name : Shilpa Medicare Limited,Unit-2

Plant Address : Shilpa Medicare Limited, 1009a EOU, UNIT-2 Plot No 33,33A &amp; 40-47, Raichur (KARNATAKA)


Station Name : RO Outlet

From Date : 01-11-2025 00:00:00

To Date : 26-11-2025 12:14:44

Interval : Daily

Function : Average



Legends : &lt; - Average with less data, C - Calibration mode, M - Maintenance mode, S - Data under scrutiny.

B - Bad data, H - High limit crossed, L - Low permissible limit crossed

Parameter	Flow m³/hr
Unit	0.00 - 0.00
Limit	
01-11-2025 00:00:00	8.22
02-11-2025 00:00:00	7.26
03-11-2025 00:00:00	8.14
04-11-2025 00:00:00	8.03
05-11-2025 00:00:00	6.72
06-11-2025 00:00:00	6.91
07-11-2025 00:00:00	7.97
08-11-2025 00:00:00	8.13
09-11-2025 00:00:00	7.56
10-11-2025 00:00:00	9.08
11-11-2025 00:00:00	5.92
12-11-2025 00:00:00	7.86
13-11-2025 00:00:00	8.07
14-11-2025 00:00:00	7.63
15-11-2025 00:00:00	7.42
16-11-2025 00:00:00	8.01
17-11-2025 00:00:00	9.08
18-11-2025 00:00:00	7.11
19-11-2025 00:00:00	6.45
20-11-2025 00:00:00	7.94
21-11-2025 00:00:00	7.55
22-11-2025 00:00:00	8.37
23-11-2025 00:00:00	5.17
24-11-2025 00:00:00	7.74
25-11-2025 00:00:00	7.59
26-11-2025 00:00:00	6.82





## FORM 10

(See rule 19 (1))

## MANIFEST FOR HAZARDOUS AND OTHER WASTE

Under's name and mailing address  
(including Phone No. and e-mail)Shilpa pharma lifesciences Ltd  
Plot no 33,33A,400642, Industrial Estate, Bantwal, Mangalore, Karnataka, IndiaTelephone:9845745058  
E-Mail:sharath@shilpalife.com

Under's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000181

Transporter's name and address:  
(including Phone No. and e-mail)K. S. RAICHUR  
Shilpa pharma lifesciences Ltd  
Plot no 33,33A,400642, Industrial Estate, Bantwal, Mangalore, Karnataka, India  
Telephone:9845745058  
E-Mail:sharath@shilpalife.com

Type of vehicle

Truck

Transporter's registration No

83125

Vehicle registration No.

KA 19 AB 2551

Receiver's name and mailing address  
(including Phone No. and e-mail)K. S. RAICHUR  
Shilpa pharma lifesciences Ltd  
Plot no 33,33A,400642, Industrial Estate, Bantwal, Mangalore, Karnataka, India  
Telephone:9845745058  
E-Mail:sharath@shilpalife.com  
Receiver's authorisation No. 80996

Receiver's authorisation No.

80996

Waste description

Waste Category

Physical form

Qty(MT)

35.3 Chemical Sludge From Waste Water Treatment

Total quantity :  
No. of Containers

21.055 MT

Physical form

Special handling instructions and additional information

USE PPE , WHILE LOADING &amp; UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,

Under's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

MONTH-DAY-YEAR:04-22-2025

Name and stamp: Signature:



Transporter acknowledgement of receipt of Wastes

**ZAHID ROADLINES**  
Address: Bantwal Chambers  
1st Floor, Bantwal Chambers  
Baikampady, Mangalore-575011  
Transporter of Hazardous and other waste

MONTH-DAY-YEAR

Name and stamp: Signature:

MONTH DAY YEAR

FORM 10  
[See rule 19 (1)]  
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address  
(including Phone No. and e-mail)

Shilpa pharma(lifesciences) ltd  
Plot no.33 33A 4 0647, Industrial Growth Complex, Shikarpur, Raichur Taluk District  
Telephone:9845745068  
E-Mail:sharath@voshilpa.com

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000182

Transporter's name and address:  
(including Phone No. and e-mail)

Shilpa pharma(lifesciences) ltd  
Plot no.33 33A 4 0647, Industrial Growth Complex, Shikarpur, Raichur Taluk District  
Telephone:9845745068  
E-Mail:sharath@voshilpa.com

Type of vehicle

Truck

Transporter's registration No

83125

Vehicle registration No.

KA 19 AB 2551

Receiver's name and mailing address  
(including Phone No. and e-mail)

Shilpa pharma(lifesciences) ltd  
Plot no.33 33A 4 0647, Industrial Growth Complex, Shikarpur, Raichur Taluk District  
Telephone:9845745068  
E-Mail:sharath@voshilpa.com

Receiver's authorisation No.

80996

Waste description

Waste Category

Physical form Qty(MT)

353 Chemicals & other wastes - Intermediate - 24.0000

Total quantity :  
No. of Containers

24 MT

Physical form

Special handling instructions and additional information

USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE'WASH WITH PLENTY OF WATER,

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

MONTH-DAY-YEAR:04-29-2025

Name and stamp/Signature  
Transporter acknowledges receipt of wastes  
**ZAHID ROADLINES**  
Name: ZAHID ROADLINES  
1st Floor, Banjara Chambers  
Baikampady, Mangaluru-575011  
Annexure 4: Declaration for receipt of hazardous and other waste

MONTH-DAY-YEAR

Name and stamp/Signature

MONTH DAY YEAR

## FORM 10

[See rule 19 (1)]

## MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address  
(including Phone No. and e-mail)Shilpa pharma lifesciences ltd  
Plot no 33,33A,40 to 47 Industrial Growth Centre Chikmagalur, Raichur Taluk DistrictTelephone: 9845745068  
E-Mail: sharatn@vbspharma.com

Sender's authorisation No

20295

Manifest Document No

HW/20295/2025-26/0000204

Transporter's name and address:  
(including Phone No. and e-mail)HAJIRA ENTERPRISES  
324 t 2nd Phase harohalli industrial area  
Phone: 9986250505  
e-mail: syedmoosa@hotmail.com  
Transporter's registration No: 22794

Type of vehicle

Truck

Transporter's registration No

22794

Vehicle registration No.

KA51D8455

Receiver's name and mailing address  
(including Phone No. and e-mail)HAJIRA ENTERPRISES  
324 t 2nd Phase harohalli industrial area  
Phone: 9986250505  
e-mail: syedmoosa@hotmail.com  
Receiver's authorisation No.: 22794

Receiver's authorisation No.

22794

Waste description

Waste Category

Physical  
form

Qty(MT)

33.1. Empty barrels/containers/liners contaminated  
with hazardous chemicals /wastes

Solid

12.264

Total quantity :  
No. of Containers

12.264 MT

Physical form

Special handling instructions and additional information

USE PPE, WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY  
OF WATER,

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately  
described above by proper shipping name and are categorised, packed, marked,  
and labelled, and are in all respects in proper conditions for transport by road  
according to applicable national government regulations.

MONTH-DAY-YEAR: 08-22-2025

Name and stamp: Signature:



Transporter acknowledgement of receipt of wastes

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

MONTH-DAY-YEAR

Name and stamp: Signature:

Only one of the two signatures is required to be certified by the sender and the rest of the five signatures is required to be certified by the transporter.

8/26/25 3:02 PM

HW

## FORM 10

[See rule 19 (1)]

## MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address  
(including Phone No. and e-mail)Shilpa pharma lifesciences ltd  
Plot no.33,33A,40 to 47 Industrial Growth Centre , Chicksugur, Raichur Taluk DistrictTelephone:9845745068  
E-Mail:sharath@vbshlpa.com

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000207

Transporter's name and address:  
(including Phone No. and e-mail)ZAHID ROADLINES  
M 19 Balkampady Indl Area  
Phone:9845515328  
e-mail:zahidroadlines2005@gmail.com  
Transporter's registration No. 83125

Type of vehicle

Truck

Transporter's registration No

83125

Vehicle registration No.

KA 01 AK 9431

Receiver's name and mailing address  
(including Phone No. and e-mail)Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited)  
Plot No. 158 to 164, KAIDB Kadechu Industrial Area; Village \_Kadechur:Tehsil & District  
Yadgir; Karnataka-585221  
Phone:7338464597  
e-mail:lab@motherearthenviron.com  
Receiver's authorisation No: 80996

Receiver's authorisation No.

80996

Waste description

Waste Category

Physical form

Qty(MT)

35.3.Chemical Sludge From Waste Water Treatment      Semi-Solid      24.51

Total quantity :  
No. of Containers

24.51 MT

Physical form

Special handling instructions and additional information

USE PPE , WHILE LOADING &amp; UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER.

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

MONTH-DAY-YEAR:08-26-2025

Name and stamp: Signature:



Transporter acknowledgement of receipt of Wastes

MONTH-DAY-YEAR

Name and stamp: Signature:

Receiver's certification for receipt of hazardous and other waste

MONTH-DAY-YEAR

Name and stamp: Signature:

Copy / Annex: To be forwarded or the referer to the State Pollution Control Board after signing all the relevant documents

## FORM 10

[See rule 19 (1)]

## MANIFEST FOR HAZARDOUS AND OTHER WASTE

Under's name and mailing address  
(including Phone No. and e-mail)Shilpa pharma lifesciences Ltd  
Plot no 33,33A,40 to 47, Industrial Growth Centre, Chicksugur, Raichur Taluk District

Under's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000205

Transporter's name and address:  
(including Phone No. and e-mail)ZAHID ROADLINES  
M '9 Balkamaddi Indi Area  
Phone 9845515328  
e-mail:zahidroadlines2005@gmail.com  
Transporter's registration No: 83125

Type of vehicle

Truck

Transporter's registration No

83125

Vehicle registration No.

KA 19 AB 2551

Receiver's name and mailing address  
(including Phone No. and e-mail)Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Enviro Tech Private Limited)  
Plot No. 158 to 164, KADB Kadchur Industrial Area, Village Kadchur, Tehsil & District  
Yadgir, Karnataka-585221  
Phone: 7338464597  
e-mail: lab@motherearthenviron.com  
Receiver's authorisation No.: 80996

Receiver's authorisation No.

80996

Waste description

Waste Category	Physical form	Qty(MT)
35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	23.1

Total quantity:  
No. of Containers

23.1 MT

Physical form

Special handling instructions and additional information

USE PPE, WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF  
WATER.

Under's Certificate

I hereby declare that the contents of the consignment are fully and accurately  
described above by proper shipping name and are categorised, packed, marked,  
and labelled, and are in all respects in proper conditions for transport by road  
according to applicable national government regulations.

Name and stamp: Signature

MONTH-DAY-YEAR:08-23-2025

Transporter acknowledgement of receipt of wastes

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

## FORM 10

[See rule 19 (1)]

## MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address  
(including Phone No. and e-mail)Shilpa pharma lifesciences ltd  
Plot no 33,33A,40 to 47, Industrial Growth Centre, Chicksugur, Raichur Taluk DistrictTelephone: 9845745068  
E-Mail: sharath@vibshilpa.com

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000202

Transporter's name and address:  
(including Phone No. and e-mail)ZAHID ROADLINE  
M 19 Balkamady Indl Area  
Phone 0843515328  
e-mail: zahidroadline2005@gmail.com  
Transporter's registration No. 83125

Type of vehicle

Truck

Transporter's registration No

83125

Vehicle registration No.

KA 19 AB 2551

Receiver's name and mailing address  
(including Phone No. and e-mail)Kalyana Karnataka Waste Management Project Private Limited [Formerly M/s Mother Earth Environ Tech Private Limited]  
Plot No 158 to 164, KAIDB Kadechu Industrial Area, Village - Kadechur Tehsil & District  
Yadgir, Karnataka-56221  
Phone: 7338464597  
e-mail: lab@motherearthenviro.com  
Receiver's authorisation No : 80996

Receiver's authorisation No.

80996

Waste description

Waste Category	Physical form	Qty(MT)
20.3 Distillation Residues	Solid	4.8
28.1 Process Residue and wastes	Solid	2.2
28.3 Spent carbon	Solid	0.66
28.2 Spent catalyst	Slurry	4.1
35.3 Chemical Sludge From Waste Water Treatment	Semi-Solid	4.44

Total quantity :  
No. of Containers

16.2 MT

Physical form



Special handling instructions and additional information

USE PPE, WHILE LOADING &amp; UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

Name and stamp: Signature:

MONTH-DAY-YEAR:08-08-2025

Transporter acknowledgement of receipt of Wastes

## FORM 10

[See rule 19 (1)]

## MANIFEST FOR HAZARDOUS AND OTHER WASTE

Waster's name and mailing address  
(including Phone No. and e-mail)Shilpa pharma lifesciences Ltd  
Plot no 33,33A 40 to 47, Industrial Growth Centre, Chicksugur, Raichur Taluk DistrictTelephone: 9845745068  
E-Mail: sharath@vbshilpa.com

Waster's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000200

Transporter's name and address:  
(including Phone No. and e-mail)ZAHID ROADLINES  
M 19 Balkampady Indl Area  
Phone 9845515328  
e-mail: zahidroadlines2005@gmail.com  
Transporter's registration No. 83125

Type of vehicle

Truck

Transporter's registration No

83125

Vehicle registration No.

KA 01 AK 9431

Receiver's name and mailing address  
(including Phone No. and e-mail)Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited)  
Plot No. 158 to 164, KAIDB Kadechu Industrial Area; Village \_Kadechur; Tehsil & District  
Yadgir; Karnataka-585221  
Phone: 7338464597  
e-mail: lab@motherearthenviro.com  
Receiver's authorisation No.: 80996

Receiver's authorisation No.

80996

Waste description

Waste Category	Physical form	Qty(MT)
29.3. Spent carbon	Solid	0.48
35.3. Chemical Sludge From Waste Water Treatment	Semi-Solid	25.54

Total quantity :  
No. of Containers

26.02 MT

Physical form

Special handling instructions and additional information

USE PPE, WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF  
WATER.

Waster's Certificate

I hereby declare that the contents of the consignment are fully and accurately  
described above by proper shipping name and are categorised, packed, marked, and  
labelled, and are in all respects in proper conditions for transport by road according  
to applicable national government regulations.

Name and stamp: Signature:

MONTH-DAY-YEAR: 08-02-2025

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

## FORM 10

[See rule 19 (1)]

## MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address  
(including Phone No. and e-mail)Shilpa pharma lifesciences ltd  
Plot no.33,33A,40 to 47 Industrial Growth Centre , Chicksugur, Raichur Taluk DistrictTelephone:9845745068  
E-Mail:sharathi@vbshilpa.com

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000201

Transporter's name and address:  
(including Phone No. and e-mail)PANCHAMUKI PHARMA CHEM  
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D)  
562112  
Phone:9845831069  
e-mailpanchamukipharmacem@gmail.com  
Transporter's registration No. 23836

Type of vehicle

Tanker

Transporter's registration No

23836

Vehicle registration No.

KA 01 AP 3329

Receiver's name and mailing address  
(including Phone No. and e-mail)PANCHAMUKI PHARMA CHEM  
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D)  
562112  
Phone:9845831069  
e-mailpanchamukipharmacem@gmail.com  
Receiver's authorisation No.. 23836

Receiver's authorisation No.

23836

Waste description

Waste Category	Physical form	Qty(MT)
28 6. Spent solvents	Liquid	26.79

Total quantity :  
No. of Containers

26.79 MT

Physical form

Special handling instructions and additional information

USE PPE , WHILE LOADING &amp; UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

Name and stamp: Signature:

MONTH-DAY-YEAR:08-06-2025

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

## FORM 10

{See rule 19 (1)}

## MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address  
(including Phone No. and e-mail)Shilpa pharma lifesciences ltd  
Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk DistrictTelephone:9845745068  
E-Mail:sharath@vbshilpa.com

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000206

Transporter's name and address:  
(including Phone No. and e-mail)PANCHAMUKI PHARMA CHEM  
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D)  
562112  
Phone 9845831069  
e-mailpanchamukipharmacem@gmail.com  
Transporter's registration No: 23836

Type of vehicle

Tanker

Transporter's registration No

23836

Vehicle registration No.

KA 01 AP 3329

Receiver's name and mailing address  
(including Phone No. and e-mail)PANCHAMUKI PHARMA CHEM  
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D)  
562112  
Phone:9845831069  
e-mailpanchamukipharmacem@gmail.com  
Receiver's authorisation No.: 23836

Receiver's authorisation No.

23836

Waste description

Waste Category	Physical form	Qty(MT)
28.6. Spent solvents	Liquid	26.63

Total quantity :  
No. of Containers

26.63 MT

Physical form

Special handling instructions and additional information

USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY  
OF WATER,

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately  
described above by proper shipping name and are categorised, packed, marked,  
and labelled, and are in all respects in proper conditions for transport by road  
according to applicable national government regulations.

Name and stamp: Signature

MONTH-DAY-YEAR:08-26-2025

Transporter acknowledgement of receipt of wastes

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

## FORM 10

(See rule 19 (1))

## MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address  
(including Phone No. and e-mail)Shilpa pharma lifesciences ltd  
Plot no 35,33A 40 to 47, Industrial Growth Centre, Chicksugur, Raichur Taluk, District

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000203

Transporter's name and address:  
(including Phone No. and e-mail)ZAHID ROADLINES  
M 19 Balkampady Indl Area  
Phone 9845515328  
e-mail:zahidroadlines2005@gmail.com  
Transporter's registration No: 83125

Type of vehicle

Truck

Transporter's registration No

83125

Vehicle registration No.

KA 37B 1476

Receiver's name and mailing address  
(including Phone No. and e-mail)Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited)  
Plot No. 158 to 164, KAIDB Kadethu Industrial Area; Village: Kadethur; Tehsil & District: Yadgir; Karnataka-585221  
Phone: 7338464597  
e-mail: lab@motherearthenviron.com  
Receiver's authorisation No.: 80996

Receiver's authorisation No.

80996

Waste description

Waste Category

Physical form

Qty(MT)

35.3 Chemical Sludge From Waste Water Treatment

Semi-Solid

17.6

Total quantity :  
No. of Containers

17.6 MT

Physical form

Special handling instructions and additional information

USE PPE, WHILE LOADING &amp; UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.



Name and stamp: Signature:

MONTH-DAY-YEAR: 08-13-2025

Transporter acknowledgement of receipt of Manifest

MONTH-DAY-YEAR

Name and stamp: Signature:

ZAHID ROADLINES

Receiver's certificate from the recipient of hazardous and other waste

Balkampady, Maayeluru-575011

Name and stamp: Signature:

MONTH-DAY-YEAR

By affixing this stamp over to the transporter by the consignor after accepting this

7/11/25 12:38 PM

HWW

## FORM 10

[See rule 19 (1)]

## MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address  
(Including Phone No. and e-mail)

**Shilpa pharma Lifesciences Ltd**  
 Plot no 53,33A,401to47, Industrial Growth Centre , Chicksugur Raichur Taluk District  
 Telephone:9845745068  
 E-Mail:sharath@vbshilpa.com

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000197

Transporter's name and address:  
(including Phone No. and e-mail)

**PANCHAMUKI PHARMA CHEM**  
 Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura [tq] Ramanagara (D)  
 562112  
 Phone:9845831069  
 e-mail:panchamukipharmacem@gmail.com  
 Transporter's registration No: 23836

Type of vehicle

Tanker

Transporter's registration No

23836

Vehicle registration No.

KA 01 AP 3329

Receiver's name and mailing address  
(Including Phone No. and e-mail)

**PANCHAMUKI PHARMA CHEM**  
 Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura [tq] Ramanagara (D)  
 562112  
 Phone:9845831069  
 e-mail:panchamukipharmacem@gmail.com  
 Receiver's authorisation No.: 23836

Receiver's authorisation No.

23836

Waste description

Waste Category	Physical form	Qty(MT)
28.6. Spent solvents	Liquid	26.5

Total quantity :  
No. of Containers

26.5 MT

Physical form

USE PPE , WHILE LOADING &amp; UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

Name and stamp: Signature:

MONTH-DAY-YEAR:07-11-2025

Transporter acknowledgement of receipt of wastes

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

MONTH-DAY-YEAR

Name and stamp: Signature:

Copy 1, White. To be furnished by the sender to the State Pollution Control Board, itemising all the wastes.

7/3/25 11:16 AM

HWW

## FORM 10

[See rule 19 (1)]

## MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address  
(including Phone No. and e-mail)Shilpa pharma lifesciences ltd  
Plot No.33/3A -Oto47, Industrial Growth Centre Chicksugur Raichur Taluk DistrictTelephone:9845745068  
E-Mail:sharathi@voshilpa.com

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000195

Transporter's name and address:  
(including Phone No. and e-mail)PANCHAMUKI PHARMA CHEM  
Plot No.94 to 97 1st Phase Haronalli Industrial area Kanakapura (tq) Ramanagara (D)  
562112  
Phone:9845831069  
e-mailpanchamukipharmacem@gmail.com  
Transporter's registration No: 23836

Type of vehicle

Tanker

Transporter's registration No

23836

Vehicle registration No.

KA 01 AP 3329

Receiver's name and mailing address  
(including Phone No. and e-mail)PANCHAMUKI PHARMA CHEM  
Plot No.94 to 97 1st Phase Haronalli Industrial area Kanakapura (tq) Ramanagara (D)  
562112  
Phone:9845831069  
e-mailpanchamukipharmacem@gmail.com  
Receiver's authorisation No: 23836

Receiver's authorisation No.

23836

Waste description

Waste Category

Physical form

Qty(MT)

28 6. Spent solvents

Liquid

27.09

Total quantity:  
No. of Containers

27.09 MT

Physical form

Special handling instructions and additional information

USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY  
OF WATER.

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately  
described above by proper shipping name and are categorised, packed, marked,  
and labelled, and are in all respects in proper conditions for transport by road  
according to applicable national government regulations.

MONTH-DAY-YEAR:07-03-2025

Name and stamp: Signature



Transporter acknowledgement of receipt of Wastes

MONTH-DAY-YEAR

Name and stamp: Signature

Receiver's certification for receipt of hazardous and other waste

MONTH-DAY-YEAR

Name and stamp: Signature

Copy of Manifest to be forwarded by the sender to the State Pollution Control Board/ the authority of the State Government

49 205 190 29/hwm/hw/consentid/manifestview/108656

## FORM 10

[See rule 19 (1)]

## MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address  
(including Phone No. and e-mail)Shilpa pharma Ilfesciences Ltd  
Plot no 33,33A,40to47, Industrial Growth Centre Chicksugur, Raichur Taluk DistrictTelephone:9845745068  
E-Mail:sharath@vbshilpa.com

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000199

Transporter's name and address:  
(including Phone No. and e-mail)ZAHID ROADLINES  
M 19 Baikampady Indl Area  
Phone:9845515328  
e-mail:zahidroadlines2005@gmail.com  
Transporter's registration No. 83125

Type of vehicle

Truck

Transporter's registration No

83125

Vehicle registration No.

KA 19 AB 2551

Receiver's name and mailing address  
(including Phone No. and e-mail)Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited)  
Plot No. 158 to 164, KAIDB Kadechu Industrial Area: Village \_Kadechur; Tehsil & District  
Yadgir; Karnataka-585221  
Phone:7338464597  
e-mail:lab@motherearthenviron.com  
Receiver's authorisation No.: 80996

Receiver's authorisation No.

80996

Waste description

Waste Category

Physical form

Qty(MT)

35.3.Chemical Sludge From Waste Water Treatment      Semi-Solid      19.705

Total quantity :

19.705 MT

No. of Containers

Physical form

Special handling instructions and additional information

USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF  
WATER,

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately  
described above by proper shipping name and are categorised, packed, marked,  
and labelled, and are in all respects in proper conditions for transport by road  
according to applicable national government regulations.

Name and stamp: Signature:

MONTH-DAY-YEAR:07-25-2025

Transporter acknowledgement of receipt of Wastes

ZAHID ROADLINES  
Name and stamp: Signature:  
Bantwal Chambers  
Baikampady, Mangaluru-575011  
Receiver's certification for receipt of hazardous and other waste

MONTH-DAY-YEAR

Name and stamp: Signature:

MONTH-DAY-YEAR

## FORM 10

[See rule 19 (1)]

## MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address  
(including Phone No. and e-mail)Shilpa pharma lifesciences Ltd  
Plot no 33,33A,40 to 47, Industrial Growth Centre Chicksugur Raichur Taluk DistrictTelephone:9845745068  
E-Mail:snarath@vbsnlp.com

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000198

Transporter's name and address:  
(including Phone No. and e-mail)ZAHID ROADLINES  
M 19 Baikampady Indl Area  
Phone 9845515328  
e-mail:zahidroadlines2005@gmail.com  
Transporter's registration No 33125

Type of vehicle

Truck

Transporter's registration No

83125

Vehicle registration No.

KA 19 AB 0560

Receiver's name and mailing address  
(including Phone No. and e-mail)Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited)  
Plot No. 158 to 164, KAIDB Kadechu Industrial Area; Village -Kadechur; Tehsil & District Yadgir; Karnataka-585221  
Phone:7338464597  
e-mail:lab@motherearthenviron.com  
Receiver's authorisation No 80996

Receiver's authorisation No.

80996

Waste description

Waste Category

Physical form

Qty(MT)

20.3.Distillation Residues

Solid

2.5

28.1 Process Residue and wastes

Slurry

1.2

35.3 Chemical Sludge From Waste Water Treatment

Semi-Solid

20.905

Total quantity :  
No. of Containers

24.605 MT

Physical form

USE PPE , WHILE LOADING &amp; UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER.

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

Name and stamp: Signature:


MONTH-DAY-YEAR:07-15-2025

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste



7/295 4:32 PM

-HW

## FORM 10

[See rule 19 (1)]

## MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address  
(including Phone No. and e-mail)Shilpa pharma lifesciences ltd  
Plot no 33,33A,40 to 47 Industrial Growth Centre , Chicksugur, Raichur Taluk DistrictTelephone:9845745068  
E-Mail:sharath@vbsshilpa.com

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000196

Transporter's name and address:  
(including Phone No. and e-mail)ZAHID ROADLINES  
M 19 Baikampady Ind Area  
Phone 9845515328  
e-mailzahidroadlines2005@gmail.com  
Transporter's registration No 83125

Type of vehicle

Truck

Transporter's registration No

83125

Vehicle registration No.

KA 19 AE 1923

Receiver's name and mailing address  
(including Phone No. and e-mail)Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited)  
Plot No 15B to 164, KAIDB Kadethu Industrial Area; Village Kadethu; Tehsil & District Yadgir; Karnataka-585221  
Phone:7338464597  
e-maillab@motherearthenviron.com  
Receiver's authorisation No. 80996

Receiver's authorisation No.

80996

Waste description

Waste Category	Physical form	Qty(MT)
35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	26.17

Total quantity :  
No. of Containers

26.17 MT

Physical form

Special handling instructions and additional information

USE PPE , WHILE LOADING &amp; UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

MONTH-DAY-YEAR:07-05-2025



Name and stamp: Signature

Transporter acknowledgement of receipt of Wastes

**ZAHID ROADLINES**  
1st Floor, Bantwal Chambers  
Baikampady, MANGALORE - 575 011

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

Copy 1: WHM - Transporter's copy of the Manifest (This shall be retained by the transporter until signing of the reverse copy)

07/12/2025 28 AM

HW/HW

## FORM 10

[See rule 19 (1)]

## MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address  
(including Phone No. and e-mail)Shilpa pharma lifesciences ltd  
Plot no 133A 40 to 47 Industrial Growth Centre Chicksugur, Raichur Taluk DistrictTelephone: 9945745068  
E-Mail: shiv@shilpharma.com

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000192

Transporter's name and address:  
(including Phone No. and e-mail)ZAHID ROADLINES  
M 19 Balkampady Ind. Area  
Phone: 9845515328  
e-mail: zahidroadlines2005@gmail.com  
Transporter's registration No: 83125

Type of vehicle

Truck

Transporter's registration No

83125

Vehicle registration No.

KA 19 AE 8021

Receiver's name and mailing address  
(including Phone No. and e-mail)Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited)  
Plot No 158 to 164, KAIDB Kadethu Industrial Area, Village Kadethur, Tehsil & District  
Yadgir, Karnataka - 585221  
Phone: 7338464597  
e-mail: lab@motherearthenviron.com  
Receiver's authorisation No: 80996

Receiver's authorisation No.

80996

Waste description

Waste Category	Physical form	Qty(MT)
35.3 Chemical Sludge From Waste Water Treatment	Semi-Solid	23.87

Total quantity :  
No. of Containers

23.87 MT

Physical form

Special handling instructions and additional information

USE PPE, WHILE LOADING &amp; UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,

Sender's Certificate



I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

MONTH-DAY-YEAR: 06-12-2025

Name and stamp/signature:

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

Case No.: 2025 199 29/HW/HW/consentdt/manifestview/105155

5/22/25 3:46 PM

HWM

## FORM 10

[See rule 19 (1)]

## MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address  
(including Phone No. and e-mail)Shilpa pharma lifesciences ltd  
Plot no 53 33A 40to+7, Industrial Growth Centre, Chicksugur, Raichur Taluk DistrictTelephone:9845745068  
E-Mail:sharathi@vbsnilpa.com

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000193

Transporter's name and address:  
(including Phone No. and e-mail)ZAHID ROADLINES  
M 19 Bakampady Indl Area  
Phone 9845515328  
e-mail:zahidroadlines2005@gmail.com  
Transporter's reg stration No: 83125

Type of vehicle

Truck

Transporter's registration No

83125

Vehicle registration No.

KA 19 AB 2394

Receiver's name and mailing address  
(including Phone No. and e-mail)Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited)  
Plot No. 15B to 164, KAOB Kadechu Industrial Area; Village \_Kadechur;Tehsil & District  
Yadgir; Karnataka-585221  
Phone:7338464597  
e-mail:lab@motherearthenviron.com  
Receiver's authorisation No : 80996

Receiver's authorisation No.

80996

Waste description

Waste Category	Physical form	Qty(MT)
35.3 Chemical Sludge From Waste Water Treatment	Semi-Solid	15.69

Total quantity :  
No. of Containers

15.69 MT

Physical form

USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY  
OF WATER,

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately  
described above by proper shipping name and are categorised, packed, marked,  
and labelled, and are in all respects in proper conditions for transport by road  
according to applicable national government regulations.

MONTH-DAY-YEAR:06-22-2025

Name and stamp: Signature



Transporter acknowledgement of receipt of wastes

MONTH-DAY-YEAR

Name and stamp: Signature:

Receiver's certification for receipt of hazardous and other waste

MONTH-DAY-YEAR

Name and stamp: Signature:

5/11/25 11:53 AM

HWM

## FORM 10

[See rule 19 (1)]

## MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address  
(including Phone No. and e-mail)Shilpa pharma lifesciences ltd  
Plot no 33,33A,40 to 47, Industrial Growth Centre Chicksugur Raichur Taluk DistrictTelephone: 9845745068  
E-Mail: shilphar@vbsilphd.com

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000191

Transporter's name and address:  
(including Phone No. and e-mail)PANCHAMUKI PHARMA CHEM  
Plot No 94 to 97 1st Phase Harehalli Industrial area Kanakapura (tq) Ramanagara (D)  
562112  
Phone 9845831069  
e-mail panchamukipharmacem@gmail.com  
Transporter's registration No. 23836

Type of vehicle

Tanker

Transporter's registration No

23836

Vehicle registration No.

KA 01 AP 3329

Receiver's name and mailing address  
(including Phone No. and e-mail)PANCHAMUKI PHARMA CHEM  
Plot No 94 to 97 1st Phase Harehalli Industrial area Kanakapura (tq) Ramanagara (D)  
562112  
Phone 9845831069  
e-mail panchamukipharmacem@gmail.com  
Receiver's authorisation No. 23836

Receiver's authorisation No.

23836

Waste description

Waste Category	Physical form	Qty(MT)
28.6 Spent solvents	Liquid	24.3

Total quantity :  
No. of Containers

24.3 MT

Physical form

Special handling instructions and additional information

USE PPE , WHILE LOADING &amp; UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

MONTH-DAY-YEAR:06-11-2025

Name and stamp: Signature:



Transporter acknowledgement of receipt of Wastes

MONTH-DAY-YEAR

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

## FORM 10

[See rule 19 (1)]

## MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address  
(including Phone No. and e-mail)Shilpa pharma lifesciences ltd  
Plot no 33,33A,40 to 47, Industrial Growth Centre, Chicksugur, Raichur Taluk DistrictTelephone:9845745068  
E-Mail:sharath@vbshilpa.com

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000190

Transporter's name and address:  
(including Phone No. and e-mail)PANCHAMUKI PHARMA CHEM  
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D)  
562112  
Phone:9845831069  
e-mail:panchamukipharmacem@gmail.com  
Transporter's registration No: 23836

Type of vehicle

Tanker

Transporter's registration No

23836

Vehicle registration No.

KA 01 AP 3329

Receiver's name and mailing address  
(including Phone No. and e-mail)PANCHAMUKI PHARMA CHEM  
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D)  
562112  
Phone:9845831069  
e-mail:panchamukipharmacem@gmail.com  
Receiver's authorisation No: 23836

Receiver's authorisation No.

23836

Waste description

Waste Category	Physical form	Qty(MT)
28.6 Spent solvents	Liquid	26.64

Total quantity :  
No. of Containers

26.64 MT

Physical form

USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY  
OF WATER,

Special handling instructions and additional information

RAICHUR  
SHILPA PHARMA LIFESCENCES LTD

I hereby declare that the contents of the consignment are fully and accurately  
described above by proper shipping name and are categorised, packed, marked,  
and labelled, and are in all respects in proper conditions for transport by road  
according to applicable national government regulations.

Name and stamp: Signature:

MONTH-DAY-YEAR:06-03-2025

Transporter acknowledgement of receipt of Wastes

MONTH-DAY-YEAR

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

This Manifesto is prepared by the sender after taking a signature from the transporter and the rest of it is signed/updated by the Raichur DSC.

## FORM 1C

[See rule 19 (1)]

## MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address  
(including Phone No. and e-mail)Shilpa pharma lifesciences Ltd  
Plot no 33 33A 40 to 47 Industrial Growth Centre, Chicksugur, Raichur Taluk DistrictTelephone: 9845745068  
E-Mail: shilpa@vbshilpa.com

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000194

Transporter's name and address:  
(including Phone No. and e-mail)ZAHID ROADLINES  
M 19 Baikampady Indl Area  
Phone 984515328  
E-mail: zahid.roadlines2005@gmail.com  
Transporter's registration No: 83125

Type of vehicle

Truck

Transporter's registration No

83125

Vehicle registration No.

KA 37B 1476

Receiver's name and mailing address  
(including Phone No. and e-mail)Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited)  
Plot No. 15B to 164, KALDB Kadechu Industrial Area; Village \_Kadechur; Tehsil & District Yadgir, Karnataka-585221  
Phone: 7338464597  
E-mail: lab@motherearthenviro.com  
Receiver's authorisation No: 80996

Receiver's authorisation No.

80996

Waste description

Waste Category

Physical  
form

Qty(MT)

35.3 Chemical Sludge From Waste Water  
Treatment

Semi-Solid

21

Total quantity :

21 MT

No. of Containers

Physical form

Special handling instructions and additional information

USE PPE, WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY  
OF WATER.

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately  
described above by proper shipping name and are categorised, packed, marked,  
and labelled, and are in all respects in proper conditions for transport by road  
according to applicable national government regulations.

MONTH-DAY-YEAR: 06-23-2025

Name and stamp: Signature:



Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

MONTH-DAY-YEAR

Name and stamp: Signature:

5/8/25 5:23 PM

HW

Sender's name and mailing address  
(including Phone No. and e-mail)

Shilpa pharma lifesciences ltd  
Plot no 33 33A 40 to 47, Industrial Growth Centre Chicksugur, Raichur Taluk District  
Telephone 9845745068  
E-Mail:snarath@vbsilpa.com

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000183

Transporter's name and address:  
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM  
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112  
Phone:9845831069  
e-mailpanchamukipharmacem@gmail.com  
Transporter's registration No. 23836

Type of vehicle

Tanker

Transporter's registration No

23836

Vehicle registration No.

KA 01 AP 3329

Receiver's name and mailing address  
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM  
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112  
Phone 9845831069  
e-mailpanchamukipharmacem@gmail.com  
Receiver's authorisation No. 23836

Receiver's authorisation No.

23836

Waste description

Waste Category	Physical form	Qty(MT)
28.6. Spent solvents	Liquid	27.73

Total quantity :  
No. of Containers

27.73 MT

Physical form

Use Ppe while loading and unloading . Any spillage wash with plenty of water

Sender's Certificate

I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

Name and stamp: Signature:

MONTH-DAY-YEAR:05-08-2025

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

Copy 1 (original) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies



FORM 10

[See rule 19 (1)]

## MANIFEST FOR HAZARDOUS AND OTHER WASTE

FORM 10

See rule 19 (11)

## MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address  
(including Phone No. and e-mail)Shilpa pharma lifesciences ltd  
Plot no 33A 40to47, Industrial Growth Centre Chicksugur Raichur Taluk DistrictTelephone:9845745068  
E-Mail:sharath@vbsilpa.com

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000184

Transporter's name and address:  
(including Phone No. and e-mail)ZAHID ROADLINES  
M 19 Baikampady Indl Area  
Phone 9845515328  
e-mail:zahidroadlines2005@gmail.com  
Transporter's registration No: 83125

Type of vehicle

Truck

Transporter's registration No

83125

Vehicle registration No

KA 19 AD 7429

Receiver's name and mailing address  
(including Phone No. and e-mail)Kalyana Karnataka Waste Management Project Private Limited Formerly M/s Mother Earth  
Environ Tech Private Limited  
Plot No 158 to 164, KAIIDB Kadechu Industrial Area, Village \_Kadechur Tehsil & District  
Yadgir, Karnataka-585221  
Phone:7338464597  
e-mail:lab@motherearthenviron.com  
Receiver's authorisation No: 80996

Receiver's authorisation No.

80996

Waste description

Waste Category

Physical form

Qty(MT)

35.3 Chemical Sludge From Waste Water Treatment

Scattered

24.56

Total quantity :  
No. of Containers

24.56 MT

Physical form

USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF  
WATER,

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately  
described above by proper shipping name and are categorised, packed, marked, and  
labelled, and are in all respects in proper conditions for transport by road according to  
applicable national government regulations.

Name and stamp: Signature:

MONTH-DAY-YEAR:05-10-2025

Transporter acknowledgement of receipt of Wastes

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

MONTH-DAY-YEAR

Name and stamp: Signature:



5/16/25 11:34 AM

HWW

## FORM 10

[See rule 19 (1)]

## MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address  
(including Phone No. and e-mail)Shilpa pharma lifesciences ltd  
Plot no 33 33A,40to47, Industrial Growth Centre , Chicksugur Raichur Taluk DistrictTelephone:9845745068  
E-Mail:sharath@vbshilpa.com

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000185

Transporter's name and address:  
(including Phone No. and e-mail)PANCHAMUKI PHARMA CHEM  
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D)  
562112  
Phone 9845831069  
e-mailpanchamukipharmacem@gmail.com  
Transporter's registration No: 23836

Type of vehicle

Tanker

Transporter's registration No

23836

Vehicle registration No.

KA 01 AP 3329

Receiver's name and mailing address  
(including Phone No. and e-mail)PANCHAMUKI PHARMA CHEM  
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D)  
562112  
Phone:9845831069  
e-mailpanchamukipharmacem@gmail.com  
Receiver's authorisation No : 23836

Receiver's authorisation No.

23836

Waste description

Waste Category	Physical form	Qty(MT)
28 6 Spent solvents	Liquid	26.54

Total quantity :  
No. of Containers

26.54 MT

Physical form

Special handling instructions and additional information

USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY  
OF WATER,

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately  
described above by proper shipping name and are categorised, packed, marked,  
and labelled, and are in all respects in proper conditions for transport by road  
according to applicable national government regulations.

MONTH-DAY-YEAR:05-16-2025

Name and stamp: Signature: 

Transporter acknowledgement of receipt of Wastes

MONTH-DAY-YEAR

Name and stamp: Signature: 

Receiver's certification for receipt of hazardous and other waste

MONTH-DAY-YEAR

Name and stamp: Signature:

## FORM 10

[See rule 19 (1)]

## MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address  
(including Phone No. and e-mail)Shilpa pharma lifesciences ltd  
Plot no 33,33A,40 to 47, Industrial Growth Centre Chicksugur, Raichur Taluk DistrictTelephone:9845745068  
E-Mail:sharath@vbshilpa.com

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000186

Transporter's name and address:  
(including Phone No. and e-mail)ZAHID ROADLINES  
M 19 Baikampady Indl Area  
Phone:9845515328  
e-mail:zahidroadlines2005@gmail.com  
Transporter's registration No. 83125

Type of vehicle

Truck

Transporter's registration No

83125

Vehicle registration No.

KA 19 AB 2551

Receiver's name and mailing address  
(including Phone No. and e-mail)Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited)  
Plot No. 158 to 164, KAI/DB Kadechu Industrial Area; Village \_Kadechur;Tehsil & District Yadgir; Karnataka-585221  
Phone:7338464597  
e-mail:lab@motherearthenviron.com  
Receiver's authorisation No.: 80996

Receiver's authorisation No.

80996

Waste description

Waste Category

Physical  
form

Qty(MT)

35.3.Chemical Sludge From Waste Water  
Treatment

Semi-Solid

18.41

Total quantity :  
No. of Containers

18.41 MT

Physical form

Special handling instructions and additional information

USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY  
OF WATER,

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately  
described above by proper shipping name and are categorised, packed, marked,  
and labelled, and are in all respects in proper conditions for transport by road  
according to applicable national government regulations.

MONTH-DAY-YEAR:05-20-2025

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:



MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR



/21/25 11:26 AM

HWW

## FORM 10

[See rule 19 (1)]

## MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address  
(including Phone No. and e-mail)Shilpa pharma lifesciences ltd  
Plot no 33,33A,40 to 47 Industrial Growth Centre ,Chicksugur, Raichur Taluk DistrictTelephone:9845745068  
E-Mail:sharath@vbsnilpa.com

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000188

Transporter's name and address:  
(including Phone No. and e-mail)PANCHAMUKI PHARMA CHEM  
Plot No 94 to 97 1st Phase Harohalli Industrial area Karakapura (tq) Ramanagara (D)  
562112  
Phone:9845831069  
e-mailpanchamukipharmacchem@gmail.com  
Transporter's registration No: 23836

Type of vehicle

Tanker

Transporter's registration No

23836

Vehicle registration No.

KA 01 AP 3329

Receiver's name and mailing address  
(including Phone No. and e-mail)PANCHAMUKI PHARMA CHEM  
Plot No 94 to 97 1st Phase Harohalli Industrial area Karakapura (tq) Ramanagara (D)  
562112  
Phone:9845831069  
e-mailpanchamukipharmacchem@gmail.com  
Receiver's authorisation No.: 23836

Receiver's authorisation No.

23836

Waste description

Waste Category	Physical form	Qty(MT)
28 6 Spent solvents	Liquid	26.82

Total quantity :

26.82 MT

No. of Containers

Physical form

USE PPE , WHILE LOADING &amp; UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

MONTH-DAY-YEAR:05-21-2025

Sender's Certificate



Name and stamp: Signature

MONTH-DAY-YEAR

Transporter acknowledgement of receipt of waste

MONTH-DAY-YEAR

Name and stamp: Signature

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

MONTH-DAY-YEAR

Name and stamp: Signature

Copy of manifest to be forwarded by the vendor to the State Pollution Control Board after signing all the seven copies

5/20/25, 5:46 PM

HWW

## FORM 10

[See rule 19 (1)]

## MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address  
(including Phone No. and e-mail)Shilpa pharma lifesciences ltd  
Plot no 33,33A,40 to 47, Industrial Growth Centre, Chicksugur, Raichur Taluk DistrictTelephone: 9845745068  
E-Mail: sharath@vbshilpa.com

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000187

Transporter's name and address:  
(including Phone No. and e-mail)ZAHID ROADLINES  
M 19 Baikampady Indl Area  
Phone: 9845515328  
e-mail: zahidroadlines2005@gmail.com  
Transporter's registration No: 83125

Type of vehicle

Truck

Transporter's registration No

83125

Vehicle registration No.

KA 19 AE 1923

Receiver's name and mailing address  
(including Phone No. and e-mail)Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited)  
Plot No. 15B to 164, KALDB Kadechu Industrial Area; Village \_Kadechur; Tehsil & District  
Yadgir; Karnataka-582221  
Phone: 7338464597  
e-mail: lab@motherearthenviron.com  
Receiver's authorisation No.: 80996

Receiver's authorisation No.

80996

Waste description

Waste Category	Physical form	Qty(MT)
35.3. Chemical Sludge From Waste Water Treatment	Semi-Solid	28.92

Total quantity :

28.92 MT

No. of Containers

Physical form

Special handling instructions and additional information

USE PPE, WHILE LOADING &amp; UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

MONTH-DAY-YEAR: 05-20-2025

Name and stamp: Signature



Transporter acknowledgement of receipt of wastes

Name and stamp: Signature  
1st Floor, Bantwal Chambers  
Bantwal, Mangalore-575001

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature

MONTH-DAY-YEAR

Note: To be forwarded by the sender to the State Pollution Control Board after signing all the three copies

05.100.29/HWW/HW/consentd/manifestview/101817

4/7

02/02/25 1:27 PM

HWW

## FORM 10

[See rule 19 (1)]

## MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address  
(including Phone No. and e-mail)Shilpa pharma lifesciences ltd  
Plot no.33,33A,40to47, Industrial Growth Centre, Chicksugur, Raichur Taluk DistrictTelephone:9845745068  
E-Mail:sharath@vbshilpa.com

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000213

Transporter's name and address:  
(including Phone No. and e-mail)ZAHID ROADLINES  
M 19 Balkampady Indl Area  
Phone:9845515328  
e-mail:zahidroadlines2005@gmail.com  
Transporter's registration No: 83125

Type of vehicle

Truck

Transporter's registration No

83125

Vehicle registration No.

KA 01 AH 7908

Receiver's name and mailing address  
(including Phone No. and e-mail)Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited)  
Plot No. 158 to 164, KAIDB Kadechur Industrial Area; Village \_Kadechur; Tehsil & District  
Yadgir; Karnataka-585221  
Phone:7338464597  
e-mail:lab@motherearthenviron.com  
Receiver's authorisation No : 80996

Receiver's authorisation No.

80996

Waste description

Waste Category	Physical form	Qty(MT)
35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	23.59

Total quantity :

23.59 MT

No. of Containers

Physical form

Special handling Instructions and additional information

USE PPE , WHILE LOADING &amp; UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER.

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

MONTH-DAY-YEAR:09-29-2025

Name and stamp: Signature:  


Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

Copy 1 (Waste) To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies

205 199-20from/lnw/consolid/manifestview/123806

## FORM 10

[See rule 19 (1)]

## MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address  
(including Phone No. and e-mail)Shilpa pharma lifesciences Ltd  
Plot no 33,33A,40 to 47, Industrial Growth Centre, Chicksugur, Raichur Taluk DistrictTelephone: 9845745068  
E-Mail: sharath@vbshilpa.com

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000208

Transporter's name and address:  
(including Phone No. and e-mail)ZAHID ROADLINES  
M 19 Baikampady Indl Area  
Phone 9845515328  
e-mail: zahidroadlines2005@gmail.com  
Transporter's registration No: 83125

Type of vehicle

Truck

Transporter's registration No

83125

Vehicle registration No.

KA 01 AH 7908

Receiver's name and mailing address  
(including Phone No. and e-mail)Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited)  
Plot No. 158 to 164, KAIDB Kadechu Industrial Area; Village - Kadechur; Tehsil & District  
Yadgir; Karnataka-585221  
Phone: 7338464597  
e-mail: lab@motherearthenviro.com  
Receiver's authorisation No: 80996

Receiver's authorisation No.

80996

Site description

Waste Category	Physical form	Qty(MT)
35.3 Chemical Sludge From Waste Water Treatment	Semi-Solid	25.79

Total quantity:  
(in Containers)

25.79 MT

Physical form

Special handling instructions and additional information

USE PPE, WHILE LOADING &amp; UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

Name and stamp: Signature:

MONTH-DAY-YEAR: 09-08-2025

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

(This) To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies

## FORM 10

[See rule 19 (1)]

## MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address  
including Phone No. and e-mailShilpa pharma lifesciences ltd  
Plot no.33 33A,40 to 47, Industrial Growth Centre , Chicksugur, Raichur Taluk DistrictTelephone:9845745068  
E-Mail:sharath@vbshilpa.com

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000212

Transporter's name and address:  
including Phone No. and e-mailZAHID ROADINES  
M 19 Ba-kampadiv Indl Area  
Phone:9845155328  
e-mail:zahidroadlines2005@gmail.com  
Transporter's registration No. 83125

Type of vehicle

Truck

Transporter's registration No

83125

Vehicle registration No.

KA 37B 1476

Receiver's name and mailing address  
including Phone No. and e-mailKalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited)  
Plot No. 158 to 164, KAIDB Kadechu Industrial Area; Village -Kadechur; Tehsil & District  
Yadgir; Karnataka-585221  
Phone:7338464597  
e-mail:lab@motherearthenviron.com  
Receiver's authorisation No.: 80996

Receiver's authorisation No.

80996

Waste description

Waste Category	Physical form	Qty(MT)
35.3 Chemical Sludge From Waste Water Treatment	Semi-Solid	23.96

Total quantity:  
No. of Containers

23.96 MT

Physical form

Special handling instructions and additional information

USE PPE , WHILE LOADING &amp; UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,


Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

Name and stamp: Signature:

MONTH-DAY-YEAR:09-20-2025

Transporter acknowledgement of receipt of wastes

ZAHID ROADINES  
Name and stamp: Signature: 

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

/5 1:26 PM

HWW

## FORM 10

[See rule 19 (1)]

## MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address  
(including Phone No. and e-mail)Shilpa pharma lifesciences ltd  
Plot no.33.33A,40to47, Industrial Growth Centre Chicksugur, Raichur Taluk DistrictTelephone:9845745068  
E-Mail:sharath@vbshilpa.com

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000211

Transporter's name and address:  
(including Phone No. and e-mail)PANCHAMUKI PHARMA CHEM  
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D)  
562112  
Phone:9845831069  
e-mailpanchamukipharmachem@gmail.com  
Transporter's registration No: 23836

Type of vehicle

Tanker

Transporter's registration No

23836

Vehicle registration No.

KA 01 AP 3329

Receiver's name and mailing address  
(including Phone No. and e-mail)PANCHAMUKI PHARMA CHEM  
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D)  
562112  
Phone:9845831069  
e-mailpanchamukipharmachem@gmail.com  
Receiver's authorisation No: 23836

Receiver's authorisation No.

23836

Waste description

Waste Category	Physical form	Qty(MT)
28.6. Spent solvents	Liquid	26.79

Total quantity :  
No. of Containers

26.79 MT

Physical form

USE PPE , WHILE LOADING &amp; UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER.

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road, according to applicable national government regulations.

Name and stamp: Signature:



MONTH-DAY-YEAR:09-17-2025

Transporter acknowledgement of receipt of Wastes

MONTH-DAY-YEAR

Name and stamp: Signature:

Receiver's certification for receipt of hazardous and other waste

MONTH-DAY-YEAR

Name and stamp: Signature:

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies

4 PM

HWW

## FORM 10

[See rule 19 (1)]

## MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address  
(including Phone No. and e-mail)Shilpa pharma lifesciences ltd  
Plot no 33, 13A, 40 to 47, Industrial Growth Centre, Chicksugur, Raichur Taluk DistrictTelephone: 9845745068  
E-Mail: sharath@vbsilpa.com

Receiver's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000210

Importer's name and address  
(including Phone No. and e-mail)ZAHID ROADLINES  
M 19 Baikampady Indl Area  
Phone: 9845515328  
e-mail: zahidroadlines2005@gmail.com  
Transporter's registration No: 83125

Type of vehicle

Truck

Transporter's registration No

83125

Vehicle registration No.

KA 19 AD 8668

Receiver's name and mailing address  
(including Phone No. and e-mail)Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited)  
Plot No. 158 to 164, KADECHU, Kadechu Industrial Area; Village \_Kadechur; Tehsil & District  
Yadgir; Karnataka-585221  
Phone: 7338464597  
e-mail: lab@motherearthenviron.com  
Receiver's authorisation No: 80996

Receiver's authorisation No.

80996

Waste description

Waste Category	Physical form	Qty(MT)
35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	28.09

Total quantity:

28.09 MT

No. of Containers

Physical form

USE PPE, WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY  
OF WATER,

Special handling instructions and additional information

I hereby declare that the contents of the consignment are fully and accurately  
described above by proper shipping name and are categorised, packed, marked,  
and labelled, and are in all respects in proper conditions for transport by road  
according to applicable national government regulations.

Sender's Certificate

MONTH-DAY-YEAR:09-15-2025

Name and stamp: Signature



Transporter acknowledgement of receipt of Wastes

MONTH-DAY-YEAR

Name and stamp: Signature:

Receiver's certification for receipt of hazardous and other waste

MONTH-DAY-YEAR

Name and stamp: Signature:

Copy 1 (White) to be forwarded by the sender to the State Pollution Control Board after signing all the seven copies

2:37 PM

HWW

## FORM 10

[See rule 19 (1)]

## MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address  
(including Phone No. and e-mail)Shilpa pharma lifesciences ltd  
Plot no 33,33A,40 to 47, Industrial Growth Centre , Chicksugur, Raichur Taluk District

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000209

Transporter's name and address:  
(including Phone No. and e-mail)PANCHAMUKI PHARMA CHEM  
Plot No 94 to 97 1st Phase: Harohalli Industrial area Kanakapura (tq) Ramanagara (D)  
562112  
Phone:9845831069  
e-mailpanchamukipharmacem@gmail.com  
Transporter's registration No: 23836

Type of vehicle

Tanker

Transporter's registration No

23836

Vehicle registration No.

KA 01 AP 3329

Receiver's name and mailing address  
(including Phone No. and e-mail)PANCHAMUKI PHARMA CHEM  
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D)  
562112  
Phone:9845831069  
e-mailpanchamukipharmacem@gmail.com  
Receiver's authorisation No. 23836

Receiver's authorisation No.

23836

Waste description

Waste Category	Physical form	Qty(MT)
28.6. Spent solvents	Liquid	25.78

Total quantity :  
No. of Containers

25.78 MT

Physical form

USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY  
OF WATER,

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately  
described above by proper shipping name and are categorised, packed, marked,  
and labelled, and are in all respects in proper conditions for transport by road  
according to applicable national government regulations.

Name and stamp: Signature:

MONTH-DAY-YEAR:09-09-2025

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:

MONTH-DAY-YEAR


Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

## Environment management Cell

### Annexure-13





# MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

Annexure 14

MSVAL/AN/RF/01/00

## AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	28.04.2025
5.	Report Issue Date	:	02.05.2025
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407125000008361F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	DG Set Area	At 07:00 AM	68.6	66.2	67.4	75
2		At 08:00 AM	67.4	65.1	66.3	
3		At 09:00 AM	72.3	69.2	70.8	
4		At 10:00 AM	71.8	68.4	70.1	
5		At 11:00 AM	68.5	66.7	67.6	
6		At 12:00 PM	69.2	66.9	68.1	
7		At 01:00 PM	67.1	64.2	65.7	
8		At 02:00 PM	69.3	66.4	67.9	
9		At 03:00 PM	68.4	67.1	67.8	
10		At 04:00 PM	66.7	63.3	65	
11		At 05:00 PM	69.5	66.8	68.2	
12		At 06:00 PM	69.8	67.2	68.5	
13		At 07:00 PM	71.6	69.6	70.6	70
14		At 08:00 PM	62.4	57.4	59.9	
15		At 09:00 PM	61.2	58.2	59.7	
16		At 10:00 PM	58.4	53.3	55.9	
17		At 11:00 PM	56.7	52.1	54.4	
18		At 12:00 AM	59.5	56.9	58.2	
19		At 01:00 AM	56.7	54.1	55.4	
20		At 02:00 AM	58.4	55.1	56.8	
21		At 03:00 AM	56.2	53.8	55	
22		At 04:00 AM	54.3	51.4	52.9	
23		At 05:00 AM	53.9	47.4	50.7	
24		At 06:00 AM	52.1	46.9	49.5	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits
-----------	---

Analysed by

Authorized Signatory

  
Hanumanthaiah P  
Technical Manager


END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters,  
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



# MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



MSVAL/AN/RF/01/00

## AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	28.04.2025
5.	Report Issue Date	:	02.05.2025
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407125000008362F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Production Area	At 07:00 AM	58.3	55.3	56.8	75
2		At 08:00 AM	59.4	54.6	57	
3		At 09:00 AM	62.6	58.7	60.7	
4		At 10:00 AM	66.4	63.5	65	
5		At 11:00 AM	65.2	62.5	63.9	
6		At 12:00 PM	60.2	58.7	59.5	
7		At 01:00 PM	63.7	59.4	61.6	
8		At 02:00 PM	60.1	56.2	58.2	
9		At 03:00 PM	62.8	56.1	59.5	
10		At 04:00 PM	59.4	58.4	58.9	
11		At 05:00 PM	63.4	58.3	60.9	
12		At 06:00 PM	63.6	60.2	61.9	
13		At 07:00 PM	64.9	61.4	63.2	
14		At 08:00 PM	65.2	62.3	63.8	
15		At 09:00 PM	68.7	64.1	66.4	
16		At 10:00 PM	67.9	64.8	66.4	
17		At 11:00 PM	66.2	63.1	64.7	
18		At 12:00 AM	59.5	55.2	57.4	
19		At 01:00 AM	58.3	54.3	56.3	
20		At 02:00 AM	56.4	53.4	54.9	70
21		At 03:00 AM	55.8	51.5	53.7	
22		At 04:00 AM	52.1	47.1	49.6	
23		At 05:00 AM	53.3	50.9	52.1	
24		At 06:00 AM	53.7	49.4	51.6	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits
-----------	---

Analysed by



Authorized Signatory

  
Hanumthaiah P  
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters,  
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



# MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC-4071

MSVAL/AN/RF/01/00

## AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	28.04.2025
5.	Report Issue Date	:	02.05.2025
6.	Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407125000008363F

S.No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	Near Main Gate	At 07:00 AM	59.4	55.4	57.4	75
2		At 08:00 AM	58.4	55.3	56.9	
3		At 09:00 AM	61.6	57.8	59.7	
4		At 10:00 AM	63.9	60.4	62.2	
5		At 11:00 AM	64.8	61.9	63.4	
6		At 12:00 PM	61.2	58.2	59.7	
7		At 01:00 PM	62.5	58.4	60.5	
8		At 02:00 PM	61.8	58.4	60.1	
9		At 03:00 PM	61.9	59.1	60.5	
10		At 04:00 PM	60.4	56.9	58.7	
11		At 05:00 PM	67.3	64.7	66	
12		At 06:00 PM	65.6	62.3	64	
13		At 07:00 PM	69.7	66.4	68.5	
14		At 08:00 PM	70.3	67.6	69	
15		At 09:00 PM	68.9	65.2	67.1	
16		At 10:00 PM	66.4	64.7	65.6	
17		At 11:00 PM	66.9	64.9	65.9	
18		At 12:00 AM	62.4	59.2	60.8	70
19		At 01:00 AM	58.7	55.8	57.3	
20		At 02:00 AM	58.9	54.0	56.5	
21		At 03:00 AM	57.4	54.1	55.8	
22		At 04:00 AM	56.6	53.5	55.1	
23		At 05:00 AM	53.1	49.8	51.5	
24		At 06:00 AM	50.1	47.6	48.9	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits
-----------	---

Analysed by

Authorized Signatory

  
Hanumanthaiah P  
Technical Manager


Note:

1. The results listed only to the tested samples & applicable parameters,
2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



# MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



MSVAL/AN/RF/01/00

## AMBIENT NOISE LEVEL MONITORING REPORT

1. Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Sample Collected By	:	MSV Analytical Laboratories, Bellary
3. Particulars of Sample Collected	:	Noise meter
4. Date of Monitoring	:	28.04.2025
5. Report Issue Date	:	02.05.2025
6. Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407125000008364F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Administration Office	At 07:00 AM	58.4	55.3	56.9	75
2		At 08:00 AM	59.6	56.4	58	
3		At 09:00 AM	56.2	53.2	54.7	
4		At 10:00 AM	57.9	54.9	56.4	
5		At 11:00 AM	56.5	54.3	55.4	
6		At 12:00 PM	64.8	61.7	63.3	
7		At 01:00 PM	66.4	63.7	65.1	
8		At 02:00 PM	68.9	65.2	67.1	
9		At 03:00 PM	70.4	67.4	68.9	
10		At 04:00 PM	69.2	67.1	68.2	
11		At 05:00 PM	68.4	66.2	67.3	
12		At 06:00 PM	65.6	62.1	63.9	70
13		At 07:00 PM	61.2	58.3	59.8	
14		At 08:00 PM	59.5	54.5	57	
15		At 09:00 PM	63.4	60.2	61.8	
16		At 10:00 PM	64.6	61.8	63.2	
17		At 11:00 PM	62.8	58.9	60.9	
18		At 12:00 AM	64.6	62.7	63.7	
19		At 01:00 AM	66.8	64.6	65.7	
20		At 02:00 AM	63.2	59.7	61.5	
21		At 03:00 AM	59.4	56.9	58.2	
22		At 04:00 AM	54.6	52.7	53.7	
23		At 05:00 AM	54.1	52.3	53.2	
24		At 06:00 AM	52.3	50.7	51.5	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits
-----------	---

Analysed by

Authorized Signatory

  
Hanumanthaiah P  
Technical Manager


Note : 1. The results listed only to the tested samples & applicable parameters,  
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
 (Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.4/01

## AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	29.08.2025
5.	Report Issue Date	:	03.09.2025
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407124000018712F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	DG Set Area	At 07:00 AM	72.3	70.2	68.9	75
2		At 08:00 AM	71.6	68.3	71.2	
3		At 09:00 AM	66.8	64.3	73.6	
4		At 10:00 AM	69.5	67.2	69.8	
5		At 11:00 AM	67.5	65.2	67.2	
6		At 12:00 PM	69.2	63.1	65.4	
7		At 01:00 PM	73.5	70.8	67.5	
8		At 02:00 PM	70.5	65.4	69.5	
9		At 03:00 PM	66.6	63.7	67.2	
10		At 04:00 PM	66.5	63.2	70.5	
11		At 05:00 PM	64.2	62.1	71.6	
12		At 06:00 PM	68.7	64.3	72.2	
13		At 07:00 PM	69.2	66.7	66.3	
14		At 08:00 PM	67.0	62.1	65.4	
15		At 09:00 PM	68.1	65.7	68.7	
16		At 10:00 PM	72.4	70.5	67.8	
17		At 11:00 PM	57.6	52.5	55.1	70
18		At 12:00 AM	61.3	58.9	60.1	
19		At 01:00 AM	60.2	56.7	58.5	
20		At 02:00 AM	59.6	55.4	57.5	
21		At 03:00 AM	56.5	53.1	54.8	
22		At 04:00 AM	54.3	52.6	53.5	
23		At 05:00 AM	52.1	50.5	51.3	
24		At 06:00 AM	58.5	57.1	57.8	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits
-----------	---

Analysed by

Authorized Signatory

Hanumantaiah P  
Technical Manager



Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
 (Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.4/01

## AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	29.08.2025
5.	Report Issue Date	:	03.09.2025
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407124000018713F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Production Area	At 07:00 AM	63.5	61.2	62.4	75
2		At 08:00 AM	65.8	63.8	64.8	
3		At 09:00 AM	63.8	59.8	61.8	
4		At 10:00 AM	64.3	62.3	63.3	
5		At 11:00 AM	69.5	66.5	68.0	
6		At 12:00 PM	66.3	62.8	64.6	
7		At 01:00 PM	67.5	65.3	66.4	
8		At 02:00 PM	64.2	63.8	64.0	
9		At 03:00 PM	65.8	61.0	63.4	
10		At 04:00 PM	69.5	67.9	68.7	
11		At 05:00 PM	64.2	62.1	63.2	
12		At 06:00 PM	63.8	60.7	62.3	
13		At 07:00 PM	66.9	64.8	65.9	
14		At 08:00 PM	69.2	66.3	67.8	
15		At 09:00 PM	64.2	61.6	62.9	
16		At 10:00 PM	61.7	58.7	60.2	
17		At 11:00 PM	56.3	53.2	54.8	
18		At 12:00 AM	55.8	51.9	53.9	
19		At 01:00 AM	53.2	50.2	51.7	
20		At 02:00 AM	59.8	56.4	58.1	
21		At 03:00 AM	58.4	54.9	56.7	70
22		At 04:00 AM	57.2	54.6	55.9	
23		At 05:00 AM	54.3	52.1	53.2	
24		At 06:00 AM	53.5	50.7	52.1	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits
-----------	---

Analysed by



Authorized Signatory

  
Hanumanthaiah P  
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters,  
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail :msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.4/01

## AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	29.08.2025
5.	Report Issue Date	:	03.09.2025
6.	Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407124000018714F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Main Gate	At 07:00 AM	62.5	60.2	61.4	75
2		At 08:00 AM	64.2	62.8	63.5	
3		At 09:00 AM	62.1	60.9	61.5	
4		At 10:00 AM	63.7	62.7	63.2	
5		At 11:00 AM	66.3	64.5	65.4	
6		At 12:00 PM	60.6	58.7	59.7	
7		At 01:00 PM	61.7	59.6	60.7	
8		At 02:00 PM	63.8	61.5	62.7	
9		At 03:00 PM	65.9	63.8	64.9	
10		At 04:00 PM	66.7	64.5	65.6	
11		At 05:00 PM	63.8	61.3	62.6	
12		At 06:00 PM	61.2	60.1	60.7	70
13		At 07:00 PM	60.7	57.8	59.3	
14		At 08:00 PM	64.9	59.3	62.1	
15		At 09:00 PM	65.2	63.4	64.3	
16		At 10:00 PM	66.7	64.6	65.7	
17		At 11:00 PM	58.9	54.8	56.9	
18		At 12:00 AM	56.8	53.9	55.4	
19		At 01:00 AM	61.7	57.8	59.8	
20		At 02:00 AM	54.7	52.1	53.4	
21		At 03:00 AM	55.8	53.6	54.7	
22		At 04:00 AM	59.3	57.9	58.6	
23		At 05:00 AM	57.4	54.2	55.8	
24		At 06:00 AM	56.2	53.9	55.1	

INFEERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits
------------	---

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager



EX-10714 REPORT

Note: 1. The results listed only to the tested samples & applicable parameters,  
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.  
 5. Sampling is not done during unless otherwise specified. 6. The tests and/or calibrations made with no are not accounted in this report.



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
 (Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.4/01

## AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	29.08.2025
5.	Report Issue Date	:	03.09.2025
6.	Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407124000018715F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Administration Office	At 07:00 AM	58.6	55.3	57.0	75
2		At 08:00 AM	56.3	53.4	54.9	
3		At 09:00 AM	61.5	57.9	59.7	
4		At 10:00 AM	64.7	62.1	63.4	
5		At 11:00 AM	63.2	60.7	62.0	
6		At 12:00 PM	61.9	59.8	60.9	
7		At 01:00 PM	59.8	57.2	58.5	
8		At 02:00 PM	57.2	54.6	55.9	
9		At 03:00 PM	56.4	53.8	55.1	
10		At 04:00 PM	60.5	57.3	58.9	
11		At 05:00 PM	59.4	56.7	58.1	
12		At 06:00 PM	58.8	54.2	56.5	
13		At 07:00 PM	54.3	51.3	52.8	70
14		At 08:00 PM	52.7	50.8	51.8	
15		At 09:00 PM	63.6	61.5	62.6	
16		At 10:00 PM	64.9	62.7	63.8	
17		At 11:00 PM	53.8	51.2	52.5	
18		At 12:00 AM	56.4	53.9	55.2	
19		At 01:00 AM	54.9	52.7	53.8	
20		At 02:00 AM	53.2	51.9	52.6	
21		At 03:00 AM	52.7	50.4	51.6	
22		At 04:00 AM	57.6	54.8	56.2	
23		At 05:00 AM	54.3	52.1	53.2	
24		At 06:00 AM	55.2	53.6	54.4	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits
-----------	---

Analysed by

Authorized Signatory

  
Hanumanthaiah P  
Technical Manager


-: END OF REPORT :-

Note : 1. The results listed only to the tested samples & applicable parameters,  
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



MSVAL/QR/7.4/01

## AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	21.07.2025
5.	Report Issue Date	:	31.07.2025
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407124000014942F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	DG Set Area	At 07:00 AM	65.3	63.5	64.4	75
2		At 08:00 AM	66.2	64.5	65.4	
3		At 09:00 AM	71.4	68.4	69.9	
4		At 10:00 AM	72.8	66.9	69.9	
5		At 11:00 AM	69.3	65.8	67.6	
6		At 12:00 PM	69.4	64.8	67.1	
7		At 01:00 PM	68.2	65.8	67.0	
8		At 02:00 PM	68.1	66.3	67.2	
9		At 03:00 PM	68.7	65.2	67.0	
10		At 04:00 PM	65.4	62.1	63.8	
11		At 05:00 PM	69.5	67.4	68.5	
12		At 06:00 PM	68.1	66.2	67.2	
13		At 07:00 PM	68.4	65.2	66.8	70
14		At 08:00 PM	63.4	59.4	61.4	
15		At 09:00 PM	65.4	60.1	62.8	
16		At 10:00 PM	56.9	52.5	54.7	
17		At 11:00 PM	55.2	52.5	53.9	
18		At 12:00 AM	53.4	51.2	52.3	
19		At 01:00 AM	52.8	50.8	51.8	
20		At 02:00 AM	56.4	53.9	55.2	
21		At 03:00 AM	55.5	52.7	54.1	
22		At 04:00 AM	56.9	53.2	55.1	
23		At 05:00 AM	52.7	45.8	49.3	
24		At 06:00 AM	53.7	46.3	50.0	

INFERENCE	As per KSPCB Standards
Report Status :- The Noise level for the all locations is within the limits	

Analysed by



END OF REPORT:-

Authorized Signatory

Hanumanthaiah P  
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Samples Will be disposed after the specified retention period.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
 5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.4/01

## AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	21.07.2025
5.	Report Issue Date	:	31.07.2025
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407124000014943F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Production Area	At 07:00 AM	62.3	60.3	61.3	75
2		At 08:00 AM	60.2	56.2	58.2	
3		At 09:00 AM	61.2	58.2	59.7	
4		At 10:00 AM	63.6	58.6	61.1	
5		At 11:00 AM	65.8	62.3	64.1	
6		At 12:00 PM	61.2	54.6	57.9	
7		At 01:00 PM	62.6	60.1	61.4	
8		At 02:00 PM	61.3	57.4	59.4	
9		At 03:00 PM	65.4	60.2	62.8	
10		At 04:00 PM	62.3	58.6	60.5	
11		At 05:00 PM	64.5	61.2	62.9	
12		At 06:00 PM	68.1	63.5	65.8	70
13		At 07:00 PM	64.9	60.1	62.5	
14		At 08:00 PM	66.3	61.8	64.1	
15		At 09:00 PM	68.7	66.9	67.8	
16		At 10:00 PM	66.6	62.4	64.5	
17		At 11:00 PM	62.8	59.6	61.2	
18		At 12:00 AM	61.2	55.4	58.3	
19		At 01:00 AM	55.3	50.2	52.8	
20		At 02:00 AM	52.5	48.6	50.6	
21		At 03:00 AM	53.2	49.2	51.2	
22		At 04:00 AM	55.6	49.6	52.6	
23		At 05:00 AM	51.4	47.8	49.6	
24		At 06:00 AM	52.6	48.2	50.4	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits
-----------	---

Analysed by



END OF REPORT

Authorized Signatory

Hanumanthaiah P  
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Samples Will be disposed after the specified retention period.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
 5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.4/01

## AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	21.07.2025
5.	Report Issue Date	:	31.07.2025
6.	Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407124000014944F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Main Gate	At 07:00 AM	60.3	56.3	58.3	75
2		At 08:00 AM	61.2	58.0	59.6	
3		At 09:00 AM	63.2	59.3	61.3	
4		At 10:00 AM	61.8	57.8	59.8	
5		At 11:00 AM	64.2	60.2	62.2	
6		At 12:00 PM	61.9	57.4	59.7	
7		At 01:00 PM	63.1	59.3	61.2	
8		At 02:00 PM	61.2	58.4	59.8	
9		At 03:00 PM	63.5	56.9	60.2	
10		At 04:00 PM	61.9	55.8	58.9	
11		At 05:00 PM	65.6	56.8	61.2	
12		At 06:00 PM	66.2	62.8	64.5	
13		At 07:00 PM	68.4	62.3	65.4	
14		At 08:00 PM	71.2	66.4	68.8	
15		At 09:00 PM	65.6	61.3	63.5	
16		At 10:00 PM	68.4	62.8	65.6	
17		At 11:00 PM	67.4	63.8	65.6	
18		At 12:00 AM	63.6	56.9	60.3	
19		At 01:00 AM	60.2	55.1	57.7	
20		At 02:00 AM	55.3	50.2	52.8	70
21		At 03:00 AM	54.6	51.8	53.2	
22		At 04:00 AM	58.6	53.2	55.9	
23		At 05:00 AM	54.5	50.1	52.3	
24		At 06:00 AM	52.1	48.6	50.4	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for all locations is within the limits
-----------	---

Analysed by



END OF REPORT

Authorized Signatory

Hanumanthaiah P  
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Samples Will be disposed after the specified retention period.  
 3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
 5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.4/01

## AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.			
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary			
3.	Particulars of Sample Collected	:	Noise meter			
4.	Date of Monitoring	:	21.07.2025			
5.	Report Issue Date	:	31.07.2025			
6.	Method Adopted	:	IS 9989: 2020			

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407124000014945F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Administration Office	At 07:00 AM	56.9	52.5	54.7	75
2		At 08:00 AM	55.2	52.5	53.9	
3		At 09:00 AM	53.4	51.2	52.3	
4		At 10:00 AM	52.8	50.8	51.8	
5		At 11:00 AM	56.4	53.9	55.2	
6		At 12:00 PM	55.5	52.7	54.1	
7		At 01:00 PM	63.1	59.3	61.2	
8		At 02:00 PM	61.2	58.4	59.8	
9		At 03:00 PM	63.5	56.9	60.2	
10		At 04:00 PM	61.9	55.8	58.9	
11		At 05:00 PM	63.6	58.6	61.1	
12		At 06:00 PM	65.8	62.3	64.1	70
13		At 07:00 PM	61.2	54.6	57.9	
14		At 08:00 PM	62.6	60.1	61.4	
15		At 09:00 PM	61.3	57.4	59.4	
16		At 10:00 PM	56.9	52.5	54.7	
17		At 11:00 PM	55.2	52.5	53.9	
18		At 12:00 AM	53.4	51.2	52.3	
19		At 01:00 AM	52.8	50.8	51.8	
20		At 02:00 AM	56.4	53.9	55.2	
21		At 03:00 AM	55.5	52.7	54.1	
22		At 04:00 AM	52.3	48.6	50.5	
23		At 05:00 AM	56.3	50.1	53.2	
24		At 06:00 AM	54.1	48.6	51.4	

INFERENCE

As per KSPCB Standards

Report Status : - The Noise level for the all locations is within the limits

Analysed by



END OF REPORT:-

Authorized Signatory

Hanumanthaiah P  
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Samples Will be disposed after the specified retention period.  
 3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
 5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.4/01

## ANALYSIS REPORT OF WATER QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Marked as	:	Effluent Untreated Water
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Sample quantity	:	Pet Bottle, 2 Liter.
5.	Sample Description/condition	:	Water/Good
6.	Date of Sample Collection	:	21.07.2025
7.	Date of sample receipt	:	22.07.2025
8.	Sample Code	:	WW/314
9.	Analysis Starting Date	:	22.07.2025
10.	Analysis Completion Date	:	30.07.2025
11.	Report Issue Date	:	31.07.2025
12.	Latitude	:	16.309915
13.	Longitude	:	77.356209

Discipline: Chemical Group: Pollution & Environment Sub Group: Waste Water ULR No: TC407124000014946F

S.No	Parameters	Protocol	Unit	Result
<b>Physical parameters</b>				
1	Color	IS : 3025(Part-4)	Hazen	<38
2	Odor	IS : 3025(Part-5)	---	Unobjectionable
3	pH @ 25°C	4500 H+ BAPHA 23 <sup>rd</sup> Edn: 2017	-	6.32
4	Turbidity	2530 B-APHA 23 <sup>rd</sup> Edition :2017	NTU	4.96
<b>Chemical parameters</b>				
5	Total Suspended solids	2540 F APHA 23rd Edn : 2017	mg/L	224
6	Total Dissolved Solids	2540 C APHA 23 <sup>rd</sup> Edn : 2017	mg/L	31265
7	Oil & Grease	5520 D APHA 23 <sup>rd</sup> Edition :2017	mg/L	22
8	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025(Part-44): 2019	mg/L	13754
9	Chemical Oxygen Demand	5230 B-APHA23rd Edn : 2017	mg/L	45968

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager

- END OF REPORT -



Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Samples Will be disposed after the specified retention period.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
 5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/AN/RF/01/00

## AMBIENT NOISE LEVEL MONITORING REPORT

1. Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Sample Collected By	:	MSV Analytical Laboratories, Bellary
3. Particulars of Sample Collected	:	Noise meter
4. Date of Monitoring	:	28.06.2025
5. Report Issue Date	:	04.07.2025
6. Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407125000013402F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	DG Set Area	At 07:00 AM	72.8	68.3	70.6	75
2		At 08:00 AM	73.6	66.1	69.9	
3		At 09:00 AM	75.2	65.4	70.3	
4		At 10:00 AM	71.2	69.2	70.2	
5		At 11:00 AM	70.6	68.3	69.5	
6		At 12:00 PM	70.8	67.2	69.0	
7		At 01:00 PM	75.2	66.2	70.7	
8		At 02:00 PM	69.3	65.4	67.4	
9		At 03:00 PM	68.4	61.2	64.8	
10		At 04:00 PM	73.2	68.3	70.8	
11		At 05:00 PM	69.5	61.2	65.4	
12		At 06:00 PM	68.6	60.6	64.6	
13		At 07:00 PM	67.2	62.3	64.8	
14		At 08:00 PM	66.8	60.8	63.8	
15		At 09:00 PM	65.4	61.2	63.3	
16		At 10:00 PM	64.2	60.3	62.3	
17		At 11:00 PM	61.8	58.3	60.1	
18		At 12:00 AM	59.3	56.8	58.1	
19		At 01:00 AM	57.2	55.4	56.3	
20		At 02:00 AM	55.8	51.2	53.5	70
21		At 03:00 AM	55.6	50.3	53.0	
22		At 04:00 AM	54.3	51.2	52.8	
23		At 05:00 AM	55.8	56.4	56.1	
24		At 06:00 AM	56.1	55.2	55.7	

INFERENCE	As per KSPCB Standards
Report Status :- The Noise level for the all locations is within the limits	

Analysed by

Authorized Signatory

  
Hanumanthaiah P  
Technical Manager


Note : 1. The results listed only to the tested samples & applicable parameters,  
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



# MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/AN/RF/01/00

## AMBIENT NOISE LEVEL MONITORING REPORT

1. Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Sample Collected By	:	MSV Analytical Laboratories, Bellary
3. Particulars of Sample Collected	:	Noise meter
4. Date of Monitoring	:	28.06.2025
5. Report Issue Date	:	04.07.2025
6. Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407125000013403F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Production Area	At 07:00 AM	60.3	58.3	59.3	75
2		At 08:00 AM	65.2	61.2	63.2	
3		At 09:00 AM	66.1	61.3	63.7	
4		At 10:00 AM	68.1	65.4	66.8	
5		At 11:00 AM	60.5	57.1	58.8	
6		At 12:00 PM	59.2	56.3	57.8	
7		At 01:00 PM	60.3	57.3	58.8	
8		At 02:00 PM	64.2	60.2	62.2	
9		At 03:00 PM	62.3	56.3	59.3	
10		At 04:00 PM	63.5	60.2	61.9	
11		At 05:00 PM	60.9	58.1	59.5	
12		At 06:00 PM	64.8	61.2	63.0	70
13		At 07:00 PM	64.2	60.9	62.6	
14		At 08:00 PM	60.2	58.3	59.3	
15		At 09:00 PM	59.3	55.4	57.4	
16		At 10:00 PM	64.2	60.7	62.5	
17		At 11:00 PM	61.8	58.1	60.0	
18		At 12:00 AM	58.1	55.2	56.7	
19		At 01:00 AM	55.6	51.7	53.7	
20		At 02:00 AM	54.2	48.3	51.3	
21		At 03:00 AM	56.3	51.2	53.8	
22		At 04:00 AM	55.8	52.6	54.2	
23		At 05:00 AM	51.9	48.3	50.1	
24		At 06:00 AM	53.2	50.3	51.8	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits
-----------	---

Analysed by

Authorized Signatory

  
Hanumanthaiah P  
Technical Manager

-: END OF REPORT:-



Note: 1. The results listed only to the tested samples & applicable parameters,  
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



# MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/AN/RF/01/00

## AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	28.06.2025
5.	Report Issue Date	:	04.07.2025
6.	Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407125000013404F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Main Gate	At 07:00 AM	63.8	60.2	62.0	75
2		At 08:00 AM	66.2	61.2	63.7	
3		At 09:00 AM	65.4	64.8	65.1	
4		At 10:00 AM	64.2	61.3	62.8	
5		At 11:00 AM	63.9	60.7	62.3	
6		At 12:00 PM	64.2	60.7	62.5	
7		At 01:00 PM	65.8	61.2	63.5	
8		At 02:00 PM	66.1	60.2	63.2	
9		At 03:00 PM	67.2	58.3	62.8	
10		At 04:00 PM	63.5	59.2	61.4	
11		At 05:00 PM	60.9	56.4	58.7	
12		At 06:00 PM	64.8	62.5	63.7	70
13		At 07:00 PM	65.2	58.1	61.7	
14		At 08:00 PM	60.2	57.3	58.8	
15		At 09:00 PM	59.3	51.2	55.3	
16		At 10:00 PM	61.3	57.3	59.3	
17		At 11:00 PM	63.8	57.4	60.6	
18		At 12:00 AM	64.8	61.2	63.0	
19		At 01:00 AM	58.1	52.3	55.2	
20		At 02:00 AM	56.3	49.4	52.9	
21		At 03:00 AM	55.4	51.2	53.3	
22		At 04:00 AM	53.8	50.6	52.2	
23		At 05:00 AM	59.1	48.3	53.7	
24		At 06:00 AM	55.6	51.2	53.4.	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits
-----------	---

Analysed by

Authorized Signatory

  
Hanumanthaiah P  
Technical Manager


Note : 1. The results listed only to the tested samples & applicable parameters,  
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



# MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
 E-mail :msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/AN/RF/01/00

## AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.			
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary			
3.	Particulars of Sample Collected	:	Noise meter			
4.	Date of Monitoring	:	28.06.2025			
5.	Report Issue Date	:	04.07.2025			
6.	Method Adopted	:	IS 9989: 2020			

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407125000013405F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Administration Office	At 07:00 AM	55.4	51.2	53.3	75
2		At 08:00 AM	54.2	52.4	53.3	
3		At 09:00 AM	53.6	50.6	52.1	
4		At 10:00 AM	52.8	50.8	51.8	
5		At 11:00 AM	50.6	49.2	49.9	
6		At 12:00 PM	51.2	47.6	49.4	
7		At 01:00 PM	59.4	44.3	51.9	
8		At 02:00 PM	56.3	49.4	52.9	
9		At 03:00 PM	58.2	56.4	57.3	
10		At 04:00 PM	51.2	52.3	51.8	
11		At 05:00 PM	60.9	5.2	33.1	
12		At 06:00 PM	62.3	59.3	60.8	70
13		At 07:00 PM	64.3	62.3	63.3	
14		At 08:00 PM	61.2	57.8	59.5	
15		At 09:00 PM	60.9	58.1	59.5	
16		At 10:00 PM	62.4	55.4	58.9	
17		At 11:00 PM	62.9	56.3	59.6	
18		At 12:00 AM	63.4	59.1	61.3	
19		At 01:00 AM	59.1	52.3	55.7	
20		At 02:00 AM	58.2	49.4	53.8	
21		At 03:00 AM	56.4	51.2	53.8	
22		At 04:00 AM	55.9	48.2	52.1	
23		At 05:00 AM	60.3	56.3	58.3	
24		At 06:00 AM	54.1	49.1	51.6	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits
-----------	---

Analysed by

Authorized Signatory

  
Hanumanthaiah P  
Technical Manager


Note: 1. The results listed only to the tested samples & applicable parameters,  
 2. Water samples will be destroyed after 10 days. Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



# MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,  
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/AN/RF/01/00

## AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	21.05.2025
5.	Report Issue Date	:	27.05.2025
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407125000009883F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	DG Set Area	At 07:00 AM	67.1	65.2		
2		At 08:00 AM	66.9	66.3		
3		At 09:00 AM	70.4	68.4		
4		At 10:00 AM	71.5	69.2		
5		At 11:00 AM	69.8	67.1		
6		At 12:00 PM	71.2	69.2		
7		At 01:00 PM	69.7	66.5		
8		At 02:00 PM	71.2	68.2		
9		At 03:00 PM	70.3	69.3		
10		At 04:00 PM	69.8	64.5		
11		At 05:00 PM	71.3	67.5		
12		At 06:00 PM	70.8	69.3		
13		At 07:00 PM	71.5	64.5		
14		At 08:00 PM	68.6	58.6		
15		At 09:00 PM	66.5	63.2		
16		At 10:00 PM	62.3	58.4		
17		At 11:00 PM	54.3	51.5		
18		At 12:00 AM	58.6	55.6		
19		At 01:00 AM	59.5	56.7		
20		At 02:00 AM	54.6	52.8		
21		At 03:00 AM	56.7	51.9		
22		At 04:00 AM	58.1	56.8		
23		At 05:00 AM	56.5	51.7		
24		At 06:00 AM	54.8	52.6		

INFERENCE	As per KSPCB Standards
Report Status :- The Noise level for the all locations is within the limits	

Analysed by

Authorized Signatory

  
Hanumanthaiah P  
Technical Manager


Note : 1. The results listed only to the tested samples & applicable parameters.  
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



# MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No 16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,  
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/AN/RF/01/00

## AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	21.05.2025
5.	Report Issue Date	:	27.05.2025
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407125000009884F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Production Area	At 07:00 AM	59.2	56.2	57.7	75
2		At 08:00 AM	59.4	58.4	58.9	
3		At 09:00 AM	61.8	56.5	59.2	
4		At 10:00 AM	66.8	64.6	65.7	
5		At 11:00 AM	69.5	62.5	66.0	
6		At 12:00 PM	67.4	58.7	63.1	
7		At 01:00 PM	63.5	60.1	61.8	
8		At 02:00 PM	65.2	58.9	62.1	
9		At 03:00 PM	66.8	59.5	63.2	
10		At 04:00 PM	65.8	62.3	64.1	
11		At 05:00 PM	63.2	59.4	61.3	
12		At 06:00 PM	64.1	61.1	62.6	
13		At 07:00 PM	61.6	52.3	57.0	
14		At 08:00 PM	62.8	59.6	61.2	
15		At 09:00 PM	66.9	62.7	64.8	
16		At 10:00 PM	62.8	60.3	61.6	
17		At 11:00 PM	64.5	60.9	62.7	
18		At 12:00 AM	62.5	58.4	60.5	
19		At 01:00 AM	59.5	55.6	57.6	
20		At 02:00 AM	57.6	54.7	56.2	70
21		At 03:00 AM	55.8	52.4	54.1	
22		At 04:00 AM	56.8	51.7	54.3	
23		At 05:00 AM	55.9	52.8	54.4	
24		At 06:00 AM	56.2	50.2	53.2	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits
-----------	---

Analysed by



Authorized Signatory

  
Hanumathaiah P  
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters,  
 2. Water samples will be destroyed after 10 days. Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



# MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/AN/RF/01/00

## AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	21.05.2025
5.	Report Issue Date	:	27.05.2025
6.	Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407125000009885F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Main Gate	At 07:00 AM	57.4	52.6	55.0	75
2		At 08:00 AM	58.2	54.7	56.5	
3		At 09:00 AM	60.3	56.8	58.6	
4		At 10:00 AM	61.8	59.6	60.7	
5		At 11:00 AM	62.6	60.4	61.5	
6		At 12:00 PM	61.8	58.8	60.3	
7		At 01:00 PM	61.9	58.1	60.0	
8		At 02:00 PM	62.3	58.7	60.5	
9		At 03:00 PM	62.8	57.4	60.1	
10		At 04:00 PM	62.6	55.	58.8	
11		At 05:00 PM	67.6	64.1	65.9	70
12		At 06:00 PM	65.9	61.0	63.5	
13		At 07:00 PM	68.3	64.8	66.6	
14		At 08:00 PM	69.5	66.5	68.0	
15		At 09:00 PM	67.4	64.8	66.1	
16		At 10:00 PM	68.4	63.9	66.2	
17		At 11:00 PM	68.2	63.8	66.0	
18		At 12:00 AM	66.9	60.1	63.5	
19		At 01:00 AM	59.1	56.4	57.8	
20		At 02:00 AM	58.4	55.1	56.8	
21		At 03:00 AM	59.2	53.9	56.6	
22		At 04:00 AM	58.3	52.8	55.6	
23		At 05:00 AM	54.9	50.1	52.5	
24		At 06:00 AM	52.9	48.4	50.7	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits
-----------	---

Analysed by

Authorized Signatory

  
Hanumantaiyah P  
Technical Manager


Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



# MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/AN/RF/01/00

## AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.			
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary			
3.	Particulars of Sample Collected	:	Noise meter			
4.	Date of Monitoring	:	21.05.2025			
5.	Report Issue Date	:	27.05.2025			
6.	Method Adopted	:	IS 9989: 2020			

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407125000009886F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Administration Office	At 07:00 AM	56.2	55.3	55.8	75
2		At 08:00 AM	57.8	55.4	56.6	
3		At 09:00 AM	56.9	54.1	55.5	
4		At 10:00 AM	59.5	55.8	57.7	
5		At 11:00 AM	54.6	52.1	53.4	
6		At 12:00 PM	62.6	59.6	61.1	
7		At 01:00 PM	63.5	60.4	62.0	
8		At 02:00 PM	66.8	62.8	64.8	
9		At 03:00 PM	70.9	64.8	67.9	
10		At 04:00 PM	66.7	62.6	64.7	
11		At 05:00 PM	69.2	65.3	67.3	
12		At 06:00 PM	64.6	61.1	62.9	
13		At 07:00 PM	65.8	59.4	62.6	
14		At 08:00 PM	62.3	56.7	59.5	
15		At 09:00 PM	66.4	61.2	63.8	
16		At 10:00 PM	65.1	62.3	63.7	
17		At 11:00 PM	68.2	63.7	66.0	70
18		At 12:00 AM	66.5	61.8	64.2	
19		At 01:00 AM	62.1	64.6	63.4	
20		At 02:00 AM	62.8	59.7	61.3	
21		At 03:00 AM	56.9	52.4	54.7	
22		At 04:00 AM	54.6	51.1	52.9	
23		At 05:00 AM	55.4	53.4	54.4	
24		At 06:00 AM	53.6	51.7	52.7	

INFERENCE	As per KSPCB Standards
Report Status :- The Noise level for the all locations is within the limits	

Analysed by

Authorized Signatory

  
Hanumanthaiah P  
Technical Manager


Note: 1. The results listed only to the tested samples & applicable parameters,  
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.  
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.  
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.8/01

## AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	25.09.2025
5.	Report Issue Date	:	04.10.2025
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407124000021982F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	DG Set Area	At 07:00 AM	64.1	62.6	63.4	75
2		At 08:00 AM	66.2	65.1	65.7	
3		At 09:00 AM	69.8	67.4	68.6	
4		At 10:00 AM	70.1	67.9	69.0	
5		At 11:00 AM	71.2	66.7	69.0	
6		At 12:00 PM	68.9	65.3	67.1	
7		At 01:00 PM	69.3	66.1	67.7	
8		At 02:00 PM	68.8	65.9	67.4	
9		At 03:00 PM	67.9	64.7	66.3	
10		At 04:00 PM	68.6	65.3	67.0	
11		At 05:00 PM	67.6	65.8	66.7	
12		At 06:00 PM	69.1	64.6	66.9	70
13		At 07:00 PM	67.4	65.2	66.3	
14		At 08:00 PM	65.3	61.7	63.5	
15		At 09:00 PM	66.1	62.3	64.2	
16		At 10:00 PM	59.6	54.1	56.9	
17		At 11:00 PM	55.6	53.7	54.7	
18		At 12:00 AM	56.1	54.2	55.2	
19		At 01:00 AM	54.8	52.6	53.7	
20		At 02:00 AM	55.8	53.1	54.5	
21		At 03:00 AM	56.7	53.5	55.1	
22		At 04:00 AM	55.3	54.6	55.0	
23		At 05:00 AM	54.4	50.1	52.3	
24		At 06:00 AM	52.7	48.1	50.4	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits
-----------	---

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager



END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Samples Will be disposed after the specified retention period.  
 3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
 5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.8/01

## AMBIENT NOISE LEVEL MONITORING REPORT

1. Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Sample Collected By	:	MSV Analytical Laboratories, Bellary
3. Particulars of Sample Collected	:	Noise meter
4. Date of Monitoring	:	25.09.2025
5. Report Issue Date	:	04.10.2025
6. Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407124000021982F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Production Area	At 07:00 AM	60.7	58.2		
2		At 08:00 AM	61.2	59.1	59.5	
3		At 09:00 AM	61.9	57.9	60.2	
4		At 10:00 AM	63.8	60.1	59.9	
5		At 11:00 AM	64.2	61.3	62.0	
6		At 12:00 PM	64.9	60.2	62.8	
7		At 01:00 PM	66.2	62.3	62.6	
8		At 02:00 PM	67.4	64.1	64.3	
9		At 03:00 PM	66.8	63.8	65.8	
10		At 04:00 PM	65.9	62.7	65.3	
11		At 05:00 PM	65.1	62.2	64.3	
12		At 06:00 PM	66.1	64.9	63.7	
13		At 07:00 PM	65.3	61.3	65.5	
14		At 08:00 PM	64.9	62.7	63.3	
15		At 09:00 PM	65.6	62.6	63.8	
16		At 10:00 PM	66.5	63.8	64.1	
17		At 11:00 PM	64.1	61.1	65.2	
18		At 12:00 AM	62.8	58.9	62.6	
19		At 01:00 AM	58.1	55.4	60.9	
20		At 02:00 AM	55.4	49.6	56.8	
21		At 03:00 AM	52.3	46.4	52.5	
22		At 04:00 AM	53.6	46.3	49.4	
23		At 05:00 AM	50.9	45.9	50.0	
24		At 06:00 AM	51.2	46.1	48.4	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits
-----------	---

Analysed by



Authorized Signatory

Hanumanthaiah P  
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Samples Will be disposed after the specified retention period.  
 3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
 5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.8/01

## AMBIENT NOISE LEVEL MONITORING REPORT

1. Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Sample Collected By	:	MSV Analytical Laboratories, Bellary
3. Particulars of Sample Collected	:	Noise meter
4. Date of Monitoring	:	25.09.2025
5. Report Issue Date	:	04.10.2025
6. Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407124000021983F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Main Gate	At 07:00 AM	59.6	55.2	57.4	75
2		At 08:00 AM	60.4	57.4	58.9	
3		At 09:00 AM	63.2	60.2	61.7	
4		At 10:00 AM	61.9	58.7	60.3	
5		At 11:00 AM	63.7	61.3	62.5	
6		At 12:00 PM	65.6	62.3	64.0	
7		At 01:00 PM	64.1	61.4	62.8	
8		At 02:00 PM	63.6	60.9	62.3	
9		At 03:00 PM	66.2	62.3	64.3	
10		At 04:00 PM	64.7	61.8	63.3	
11		At 05:00 PM	65.6	59.6	62.6	
12		At 06:00 PM	64.9	58.6	61.8	
13		At 07:00 PM	66.9	61.4	64.2	70
14		At 08:00 PM	69.5	64.8	67.2	
15		At 09:00 PM	65.6	60.8	63.2	
16		At 10:00 PM	65.4	63.1	64.3	
17		At 11:00 PM	67.8	63.6	65.7	
18		At 12:00 AM	62.6	58.9	60.8	
19		At 01:00 AM	61.2	57.4	59.3	
20		At 02:00 AM	58.6	52.7	55.7	
21		At 03:00 AM	53.7	50.6	52.2	
22		At 04:00 AM	52.7	50.7	51.7	
23		At 05:00 AM	50.9	46.8	48.9	
24		At 06:00 AM	51.2	46.9	49.1	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits
-----------	---

Analysed by



Authorized Signatory

Hanumanthaiah P  
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Samples Will be disposed after the specified retention period.  
 3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
 5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.8/01

## AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	25.09.2025
5.	Report Issue Date	:	04.10.2025
6.	Method Adopted	:	IS 9989. 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407124000021984F


S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Administration Office	At 07:00 AM	52.3	50.7	51.5	75
2		At 08:00 AM	54.1	51.6	52.9	
3		At 09:00 AM	52.6	50.2	51.4	
4		At 10:00 AM	53.8	51.4	52.6	
5		At 11:00 AM	54.6	51.1	52.9	
6		At 12:00 PM	52.9	50.6	51.8	
7		At 01:00 PM	59.6	54.1	56.9	
8		At 02:00 PM	56.4	52.8	54.6	
9		At 03:00 PM	59.7	54.9	57.3	
10		At 04:00 PM	62.3	58.6	60.5	
11		At 05:00 PM	64.7	56.9	60.8	
12		At 06:00 PM	65.6	58.6	62.1	
13		At 07:00 PM	63.4	60.1	61.8	
14		At 08:00 PM	64.7	61.1	62.9	
15		At 09:00 PM	62.6	58.6	60.6	
16		At 10:00 PM	59.8	55.1	57.5	
17		At 11:00 PM	56.5	52.3	54.4	
18		At 12:00 AM	52.7	48.6	50.7	
19		At 01:00 AM	51.6	46.9	49.3	
20		At 02:00 AM	50.2	45.6	47.9	
21		At 03:00 AM	53.5	45.8	49.7	
22		At 04:00 AM	50.7	44.7	47.7	
23		At 05:00 AM	51.4	44.6	48.0	
24		At 06:00 AM	50.9	41.9	46.4	

INFERENCE	As per KSPCB Standards
Report Status :- The Noise level for the all locations is within the limits	

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager



Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Samples Will be disposed after the specified retention period.  
 3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
 5. Sampling is not done by us unless otherwise specified

**Annexure-15**  
**Shilpa Pharma Lifesciences Ltd Unit-2**

<b>Corporate Environment Responsibility</b>		
<b>Sl.No</b>	<b>Particulars</b>	<b>Amount</b>
1	Corporate Environment Responsibility Trees Plantation	2898394
2	Donation to Govt Hospital Children Raichur	1851285
3	Donation to Govt Hospital Children Devadurga	2883993
4	Donation to RO Plant @ Rims Raichur	240000
5	Tractor Purchase Green Raichur for water Trees Plantation	890210
6	Health Expenses Diagnostics	1837500
7	Women Empowerment	150000
8	Donation to Arogya Chintana Charitable Trust	1000000
9	Oxygen Cylinder	1416000
10	Education	3900000
11	Toilets Construction Raichur	1313312
	<b>Total</b>	<b>18380694</b>

<b>Sl.No</b>	<b>Particulars</b>	<b>Amount</b>
1	Sport Promotion	451000
2	Raichur City Tennis	350000
3	Animal Welfare Expenses	500000
4	Environment Expenses	1194642
	Covid-2019 ( Food	
5	and Grocery Distributions)	1150000
6	Education Promotion Expenses	1500000
7	Covid -2019 Oxygen Concentrator	1900013
8	Claning Aam Talab Raichur	603365
	<b>Total</b>	<b>7649020</b>

## Annexure-15

### SHILPA PHARMA LIFESCIENCES LIMITED

Registered Office: #12-6-214/A-1, Hyderabad  
Road, Raichur - 584 135, Karnataka, India  
Tel: +91-8532-238704;  
Email:info@vbshilpa.com  
CIN: U24100KA2020PLC134081

#### Supported for Karnataka state Badminton Championship



## Annexure-15

### SHILPA PHARMA LIFESCIENCES LIMITED

Registered Office: #12-6-214/A-1, Hyderabad  
Road, Raichur – 584 135, Karnataka, India  
Tel: +91-8532-238704;  
Email:info@vbshilpa.com  
CIN: U24100KA2020PLC134081



## Annexure-15

**SHILPA PHARMA LIFESCIENCES LIMITED**

**Registered Office:** #12-6-214/A-1, Hyderabad  
Road, Raichur – 584 135, Karnataka, India  
Tel: +91-8532-238704;  
Email:info@vbshilpa.com  
CIN: U24100KA2020PLC134081

**Raichur City Tennis Fixed the flood Lights for Player playing**

## Annexure-15

### SHILPA PHARMA LIFESCIENCES LIMITED

**Registered Office:** #12-6-214/A-1, Hyderabad  
Road, Raichur – 584 135, Karnataka, India  
Tel: +91-8532-238704;  
Email:info@vbshilpa.com  
CIN: U24100KA2020PLC134081

#### Animal welfare activity



## Annexure-15

### SHILPA PHARMA LIFESCIENCES LIMITED

**Registered Office:** #12-6-214/A-1, Hyderabad  
Road, Raichur – 584 135, Karnataka, India  
Tel: +91-8532-238704;  
Email:info@vbshilpa.com  
CIN: U24100KA2020PLC134081

#### Environment Activities



## Annexure-15

**SHILPA PHARMA LIFESCIENCES LIMITED**

**Registered Office:** #12-6-214/A-1, Hyderabad  
Road, Raichur - 584 135, Karnataka, India  
Tel: +91-8532-238704;  
Email:info@vbshilpa.com  
CIN: U24100KA2020PLC134081



## Annexure-15

### SHILPA PHARMA LIFESCIENCES LIMITED

**Registered Office:** #12-6-214/A-1, Hyderabad  
Road, Raichur – 584 135, Karnataka, India  
Tel: +91-8532-238704;  
Email:info@vbshilpa.com  
CIN: U24100KA2020PLC134081

#### Plants maintaining Photos



## Annexure-15

### SHILPA PHARMA LIFESCIENCES LIMITED

**Registered Office:** #12-6-214/A-1, Hyderabad  
Road, Raichur - 584 135, Karnataka, India  
Tel: +91-8532-238704;  
Email:info@vbshilpa.com  
CIN: U24100KA2020PLC134081



## Annexure-15

**SHILPA PHARMA LIFESCIENCES LIMITED**

**Registered Office:** #12-6-214/A-1, Hyderabad  
Road, Raichur - 584 135, Karnataka, India  
Tel: +91-8532-238704;  
Email:info@vbshilpa.com  
CIN: U24100KA2020PLC134081

**COVID-19 FOOD AND GROCERY AND OXYGEN CONCNETRATOR DISTRIBUTION**

## Annexure-15

### SHILPA PHARMA LIFESCIENCES LIMITED

**Registered Office:** #12-6-214/A-1, Hyderabad  
Road, Raichur – 584 135, Karnataka, India  
Tel: +91-8532-238704;  
Email:info@vbshilpa.com  
CIN: U24100KA2020PLC134081



## Annexure-15

**SHILPA PHARMA LIFESCIENCES LIMITED**

**Registered Office:** #12-6-214/A-1, Hyderabad  
Road, Raichur - 584 135, Karnataka, India  
Tel: +91-8532-238704;  
Email:info@vbshilpa.com  
CIN: U24100KA2020PLC134081




## Annexure-15

### SHILPA PHARMA LIFESCIENCES LIMITED

**Registered Office:** #12-6-214/A-1, Hyderabad  
Road, Raichur – 584 135, Karnataka, India  
Tel: +91-8532-238704;  
Email:info@vbshilpa.com  
CIN: U24100KA2020PLC134081

#### Education Activities and Promotion



## Annexure-15

**SHILPA PHARMA LIFESCIENCES LIMITED**

**Registered Office:** #12-6-214/A-1, Hyderabad  
Road, Raichur – 584 135, Karnataka, India  
Tel: +91-8532-238704;  
Email:info@vbshilpa.com  
CIN: U24100KA2020PLC134081



## Annexure-15

**SHILPA PHARMA LIFESCIENCES LIMITED**

**Registered Office:** #12-6-214/A-1, Hyderabad  
 Road, Raichur – 584 135, Karnataka, India  
 Tel: +91-8532-238704;  
 Email:info@vbshilpa.com  
 CIN: U24100KA2020PLC134081



## Annexure-15

### SHILPA PHARMA LIFESCIENCES LIMITED

**Registered Office:** #12-6-214/A-1, Hyderabad  
Road, Raichur – 584 135, Karnataka, India  
Tel: +91-8532-238704;  
Email:info@vbshilpa.com  
CIN: U24100KA2020PLC134081

#### Aam Talab Water pond desilting work



**Annexure -XVI**

Additional measures/investment proposal for environmental protection including abatement of pollution.

1.	Proposed New laboratory equipment and chemicals ETP	: Rs 5.00 Lacs
2.	Proposed development work for effluent water Treatment	: Rs 50.00 Lacs
3.	Proposed cost of power for ETP	: Rs 180.00 Lacs
4.	Proposed cost of man power for ETP	: Rs 230.00 Lacs
5.	Proposed cleaning for ETP Tanks	: Rs 5.0 Lacs
6.	Proposed cost of chemicals for pretreatment and cleaning	: Rs 205.0 Lacs
7.	Analysis of water and air pollution Parameters at outside lab	: Rs 6.0 Lacs
8.	Proposed steam cost of MEE & Stripper	: Rs. 198.00 Lacs
9.	Proposed maintenance cost of ETP	: Rs 50.6 Lacs
10.	Proposed to Disposal cost of Hazardous Waste	: Rs 57.88 Lacs
11.	Proposed to Disposal cost of CETP	: Rs 604.8 Lacs
12.	Proposed to Disposal cost of Biomedical Waste	: Rs 2.4 Lacs
<b>Total proposed cost (April-25-March-26)</b>		<b>: Rs 1594.68 Lac</b>

Annexure -17

O/C



Innovating for  
affordable healthcare

### Shilpa Medicare Limited

(Unit-2: 100% Export Oriented Unit)

Plot No: 33, 33A & 40-47, Raichur Industrial Growth Centre,  
Chicksugur-584 134, Raichur District, Karnataka State, India.

CIN: L85110KA1987PLC008739

SMI/UNIT-I/EHS/38/20-2021

Date: 20 01.2021

To  
The President,  
Chicksugur Grama Panchayath,  
Chicksugur,  
Raichur Taluk & District,  
Karnataka -584 134

Respected Sir,

Sub : Regarding Submission of Environmental Clearance copy of Shilpa Medicare limited (Unit-2)  
Ref : EC NoF.No.IA-J-11011-301-2020-IA-II(I) dated 05-01-2021

We are pleased to inform your kind office that M/S Shilpa Medicare Ltd, Unit-2, Plot No: 30, 31,32 and 35-39 and 35-39,33,33A and 40-47, Industrial Growth center, Wadloor Road, Chicksugur, Raichur, Karnataka have been granted Environmental Clearance (EC) for Expansion and Modification of the Active Pharmaceutical Ingredients (API's) Manufacturing Unit with R&D Activity by Ministry of Environment, Forest & Climate Change, Government of India. The copy of the EC is attached here with.

Kindly acknowledge the receipt of the same.

Yours faithfully,

For Shilpa Medicare Limited, Unit-2

Authorized Signatory.



Corporate & Admin Office : "Shilpa House", # 12-6-214/A-1, Hyderabad Road, Raichur-584 135, Karnataka, India

Tel: +91-8532-238704, Fax: +91-8532-238876, Email: info@vbshilpa.com, Web: www.vbshilpa.com

Shilpa Pharma Lifesciences Limited  
 (Unit-2: 100% Export Oriented Unit)  
 Anuradha P  
 Plot No. 33, 33A & 40-47, Raichur Industrial Growth Centre  
 Chicksugur-584 134, Raichur District, Karnataka State, India

CIN No. U24100KA2020PLC134081

SPL/100%EOU/EHS/063/2024-25

Date: 20.05.2024

To,

Office of the Regional Office  
 Karnataka State Pollution Control Board,  
 Building at Shed No. C-03,  
 KSSIDC Industrial Estate, 3<sup>rd</sup> Cross,  
 Hyderabad Road, Raichur – 584 102.

Respected Sir,

**Sub:Submission of Environmental Statement Form-V-reg**

With reference to the above subject, please find enclosed herewith environmental statement form-V for the financial year ending 31<sup>st</sup> March 2024 in duplicate.

**List of Annexures:-**


1. Annexure - I	Process Water consumption of Batch wise of Product copy.
2. Annexure - II	Raw material consumption details.
3. Annexure - III	Treated Water Analysis Reports.
4. Annexure - IV	Environment monitoring of ambient air Quality and stacks Analysis Reports.
5. Annexure - V	Hazardous Waste Disposal Quantities copy.
6. Annexure - VI	Category wise Hazardous Waste disposing methods.
7. Annexure - VII	Impact of pollution control measures on conservation of natural resources copy.
8. Annexure - VIII	Additional measures/investment proposal for environmental protection including abatement of pollution
9. Annexure - IX	Solvent Recovery System.
10. Annexure - X	Environment Management System Certificate – ISO 14000:2015.

Kindly acknowledge the receipt of the same and do the needful.

Thanking you,

Yours faithfully,

For Shilpa Pharma Lifesciences Limited 100% EOU.



Page 1 of 2

2

## Annexure-19

## DISTRICTS

# Senior Cong leaders stay away from Sankalp convention

1306 healthcare workers avail Covid vaccine on Monday

KALABURAJE DISTRICT: The unit of the state's 1,000 healthcare workers reached the target of 1,000 workers to avail Covid vaccine at 26 centres of the district on Monday.

The District has achieved its 90% target in the vaccination drive.

The District has 1,200 health-care workers available for the vaccination and have been deployed for work at other locations didn't take job, she explained.

A total of 209 workers in the centre of Kalaburaj, 70 workers in four centres of Anekal, 100 staff members of Aland taluk, 220 workers in four taluk centres of Seetha, 100 145 workers in four centres of Chikmagalur taluk, 147 in four centres of Jevargi taluk and a total of 137 workers have taken the vaccine in four centres of Chikmagalur taluk, the DC explained.

The doctors informed that 100 availed vaccine at the observation centre for 30 minutes. The 100 health-care workers reported the vaccination procedure was smoothly, the officials informed.

**SHILPA MEDICARE LTD UNIT-I**  
Plot No. 1A, 2A, 3A, 4A, 5A, 6A, 7A, 8A, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793, 794, 795, 796, 797, 798, 799, 791, 792, 793, 794, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, 831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 841, 842, 843, 844, 845, 846, 847, 848, 849, 841, 842, 843, 844, 845, 846, 847, 848, 849, 850, 851, 852, 853, 854, 855, 856, 857, 858, 859, 851, 852, 853, 854, 855, 856, 857, 858, 859, 860, 861, 862, 863, 864, 865, 866, 867, 868, 869, 861, 862, 863, 864, 865, 866, 867, 868, 869, 870, 871, 872, 873, 874, 875, 876, 877, 878, 879, 871, 872, 873, 874, 875, 876, 877, 878, 879, 880, 881, 882, 883, 884, 885, 886, 887, 888, 889, 881, 882, 883, 884, 885, 886, 887, 888, 889, 890, 891, 892, 893, 894, 895, 896, 897, 898, 899, 891, 892, 893, 894, 895, 896, 897, 898, 899, 900, 901, 902, 903, 904, 905, 906, 907, 908, 909, 901, 902, 903, 904, 905, 906, 907, 908, 909, 910, 911, 912, 913, 914, 915, 916, 917, 918, 919, 911, 912, 913, 914, 915, 916, 917, 918, 919, 920, 921, 922, 923, 924, 925, 926, 927, 928, 929, 921, 922, 923, 924, 925, 926, 927, 928, 929, 930, 931, 932, 933, 934, 935, 936, 937, 938, 939, 931, 932, 933, 934, 935, 936, 937, 938, 939, 940, 941, 942, 943, 944, 945, 946, 947, 948, 949, 941, 942, 943, 944, 945, 946, 947, 948, 949, 950, 951, 952, 953, 954, 955, 956, 957, 958, 959, 951, 952, 953, 954, 955, 956, 957, 958, 959, 960, 961, 962, 963, 964, 965, 966, 967, 968, 969, 961, 962, 963, 964, 965, 966, 967, 968, 969, 970, 971, 972, 973, 974, 975, 976, 977, 978, 979, 971, 972, 973, 974, 975, 976, 977, 978, 979, 980, 981, 982, 983, 984, 985, 986, 987, 988, 989, 981, 982, 983, 984, 985, 986, 987, 988, 989, 990, 991, 992, 993, 994, 995, 996, 997, 998, 991, 992, 993, 994, 995, 996, 997, 998, 999, 1000, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1009, 1010, 1011, 1012, 1013, 1014, 1015, 1016, 1017, 1018, 1019, 1011, 1012, 1013, 1014, 1015, 1016, 1017, 1018, 1019, 1020, 1021, 1022, 1023, 1024, 1025, 1026, 1027, 1028, 1029, 1021, 1022, 1023, 1024, 1025, 1026, 1027, 1028, 1029, 1030, 1031, 1032, 1033, 1034, 1035, 1036, 1037, 1038, 1039, 1031, 1032, 1033, 1034, 1035, 1036, 1037, 1038, 1039, 1040, 1041, 1042, 1043, 1044, 1045, 1046, 1047, 1048, 1049, 1041, 1042, 1043, 1044, 1045, 1046, 1047, 1048, 1049, 1050, 1051, 1052, 1053, 1054, 1055, 1056, 1057, 1058, 1059, 1051, 1052, 1053, 1054, 1055, 1056, 1057, 1058, 1059, 1060, 1061, 1062, 1063, 1064, 1065, 1066, 1067, 1068, 1069, 1061, 1062, 1063, 1064, 1065, 1066, 1067, 1068, 1069, 1070, 1071, 1072, 1073, 1074, 1075, 1076, 1077, 1078, 1079, 1071, 1072, 1073, 1074, 1075, 1076, 1077, 1078, 1079, 1080, 1081, 1082, 1083, 1084, 1085, 1086, 1087, 1088, 1089, 1081, 1082, 1083, 1084, 1085, 1086, 1087, 1088, 1089, 1090, 1091, 1092, 1093, 1094, 1095, 1096, 1097, 1098, 1099, 1091, 1092, 1093, 1094, 1095, 1096, 1097, 1098, 1099, 1100, 1101, 1102, 1103, 1104, 1105, 1106, 1107, 1108, 1109, 1101, 1102, 1103, 1104, 1105, 1106, 1107, 1108, 1109, 1110, 1111, 1112, 1113, 1114, 1115, 1116, 1117, 1118, 1119, 1111, 1112, 1113, 1114, 1115, 1116, 1117, 1118, 1119, 1120, 1121, 1122, 1123, 1124, 1125, 1126, 1127, 1128, 1129, 1121, 1122, 1123, 1124, 1125, 1126, 1127, 1128, 1129, 1130, 1131, 1132, 1133, 1134, 1135, 1136, 1137, 1138, 1139, 1131, 1132, 1133, 1134, 1135, 1136, 1137, 1138, 1139, 1140, 1141, 1142, 1143, 1144, 1145, 1146, 1147, 1148, 1149, 1141, 1142, 1143, 1144, 1145, 1146, 1147, 1148, 1149, 1150, 1151, 1152, 1153, 1154, 1155, 1156, 1157, 1158, 1159, 1151, 1152, 1153, 1154, 1155, 1156, 1157, 1158, 1159, 1160, 1161, 1162, 1163, 1164, 1165, 1166, 1167, 1168, 1169, 1161, 1162, 1163, 1164, 1165, 1166, 1167, 1168, 1169, 1170, 1171, 1172, 1173, 1174, 1175, 1176, 1177, 1178, 1179, 1171, 1172, 1173, 1174, 1175, 1176, 1177, 1178, 1179, 1180, 1181, 1182, 1183, 1184, 1185, 1186, 1187, 1188, 1189, 1181, 1182, 1183, 1184, 1185, 1186, 1187, 1188, 1189, 1190, 1191, 1192, 1193, 1194, 1195, 1196, 1197, 1198, 1199, 1191, 1192, 1193, 1194, 1195, 1196, 1197, 1198, 1199, 1200, 1201, 1202, 1203, 1204, 1205, 1206, 1207, 1208, 1209, 1201, 1202, 1203, 1204, 1205, 1206, 1207, 1208, 1209, 1210, 1211, 1212, 1213, 1214, 1215, 1216, 1217, 1218, 1219, 1211, 1212, 1213, 1214, 1215, 1216, 1217, 1218, 1219, 1220, 1221, 1222, 1223, 1224, 1225, 1226, 1227, 1228, 1229, 1221, 1222, 1223, 1224, 1225, 1226, 1227, 1228, 1229, 1230, 1231, 1232, 1233, 1234, 1235, 1236, 1237, 1238, 1239, 1231, 1232, 1233, 1234, 1235, 1236, 1237, 1238, 1239, 1240, 1241, 1242, 1243, 1244, 1245, 1246, 1247, 1248, 1249, 1241, 1242, 1243, 1244, 1245, 1246, 1247, 1248, 1249, 1250, 1251, 1252, 1253, 1254, 1255, 1256, 1257, 1258, 1259, 1251, 1252, 1253, 1254, 1255, 1256, 1257, 1258, 1259, 1260, 1261, 1262, 1263, 1264, 1265, 1266, 1267, 1268, 1269, 1261, 1262, 1263, 1264, 1265, 1266, 1267, 1268, 1269, 1270, 1271, 1272, 1273, 1274, 1275, 1276, 1277, 1278, 1279, 1271, 1272, 1273, 1274, 1275, 1276, 1277, 1278, 1279, 1280, 1281, 1282, 1283, 1284, 1285, 1286, 1287, 1288, 1289, 1281, 1282, 1283, 1284, 1285, 1286, 1287, 1288, 1289, 1290, 1291, 1292, 1293, 1294, 1295, 1296, 1297, 1298, 1299, 1291, 1292, 1293, 1294, 1295, 1296, 1297, 1298, 1299, 1300, 1301, 1302, 1303, 1304, 1305, 1306, 1307, 1308, 1309, 1301, 1302, 1303, 1304, 1305, 1306, 1307, 1308, 1309, 1310, 1311, 1312, 1313, 1314, 1315, 1316, 1317, 1318, 1319, 1311, 1312, 1313, 1314, 1315, 1316, 1317, 1318, 1319, 1320, 1321, 1322, 1323, 1324, 1325, 1326, 1327, 1328, 1329, 1321, 1322, 1323, 1324, 1325, 1326, 1327, 1328, 1329, 1330, 1331, 1332, 1333, 1334, 1335, 1336, 1337, 1338, 1339, 1331, 1332, 1333, 1334, 1335, 1336, 1337, 1338, 1339, 1340, 1341, 1342, 1343, 1344, 1345, 1346, 1347, 1348, 1349, 1341, 1342, 1343, 1344, 1345, 1346, 1347, 1348, 1349, 1350, 1351, 1352, 1353, 1354, 1355, 1356, 1357, 1358, 1359, 1351, 1352, 1353, 1354, 1355, 1356, 1357, 1358, 1359, 1360, 1361, 1362, 1363, 1364, 1365, 1366, 1367, 1368, 1369, 1361, 1362, 1363, 1364, 1365, 1366, 1367, 1368, 1369, 1370, 1371, 1372, 1373, 1374, 1375, 1376, 1377, 1378, 1379, 1371, 1372, 1373, 1374, 1375, 1376, 1377, 1378, 1379, 1380, 1381, 1382, 1383, 1384, 1385, 1386, 1387, 1388, 1389, 1381, 1382, 1383, 1384, 1385, 1386, 1387, 1388, 1389, 1390, 1391,





## Annexure-21

By Speed Post/Online

F. No. IA-J-11011/301/2020-IA-II(I)

**Government of India**

**Ministry of Environment, Forest & Climate Change**

Impact Assessment Division

\*\*\*

Indira Paryavaran Bhawan,  
Vayu Wing, 3<sup>rd</sup> Floor, Aliganj,  
Jor Bagh Road, New Delhi-110 003

**Dated: 30<sup>th</sup> September, 2021**

To,

**M/s Shilpa Medicare Limited,**  
Raichur Industrial Growth Center,  
Wadloor Road, Chicksugur,  
Raichur District, Karnataka

Email: [ch.madhav@vbshilpa.com](mailto:ch.madhav@vbshilpa.com)

**Sub.: Expansion and modification of Active pharmaceutical ingredients (APIs) manufacturing industry with R&D activity by M/s Shilpa Medicare Limited, 100% Export Oriented Unit (EOU), located at Unit II, Plot No 30, 31, 32 & 35-39, 33, 33A & 40-47, Raichur Industrial Growth Center, Wadloor Road, Chicksugur, Raichur District, Karnataka-Amendment in Environment Clearance regarding.**

Sir,

This refers to your online proposal No. IA/KA/IND2/207308/2021 dated 1<sup>st</sup> April, 2021 for amendment in the environmental clearance to the above mentioned project.

**2.** The Ministry of Environment, Forest and Climate Change has considered the above proposal for amendment in the environmental clearance granted by the Ministry vide letter dated 05<sup>th</sup> January 2021 for the project of expansion and modification of the Active Pharmaceutical Ingredients (APIs) manufacturing industry with R&D activity in the existing industry located at Unit II, Plot No: 30, 31, 32 & 35-39, 33, 33A & 40-47, Raichur Industrial Growth Centre, Wadloor Road, Chicksugur, Raichur District, Karnataka in favour of M/s Shilpa Medicare Limited.

**3.** The project proponent has requested for amendment in the EC with the details are as under.

*[Handwritten signature/initials]*

## Annexure-21

		<p>sourced from River Krishna. The total effluent generation from unit II after expansion and HTDS effluent from Unit I will be treated in ETP of Unit II. Treatment facility has/will be as mentioned in the EMP report.</p>	<p>in ETP of Unit II. ** - Domestic sewage of Unit II will be treated along with LTDS effluent in SML Unit II. Treatment facility has/will be developed as mentioned in the EMP report.</p>																																					
2.	Page 7, Sl. no. 9	<p>Existing unit has 1x10 TPH &amp; 1x6 TPH rice husk/coal/briquette fired boilers. Additionally, 1x16 TPH Risk husk/coal/briquette fired boiler will be installed. Electrostatic precipitator with a stack of height of 30m AGL will be installed for controlling the particulate emissions within the statutory</p>	<p>The emission sources, the fuel and the APC measures are as under:</p> <table border="1"> <thead> <tr> <th>S. No.</th><th>Source</th><th>Capacity</th><th>Fuel Used</th><th>APC equipment</th><th>Stack Height</th></tr> </thead> <tbody> <tr> <td>1</td><td>Boiler</td><td>10 TPH</td><td>Rice husk / Coal / Briquette</td><td>Bag Filter</td><td>Common Stack of 30 m AGL</td></tr> <tr> <td>2</td><td>Boiler</td><td>6 TPH</td><td>Rice husk / Coal / Briquette</td><td>ESP</td><td>New stack of 30 m AGL</td></tr> <tr> <td>3</td><td>Boiler - New</td><td>16 TPH</td><td>Rice husk / Coal / Briquette</td><td></td><td></td></tr> <tr> <td>4</td><td>The rmic Flui d Heater</td><td>6 Lakh kcal</td><td>Furnace oil</td><td>Chi mney</td><td>Common chimney of 30 m AGL</td></tr> <tr> <td>5</td><td>The rmic</td><td>8 Lakh</td><td></td><td></td><td></td></tr> </tbody> </table>	S. No.	Source	Capacity	Fuel Used	APC equipment	Stack Height	1	Boiler	10 TPH	Rice husk / Coal / Briquette	Bag Filter	Common Stack of 30 m AGL	2	Boiler	6 TPH	Rice husk / Coal / Briquette	ESP	New stack of 30 m AGL	3	Boiler - New	16 TPH	Rice husk / Coal / Briquette			4	The rmic Flui d Heater	6 Lakh kcal	Furnace oil	Chi mney	Common chimney of 30 m AGL	5	The rmic	8 Lakh				<p>The existing and the proposed Thermic Fluid Heater are not indicated in the Sl.no.9 of the EC.</p> <p>In the EMP, a common chimney of 30 m AGL was proposed for all the thermic fluid heaters. Now, during implementation, a separate stack of 30 m AGL is proposed for the new thermic fluid</p>
S. No.	Source	Capacity	Fuel Used	APC equipment	Stack Height																																			
1	Boiler	10 TPH	Rice husk / Coal / Briquette	Bag Filter	Common Stack of 30 m AGL																																			
2	Boiler	6 TPH	Rice husk / Coal / Briquette	ESP	New stack of 30 m AGL																																			
3	Boiler - New	16 TPH	Rice husk / Coal / Briquette																																					
4	The rmic Flui d Heater	6 Lakh kcal	Furnace oil	Chi mney	Common chimney of 30 m AGL																																			
5	The rmic	8 Lakh																																						

## Annexure-21

S. N O.	Para of EC	Details as per the EC	To be revised/ read as				Justification / reasons
1.	Page 6, Sl. no. 7	<p>There are no National parks, wildlife sanctuaries, Biosphere Reserves, Tiger/Elephant Reserves, Wildlife Corridors etc. within 10 km distance from the project site. River/water body river Krishna, Marched Kere, Machalapur Lake are at a distance of 7.7 km, 6.5 km &amp; 7.84 km respectively in North, South West &amp; South West direction respectively. Total water requirement is 625.667 m3/day of which fresh water requirement of 293.114 m3/day will be met from KIADB</p>	<p>There are no National parks, wildlife sanctuaries, Biosphere Reserves, Tiger/Elephant Reserves, Wildlife Corridors etc. within 10 km distance from the project site. River/water body river Krishna, Marched Kere, Machalapur Lake are at a distance of 7.7 km, 6.5 km &amp; 7.84 km respectively in North, South West &amp; South West direction respectively. Total water requirement is 625.667 m3/day of which fresh water requirement of 293.114 m3/day will be met from KIADB sourced from River Krishna. The total effluent generation from unit II after expansion and industrial effluents from Unit I will be treated in ETP of Unit II. Effluent quantities generated is in the table below:</p>				<p>The quantities of effluent generation are not mentioned. Hence, it is requested to include the quantities.</p>

Effluent from SML Unit	Waste water Generated (in KLD)	Treated Effluent Reused (in KLD)	Utilization / Reused At
<u>Unit I*:</u> a) HTDS Effluent	61.5	40.93	SML Unit I
		20.57	SML Unit II
b) Cooling Tower Bleed	8.04	8.04	SML Unit II
<u>Unit II:</u> a) HTDS Effluent = 80.539 KLD b) LTDS Effluent = 123.704 KLD c) Cooling Tower Bleed = 29.5 KLD d) DM regenerate = 45 KLD e) Domestic Sewage = 30 KLD**	308.7 43	308.7 43	SML Unit II
	378.2 83	378.2 83	

\* - Industrial effluent from Unit I will be treated



## Annexure-21

		limit of 115 mg/Nm <sup>3</sup> for the proposed boilers.	Fluid Heater (new)	kcal				heater of 12 Lakh kcal.
	6	The rmic Fluid Heater( new )	12 Lakh kcal	Furnace oil	Chi mney	New chimney of 30 m AGL		

Particulate emissions shall be within the statutory limit of 115 mg/Nm<sup>3</sup> for the boilers.

4. The proposal was appraised by the **Expert Appraisal Committee (Industry-3 Sector) in the Ministry in its 16<sup>th</sup> meeting held during 1-2 September, 2021**. The EAC, after detailed deliberations, recommended the amendment in EC as proposed by the project proponent. Based on recommendations of the EAC, the Ministry of Environment, Forest and Climate Change hereby accords approval to the proposed amendments in the environmental clearance dated 05<sup>th</sup> January 2021 as stated in para 3 above, for the project **Expansion and modification of Active pharmaceutical ingredients (APIs) manufacturing industry with R&D activity by M/s Shilpa Medicare Limited, 100% Export Oriented Unit (EOU), located at Unit II, Plot No 30, 31, 32 & 35-39, 33, 33A & 40-47, Raichur Industrial Growth Center, Wadloor Road, Chicksugur, Raichur District, Karnataka.**

5. All other terms and conditions stipulated in the environmental clearance dated 05<sup>th</sup> January 2021 shall remain unchanged.

6. This issues with approval of the competent authority.

  
(Dr. R. B. Lal)  
Scientist 'E'/Additional Director  
Tele-fax: 011-24695362  
Email-rb.lal@nic.in

(का. आर. बी. लाल)  
(Dr. R. B. LAL)  
वैज्ञानिक 'E'/Scientist 'E'  
मर्यादित, एवं एक जलवायु परिवर्तन नियंत्रण  
Min. of Environment, Forest and Climate Change  
भारत सरकार, नई दिल्ली  
Govt. of India, New Delhi

## Copy to: -

- Additional Chief Secretary (FEE) Forest, Environment and Ecology Department, Karnataka Government Secretariat, Room No. 447, 4th Floor, Gate No. 2, M. S. Building, Bengaluru-560001

## Annexure-21

2. The Deputy DGF (C), MoEF&CC Regional Office (SZ), KendriyaSadan, 4th Floor, E&F Wings, 17th Main Road, Koramangala II Block, Bangalore - 34
3. The Secretary, Department of Forest, Environment & Ecology, Government of Karnataka, Room No. 708, Gate 2, Multi Storey Building, Dr. Ambedkar Veedhi, Bangalore - 1
4. The Member Secretary, Central Pollution Control Board, Parivesh Bhawan, East Arjun Nagar, Delhi - 32
5. The Member Secretary, Karnataka State Pollution Control Board, ParisaraBhavan, #49, 4th& 5th Floor, Church Street, Bangalore -1
6. The District Collector, District Raichur, Karnataka
7. Guard File/Monitoring File/Website/Record File/Parivesh Portal

(Dr. R. B. Lal)  
Scientist 'E'/Additional Director



Speed Post/Online

F. No.IA-J-11011/301/2020-IA-II(I)  
Government of India

Ministry of Environment, Forest and Climate Change  
Impact Assessment Division

\*\*\*

Indira ParyavaranBhavan,  
Vayu Wing, 3<sup>rd</sup> Floor, Aliganj,  
JorBagh Road, New Delhi-110 003

## Annexure-21

Dated: 5<sup>th</sup> January 2021

To,

**M/s Shilpa Medicare Limited (Unit-II),  
Industrial Growth Center, Wadloor Road,  
Chicksugur, Raichur,  
Karnataka**

Email: [ch.madhav@vbshilpa.com](mailto:ch.madhav@vbshilpa.com)

**Sub: Expansion and Modification of the Active Pharmaceutical Ingredients (API's Manufacturing Unit with R&D Activity by M/s Shilpa Medicare Limited, 100% EOU, Unit-II, located at Plot 30, 31, 32 and 35-39, 33, 33A and 40-47, Raichur Industrial Growth Center, Wadloor Road, Chicksugur, Raichur, Karnataka - Environmental Clearance regarding.**

Sir,

This has reference to your online proposal No.[IA/KA/IND2/176934/2020 dated 23<sup>rd</sup> November, 2020 for environmental clearance to the above mentioned project.

2. The Ministry of Environment, Forest and Climate Change has examined the proposal for environmental clearance to the project for Expansion and Modification of the Active Pharmaceutical Ingredients (API's Manufacturing Unit with R&D Activity by M/s Shilpa Medicare Limited, 100% EOU, Unit-II, located at Plot 30, 31, 32 and 35-39, 33, 33A and 40-47, Raichur Industrial Growth Center, Wadloor Road, Chicksugur, Raichur, Karnataka.

3. The project/activities are covered under Category 'B2' of item 5 (f) 'Synthetic, Organic Chemicals Industry' of the Environment Impact Assessment (EIA) Notification, 2006, as amendment on 27-03-2020. Due to applicability of general condition (interstate boundary within 5 km), the project requires appraisal at central level by the sectoral Expert Appraisal Committee (EAC) in the Ministry.

4. The details of products and capacity are as under:-

### 1) PRODUCTS

Sl. No.	Name of the proposed Products	Proposed to be Manufactured Quantity in TPA
1	Anastrazole	0.1
2	Gemcitabine HCl	1
3	Bicalutamide	0.5

EC for M/s Shilpa Medicare Limited (Unit-II).

Page 1 of 12

## Annexure-21

4	Ursodeoxycholic Acid	80
5	BendamustineHCl	0.2
6	Bortezomib	0.005
7	Capacitabine	80
8	Imatinibmesylate	5
9	Lenalidomide	0.5
10	Letrozole	0.05
11	Pemetrexed disodium	1
12	Decitabine	25
13	Cytrabine	0.05
14	Cabazitaxel	0.01
15	Cloferabine	0.01
16	MelphalanHCl	0.025
17	Tenfovirdisoproxilfumarate	300
18	ErlotinibHCl	2
19	Dimethyl fumarate	6
20	Busulfan	0.05
21	Zoledronic Acid	0.005
22	Tranexamic Acid	250
23	Sunitinib Malate	3
24	SorafenibTosylate	3
25	Praziquantel	50
<b>Total</b>		<b>807.505</b>
26	Custom Synthesis	5 TPA

**2) BY-PRODUCTS**

Sl. No	Name of the Product	By Products	By Products generated Qty in TPA	Remarks
1	Ursodeoxycholic acid	Potassium acetate	192.78	Sold
		Cholic Acid	520.30	Recovered & Reused
		Caustic potash lye	230.64	Sold
		Caustic lye	192.78	Both Sold & Reused
2	Capacitabine	Tin Salt	224.45	Sold
		Sodium acetate	93.12	Sold / TSDF
3	Lenalidomide	Raney-Ni	1	Both Sold & Reused
4	MelphalanHCl	Palladium Carbon	0.048	Recovered & reused / Sold
5	Busulfan	Triethylamine Hydrochloride	0.4	Sent to Co-Processing / Sold


 EC for M/s Shilpa Medicare Limited (Unit-II).

Page 2 of 12

## Annexure-21

6	Tranexamic acid	Tin oxide + 1,4-dicyanocyclohexane	42.84	Sent to Co-Processing / Sold
		Raney-Ni	26.88	Sold
		Caustic Lye solution	932.4	Recovered & Reused

3) THE LIST OF FINAL PRODUCTS AND ITS CORRESPONDING INTERMEDIATES

Sl. No	Name of the Product	Production capacity, Quantity in TPA	Name of the intermediates	Intermediates Quantity (in TPA)
1	Anastrazole	0.1	Intermediate-1 : a-a-a,a-Tetramethyl-5-(1H-methylbromide)-1,3-benzenediacetonitrile	0.4
			Intermediate-2: a-a-a,a-Tetramethyl-5-(1H-1,2,4-triazol-1-yl-methyl)-1,3-benzenediacetonitrile hydrochloride	0.225
2	Gemcitabine HCl	1	Intermediate-1: Crude Gemcitabine	1.683
			Intermediate-2: Crude Gemcitabine HCl	1.1385
3	Bicalutamide	0.5	Intermediate-1: N-[4-cyano-3-(tri fluromethyl)phenyl]-3-[4-fluoro phenyl thio]-2-hydroxy-2-methyl propanamide.	0.6
4	Ursodeoxycholic acid	80	Intermediate-1: Methylcholonate	190.592
			Intermediate-2: 3a, 7a-diacetyl,12a-hydroxy-methyl cholanate	190.4
			Intermediate-3: 3a, 7a-diacetyl-12-keto-methyl cholanate	167.616
			Intermediate-4: 3a, 7a-dihydroxy-5b-Cholanic acid	167.616
			Intermediate-5: 3a, hydroxy-7-keto-Cholanic acid	106.656
5	Bendamustine HCl	0.2	Intermediate-1: 4-{5-[Bis-(2-hydroxy-ethyl) amino]-1-methyl-1H-benzoimidazole-2-yl} butyric acid ethyl ester	0.85
6	Bortezomib	0.005	Intermediate-1: Isobutyl boronic acid n-Heptane,1N HCl Sat.sodium bicarbonate methanol, ethyl acetate	0.0055
7	Capecitabine	80	Intermediate-1: (2,3-di-O-acetyl-5 deoxy-5	81

EC for M/s Shilpa Medicare Limited (Unit-II).

Page 3 of 12

## Annexure-21

			flurocytidine)	
			Intermediate-2: 5'- Deoxi-5- Fluoro- N-( Pentyloxy) Carbonyl Cytidine-2',3'- Diacetate	89.1
8	Imatinibmesylate	5	Intermediate-1: N-(4-methyl-3-yl)pyrimidin-2-yl)amino)phenyl)-4-((4-methylpiperazin-1-yl)methyl)benzamide,	5
9	Lenalidomide	0.5	Intermediate-1: 3-(4-Nitro-1-oxo-1,3-dihydro-isoindol-2-yl)-piperidine-2,6-dione	0.45
10	Letrozole	0.05	Intermediate-1: 4-[1-(1,2,4-Triazolyl)methyl] benzonitrile	0.15
11	Pemetrexed disodium	1	Intermediate-1: Diethyl-2-(4-(2-(2-amino-4-Oxo-4,7-dihydro-3H-pyrrolo[2,3-d]pyrimidin-5yl)benzamido)pentanediate	0.561
			Intermediate-2: Pemetrexed di acid	0.42
12	Decitabine	25	Intermediate-1: 1- methyl-2-deoxy ribose	0.152
			Intermediate-2: 1-Methoxy-3,5-di-O-acetyl-2-deoxy ribose	0.204
			Intermediate-3: 1-(3,5-di-O-acetyl-2-deoxy-D-ribofuranosyl)-5-zacytosine	0.1
			Intermediate-4: Decitabine Crude	0.02
13	Cytarabine	0.05	Intermediate-1: CyclocytidineHCl	0.06
14	Cabazitaxel	0.01	Intermediate-1: 4 $\alpha$ -Acetoxy-2 $\alpha$ -benzoyloxy-5 $\beta$ , 20-epoxy-1 $\beta$ , hydroxyl-7 $\beta$ , 10 $\beta$ -dimethoxy-9-oxo-11-taxene-13 $\alpha$ -yl (2R,4S,5R)-3-tert-butoxycarbonyl-2-(4-methoxyphenyl)-4-phenyl-1,3-oxazolidine-5-carboxylate	0.0125
			Intermediate-2 : (2 $\alpha$ ,5 $\beta$ ,7 $\beta$ ,10 $\beta$ ,13 $\alpha$ )-4-acetoxy-13-((2R,3S)-3[(tertbutoxycarbonyl)amino]-2-hydroxy-3-phenylpropanoyloxy)-1-hydroxy-7,10-dimethoxy-9oxo-5,20-epoxytax-11-en-2-yl benzoate – propan-2-one	0.0185
15	Clofarabine	0.01	Intermediate-1: 2-Deoxy-1- $\alpha$ -bromo-2- $\beta$ -fluoro-3,5-di-O-benzoyl-D-ribofuranose	0.04301
			Intermediate-2: 2-Chloro-6-butyrylamido Purine	0.03289
16	MelphalanHCl	0.025	Intermediate-1: N-Phthaloyl-p-amino-L-Phenylalanine	0.53376

EC for M/s Shilpa Medicare Limited (Unit-II).

Page 4 of 12

## Annexure-21

			Intermediate-2: Methyl-N-Phthaloyl-p-amino-L- Phenylalanine	0.36
			Intermediate-3: Methyl-N-Phthaloyl-p-bis-(2- hydroxyethyl)-amino-L-phenylalanine	0.26208
			Intermediate-4: Methyl-N-Phthaloyl-p-bis-(2- chloroethyl)-amino-L-phenylalanine	0.26208
17	Tenfovirdisopro xilfumarate	300	Intermediate-1: (R)-9(2-phosphonylmethoxy propyl)adenine	196.285
18	ErlotinibHCl	2	Intermediate-1: 4,5-bis(2-methoxyethoxy)-2- aminobenzonitrile	2.72
			Intermediate-2: N-(4,5-bis(2-methoxyethoxy)-2- cynophenyl)-N-N-dimethyl farmamidine	2.56
			Intermediate-3: 6,7-Bis-(2-methoxyethoxy)-N-((3- ethynylphenyl)-quinazolin-4-amine	2.72
19	Dimethyl Fumarate	6	Intermediate-1: Dimethyl Fumarate crude	14.6664
20	Busulfan	0.05	Intermediate-1: Butane-1,4-diyli dimethanesulfonate	0.1695
21	Zoledronic Acid	0.005	Intermediate-1: Imidazol-1yl-acetic acid methyl ester	0.01032
			Intermediate-2: Imidazol-1yl-acetic acid	0.00848
			Intermediate-3: (1-hydroxy-2-imidazol-1-phosphono- ethyl)-phosphoric acid	0.00508
22	Tranexamic Acid	250	Intermediate-1: Methyl 4-cyano cyclohexane carboxylate	520.8
			Intermediate-2: Trans-Cis Mixture of Tranexamic Acid as Tranxamic acid	856.8
			Intermediate-3: Trans-Cis Mixture of Tranexamic Acid enriched trans to 80% in caustic Soda as TXA	856.8
			Intermediate-4: Tranexamic Acid- Crude caustic Soda -0.6%	856.8
			Intermediate-5: Tranexamic Acid in water	856.8
			Intermediate-6: Tranexamic Acid -95to97% in water	856.8
			Intermediate-7: Tranexamic Acid -98to99% in water	672

## Annexure-21

23	Sunitinib Maleate	3	Intermediate-1: N-(2-(diethyl amino)ethyl)-5-formyl-2,4-dimethyl-1H-pyrrole-3-carboxamide Intermediate-2: Sunitinib crude	2.592 2.7
24	Sorefenib Tosylate	3	Intermediate-1: 4-(4-Aminophenoxy)-N-methyl Picolinamide. Intermediate-2: 4-(4-Aminophenoxy)-N-methyl Picolinamide. (Crude)	2.85 2.925
25	Praziquentel	50	Intermediate-1 : Praziquantel crude	80.4

5. M/s SML obtained Environmental Clearance from MoEF& CC for bulk drug unit vide EC letter no: F. No. J-11011/71/2007-IA II (I) dated 12th March, 2008 for manufacture of 13 Nos. of products with a capacity of 126.8 TPA. Further, SML obtained Environmental Clearance from SEIAA, Karnataka for expansion and modification of the APIs & Intermediates manufacturing with R & D activity vide EC letter no: SEIAA 50 IND 2016 dated 28th April, 2017 for manufacture of 35 Nos. of products with a capacity of 422.415 TPA. The corrigendum to EC (letter no: SEIAA 50 IND 2016) from SEIAA, Karnataka dated 15.03.2018 was obtained to include list of intermediates for products in EC. The MoEF& CC, Regional Office, Bangalore has visited the industry on 06.10.2020 and Certified Compliance Report (CCR) was issued vide letter dated 19.10.2020. The EAC deliberated the compliance status and report in order.

6. Existing land area is 84,336 m<sup>2</sup>, additional 54,727 m<sup>2</sup> land will be used for proposed expansion. Industry has already developed greenbelt in an area of 33.13% i.e., 46,072.56 m<sup>2</sup> out of total area of the project. The estimated project cost is Rs.353.2238 crores including existing investment of Rs.252.2238 crores. Total capital cost earmarked towards environmental pollution control measures is Rs.19.8066 crores and the Recurring cost (operation and maintenance) will be about Rs.5.5653 crores per annum after proposed expansion. Total employment will be 1150 persons as direct after expansion. Industry proposes to allocate Rs.75.75 Lakhs towards Corporate Environment Responsibility.

7. There are no National parks, wildlife sanctuaries, Biosphere Reserves, Tiger/Elephant Reserves, Wildlife Corridors etc. within 10 km distance from the project site. River/water body river Krishna, marched Kere, Machalapur Lake are at a distance of 7.7 km, 6.5 km & 7.84 km respectively in North, South West & South West direction respectively. Total water requirement is 625.667 m<sup>3</sup>/day of which fresh water requirement of 293.114 m<sup>3</sup>/day will be met from KIADB sourced from River Krishna. The total effluent generation from unit II after expansion and HTDS effluent from Unit I will be treated in ETP of Unit II. Treatment facility has/will be developed as mentioned in the EMP report.

8. Power requirement after expansion will be 5000 kVA including existing 1800 kVA and will be met from Gulbarga Electricity Supply Company, Karnataka State power distribution corporation limited (GESCOM). Existing unit has 4 DG sets of 3 x 625 kVA & 1 x 750 kVA Capacity, additionally 5DG sets of 2 x 1500 kVA, 1 x 750 kVA & 2 x 625 kVA are proposed to be added. They are used as standby during power failure. Stack height 6 m ARL will be provided as per CPCB norms to each of the proposed DG sets.

## Annexure-21

9. Existing unit has 1x10 TPH & 1x6 TPH Rice husk/coal/briquette fired boilers. Additionally, 1x16 TPH Rice husk/coal/briquette fired boiler will be installed. Electrostatic precipitator with a stack of height of 30m AGL will be installed for controlling the particulate emissions within the statutory limit of 115 mg/Nm<sup>3</sup> for the proposed boilers.

**10. Details of Process emissions generation and its management:**

Stack attached	Capacity and Numbers	Fuel type & Quantity	Stack height	Air Pollution control measures	Predicted emissions
<b>Existing</b>					
Process emissions	-	-	3 m ARL	Acidic Fume scrubbers: 15 Nos	Acid Mist, VOCs &odour


**11. Details of Solid waste & Hazardous waste generation and its management:**

Hazardous waste	Category	Quantity in TPA	Mode of disposal
		After Expansion	
Used Oil (in KL)	5.1	5	Authorized recycler
Distillation Residues	20.3	25	Authorized recycler / co-processing
Process residue and Wastes	28.1	227.363	Incineration / co-processing
Spent Catalyst	28.2	0	-
Spent carbon	28.3	27.052	Incineration / co-processing
Date Expired Products	28.5	3	Incineration / co-processing
Spent Solvent	26.4	986.545	Authorized recycler
Empty barrels / containers / liners contaminated with hazardous chemicals	33.1	12000 Nos.	Authorized recycler
ETP Sludge	35.3	1500	To TSDF
MEE/ATFD Salts	35.3	1510	To TSDF
Boiler Ash	-	13,800	Brick manufacturer

12. Public hearing is not required since the proposed project falls under category B2, the proposed project is located in industrial area. It was informed that no litigation is pending against the proposal.

13. The industry has provided scrubbing systems in the process area to neutralize the fugitive emissions and GPS system is installed for effluent movement from Unit I & Unit II. The records are downloaded & submitted to KSPCB, the same will be followed. Further, the wastes generated are packed in closed containers, bags & stored in the covered shed, on the impervious concrete floor.

14. The proposal was considered by the EAC (Industry-3) in its 2<sup>nd</sup> meeting held during 8-9 December, 2020. The project proponent and their consultant M/s. Samrakshan, made a detailed presentation through Video Conferencing (VC) and have presented the PFR/EMP report. The EAC, constituted under the provision of the EIA Notification, 2006 and comprising of Experts Members/domain experts in various fields, have examined the proposal submitted

 EC for M/s Shilpa Medicare Limited (Unit-II).

Page 7 of 12

## Annexure-21

by the Project Proponent in desired form along with PFR & EMP report prepared and submitted by the Consultant accredited by the QCI/ NABET on behalf of the Project Proponent.

The EAC noted that the Project Proponent has given undertaking that the data and information given in the application and enclosures are true to the best of his knowledge and belief and no information has been suppressed in the PFR & EMP report. If any part of data/information submitted is found to be false/ misleading at any stage, the project will be rejected and Environmental Clearance given, if any, will be revoked at the risk and cost of the project proponent. The Committee noted that the PFR/EMP report reflects the present environmental concerns and the projected scenario for all the environmental components. The committee deliberated the action plan and budget allocation for green belt development, mitigation measure towards Air, Water, Noise and Soil pollution.

The EAC has deliberated the proposal and has made due diligence in the process as notified under the provisions of the EIA Notification, 2006, as amended from time to time and accordingly made the recommendations to the proposal. The Experts Members of the EAC have found the proposal in order and have **recommended** for grant of environmental clearance.

**15.** The environmental clearance granted to the project/activity is strictly under the provisions of the EIA Notification 2006 and its amendments. It does not tantamount/construe to approvals/consent/ permissions etc. required to be obtained or standards/conditions to be followed under any other Acts/ Rules/ Subordinate legislations, etc., as may be applicable to the project. The project proponent shall obtain necessary permission as mandated under the Water (Prevention and Control of Pollution) Act, 1974 and the Air (Prevention and Control of Pollution) Act, 1981, as applicable from time to time, from the State Pollution Control Board, prior to construction & operation of the project.

**16.** Based on the proposal submitted by the project proponent and recommendations of the EAC (Industry-3), Ministry of Environment, Forest and Climate Change hereby accords environmental clearance to the project for **Expansion and Modification of the Active Pharmaceutical Ingredients (API's Manufacturing Unit with R&D Activity by M/s Shilpa Medicare Limited, 100% EOU, Unit-II, located at Plot 30, 31, 32 and 35-39, 33, 33A and 40-47, Raichur Industrial Growth Center, Wadloor Road, Chicksugur, Raichur, Karnataka, under the provisions of the EIA Notification, 2006, and the amendments therein, subject to compliance of the terms and conditions as under:-**

### **A. Specific Condition**

- (i). The Unit shall install waste water flow meter at the outlet of Unit – I and inlet of Unit- II, and keep record of waste water flow from Unit-I to Unit- II. The monitoring report shall be submitted to the SPCB/MoEFCC Regional office.
- (ii). The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented.
- (iii). Fugitive emissions shall be controlled at 99.98% with effective chillers. Volatile organic compounds (VOCs)/Fugitive emissions shall be controlled at 99.997% with effective chillers/modern technology. Regular VOCs monitoring should be carried out.

 EAC for M/s Shilpa Medicare Limited (Unit-II).

Page 8 of 12

## Annexure-21

- (iv). As already committed by the project proponent, Zero Liquid Discharge shall be ensured and no waste/treated water shall be discharged outside the premises. Treated effluent shall be reused in the process/utilities. Treated Industrial effluent shall not be used for gardening/greenbelt development/horticulture.
- (v). Occupational health centre for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection.
- (vi). The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire-fighting system shall be as per the norms.
- (vii). Training shall be imparted to all employees on safety and health aspects of chemicals handling. Safety and visual reality training shall be provided to employees.
- (viii). Total fresh water requirement shall not exceed 293.114 m<sup>3</sup>/day, proposed to be met from KIADB sourced from River Krishna. Prior permission in this regard shall be obtained from the concerned regulatory authority.
- (ix). Storm water from the roof top shall be channelized through pipes to the storage tank constructed for harvesting of rain water in the premises and harvested water shall be used for various industrial processes in the unit. No recharge shall be permitted within the premises. Process effluent/ any wastewater shall not be allowed to mix with storm water.
- (x). Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For ZLD, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.
- (i). Solvent management shall be carried out as follows: (a) Reactor shall be connected to chilled water condenser system. (b) Reactor and solvent handling pump shall have mechanical seals to prevent leakages. (c) Solvents shall be stored in a separate space specified with all safety measures. (d) Proper earthing shall be provided in all the electrical equipment wherever solvent handling is done. (e) Entire plant shall be flame proof. The solvent storage tanks shall be provided with breather valve to prevent losses. (f) All the solvent storage tanks shall be connected with vent condensers with chilled water circulation.
- (ii). Process organic residue and spent carbon, if any, shall be sent to Cement other suitable industries for its incinerations. ETP sludge, process inorganic & evaporation salt shall be disposed of to the TSDF.
- (iii). The company shall undertake waste minimization measures as below (a) Metering and control of quantities of active ingredients to minimize waste; (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. (c) Use of automated filling to minimize spillage. (d) Use of Close Feed system into batch reactors. (e) Venting equipment through vapour recovery system. (f) Use of high pressure hoses for equipment clearing to reduce wastewater generation.

## Annexure-21

- (iv). The green belt of at least 5-10 m width shall be developed in nearly 33% of the total project area, mainly along the plant periphery. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department. Records of tree canopy shall be monitored through remote sensing map.
- (v). The activities and the action plan proposed by the project proponent to address the socio-economic issues in the study area, shall be completed as per the schedule presented before the Committee and as described in the EMP report in letter and spirit. All the commitments made shall be satisfactorily implemented. Preference shall be given to local villagers for employment in the unit. Preference shall be given to local villagers for employment in the unit.
- (vi). A separate Environmental Management Cell (having qualified person with Environmental Science/Environmental Engineering/specialization in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.

### **B. General Condition:**

- (i) No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SEIAA, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SEIAA, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
- (ii) The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment.
- (iii) The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).
- (iv) The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. CER activities shall be undertaken by involving local villages and administration and shall be implemented. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.
- (v) The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.
- (vi) A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO,

EC for M/s Shilpa Medicare Limited (Unit-II).

Page 10 of 12

## Annexure-21

if any, from whom suggestions/ representations, if any, were received while processing the proposal.

- (vii) The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.
- (viii) The environmental statement for each financial year ending 31<sup>st</sup> March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail.
- (ix) The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry and at <https://parivesh.nic.in/>. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.
- (x) The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.
- (xi) This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.

**17.** The Ministry reserves the right to stipulate additional conditions, if found necessary at subsequent stages and the project proponent shall implement all the said conditions in a time bound manner. The Ministry may revoke or suspend the environmental clearance, if implementation of any of the above conditions is not found satisfactory.

**18.** Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.

**19.** Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.



EC for M/s Shilpa Medicare Limited (Unit-II).

Page 11 of 12

## Annexure-21

**20.** The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 read with subsequent amendments therein.

**21.** This issues with the approval of the competent authority.

*R. Lal/2021*

(Dr. R. B. Lal)  
**Scientist 'E'/Additional Director**  
**Email: [rb.lal@nic.in](mailto:rb.lal@nic.in)**  
**Tele-fax: +91-11-24695362**

(जा. आर. बी. लाल)  
(Dr. R. B. Lal)  
वैज्ञानिक 'ई'/Scientist 'E'  
पर्यावरण, वन एवं जलपान विभाग के भवान में वर्तमान  
मंत्री पर्यावरण, वन एवं जलपान विभाग के अधिकारी  
भारत सरकार, नई दिल्ली  
Govt. of India, New Delhi

**Copy to: -**

1. Additional Chief Secretary (FEE) Forest, Environment and Ecology Department, Karnataka Government Secretariat, Room No. 447, 4th Floor, Gate No. 2, M. S. Building, Bengaluru-560001
2. The Deputy DGF (C), MoEF&CC Regional Office (SZ), KendriyaSadan, 4<sup>th</sup> Floor, E&F Wings, 17<sup>th</sup> Main Road, Koramangala II Block, Bangalore - 34
3. The Secretary, Department of Forest, Environment & Ecology, Government of Karnataka, Room No. 708, Gate 2, Multi Storey Building, Dr.AmbedkarVeedhi, Bangalore - 1
4. The Member Secretary, Central Pollution Control Board, Parivesh Bhawan, East Arjun Nagar, Delhi - 32
5. The Member Secretary, Karnataka State Pollution Control Board, ParisaraBhavan, #49, 4<sup>th</sup> & 5<sup>th</sup> Floor, Church Street, Bangalore -1
6. The District Collector, District Raichur, Karnataka
7. Guard File/Monitoring File/Website/Record File/Parivesh Portal

*DR. R. B. Lal*

(Dr. R. B. Lal)  
**Scientist 'E'/Additional Director**

**File No. IA-J-11011/301/2020-IA-II(I)**  
**Government of India**  
**Ministry of Environment, Forest and Climate Change**  
**(Impact Assessment Division)**

**Annexure-21**

Indira Paryavaran Bhawan  
 Agni Wing, Jor Bagh Road,  
 New Delhi -110003

Dated 20<sup>th</sup> June, 2022

To

**M/s Shilpa Pharma Lifesciences Limited**  
 Plot no. 214/A1, Hyderabad Raichur Road,  
 District- Raichur, Karnataka  
 E-mail: [naidu@vbshilpa.com](mailto:naidu@vbshilpa.com)

**Sub.: Expansion and modification of Active pharmaceutical ingredients (APIs) manufacturing industry with R&D activity by M/s Shilpa Medicare Limited, 100% Export Oriented Unit (EOU), located at Unit 11, Plot No 30, 31, 32 & 35-39, 33, 33A & 40-47, Raichur Industrial Growth Center, Wadloor Road, Chicksugur, Raichur District, Karnataka - Transfer of EC from M/s. Shilpa Medicare Limited to M/s Shilpa Pharma Lifesciences Limited**

Sir,


This has reference to your online proposal **IA/KA/IND3/266768/2022** dated 3<sup>rd</sup> May, 2022 regarding transfer of Environmental Clearance (EC) from M/s Shilpa Medicare Limited to M/s Shilpa Pharma Lifesciences Limited to the above project.

2. The Ministry granted EC no. IA-J-11011/301/2020-IA-II(I) dated 5.1.2021 and an amendment in EC dated 30.9.2021 to the above project.

3. M/s Shilpa Medicare Limited submitted its No objection for transfer of EC and M/s Shilpa Pharma Lifesciences Limited submitted its undertaking for compliance of terms and conditions of the above EC (as amended).

4. In view of the above, as per the relevant provisions of the EIA Notification, 2006 (as amended), the above mentioned EC (as amended) is hereby transferred from M/s Shilpa Medicare Limited to M/s Shilpa Pharma Lifesciences Limited on the same terms and conditions under which prior environmental clearance was granted, and for the same validity period.

This issues with approval of the competent authority.

  
 (Dr. Motipalli Ramesh)  
 Scientist 'E'  
 Tel. 011-20819249  
 Email: [ramesh.motipalli@nic.in](mailto:ramesh.motipalli@nic.in)

**Copy to: -**

1. The Deputy DGF (C), MoEF&CC Regional Office (SZ), Kendriya Sadan, 4<sup>th</sup> Floor, E&F Wings, 17<sup>th</sup> Main Road, Koramangala II Block, Bangalore – 34

## Annexure-21

2. The Secretary, Department of Forest, Environment & Ecology, Government of Karnataka, Room No. 708, Gate 2, Multi Storey Building, Dr. Ambedkar Veedhi, Bangalore – 1
3. The Member Secretary, Central Pollution Control Board, Parivesh Bhawan, East Arjun Nagar, Delhi – 32
4. The Member Secretary, Karnataka State Pollution Control Board, ParisaraBhavan, #49, 4<sup>th</sup>& 5<sup>th</sup> Floor, Church Street, Bangalore -1
5. The District Collector, District Raichur, Karnataka
6. Guard File/Monitoring File/Website/Record File

*Ramesh*  
(Dr. Motipalli Ramesh)  
Scientist 'E'  
Tel. 011-20819249  
Email: ramesh.motipalli@nic.in