

Your (**Half Yearly Compliance Report**) has been **Submitted** with following details

Proposal No	EC NO.SEIAA 50IND-2016
Compliance ID	1216269078
Compliance Number(For Tracking)	EC/M/COMPLIANCE/1216269078/2026
Reporting Year	2025
Reporting Period	01 Dec(01 Apr - 30 Sep)
Submission Date	13-01-2026
RO/SRO Name	Shri S Senthil Kumar
RO/SRO Email	jk083.ifs@nic.in
State	KARNATAKA
RO/SRO Office Address	Integrated Regional Offices, Bengaluru

Note:- SMS and E-Mail has been sent to Shri S Senthil Kumar, KARNATAKA with Notification to Project Proponent.



Half yearly compliance report for the term April -2025 to September-2025.

From EHS <ehs@shilpapharma.com>

Date Thu 27/11/2025 14:28

To Env Section Regional Office Bangalore <rosz.bng-mefcc@gov.in>

Cc R Elangovan <r.elangovan@shilpapharma.com>; K.Sharath Reddy <sharath@shilpapharma.com>

1 attachment (26 MB)

EC1.pdf;

Respected Sir / Madam,

To

The Additional Principal Chief Conservator of Forests,
Regional Office, Ministry of Environment and Forests (SZ),
Kendriya Sadan, 4th Floor, E&F Wing, 17th Main Road,
II nd Block, Koramangala, Bangalore-560034.

Sub : Submission of EC Six Months Compliance status report **April 2025 to September 2025** Reg

Ref :
1. EC No: SEIAA 50 IND 2016 dated 28.04.2017 and
2. Corrigendum No: SEIAA 50 IND 2016 dated 15.03.2018
3. Corrigendum No: SEIAA 50 IND 2016 dated 16.06.2020
4. Corrigendum No: SEIAA 50 IND 2016 dated 31.01.2022
5. EC Transfer No: SEIAA 50 IND 2016 dated 29.06.2022

With Reference to the letter in ref. no-5 advising to correctly format the EC compliance report by tabulating the specific & General Conditions We are pleased to submit the corrected half yearly compliance report for the term **April -2025 to September-2025. Along with the attachments for your kind perusal**

Project Name : "Shilpa Pharma Lifesciences Ltd. Unit II" - bulk drugs, APIs & intermediates manufacturing industry with R&D at Shilpa Medicare Ltd 100% EOU, Plot no 30,31,32 and 35-39,33, 33A, 40 to 47, Raichur Growth Centre, Chiksugur, Raichur-584134.

Environment Clearance: EC was obtained from Expert Appraisal Committee (EAC), MOEF & CC, vide letter no. EC No: SEIAA 50 IND 2016 Dated: 28.04.2017. subsequently Corrigendum were issued as per the above references.

The following are attached as annexures: -

1. Ambient Air Quality Reports attached as Annexure No-1.
2. Ground water Test Reports attached as Annexure No-2.
3. Pictures of Acoustic enclosures are enclosed as Annexure No-3.

4. Stack Monitoring of DG sets attached as Annexure No-4.
5. Fugitive emissions scrubber stack Monitoring Reports attached as Annexure No-5.
6. VOC Reports attached as Annexure No-6.
7. Hazardous waste authorization copy attached as Annexure No-7.
8. Scrubbing system, Multi cyclone system details are attached as Annexure No-8.
9. Solvent recovery system details are enclosed as Annexure No-9..
10. Boiler emission test reports are enclosed as Annexure No-10.
11. Manifests are attached as Annexure No-11
12. Fire Hydrant Photographs attached as Annexure No-12.
13. Training Records are attached as Annexure No-13.
14. Medical reports are attached as Annexure No-14.
15. Green Belt Photographs are attached as Annexure No-15.
16. Peso License for Diesel and furnace oil Copy attached as Annexure No-16.
17. Peso License for solvents Copy attached as Annexure No-17.
18. Noise Reports are attached as Annexure No-18.
19. Advertised newspaper copies are enclosed as Annexure No-19
20. Ec are attached as Annexure No-20

Kindly acknowledge the receipt of the document and e-mail.

Thanks & Regards,
Shaikh B H
Environment, Health & Safety
Mobile, No: 9021516823
Shilpa Pharma LifeSciences Limited, Unit-2
Raichur Industrial growth Center, Chicksugur-584134



Shilpa Pharma Lifesciences Limited

(Unit-2: 100% Export Oriented Unit)

o/c

Plot No: 33, 33A & 40-47, Raichur Industrial Growth Centre,
Chicksugur-584 134, Raichur District, Karnataka State, India.

CIN No. U24100KA2020PLC134081

SPL/100%EOU/EHS/036/2025-26

Date: 25.11.2025

To

The Additional Principal Chief Conservator of Forests,
Regional Office, Ministry of Environment and Forests (SZ),
Kendriya Sadan, 4th Floor, E&F Wing, 17th Main Road,
II nd Block, Koramangala, Bangalore-560034.

Respected Sir / Madam,

Sub : Submission of EC Six Months Compliance status report **April 2025 to September 2025** Reg

Ref : 1. EC No: SEIAA 50 IND 2016 dated 28.04.2017 and
2. Corrigendum No: SEIAA 50 IND 2016 dated 15.03.2018
3. Corrigendum No: SEIAA 50 IND 2016 dated 16.06.2020
4. Corrigendum No: SEIAA 50 IND 2016 dated 31.01.2022
5. EC Transfer No: SEIAA 50 IND 2016 dated 29.06.2022



With Reference to the letter in ref. no-5 advising to correctly format the EC compliance report by tabulating the specific & General Conditions We are pleased to submit the corrected half yearly compliance report for the term **April -2025 to September-2025**. Along with the attachments for your kind perusal

Project Name : "Shilpa Pharma Lifesciences Ltd. Unit II"- bulk drugs, APIs & intermediates manufacturing industry with R&D at Shilpa Medicare Ltd 100% EOU, Plot no 30,31,32 and 35-39,33, 33A, 40 to 47, Raichur Growth Centre, Chiksugur, Raichur-584134.

Environment Clearance: EC was obtained from Expert Appraisal Committee (EAC), MoEF & CC, vide letter no. EC No: SEIAA 50 IND 2016 Dated: 28.04.2017. subsequently Corrigendum were issued as per the above references.

The following are attached as annexures: -

1. Ambient Air Quality Reports attached as Annexure No-1.
2. Ground water Test Reports attached as Annexure No-2.
3. Pictures of Acoustic enclosures are enclosed as Annexure No-3.
4. Stack Monitoring of DG sets attached as Annexure No-4.
5. Fugitive emissions scrubber stack Monitoring Reports attached as Annexure No-5.
6. VOC Reports attached as Annexure No-6.
7. Hazardous waste authorization copy attached as Annexure No-7.
8. Scrubbing system, Multi cyclone system details are attached as Annexure No-8.
9. Solvent recovery system details are enclosed as Annexure No-9..
10. Boiler emission test reports are enclosed as Annexure No-10.
11. Manifests are attached as Annexure No-11
12. Fire Hydrant Photographs attached as Annexure No-12.
13. Training Records are attached as Annexure No-13.

Shilpa Pharma Lifesciences Limited

(Unit-2: 100% Export Oriented Unit)

Plot No: 33, 33A & 40-47, Raichur Industrial Growth Centre,
Chicksugur-584 134, Raichur District, Karnataka State, India.

CIN No. U24100KA2020PLC134081

14. Medical reports are attached as Annexure No-14.
15. Green Belt Photographs are attached as Annexure No-15.
16. Peso License for Diesel and furnace oil Copy attached as Annexure No-16.
17. Peso License for solvents Copy attached as Annexure No-17.
18. Noise Reports are attached as Annexure No-18.
19. Advertised newspaper copies are enclosed as Annexure No-19
20. Ec are attached as Annexure No-20

Kindly acknowledge the receipt of the document and e-mail.

Thanking you,

Yours faithfully

For SHILPA PHARMA LIFESCIENCES LTD, 100% EOU

Authorized Signatory



CC to:

1. Office of the Regional Office, Karnataka State Pollution Control Board, Building st Shed No.C-03 KSSIDC Industrial Estate, 3rd Cross, Hyderabad Road, Raichur – 584102 (✓)
2. The Member secretary, Karnataka state pollution control board, Parisara Bhavan, #49, 4th & 5th Floor, Church Street, Bengaluru, Karnataka 560001. (By Mail)
3. Principal Chief Conservator of Forests (HoFF), Karnataka Forest Department, Govt. of Karnataka, Aranya Bhawan, 18th Cross, Malleshwaram, Bangalore, (Karnataka) – 560 003 (By Mail)

SHILPA PHARMA LIFESCIENCES LIMITED, 100% EOU
EC Conditions Wise Compliance Status Report
(From April 2025 - September 2025)

EC No. SEIAA 50 IND 2016 dated 28.04.2017

Corrigendum Dtd 15-03-2018

Ec Corrigendum Dtd-16-06-2020

EC Corrigendum Dtd 30-01-2022

Part-A/Specific Conditions

S. no	Condition	Status	
1.	National Emissions standards for organic chemicals manufacturing industry issued by the ministry vide G.S.R 608(E) dated 21 st July 2010 and amended time to time shall be followed by the unit.	all the emissions are within the prescribed limits prescribed national emissions standards reports attached annexures	Complied. Ambient Air Quality Reports attached as Annexure No-1
2.	The total effluent generation shall not be exceed 201 KLD. Domestic sewage and the industrial effluent such as low TDS effluent shall be treated in ETP of capacity 130.5 KLD followed by RO and High TDS Effluent shall be treated in solvent stripper followed by MEE of 100 KLD and ATFD. The MEE condensate treated with low TDS effluent.	Effluent generation not exceeded 201 KLD. Domestic sewage and Low TDS effluent is treated in ETP (Biological treatment plant) followed by RO. HTDS effluent treated in stripper followed by Multiple Effect Evaporation System & ATFD. MEE Condensate treated with Low TDS Effluent/Currently HTDS effluent is being sent to CETP as per corrigendum issued on dtd 30-01-2022	Complied.
3.	Effluent Treatment plant shall ensure to prevent to ground water contamination due to leakage from unlined tanks.	All the tanks are Impervious.	Complied. Ground water Test Reports attached as Annexure No-2
4.	Total water requirement from KIADB water supply shall not exceed 214.6 KLD and prior permission shall be obtained from the concerned Authority. No ground water shall be used.	Not exceeded 214.6 KLD & Not using Ground water, Water supplied by KIDAB	Complied.
5.	The process emissions from the boiler shall be dispersed through stack of adequate height as per CPCB / KSPCB standard. The gaseous emissions from the DG set shall be dispersed through stack height as per CPCB standards shall be provided. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution.	The gaseous emissions dispersed through Boiler stack and the height of the stack/Chimney provided as per CPCB/KSPCB standards. The Gaseous emissions dispersed through DG set stack and the height of the stack provided as per CPCB/KSPCB standards. And Provided Acoustic enclosure to the DG sets to mitigate the noise pollution.	Complied. Pictures of Acoustic enclosures are enclosed.as Annexure no-3 Stack Monitoring of DG sets attached as Annexure No-4

SHILPA PHARMA LIFESCIENCES LIMITED, 100% EOU
EC Conditions Wise Compliance Status Report
(From April 2025 - September 2025)

S. no	Condition	Status
6.	Ambient air quality data shall be collected as per NAAQS standards notified by the ministry vide G.S.R. No. 826(E) dated 16 th September, 2009. The levels of PM ₁₀ , PM _{2.5} , NO _x , CO, VOC and HCL shall be monitored in the ambient air and emission from the stack and displayed at a convenient location near the main gate of the company and at important public place. The company shall upload the result of monitored data on its website and shall update the same periodically. It shall simultaneously be sent to the regional office of MoEF – Bangalore, SEIAA- Karnataka, the respective zonal office of CPCB and the KSPCB.	The location of Ambient air quality monitoring stations and reports are submitted to the KSPCB every month. Ambient Air Monitoring is : 2No's locations Ambient air & Emissions from stack are monitored every month and reports are being submitted to KSPCB, Regional office of MOEF &CPCB, Bangalore and uploaded in the company website.
7.	The company shall upload the status of compliance of the stipulated environmental clearance conditions, including results of monitored data on its website and shall update the same periodically. It shall simultaneously be sent to the Regional office of MoEF – Bangalore, SEIAA- Karnataka, the respective zonal office of CPCB and the KSPCB. The level of PM ₁₀ , PM _{2.5} , SO ₂ , NO _x , CO and VOC (ambient levels) and emission from the stacks shall be monitored and displayed at a convenient location near the main gate of the company and at important public places.	The Six months compliance report uploaded in the company website & submitted to regional office MoEF, CPCB & KSPCB.
8.	The company shall obtain authorization for collection, storage and disposal of hazardous waste under the Hazardous and other wastes (management and Tran's boundary movement) rules, 2016 for management of hazardous waste and prior permission from KSPCB shall be obtained for disposal of solid / hazardous waste to the TSDF. The concerned company shall undertake measures for firefighting facilities in case of emergency.	Hazardous Waste Authorization is obtained and firefighting facilities are provided.
9.	In plant control measures for checking fugitive emission from all the vulnerable sources shall be provided. Fugitive emission shall be controlled by providing closed handling & conveyance of chemicals/materials, multi cyclone separator and water sprinkling system. Dust suppression system including water sprinkling system shall be provided at loading	To Control the fugitive emissions all the operations are handled in closed condition. Further the fugitive chemical reaction is controlled by using scrubbers with suitable neutralizing liquid. The emissions are monitored by checking VOC periodically. Multicyclone filters and dust filters used for Boilers.

SHILPA PHARMA LIFESCIENCES LIMITED, 100% EOU
EC Conditions Wise Compliance Status Report
(From April 2025 - September 2025)

S. no	Condition	Status
	and unloading areas to control dust emissions. Fugitive emission in the work zone environment, product, raw material storage area etc. shall be regularly monitored. The emissions shall conform to the limits stipulated by the KSPCB.	Automatic water sprinkling system is arranged at Ammonia addition station in case of any leakages.
10.	Hazardous chemicals shall be stored in tanks in tank farms, drums, carboys etc. Flame arresters shall be provided on tank farm. Solvent transfer shall be by pump.	Hazardous chemicals are stored in tanks in tank farm, drums, carboys etc. flame arresters provided on Existing tank farm and Solvents are transferred by using pumps.
11.	The company shall undertake following waste minimization measures:- <ol style="list-style-type: none"> Metering and control of quantities of active ingredients to minimize waste. Reuse of by-products from the process as raw materials or as raw material substitutes in other process. Use of automated filling to minimize spillage. Use of close feed system in to batch reactors. Venting equipment through vapor recovery system. Use of high pressure hoses for equipment cleaning to reduce waste water generation. 	a. All the materials are issued to the Production by weighing the same. b. Wherever applicable the solvent and by-products are reused in the process. c. All the liquid material dispensing through pumps to minimize the spillages. d. We are using close feed system batch reactors. e. Condensers are provided and primary condenser circulated through cooling tower water and vent is connected to sub condenser and sub condenser circulated with chilled water. f. We are using high pressure pump for equipment cleaning to reduce waste water generation.
12.	For control of fugitive emission following steps shall be followed: <ol style="list-style-type: none"> Closed handling system shall be provided for chemicals. Reflux condenser shall provide over reactor. System of leak detection and repair of pumps/pipeline based on preventive maintenance. The acids shall be taken from storage tanks to reactor through closed pipeline. Storage tanks shall be vented through trap receiver and condenser operated on chilled water. Cathodic protection shall be provided to the underground solvent storage tanks. 	a. We have Provided closed handling system for chemicals b. Provided Reflux condenser over the reactors. c. Preventive maintenance is in place for all pumps/pipe lines, equipment's to prevent and rectify the leakages. d. We are taking acids from storage tanks to reactor through closed pipelines. And storage tanks vented through trap receiver and condenser operated with chilled water. e. We have above the ground solvent storage tanks, cathodic protection is not applicable.
13.	Solvent management shall be as follows: <ol style="list-style-type: none"> Solvent used in the process shall be completely recovered and reused. 	a. Solvent used in the process and are completely recovered and reused. Complied. Solvent recovery system details are

SHILPA PHARMA LIFESCIENCES LIMITED, 100% EOU
EC Conditions Wise Compliance Status Report
(From April 2025 - September 2025)

S. no	Condition	Status
	<p>b. Efforts are to be made to recover inorganic salts.</p> <p>c. Reactor shall be connected to chilled brine condenser system.</p> <p>d. Reactor and solvent handling pump shall have mechanical seals to prevent leakages.</p> <p>e. The condenser shall be provided with sufficient HTA and residence time so as to achieve more than 90% recovery.</p> <p>f. Solvent shall be stored in a separate space specified with all safety measures.</p> <p>g. Proper earthing shall be provided in all the electrical equipment wherever solvent handling is done.</p> <p>h. Entire plant shall be flame proof. The solvent storage tanks shall be provided with breather valve to prevent losses.</p> <p>i. Fugitive emission in the work zone environment, product, raw materials storage area etc, shall be regularly monitored. The emission shall conform to the limits imposed by KSPCB.</p>	<p>b. Wherever possible inorganic salts are recovered and all the mixed inorganic salts are isolated in ATFD.</p> <p>c. Reactors are connected to chilled water condenser system.</p> <p>d. We provided the mechanical seals to all Reactors and solvent handing pumps for prevent leakages.</p> <p>e. All the condensers are provided sufficient HTA and residence time to achieve more than 90% recovery.</p> <p>f. We have separate solvent storage yard for liquid raw materials with all safety measures.</p> <p>g. We are provided earthing for all solvent handling and storage equipment's. Earth interlock system provided for solvent tank yard.</p> <p>h. All the process plant areas are provided with Flame Proof fittings.</p> <p>i. We have controlled fugitive mission by using of Scrubber system for process, multi cyclone separator. And every month monitoring by external agency by Approved by KSPCB/MoEF/ NABL</p>
14.	No effluent shall be discharged outside the factory premises and "zero" discharge concept shall adopt.	We have Zero liquid discharge plant Comprising of Stipper, MEE & ATFD, Biological treatment plant followed by RO plant and all the water is recycled and no effluent is discharged out the factory premises.
15.	Multi-cyclone followed by bag filter shall be provided to the boiler to control particulate emission within 100mg/Nm ³ . The gaseous emission shall be dispersed through stack of adequate height as per CPCB/KSPCB guidelines.	We provided Multi-cyclone followed by bag filter to control the boiler particulate emission. The particulate emission is within the range. The gaseous emissions are dispersed through stack of adequate height as per CPCB/ KSPCB guidelines.
16.	Two stage chilled water / caustic scrubber shall be provided to process vent to control HCL. Two stage scrubbers with caustic lye media solution shall be provided to process vent to control SO ₂ . The scrubbing media shall be sent to effluent treatment plant (ETP) for treatment. Efficiency of scrubber shall be monitored regularly and maintained properly. At no time, the emission levels shall go beyond the prescribed standards.	We have provided packed column scrubber to process vent for control HCL. SO ₂ is not generated in our process. The scrubbing effluent sent to the ETP plant. The efficiency of the scrubbers are monitored regularly and maintained properly. All precautions are taken to control emissions with in the prescribed standards.

SHILPA PHARMA LIFESCIENCES LIMITED, 100% EOU
EC Conditions Wise Compliance Status Report
(From April 2025 - September 2025)

S. no	Condition	Status
17.	As proposed process residue, spent carbon and distillation residue shall be sent to co-processing in cement industries, inorganic salt from process, salt from MEE system, ETP sludge shall be sent to TSDF/Co-processing industries, waste oil from DG set & boiler, discarded containers/liners/barrels, e-waste, spent catalyst, shall be handed over to KSPCB authorized recyclers/ re-processors, spent solvent shall be distilled in house/ send to re-processors for reuse or recover. .	We are disposing all wastes to Co-Processing/TSDF and spent solvents to authorized recyclers as per KSPCB HW Authorization. Manifest reports Copy attached
18.	Boiler ash shall be stored separately as per CPCB guidelines so that it shall not adversely affect the air quickly, becoming air borne by wind or water regime during rainy season by flowing along with the storm water. Direct exposure of workers to fly ash & dust shall be avoided.	Boiler Husk ash stored in a separate contained area to avoid air borne contamination and water regime during rainy season. We spray the boiler blow down water on ash to avoid the fly of ash & dust.
19.	During transfer of material, spillages shall be avoided and garland drain be constructed to avoid mixing of accidental spillages with domestic waste and storm drains.	Storm water drains are separately provided/ constructed and effluent, accidental spillages do not mix in the domestic waste and storm drains.
20.	The company shall harvest surface as well as rainwater from the rooftops of the buildings and storm water drains to recharge the ground water and use the same water for the various activities of the project to conserve fresh water.	Roof top and Surface runoff of rain water is harvested in a tank it is reused .
21.	The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Firefighting system shall be as per the OISD 117 norms.	Fire protection system of possible fire hazards is provided by various types of fire hydrant system with foam, Manual call point and also arranged portable fire extinguishers and fire balls.
22.	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre- employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.	We are conducting safety training's to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations undertaken to all employees on regular basis. Training records & medical test reports sample copy attached
23.	Usage of PPEs by all employees/workers shall be ensured.	Noted and being practiced.
24.	Occupational health surveillance of the workers shall done on a regular basis and records maintained as per the factories act.	Occupational Health surveillance is done on regular basis records are maintained as per factories act.

SHILPA PHARMA LIFESCIENCES LIMITED, 100% EOU
EC Conditions Wise Compliance Status Report
(From April 2025 - September 2025)

S. no	Condition	Status	
25.	Green belt shall be developed in at least 33% of area with suitable species of the plants as per the CPCB guidelines to mitigate the effects of fugitive emission selection of plant species shall be as per the CPCB guidelines.	Green belt developed in 33% of our area. Green belt photo copy attached	Complied. Green Belt Photographs are attached as Annexure-15
26.	The adequate financial provisions shall be made in the budget of the project for implementation of the above suggested environmental safeguards. Fund so earmarked shall not be diverted for any other purposes.	All the suggestions are implemented without any restriction of the Budget. Funds allocated will not be used for any other purpose.	Complied.
27.	The company shall comply with the recommendations made in the EIA/EMP/risk assessment report. Risk assessment shall be included in the safety manual.	We are complied with the EIA/EMP/Risk assessment recommendations and risk assessment was included in the safety manual.	Complied.
28.	Provision shall be made for the housing for construction labor within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile sewage treatment plant, safe drinking water, medical health care, crèche etc. the housing may be in the form of temporary structure to be removed after the completion of the project. All the construction wastes shall be managed so that there is no impact on the surrounding environment.	All the constructed workers are the Local origin, Hence not stay at the site.	Complied.
29.	The coal to be stored in coal stockyard on impervious layer in a covered shed and along the boundary garland canal to be provided leading to a exit pond/ tank to arrest coal dust run-off and to allow settling of coal fines. The coal fines to be removed periodically.	Rice Husk is stored in a shed contained manner and dust run-off will not be there in this area.	Complied.
30.	Bromination to be avoided using liquid Bromine. Explore other alternative brominating reagents such as Poly N-Bromosuccinimide, Cetyltrimethyl ammonium tribromide, tertiary butyl ammonium bromide and Tetrabutyl Ammonium tribromide.	Direct Bromine will not be used.	Complied.
31.	Recover lithium salts from the effluents wherever lithium compounds are used in the reactions.	Lithium salt in water will be sent to Manufacturer	Complied.
32.	Treatment of recalcitrant to be documented and kept at all times.	Noted. Not Applicable	Complied.
33.	Adopts good management practices (GMP) & green chemistry.	We have adopted GMP & green chemistry.	Complied.
34.	Storage facilities for the fuel shall be made in the plant area in consultation with department of explosives, Nagpur. Disaster management shall be prepared plan to meet any eventuality	Diesel and furnace oil storage is provided and approved by Department of Explosives, Nagpur. Disaster management plan is prepared in case of any emergency	Complied and being followed.; Peso License Copy attached as

SHILPA PHARMA LIFESCIENCES LIMITED, 100% EOU
EC Conditions Wise Compliance Status Report
(From April 2025 - September 2025)

S. no	Condition	Status	Annexure- No-16
	in case of an accident taking place due to storage of fuel.	handling.	
35.	The project authorities also shall earmark at least 2.5% of the total cost of the project towards the corporate social responsibility and item-wise details along with time bound action plan shall be prepared and submitted to the authority.	Funds for CSR Activities are allocated Spent 17.0 Crores towards Social responsibility activities	Complied.
36.	The project proponent shall use husk as fuel for the boilers.	We are using husk as a fuel for the boiler.	Complied.
37.	The project proponent shall store fresh solvents, recovered solvent as per the PESO norms and shall not be stored in plastic bags.	We are storing fresh solvents, recovered solvents as per the PESO norm. We are not storing the solvents in plastic bags.	Complied. PESO License For solvents Copy Attached As Annexure No- 17
38.	The industry shall not operate without a functional effluent treatment plant as per the order of the Hon'ble supreme court dated February 22, 2017 in W.P. No.375 of 2012	Complete Effluent treatment plant is in operation.	Complied.

General Conditions

1.	The project authorities shall strictly adhere to the stipulations made by the Karnataka state pollution control board (KSPCB).	We are strictly adhering to the stipulations made by the Karnataka state pollution control board (KSPCB).	Complied. Monthly monitoring reports ,Manifesto copy are attached
2.	At no time, the emission shall exceed the prescribed limits. In the event of failure of any pollution control system adopted by the unit, the unit shall be immediately put out of operation and shall not be restarted until the desired efficiency has been achieved	At no time Emissions are not exceeded the prescribed limits. In case of Failure of the ETP the production will be stopped and restart after the rectification.	Complied
3.	No further expansion or modifications in the plant shall be carried out without prior approval of the SEIAA/ministry of environment and forests as the case may be. In case of deviations or alterations in the project proposal from those submitted to this authority for clearance, afresh reference shall be made to the authority to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	No further expansion or modification will carried out without prior approval from MOEF/SEIAA.	Complied.
4.	The gaseous emission (PM ₁₀ , PM _{2.5} , SO ₂ , NO _x , CO, VOC) and particulate matter along with RSPM levels from various process units shall conform to the standard prescribed by the concerned authorities from time to time. At no time, the emission levels shall go beyond the stipulated	The gaseous emissions (SO ₂ , NO _x , CO, VOC and HC) and particulate matter along with RSPM levels from various process units are be within standards prescribed limits. All the emissions levels are	Complied. Boiler emissions, voc, ambient air attached in Earlier Points

SHILPA PHARMA LIFESCIENCES LIMITED, 100% EOU
EC Conditions Wise Compliance Status Report
(From April 2025 - September 2025)

S. no	Condition	Status
	standards. In the event of failure of pollution control system(s) adopted by the unit, the respective unit shall not be restarted until the control measures are rectified to achieve the desired efficiency. Stack monitoring for PM ₁₀ , PM _{2.5} , SO ₂ , NOx, CO, VOC shall be carried.	maintained within the stipulated standards. In case of Failure of the ETP the production will stop and restart after the rectification.
5.	The project authorities shall strictly comply with the rules and regulations under manufacture, storage and import of hazardous chemicals Rules, 1989 as amended in October 1994 and January 2000. All authorization of hazardous chemical shall be as per the MVA, 1989. Authorization from the KSPCB shall be obtained for collation, treatment, storage, and disposal of hazardous wastes.	Yes complying. The company has obtained HW Authorization from KSPCB.
6.	The project authorities must strictly comply with the rules and regulations with regard to handling and disposal of hazardous wastes in accordance with the hazardous and other waste (management and Transboundary movement) rules, 2016. Authorization from the KSPCB must be obtained for collection /treatment/ storage/ disposal of hazardous waste.	The Company is disposing the Hazardous waste as described in the HW Authorization issued by KSPCB.
7.	Application of solar energy should be incorporated for illumination of common areas, lighting for gardens and street lighting in addition to provision for solar waste heating. A hybrid system or fully solar system for lighting and heating should be provided. Details in this regard should be submitted to the SEIAA.	Solar energy is used for illumination of common areas, lighting for gardens and street lighting.
8.	The overall noise levels in and around the plant area shall be kept well within the standards (85 dBA) by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under environment (protection) act, rules, 1989 viz. 75 dBA(day time) and 70 dBA (night time).	The DG sets are provided with acoustic enclosure. The ambient noise levels are maintained in the plant premises within the prescribed standards prescribed under environment (Protection) Act,1986 rules,1989 rules viz.75dBA(day time) and 70 DBA (night time). Noise level reports attached
9.	The project proponent shall also comply with all the environmental protection measures and safeguards as per the information provided.	We comply with all the Environment protection measures and safe guards as per the information provided.
10.	The implementation of the project vis-à-vis environmental action plans shall be monitored by MoEF, Regional office at Bangalore / KSPCB / CPCB and department of environment & Ecology,	We are complying and submit the Six monthly compliance status

SHILPA PHARMA LIFESCIENCES LIMITED, 100% EOU
EC Conditions Wise Compliance Status Report
(From April 2025 - September 2025)

S. no	Condition	Status
	Bangalore. A six monthly compliance status report shall be submitted to monitoring agencies.	reports to be MoEF and all monitoring agencies.
11.	<p>The project proponent shall inform the public that the project has been accorded environmental clearance by the SEIAA and copies of the clearance letter are available with the KSPCB and may also be seen at website of the authority at http://www.seiaa.karnataka.gov.in http://environmentclearance.nic.in/</p> <p>this shall be advertised within seven days from the date of issue of the clearance letter, at least in to local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same be forwarded to the MoEF regional office at Bangalore/ KSPCB/ CPCB and the department of environment & ecology, Bangalore/ kalaburgi.</p>	<p>We Have inform the public that the project has been according environmental clearance by the SEIAA and copies of the clearance letter are available with the KSPCB and may also seen at website of the authority at http://www.seiaa.karnataka.gov.in http://environmentclearance.nic.in/</p> <p>This EC clearance details advertised in two newspapers. Parjavani kanada local newspaper and Deccan Herald English news paper dated 31.05.2017.</p>
12.	The project authorities shall inform the MoEF Regional office at Bangalore /KSPCB /CPCB and the Department of Ecology and Environmental, Bangalore, Kalaburgi the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	The project financial closure is done 31 st march 2019
13.	The SEIAA, Karnataka may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	Accepted.
14.	The SEIAA, Karnataka reserves the right to stipulate additional conditions, if found necessary. The company in a time bound manner will implement these conditions.	Accepted.
15.	The above condition will be enforced, inter-alia under the provision of the water (prevention & control of pollution) Act, 1981, the environment (protection) Act, 1986 hazardous and other wastes (management and transboundary movement) Rules, 2016 and the public liability insurance Act, 1991 along with their amendments and rules.	Noted.
16.	The issue of environment clearance doesn't confer any right to the project proponent to operate / run the project without obtaining statutory clearance / sanctions from all other concerned authorities.	Noted,
17.	Concealing factual data or submission of false/ fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provision of Environmental (protection) Act, 1986.	Noted,

SHILPA PHARMA LIFESCIENCES LIMITED, 100% EOU
EC Conditions Wise Compliance Status Report
(From April 2025 - September 2025)

S. no	Condition	Status	
18.	Any appeal against this Environmental clearance shall lie with the national green tribunal, if preferred, within a period of 30 days as prescribed under section 16 of the national green tribunal Act, 2010.		Noted,
19.	Officials from the department of Environment and Ecology, Bangalore/ regional office of MoEF, Bangalore who used be monitoring the implementation of Environmental safeguards should be given full cooperation, facilities and documents/ data by the project proponents during their inspection. A complete set of all the documents submitted to MoEF/ SEIAA should be forwarded to the APCCF, regional office of MoEF, Bangalore / Department of Ecology and Environment, Bangalore / Kalaburgi / Department Regional officer, KSPCB Bangalore.	We will cooperate with inspection monitoring authority and provide all the data during their inspection. A complete set of documents will be submitted/ provided to regional office of MoEF, Bangalore / Department of Ecology and Environment, Bangalore / Kalaburgi / Department Regional officer, KSPCB Bangalore.	Complied,
20.	In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this authority.		Noted
21.	The authority reserves the right to add additional safeguard measures subsequently , if found necessary , and to take action including revoking of the environment clearance under the provision of the Environment (protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner		Accepted
22.	All other statutory clearance such as the approvals for storage of diesel from chief controller of explosives, Fire Department, Civil aviation Department, Forest Conservation Act,1980 and Wildlife (Protection) Act, 1972 etc. shall be obtained, as applicable by project proponents from the competent authorities.	Applicable statutory clearances will be obtained as required by statute.	Complied.
23.	These stipulations would be enforced among other under the provision of water (prevention and control of pollution) Act, 1974, the air (prevention and control of pollution) act, 1981, the Environment (Protection) act, 1986 the public liability (Insurance) Act, 1991 and EIA Notification, 2006.		Noted.
24.	Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it is found that construction of the project has been started without obtaining environmental clearance.		Noted.

SHILPA PHARMA LIFESCIENCES LIMITED, 100% EOU
EC Conditions Wise Compliance Status Report
(From April 2025 - September 2025)

Annexure-I to Environment Clarence letter No. SEIAA 47 IND 2016 dated 28-04-2017

Sr No.	Name of Products for Manufacture	Capacity in TPA	Status
1	Ambroxol Hcl	10	
2	Anastrozole	0.1	
3	Gemcitabine Hcl	0.1	
4	Paclitaxel	0.1	
5	Temozolomide	0.1	
6	Bicalutamide	0.5	
7	Docetaxel Trihydrate	0.1	
8	3A7B DihydroxyCholonic Acid	60	
9	Bendamustine Hcl	0.2	
10	Bortezomib	0.005	
11	Capecitabine	60	
12	Imatinib	5	
13	Lenalidomide	0.5	
14	Letrozole	0.05	
15	Pemetrexed disodium	0.25	
16	Decitabine	0.01	
17	Cytarabine	0.05	
18	Cabazitaxel	0.01	
19	Acebrophylline	10	
20	Clofarabine	0.01	
21	Melphalan	0.025	
22	Cyclophosphamide	1	
23	Tenfoviro	50	
24	Pemetrexed dipotassium	0.25	
25	Erlotinib	2	
26	Emtricitabine	1	
27	Dimethyl Fumarate	12	
28	Elvitegravir	1	
29	Cobicistat	100	
30	Busulfan	0.05	
31	Zoledronic	0.005	
32	Tranexamicacid	100	
33	Sunitinib Maleate	3	
34	Sorefenib Tosylate	3	
35	Abiraterone acetate	2	

Noted.

Products are manufactured
with in the permitted
capacity as per EC.
Complied

SHILPA PHARMA LIFESCIENCES LIMITED, 100% EOU
EC Conditions Wise Compliance Status Report
(From April 2025 - September 2025)

CORRIGENDUM (1st) Order No: SEIAA 50 IND 2016 Dated 15-03-2020

S. no	Condition	Status	
1.	Bromination to be avoided using liquid Bromine. Explore other alternative brominating reagents such as Poly N-Bromosuccinimide, Cetyltrimethyl ammonium tribromide, tertiary butyl ammonium bromide and Tetrabutyl Ammonium tribromide.	Direct Bromine will not be used.	Noted.
2.	Annexure-I Shall be replaced with ANNEXURE-I (R) enclosed to this corrigendum. Rest of the contents and the conditions of the Environmental Clearance letter No. SEIAA 50 IND 2016 dated 28-04-2017 remains unchanged.	Noted.	

CORRIGENDUM (2nd) Order No: SEIAA 50 IND 2016 Dated 16-06-2020

S. no	Condition	Status
3.	Para 4 (Page 2) of the Environmental Clearance letter No. SEIAA 50 IND 2016 dated 28-04-2017 and the corrigendum dated 15.03.2018 issued to M/s. Shilpa Medicare Limited, 100% export oriented Unit-II Plot No:33, 33A & 44 to 47 Raichur Industrial Growth Centre Wadloor Road, Chicksugur, Raichur District-584134 for expansion & modification of Active Pharmaceutical Ingredients (APIs) & Intermediates manufacturing unit at Plot No. 33, 33A and 44 to 47 of Raichur Industrial Growth Centre, Wadloor Road, Chicksugur, Raichur District shall be corrected and read as follows:	Noted.
4.	“4. It is, inter-alia, noted that M/s. Shilpa Pharma Lifesciences Ltd Formly known as Shilpa Medicare Limited have proposed for manufacture of Active Pharmaceutical Ingredient (APIs) & Intermediates manufa cturing of total capacity 422.415 TPA listed in ANNEXURE-I(R) and the byproducts listed in ANNEXURE-II(R), The total plot area is 84,984 Sqm(21 Acres), out of which 19,459 Sqm area is for Ground Coverage area, 30,927.5 Sqm area is for Built up area, 9,458.94 Sqm is for Hard paved area, 26,322 Sqm area is for green belt and 32,433.16 Sqm is unused area. Total water consumption is 577.5 KLD (214.6 KLD from KIADB and 362.9 KLD from recycled & condensate water), out of which 30 KLD for domestic purpose, 532.5 KLD for industrial purpose and 15 KLD for green belt. Power requirement is 1800 KVA. 3 number DG set of 625 KVA will be installed for emergency power back-up with existing DG Set of 1 No X 750 KVA. It is proposed to install 1 No X 6 Lakh Kcal of Furnace oil fired Thermic fluid heater and existing capacity of 1 No. X6	Noted.

SHILPA PHARMA LIFESCIENCES LIMITED, 100% EOU
EC Conditions Wise Compliance Status Report
(From April 2025 - September 2025)

no	Condition	Status
	TPH & 1 No X 10 TPH Coal/Husk fired steam boiler. The Total cost of the project is Rs.6040 Lakhs."	
5.	Rest of the contents and the conditions of the Environmental Clearance letter No. SEIAA 50 IND 2016 dated 28-04-2017 and the corrigendum dated 15.03.2018 remains unchanged.	Noted.

corrigendum SEIAA 50 IND 2016 Dated Dtd 30-01-2022

L.no	Description	Status
	<p>The specific condition no-02 at page no-3 shall be corrected & Read as follows</p> <p>The total Effluent Generation shall not exceed 201 KLD. The effluent will be treated within the factory Premises with an option of sending the Industrial effluent to Common effluent treatment plant</p>	Complied

hanking you,

or SHILPA PHARMA LIFESCIENCES LIMITED, 100% EOU

uthorized Signatory





MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



Annexure - 1

MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	28.04.2025
7.	Date of Sample Receipt	:	29.04.2025
8.	Analysis Starting Date	:	29.04.2025
9.	Analysis Completion Date	:	02.05.2025
10.	Report Issue Date	:	02.05.2025
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.310651
13.	Longitude	:	77.356011

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC40712500008349F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			13377	13378	13379			
1	Particulate Matter (Size less than 10 μm) PM ₁₀	IS-5182(Part-23):2017	76.4	71.3	67.2	$\mu\text{g}/\text{m}^3$	71.6	100
2	Particulate Matter (Size less than 2.5 μm) or PM _{2.5}	IS-5182(Part-24):2019	29.2	24.7	20.4	$\mu\text{g}/\text{m}^3$	24.8	60
3	Sulphur Dioxide as SO ₂	IS-5182(Part-2):2017	19.3	16.6	12.1	$\mu\text{g}/\text{m}^3$	16	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6):2017	26.4	21.8	17.2	$\mu\text{g}/\text{m}^3$	21.8	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.58	0.53	0.45	mg/m^3	0.52	2

INFERENCE

As per NAAQS Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by



Authorized Signatory

Hanumanthaiah P
 Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764.08392-255169
Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com

MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	28.04.2025
7.	Date of Sample Receipt	:	29.04.2025
8.	Analysis Starting Date	:	29.04.2025
9.	Analysis Completion Date	:	02.05.2025
10.	Report Issue Date	:	02.05.2025
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.310651
13.	Longitude	:	77.356011

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: MSVAL/2025/1652

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			1890	1891	1892			
6	Carbon Dioxide as CO ₂	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H ₂ S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m ³	BDL	--

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits		
-----------	---	--	--

Analysed by




Authorized Signatory

Hanumathaiah P
Technical Manager

Note: 1.The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

Annexure-I



Chicksugur, Karnataka, India
33, Chicksugur, Karnataka 584134, India
Lat 16.310651° Long 77.356011°
28/04/25 09:31 AM GMT +05:30

Google



MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	28.04.2025
7.	Date of Sample Receipt	:	29.04.2025
8.	Analysis Starting Date	:	29.04.2025
9.	Analysis Completion Date	:	02.05.2025
10.	Report Issue Date	:	02.05.2025
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.310637
13.	Longitude	:	77.35601

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407125000008350F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			13380	13381	13382			
1	Particulate Matter (Size less than 10 μm) PM ₁₀	IS-5182(Part-23):2017	74.8	71.3	66.8	$\mu\text{g}/\text{m}^3$	71	100
2	Particulate Matter (Size less than 2.5 μm) or PM _{2.5}	IS-5182(Part-24):2019	31.2	28.4	23.2	$\mu\text{g}/\text{m}^3$	27.6	60
3	Sulphur Dioxide as SO ₂	IS-5182(Part-2):2017	16.8	13.5	10.7	$\mu\text{g}/\text{m}^3$	13.7	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6):2017	23.9	18.6	15.8	$\mu\text{g}/\text{m}^3$	19.4	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.51	0.47	0.41	mg/m ³	0.46	2

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits
-----------	---

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager


Note : 1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com

Annexure - I

MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	28.04.2025
7.	Date of Sample Receipt	:	29.04.2025
8.	Analysis Starting Date	:	29.04.2025
9.	Analysis Completion Date	:	02.05.2025
10.	Report Issue Date	:	02.05.2025
11.	Sampling Protocol	:	IS 5182 : Part 14
12.	Latitude	:	16.310637
13.	Longitude	:	77.35601

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: MSVAL/2025/1653

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			1893	1894	1895			
6	Carbon Dioxide as CO ₂	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H ₂ S	IS-5182 (Part-7)	BDL	BDL	BDL	µg / m ³	BDL	--

INFEERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits						
------------	---	--	--	--	--	--	--


Analysed by

Authorized Signatory

Hanumathaiah P
Technical Manager



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.





MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
 (Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/33/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



Annexure - 2

MSVAL/QR/7.4/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	29.08.2025
7.	Date of Sample Receipt	:	30.08.2025
8.	Analysis Starting Date	:	30.08.2025
9.	Analysis Completion Date	:	03.09.2025
10.	Report Issue Date	:	03.09.2025
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.310725
13.	Longitude	:	77.35611

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407124000018701F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			AAQ/2690	AAQ/2690	AAQ/2690			
1	Particulate Matter (Size less than 10	IS-5182(Part-23):2017	76.8	72.3	70.5	µg/m ³	73.2	100
2	Particulate Matter (Size less than 2.5 µm)	IS-5182(Part-24):2019	27.3	28.9	25.8	µg/m ³	27.3	60
3	Sulphur Dioxide as SO ₂	IS-5182(Part-2):2017	23.8	23.7	19.2	µg/m ³	22.2	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6):2017	30.1	28.2	26.7	µg/m ³	28.3	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.52	0.58	0.55	mg/m	0.60	2

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits
-----------	---

Analysed by



Authorized Signatory

Hanumanthaiah P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.

N S h u n t i x a i c s o i s

Re cogn itio by 101 U: er 1vi nn nt ro cti) 1 36
 (ert ad y N 101 01 18 45 01 01 18 90 1:2 15. 30 20 :2 8)
 C. CV rd 18 C. CV lo. T. lo 5 / 3 'B' Blo Ne 9 (& Fl)
 ing aki jR d, B cle ell / - 31 .C lac lo lob 44 03 5,)9 54 76 08: 2-2 16
 Em l: r vall lary 18 gm col lab svC na on Ne ite nw .m: alb ery im

MS AL)R 4. 1

A AL SIS [E] R F ME EN AL QI LI C

1. Va e a d / dr s e in ist	2. M. S ip: 'h m ifi ci ce Li te in 2, G w
1. Va e o th o c io	3. Pl N 33 3. 40 17, ai ur id tri
1. Sa ple ol ct e By	4. Ce ter h cs ur ill e, ic ir.
1. Pa ct rs ft sa pl g ui ne s	5. M A ly al bc to s, ill e.
1. Du ti o lo to i g	6. Sa pl oll ite wi FI & OS of
1. Da ol fo or g	7. 8. iut
1. Da ol an le ec it	8. 29 8. 25
1. An ys St tir Da	9. 30 8. 25
1. An ys Cc pl io Da	10. 03 9. 25
1. Re rt ist Da	11. 03 9. 25
1. Sa pli gP ito ol	12. IS 18 P. t1
1. La uc	13. 16 10. 25
1. Lo rit le	14. 7. 156 1
1. D cij ne Ch aic ro o: / m oph ic oll io	15. ib o: / A ibi it. r IL vo 1S IL 02 /3 1
1. S o	16. hi wi : result
1. Ca on io: le CC	17. 1 3 Jn : Result
1. H ₂	18. 7 14 1. in v
1. I [E] N A pe VA QS tat ar	19. 0. < 11 1.0 PP < 01
1. R po St us Th ar	20. 1. L DI g/ 12 1. L
1. I : El N A pe VA QS tat ar	21. 1. bce r as rec par me en e v th th lin ts
1. R po St us Th ar	22. 1. bce r as rec par me en e v th th lin ts
1. I : El N A pe VA QS tat ar	23. 1. bce r as rec par me en e v th th lin ts
1. R po St us Th ar	24. 1. bce r as rec par me en e v th th lin ts
1. I : El N A pe VA QS tat ar	25. 1. bce r as rec par me en e v th th lin ts
1. R po St us Th ar	26. 1. bce r as rec par me en e v th th lin ts
1. I : El N A pe VA QS tat ar	27. 1. bce r as rec par me en e v th th lin ts
1. R po St us Th ar	28. 1. bce r as rec par me en e v th th lin ts
1. I : El N A pe VA QS tat ar	29. 1. bce r as rec par me en e v th th lin ts
1. R po St us Th ar	30. 1. bce r as rec par me en e v th th lin ts
1. I : El N A pe VA QS tat ar	31. 1. bce r as rec par me en e v th th lin ts
1. R po St us Th ar	32. 1. bce r as rec par me en e v th th lin ts
1. I : El N A pe VA QS tat ar	33. 1. bce r as rec par me en e v th th lin ts
1. R po St us Th ar	34. 1. bce r as rec par me en e v th th lin ts
1. I : El N A pe VA QS tat ar	35. 1. bce r as rec par me en e v th th lin ts
1. R po St us Th ar	36. 1. bce r as rec par me en e v th th lin ts
1. I : El N A pe VA QS tat ar	37. 1. bce r as rec par me en e v th th lin ts
1. R po St us Th ar	38. 1. bce r as rec par me en e v th th lin ts
1. I : El N A pe VA QS tat ar	39. 1. bce r as rec par me en e v th th lin ts
1. R po St us Th ar	40. 1. bce r as rec par me en e v th th lin ts
1. I : El N A pe VA QS tat ar	41. 1. bce r as rec par me en e v th th lin ts
1. R po St us Th ar	42. 1. bce r as rec par me en e v th th lin ts
1. I : El N A pe VA QS tat ar	43. 1. bce r as rec par me en e v th th lin ts
1. R po St us Th ar	44. 1. bce r as rec par me en e v th th lin ts
1. I : El N A pe VA QS tat ar	45. 1. bce r as rec par me en e v th th lin ts
1. R po St us Th ar	46. 1. bce r as rec par me en e v th th lin ts
1. I : El N A pe VA QS tat ar	47. 1. bce r as rec par me en e v th th lin ts
1. R po St us Th ar	48. 1. bce r as rec par me en e v th th lin ts
1. I : El N A pe VA QS tat ar	49. 1. bce r as rec par me en e v th th lin ts
1. R po St us Th ar	50. 1. bce r as rec par me en e v th th lin ts
1. I : El N A pe VA QS tat ar	51. 1. bce r as rec par me en e v th th lin ts
1. R po St us Th ar	52. 1. bce r as rec par me en e v th th lin ts
1. I : El N A pe VA QS tat ar	53. 1. bce r as rec par me en e v th th lin ts
1. R po St us Th ar	54. 1. bce r as rec par me en e v th th lin ts
1. I : El N A pe VA QS tat ar	55. 1. bce r as rec par me en e v th th lin ts
1. R po St us Th ar	56. 1. bce r as rec par me en e v th th lin ts
1. I : El N A pe VA QS tat ar	57. 1. bce r as rec par me en e v th th lin ts
1. R po St us Th ar	58. 1. bce r as rec par me en e v th th lin ts
1. I : El N A pe VA QS tat ar	59. 1. bce r as rec par me en e v th th lin ts
1. R po St us Th ar	60. 1. bce r as rec par me en e v th th lin ts
1. I : El N A pe VA QS tat ar	61. 1. bce r as rec par me en e v th th lin ts
1. R po St us Th ar	62. 1. bce r as rec par me en e v th th lin ts
1. I : El N A pe VA QS tat ar	63. 1. bce r as rec par me en e v th th lin ts
1. R po St us Th ar	64. 1. bce r as rec par me en e v th th lin ts
1. I : El N A pe VA QS tat ar	65. 1. bce r as rec par me en e v th th lin ts
1. R po St us Th ar	66. 1. bce r as rec par me en e v th th lin ts
1. I : El N A pe VA QS tat ar	67. 1. bce r as rec par me en e v th th lin ts
1. R po St us Th ar	68. 1. bce r as rec par me en e v th th lin ts
1. I : El N A pe VA QS tat ar	69. 1. bce r as rec par me en e v th th lin ts
1. R po St us Th ar	70. 1. bce r as rec par me en e v th th lin ts
1. I : El N A pe VA QS tat ar	71. 1. bce r as rec par me en e v th th lin ts
1. R po St us Th ar	72. 1. bce r as rec par me en e v th th lin ts
1. I : El N A pe VA QS tat ar	73. 1. bce r as rec par me en e v th th lin ts
1. R po St us Th ar	74. 1. bce r as rec par me en e v th th lin ts
1. I : El N A pe VA QS tat ar	75. 1. bce r as rec par me en e v th th lin ts
1. R po St us Th ar	76. 1. bce r as rec par me en e v th th lin ts
1. I : El N A pe VA QS tat ar	77. 1. bce r as rec par me en e v th th lin ts
1. R po St us Th ar	78. 1. bce r as rec par me en e v th th lin ts
1. I : El N A pe VA QS tat ar	79. 1. bce r as rec par me en e v th th lin ts
1. R po St us Th ar	80. 1. bce r as rec par me en e v th th lin ts
1. I : El N A pe VA QS tat ar	81. 1. bce r as rec par me en e v th th lin ts
1. R po St us Th ar	82. 1. bce r as rec par me en e v th th lin ts
1. I : El N A pe VA QS tat ar	83. 1. bce r as rec par me en e v th th lin ts
1. R po St us Th ar	84. 1. bce r as rec par me en e v th th lin ts
1. I : El N A pe VA QS tat ar	85. 1. bce r as rec par me en e v th th lin ts
1. R po St us Th ar	86. 1. bce r as rec par me en e v th th lin ts
1. I : El N A pe VA QS tat ar	87. 1. bce r as rec par me en e v th th lin ts
1. R po St us Th ar	88. 1. bce r as rec par me en e v th th lin ts
1. I : El N A pe VA QS tat ar	89. 1. bce r as rec par me en e v th th lin ts
1. R po St us Th ar	90. 1. bce r as rec par me en e v th th lin ts
1. I : El N A pe VA QS tat ar	91. 1. bce r as rec par me en e v th th lin ts
1. R po St us Th ar	92. 1. bce r as rec par me en e v th th lin ts
1. I : El N A pe VA QS tat ar	93. 1. bce r as rec par me en e v th th lin ts
1. R po St us Th ar	94. 1. bce r as rec par me en e v th th lin ts
1. I : El N A pe VA QS tat ar	95. 1. bce r as rec par me en e v th th lin ts
1. R po St us Th ar	96. 1. bce r as rec par me en e v th th lin ts
1. I : El N A pe VA QS tat ar	97. 1. bce r as rec par me en e v th th lin ts
1. R po St us Th ar	98. 1. bce r as rec par me en e v th th lin ts
1. I : El N A pe VA QS tat ar	99. 1. bce r as rec par me en e v th th lin ts
1. R po St us Th ar	100. 1. bce r as rec par me en e v th th lin ts

A aly ed y

V


E Ano

A hc ze Sij at y

H un nt ia P
ec n i M na r

1. T res	2. V er,	3. T rep	4. T illa	5. S impl	6. T	7. T	8. T	9. T	10. T	11. T	12. T	13. T	14. T	15. T	16. T	17. T	18. T	19. T	20. T	21. T	22. T	23. T	24. T	25. T	26. T	27. T	28. T	29. T	30. T	31. T	32. T	33. T	34. T	35. T	36. T	37. T	38. T	39. T	40. T	41. T	42. T	43. T	44. T	45. T	46. T	47. T	48. T	49. T	50. T	51. T	52. T	53. T	54. T	55. T	56. T	57. T	58. T	59. T	60. T	61. T	62. T	63. T	64. T	65. T	66. T	67. T	68. T	69. T	70. T	71. T	72. T	73. T	74. T	75. T	76. T	77. T	78. T	79. T	80. T	81. T	82. T	83. T	84. T	85. T	86. T	87. T	88. T	89. T	90. T	91. T	92. T	93. T	94. T	95. T	96. T	97. T	98. T	99. T	100. T
1. res	2. lut & E	3. ts ess her	4. illa ty o	5. simpl is r dor	6. t	7. t	8. t	9. t	10. ys	11. se	12. ran	13. er	14. taf	15. 10	16. sw	17. sw	18. sw	19. sw	20. sw	21. arc	22. arc	23. aft	24. aft	25. aft	26. aft	27. aft	28. aft	29. aft	30. aft	31. aft	32. aft	33. aft	34. aft	35. aft	36. aft	37. aft	38. aft	39. aft	40. aft	41. aft	42. aft	43. aft	44. aft	45. aft	46. aft	47. aft	48. aft	49. aft	50. aft	51. aft	52. aft	53. aft	54. aft	55. aft	56. aft	57. aft	58. aft	59. aft	60. aft	61. aft	62. aft	63. aft	64. aft	65. aft	66. aft	67. aft	68. aft	69. aft	70. aft	71. aft	72. aft	73. aft	74. aft	75. aft	76. aft	77. aft	78. aft	79. aft	80. aft	81. aft	82. aft	83. aft	84. aft	85. aft	86. aft	87. aft	88. aft	89. aft	90. aft	91. aft	92. aft	93. aft	94. aft	95. aft	96. aft	97. aft	98. aft	99. aft	100. aft
1. res	2. lut & E	3. ts ess her	4. illa ty o	5. simpl is r dor	6. t	7. t	8. t	9. t	10. ys	11. se	12. ran	13. er	14. taf	15. 10	16. sw	17. sw	18. sw	19. sw	20. sw	21. arc	22. arc	23. aft	24. aft	25. aft	26. aft	27. aft	28. aft	29. aft	30. aft	31. aft	32. aft	33. aft	34. aft	35. aft	36. aft	37. aft	38. aft	39. aft	40. aft	41. aft	42. aft	43. aft	44. aft	45. aft	46. aft	47. aft	48. aft	49. aft	50. aft	51. aft	52. aft	53. aft	54. aft	55. aft	56. aft	57. aft	58. aft	59. aft	60. aft	61. aft	62. aft	63. aft	64. aft	65. aft	66. aft	67. aft	68. aft	69. aft	70. aft	71. aft	72. aft	73. aft	74. aft	75. aft	76. aft	77. aft	78. aft	79. aft	80. aft	81. aft	82. aft	83. aft	84. aft	85. aft	86. aft	87. aft	88. aft	89. aft	90. aft	91. aft	92. aft	93. aft	94. aft	95. aft	96. aft	97. aft	98. aft	99. aft	100. aft
1. res	2. lut & E	3. ts ess her	4. illa ty o	5. simpl is r dor	6. t	7. t	8. t	9. t	10. ys	11. se	12. ran	13. er	14. taf	15. 10	16. sw	17. sw	18. sw	19. sw	20. sw	21. arc	22. arc	23. aft	24. aft	25. aft	26. aft	27. aft	28. aft	29. aft	30. aft	31. aft	32. aft	33. aft	34. aft	35. aft	36. aft	37. aft	38. aft	39. aft	40. aft	41. aft	42. aft	43. aft	44. aft	45. aft	46. aft	47. aft	48. aft	49. aft	50. aft	51. aft	52. aft	53. aft	54. aft	55. aft	56. aft	57. aft	58. aft	59. aft	60. aft	61. aft	62. aft	63. aft	64. aft	65. aft	66. aft	67. aft	68. aft	69. aft	70. aft	71. aft	72. aft	73. aft	74. aft	75. aft	76. aft	77. aft	78. aft	79. aft	80. aft	81. aft	82. aft	83. aft	84. aft	85. aft	86. aft	87. aft	88. aft	89. aft	90. aft	91. aft	92. aft	93. aft	94. aft	95. aft	96. aft	97. aft	98. aft	99. aft	100. aft
1. res	2. lut & E	3. ts ess her	4. illa ty o	5. simpl is r dor	6. t	7. t	8. t	9. t	10. ys	11. se	12. ran	13. er	14. taf	15. 10	16. sw	17. sw	18. sw	19. sw	20. sw	21. arc	22. arc	23. aft	24. aft	25. aft	26. aft	27. aft	28. aft	29. aft	30. aft	31. aft	32. aft	33. aft	34. aft	35. aft	36. aft	37. aft	38. aft	39. aft	40. aft	41. aft	42. aft	43. aft	44. aft	45. aft	46. aft	47. aft	48. aft	49. aft	50. aft	51. aft	52. aft	53. aft	54. aft	55. aft	56. aft	57. aft	58. aft	59. aft	60. aft	61. aft	62. aft	63. aft	64. aft	65. aft	66. aft	67. aft	68. aft	69. aft	70. aft	71. aft	72. aft	73. aft	74. aft	75. aft	76. aft	77. aft	78. aft	79. aft	80. aft	81. aft	82. aft	83. aft	84. aft	85. aft	86. aft	87. aft	88. aft	89. aft	90. aft	91. aft	92. aft	93. aft	94. aft	95. aft	96. aft	97. aft	98. aft	99. aft	100. aft
1. res	2. lut & E	3. ts ess her	4. illa ty o	5. simpl is r dor	6. t	7. t	8. t	9. t	10. ys	11. se	12. ran	13. er	14. taf	15. 10	16. sw	17. sw	18. sw	19. sw	20. sw	21. arc	22. arc	23. aft	24. aft	25. aft	26. aft	27. aft	28. aft	29. aft	30. aft	31. aft	32. aft	33. aft	34. aft	35. aft	36. aft	37. aft	38. aft	39. aft	40. aft	41. aft	4																																																										

Annexure-I





MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.4/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	21.07.2025
7.	Date of Sample Receipt	:	22.07.2025
8.	Analysis Starting Date	:	22.07.2025
9.	Analysis Completion Date	:	30.07.2025
10.	Report Issue Date	:	31.07.2025
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.311642
13.	Longitude	:	77.358016

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407124000014930F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			AAQ/1248	AAQ/1248	AAQ/1248			
1	Particulate Matter (Size less than 10 μm) PM ₁₀	IS-5182(Part-23):2017	66.1	63.4	60.2	$\mu\text{g}/\text{m}^3$	63.2	100
2	Particulate Matter (Size less than 2.5 μm) or	IS-5182(Part-24):2019	23.8	21.6	18.4	$\mu\text{g}/\text{m}^3$	21.3	60
3	Sulphur Dioxide as SO ₂	IS-5182(Part-2):2017	19.3	16.8	14	$\mu\text{g}/\text{m}^3$	16.7	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6):2017	28.1	24.2	22.1	$\mu\text{g}/\text{m}^3$	24.8	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.51	0.48	0.45	mg/m^3	0.48	2

INFEERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits
------------	---

Analysed by



Authorized Signatory

Handumanthaiah P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Samples Will be disposed after the specified retention period.
 3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
 5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

ANNEXURE - I

MSVAL/QR/7.4/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksgur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	21.07.2025
7.	Date of Sample Receipt	:	22.07.2025
8.	Analysis Starting Date	:	22.07.2025
9.	Analysis Completion Date	:	30.07.2025
10.	Report Issue Date	:	31.07.2025
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.311642
13.	Longitude	:	77.358016

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: MSVAL/2024/2644

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			4914	4915	4916			
6	Carbon Dioxide as CO ₂	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H ₂ S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m ³	BDL	--

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits		
-----------	---	--	--

Analysed by


Authorized Signatory

Hanumanthaiah P
Technical Manager



Note:

1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.





MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



Annexure-I

MSVAL/QR/7.4/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	21.07.2025
7.	Date of Sample Receipt	:	22.07.2025
8.	Analysis Starting Date	:	22.07.2025
9.	Analysis Completion Date	:	30.07.2025
10.	Report Issue Date	:	31.07.2025
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.310626
13.	Longitude	:	77.356042

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407124000014931F

S.No	Parameter	Protocols	Shift wise results			Unit s	Result in Avg.	Toleranc e limits
			1	2	3			
			AAQ/1249	AAQ/1249	AAQ/1249			
1	Particulate Matter (Size less than 10 μm)PM ₁₀	IS-5182(Part-23):2017	73.4	70.9	68.1	$\mu\text{g}/\text{m}^3$	70.8	100
2	Particulate Matter (Size less than 2.5 μm) or	IS-5182(Part-24):2019	29.3	26.7	23.2	$\mu\text{g}/\text{m}^3$	26.4	60
3	Sulphur Dioxide as SO ₂	IS-5182(Part-2):2017	21.5	19.1	17.3	$\mu\text{g}/\text{m}^3$	19.3	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6):2017	28.5	26.4	24.9	$\mu\text{g}/\text{m}^3$	26.6	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.56	0.53	0.50	mg/m^3	0.53	2

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits
-----------	---

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager



Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Samples Will be disposed after the specified retention period.
 3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
 5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/QR/7.4/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	21.07.2025
7.	Date of Sample Receipt	:	22.07.2025
8.	Analysis Starting Date	:	22.07.2025
9.	Analysis Completion Date	:	30.07.2025
10.	Report Issue Date	:	31.07.2025
11.	Sampling Protocol	:	IS 5182 : Part 14
12.	Latitude	:	16.310626
13.	Longitude	:	77.356042

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: MSVAL/2024/2645

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			4917	4918	4919			
6	Carbon Dioxide as CO ₂	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H ₂ S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m ³	BDL	--

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits		
-----------	---	--	--

Analysed by




Authorized Signatory

Hanumanthaiah P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising/media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
 5. Sampling is not done by us unless otherwise specified.

Annexure - I





MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	28.06.2025
7.	Date of Sample Receipt	:	30.06.2025
8.	Analysis Starting Date	:	30.06.2025
9.	Analysis Completion Date	:	03.07.2025
10.	Report Issue Date	:	04.07.2025
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.311622
13.	Longitude	:	77.358007

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407125000013390F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			AAQ/977 (A)	AAQ/977 (B)	AAQ/977 (C)			
1	Particulate Matter (Size less than 10 μm)PM ₁₀	IS-5182(Part-23):2017	70.4	67.2	65.2	$\mu\text{g}/\text{m}^3$	67.6	100
2	Particulate Matter (Size less than 2.5 μm) or PM _{2.5}	IS-5182(Part-24):2019	30.6	28.4	26.3	$\mu\text{g}/\text{m}^3$	28.4	60
3	Sulphur Dioxide as SO ₂	IS-5182(Part-2):2017	23.6	21.6	18.6	$\mu\text{g}/\text{m}^3$	21.3	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6):2017	30.2	28.9	26.9	$\mu\text{g}/\text{m}^3$	28.7	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.51	0.48	0.43	mg / m ³	0.47	2

INFEERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits
------------	---

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager


- END OF REPORT -

Note: 1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure - I

MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	28.06.2025
7.	Date of Sample Receipt	:	30.06.2025
8.	Analysis Starting Date	:	30.06.2025
9.	Analysis Completion Date	:	03.07.2025
10.	Report Issue Date	:	04.07.2025
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.311622
13.	Longitude	:	77.358007

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: MSVAL/2025/2147

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			AAQ/977 (A)	AAQ/977 (B)	AAQ/977 (C)			
6	Carbon Dioxide as CO ₂	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H ₂ S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m ³	BDL	--

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits
-----------	---

Analysed by

Authorized Signatory


Hanumanthaiah P
Technical Manager

-: END OF REPORT:-



Note:

1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.



Chicksugur, Karnataka, India
24, Chicksugur, Karnataka 584134, India
Lat 16.311622° Long 77.358007°
28/06/2025 09:36 AM GMT +05:30



MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

ANNEXURE - I

MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	28.06.2025
7.	Date of Sample Receipt	:	30.06.2025
8.	Analysis Starting Date	:	30.06.2025
9.	Analysis Completion Date	:	03.07.2025
10.	Report Issue Date	:	04.07.2025
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.310555
13.	Longitude	:	77.35602

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407125000013391F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			AAQ/978 (A)	AAQ/978 (B)	AAQ/978 (C)			
1	Particulate Matter (Size less than 10 μm)PM ₁₀	IS-5182(Part-23):2017	68.8	65.2	62.3	$\mu\text{g}/\text{m}^3$	65.4	100
2	Particulate Matter (Size less than 2.5 μm) or PM _{2.5}	IS-5182(Part-24):2019	24.2	22.6	19.4	$\mu\text{g}/\text{m}^3$	22.1	60
3	Sulphur Dioxide as SO ₂	IS-5182(Part-2):2017	17	14.6	12.4	$\mu\text{g}/\text{m}^3$	14.7	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6):2017	24.6	22.9	20.8	$\mu\text{g}/\text{m}^3$	22.8	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.46	0.48	0.39	mg/m^3	0.44	2

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits
-----------	---

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager


Note: 1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will be destroyed after 10 days. Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	28.06.2025
7.	Date of Sample Receipt	:	30.06.2025
8.	Analysis Starting Date	:	30.06.2025
9.	Analysis Completion Date	:	03.07.2025
10.	Report Issue Date	:	04.07.2025
11.	Sampling Protocol	:	IS 5182 : Part 14
12.	Latitude	:	16.310555
13.	Longitude	:	77.35602

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: MSVAL/2025/2148

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			AAQ/978 (A)	AAQ/978 (B)	AAQ/978 (C)			
6	Carbon Dioxide as CO ₂	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H ₂ S	IS-5182 (Part-7)	BDL	BDL	BDL	µg / m ³	BDL	--

INFEERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits		
------------	---	--	--

Analysed by

Authorized Signatory


Hanumanthaiah P
Technical Manager

-: END OF REPORT:-



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4 Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

Annexure-3



Chicksugur, Karnataka, India
33, Chicksugur, Karnataka 584134, India
Lat 16.310555° Long 77.35602°
28/06/2025 10:06 AM GMT +05:30



MSV Analytical Laboratories

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	28.06.2025
7.	Date of Sample Receipt	:	30.06.2025
8.	Sample Code	:	253
9.	Analysis Starting Date	:	30.06.2025
10.	Analysis Completion Date	:	03.07.2025
11.	Report Issue Date	:	04.07.2025
12.	Sampling Protocol	:	IS 5182 : Part 14

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air Test Report No: MSVAL/2025/426

S.No	Parameter	Protocols	Units	Result
1	Benzene	EPA/625/R-96/010b Compendium of Methods Second Edition Compendium Method TO-17	PPM	BDL
2	Isopropyl alcohol		PPM	0.04
3	Methanol		PPM	0.02
4	Toluene		PPM	0.05
5	Dichloromethane		PPM	BDL
6	Acetone		PPM	BDL
7	Hexane		PPM	BDL
8	Xylene		PPM	BDL

INFERENCE

As per NAAQS Standards

Report Status: - The analyzed values for above measured parameter are within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT:



Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
 5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



Annexure - I

MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	21.05.2025
7.	Date of Sample Receipt	:	22.05.2025
8.	Analysis Starting Date	:	22.05.2025
9.	Analysis Completion Date	:	26.05.2025
10.	Report Issue Date	:	27.05.2025
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.31059
13.	Longitude	:	77.355982

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407125000009871F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			16124	16125	16126			
1	Particulate Matter (Size less than 10 μm)PM ₁₀	IS-5182(Part-23):2017	72.8	68.5	63.1	$\mu\text{g}/\text{m}^3$	68.1	100
2	Particulate Matter (Size less than 2.5 μm) or PM _{2.5}	IS-5182(Part-24):2019	32.5	27.9	23.5	$\mu\text{g}/\text{m}^3$	27.9	60
3	Sulphur Dioxide as SO ₂	IS-5182(Part-2):2017	21.6	18.4	16.7	$\mu\text{g}/\text{m}^3$	18.9	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6):2017	28.4	24.8	19.4	$\mu\text{g}/\text{m}^3$	24.2	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.53	0.5	0.42	mg/m ³	0.48	2

INFERENCE

As per NAAQS Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager


Note : 1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	21.05.2025
7.	Date of Sample Receipt	:	22.05.2025
8.	Analysis Starting Date	:	22.05.2025
9.	Analysis Completion Date	:	26.05.2025
10.	Report Issue Date	:	27.05.2025
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.31059
13.	Longitude	:	77.355982

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: MSVAL/2025/2147

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			2569	2570	2571			
6	Carbon Dioxide as CO ₂	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H ₂ S	IS-5182 (Part-7)	BDL	BDL	BDL	µg / m ³	BDL	--

INFEERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits		
------------	---	--	--

Analysed by

Authorized Signatory

Hanumathaiah P
Technical Manager


Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
 5. Sampling is not done by us unless otherwise specified.

Annexure - I



Google

Chicksugur, Karnataka, India
33, Chicksugur, Karnataka 584134, India
Lat 16.31059° Long 77.355982°
21/05/25 09:16 AM GMT +05:30



MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	21.05.2025
7.	Date of Sample Receipt	:	22.05.2025
8.	Analysis Starting Date	:	22.05.2025
9.	Analysis Completion Date	:	26.05.2025
10.	Report Issue Date	:	27.05.2025
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.31059
13.	Longitude	:	77.355982

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407125000009872F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			16127	16128	16129			
1	Particulate Matter (Size less than 10 μm) PM ₁₀	IS-5182(Part-23):2017	71.4	68.4	64.1	$\mu\text{g}/\text{m}^3$	67.9	100
2	Particulate Matter (Size less than 2.5 μm) or PM _{2.5}	IS-5182(Part-24):2019	26.5	23.7	21.2	$\mu\text{g}/\text{m}^3$	23.8	60
3	Sulphur Dioxide as SO ₂	IS-5182(Part-2):2017	19.4	16.1	13.5	$\mu\text{g}/\text{m}^3$	16.3	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6):2017	26.7	23.5	19.8	$\mu\text{g}/\text{m}^3$	23.3	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.48	0.42	0.36	mg/m ³	0.42	2

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits
-----------	---

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager


Note: 1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure - 2

MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	21.05.2025
7.	Date of Sample Receipt	:	22.05.2025
8.	Analysis Starting Date	:	22.05.2025
9.	Analysis Completion Date	:	26.05.2025
10.	Report Issue Date	:	27.05.2025
11.	Sampling Protocol	:	IS 5182 : Part 14
12.	Latitude	:	16.31059
13.	Longitude	:	77.355982

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: MSVAL/2025/2148

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			2572	2573	2574			
6	Carbon Dioxide as CO ₂	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H ₂ S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m ³	BDL	--

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits		
-----------	---	--	--

Analysed by


Authorized Signatory

Hanumanthaiah P
Technical Manager



Note:

1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.





MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

Annexure - I

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksgur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	25.09.2025
7.	Date of Sample Receipt	:	26.09.2025
8.	Analysis Starting Date	:	26.09.2025
9.	Analysis Completion Date	:	03.10.2025
10.	Report Issue Date	:	04.10.2025
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.311642
13.	Longitude	:	77.358015

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407124000021970F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			AAQ/3589	AAQ/3589	AAQ/3589			
1	Particulate Matter (Size less than 10 μm)PM ₁₀	IS-5182(Part-23):2017	64.2	60.8	58.4	$\mu\text{g}/\text{m}^3$	61.1	100
2	Particulate Matter (Size less than 2.5 μm) or	IS-5182(Part-24):2019	20.9	18.7	16.5	$\mu\text{g}/\text{m}^3$	18.7	60
3	Sulphur Dioxide as SO ₂	IS-5182(Part-2):2017	17.8	15.1	13.2	$\mu\text{g}/\text{m}^3$	15.4	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6):2017	25.6	23.2	20.7	$\mu\text{g}/\text{m}^3$	23.2	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.49	0.46	0.42	mg/m^3	0.46	2

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits
-----------	---

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT:-



Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Samples Will be disposed after the specified retention period.
 3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
 5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksgur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	25.09.2025
7.	Date of Sample Receipt	:	26.09.2025
8.	Analysis Starting Date	:	26.09.2025
9.	Analysis Completion Date	:	03.10.2025
10.	Report Issue Date	:	04.10.2025
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.311642
13.	Longitude	:	77.358015

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air Test Report No: MSVAL/2024/3938

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			8824	8824	8824			
6	Carbon Dioxide as CO ₂	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H ₂ S	IS-5182 (Part-7)	BDL	BDL	BDL	µg / m ³	BDL	---

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits	
-----------	---	--

Analysed by

Authorized Signatory


Hanumanthaiah P
Technical Manager

-: END OF REPORT:-



Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
 5. Sampling is not done by us unless otherwise specified.

Annexure - D





MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
 (Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	25.09.2025
7.	Date of Sample Receipt	:	26.09.2025
8.	Analysis Starting Date	:	26.09.2025
9.	Analysis Completion Date	:	03.10.2025
10.	Report Issue Date	:	04.10.2025
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.310555
13.	Longitude	:	77.35602

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407124000021971F

S.No	Parameter	Protocols	Shift wise results			Unit s	Result in Avg.	Toleranc e limits
			1	2	3			
			AAQ/3590	AAQ/3590	AAQ/3590			
1	Particulate Matter (Size less than 10 μm) PM ₁₀	IS-5182(Part-23):2017	72.3	70.1	65.7	$\mu\text{g}/\text{m}^3$	69.4	100
2	Particulate Matter (Size less than 2.5 μm) or	IS-5182(Part-24):2019	25.7	23.3	20.1	$\mu\text{g}/\text{m}^3$	23.0	60
3	Sulphur Dioxide as SO ₂	IS-5182(Part-2):2017	19.5	17.7	15.2	$\mu\text{g}/\text{m}^3$	17.5	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6):2017	25.3	22.8	20.3	$\mu\text{g}/\text{m}^3$	22.8	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.52	0.50	0.48	mg/m^3	0.50	2

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits
-----------	---

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT:-



Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Samples Will be disposed after the specified retention period.
 3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
 5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure - I

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksgur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	25.09.2025
7.	Date of Sample Receipt	:	26.09.2025
8.	Analysis Starting Date	:	26.09.2025
9.	Analysis Completion Date	:	03.10.2025
10.	Report Issue Date	:	04.10.2025
11.	Sampling Protocol	:	IS 5182 : Part 14
12.	Latitude	:	16.310555
13.	Longitude	:	77.35602

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air Test Report No: MSVAL/2024/3939

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			8825	8825	8825			
6	Carbon Dioxide as CO ₂	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H ₂ S	IS-5182 (Part-7)	BDL	BDL	BDL	µg / m ³	BDL	--

INFERENCE

As per NAAQS Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by


Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT:-



Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4 Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
 5. Sampling is not done by us unless otherwise specified.



Chicksugur, Karnataka, India

33, Chicksugur, Karnataka 584134, India

Lat 16.310555° Long 77.35602°

25/09/2025 9:32 AM GMT +05:30



MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
 E-mail :msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



Annexure - 2

MSVAL/W/RF/01/00

ANALYSIS REPORT OF WATER QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Marked as	:	Bore Well Water
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Sample quantity	:	Pet Bottle, 2 Liter.
5.	Sample Description/condition	:	Water/Good
6.	Date of Sample Collection	:	28.06.2025
7.	Date of sample receipt	:	30.06.2025
8.	Sample Code	:	W/BW/217
9.	Analysis Starting Date	:	30.06.2025
10.	Analysis Completion Date	:	03.07.2025
11.	Report Issue Date	:	04.07.2025

Discipline: Chemical Group: Water Sub Group: Ground Water ULR No: TC407125000013359F

S.No	Parameters	Protocol	Unit	Result	IS 10500-2018	
					Acceptable limit	Permissible Limit
Physical Parameters						
1	Colour	IS : 3025(Part-4)	Hazen	<5	5	15
2	Odour	IS : 3025(Part-5)	---	Agreeable	Agreeable	Agreeable
3	pH	IS : 3025(Part-11)	---	7.31	6.5 - 8.5	No Relaxation
4	Taste	IS : 3025(Part-8)	--	Agreeable	Agreeable	Agreeable
5	Turbidity	IS : 3025(Part-10)	NTU	0.42	1	5
6	Total Dissolved Solids	IS : 3025(Part-16)	mg/l	612	500	2000
Chemical Parameters						
7	Total Alkalinity as CaCO ₃	IS : 3025(Part-23)	mg/l	184.3	200	600
8	Total Hardness as CaCO ₃	IS : 3025(Part-21)	mg/l	215.6	200	600
9	Calcium as Ca	IS : 3025(Part-40)	mg/l	54.9	75	200
10	Magnesium as Mg	IS : 3025(Part-46)	mg/l	19.0	30	100
11	Sulphate as SO ₄	IS : 3025(Part-24)	mg/l	61.2	200	400
12	Chloride as Cl	IS : 3025(Part-32)	mg/l	138.7	250	1000
13	Nitrate as NO ₃	IS : 3025(Part-34)	mg/l	2.36	45	No Relaxation
14	Iron as Fe	IS : 3025(Part-53)	mg/l	0.05	0.3	No Relaxation
15	Fluoride as F	IS : 3025(Part-60)	mg/l	0.65	1.0	1.5

INFERENCE	IS 10500 - 2018 standards
Report Status: - The above parameters are within the Limits.	

Analysed by

Authorized Signatory

 Hanumanthaiah P
 Technical Manager


Note: 1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1" & 2" Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/MB/W/RF/01/00

ANALYSIS REPORT FOR WATER IN MICROBIOLOGY

1. Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Sample Marked as	:	Bore Well Water
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4. Sample quantity	:	Sterilized Bottle, 250 ml
5. Sample Description/condition	:	Water/Good
6. Date of Sample Collection	:	28.06.2025
7. Date of sample receipt	:	30.06.2025
8. Sample Code	:	W/BW/102
9. Analysis Starting Date	:	30.06.2025
10. Analysis Completion Date	:	03.07.2025
11. Report Issue Date	:	04.07.2025

Discipline: Biological Group: Water Sub Group: Ground Water ULR No: TC407125000013360F

RESULTS

Parameters	Protocol	Unit	Result	Acceptable limit As per 10500 : 2018
Total Coli form Bacteria	IS 15185:2016	/100ml	Absent	Shall not be
Escherichia-Coli	IS 15185:2016	/100ml	Absent	detectable in 100ml

INFERENCE | The test result meets the bacteriological specification of IS 10500:2018.

Analyzed by

Authorized Signatory

Renukamma

Quality Manager

-: END OF REPORT:-



Note : 1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

Annexure - 2

MSVAL/QR/7.4/1/S

ANALYSIS REPORT OF SOIL QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Marked as	:	Soil Sample
3.	Name of the location	:	Near Main Gate
4.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
5.	Sample quantity	:	5 Kg Bag
6.	Sample Description/condition	:	Good
7.	Date of Sample Collection	:	28.06.2025
8.	Date of sample receipt	:	30.06.2025
9.	Sample Code	:	S&R/0314
10.	Analysis Starting Date	:	30.06.2025
11.	Analysis Completion Date	:	03.07.2025
12.	Report Issue Date	:	04.07.2025

Discipline: Chemical Group: Soil & Rock Sub Group: Soils ULR No: TC407125000013410F

Sl. No	Parameters	Protocol	Unit	Result
1	pH	IS 2720(Part -26) : 2021	--	8.22
2	Bulk Density	MSVL/SOP/P&R/AS/001	g/cm3	1.62
3	Moisture	IS 2720 Part- 18: 2021	%	6.8
4	Chloride	MSVL/SOP/S&R/AS/002	mg/kg	60.3
5	Sulphate	IS 2720 Part 27	mg/kg	143.7
6	Available Nitrogen	IS 14684	mg/kg	156.1
7	Available Potassium as K	IS 9497	mg/kg	129.3
8	Available Sodium as Na	IS 9497	mg/kg	90.2
9	Extractable Magnesium	MSVL/SOP/S&R/AS/009	mg/kg	24.2
10	Extractable Calcium	IS 2720 Part 23	mg/kg	68.3
11	Organic Carbon	IS 2720: Part 22	%	0.17
12	Available Iron	MSVL/SOP/S&R/AS/010	mg/kg	140.8
13	Available Manganese	MSVL/SOP/S&R/AS/010	mg/kg	0.22

Analysed by

Authorized Signatory
Hanumanthaiah P

Technical Manager

-: END OF REPORT:-




Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.

Annexure-3
DG Set Acoustic Enclosure



Annexure-3
DG Set Acoustic Enclosure





MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

Annexure - 4

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	DG - Set 625KVA - I
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	28.04.2025
5. Date of Sample Receipt	:	29.04.2025
6. Sample Code	:	13388
7. Analysis Starting Date	:	29.04.2025
8. Analysis Completion Date	:	02.05.2025
9. Report Issue date	:	02.05.2025
10. Latitude	:	16.310651
11. Longitude	:	77.356011

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407125000008356F
GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	36
Stack Temperature (°C)	84
Velocity (m/s)	6.6
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	61.2	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	20.5	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	26.8	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory

 Hanumanthaiah P
 Technical Manager


Note: 1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.





MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

Annexure - 4

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG - Set 625KVA- II
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	28.04.2025
5.	Date of Sample Receipt	:	29.04.2025
6.	Sample Code	:	13389
7.	Analysis Starting Date	:	29.04.2025
8.	Analysis Completion Date	:	02.05.2025
9.	Report Issue date	:	02.05.2025
10.	Latitude	:	16.310651
11.	Longitude	:	77.356011

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407125000008357F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	35
Stack Temperature (°C)	82
Velocity (m/s)	6.3
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	61.2	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	22.4	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	26.9	50

INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager


Note: 1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.





MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle - 583103 Contact No : Mob: 94498 03895, (O) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

AnneXure - 4

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG - Set 625KVA- III
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	28.04.2025
5.	Date of Sample Receipt	:	29.04.2025
6.	Sample Code	:	13390
7.	Analysis Starting Date	:	29.04.2025
8.	Analysis Completion Date	:	02.05.2025
9.	Report Issue date	:	02.05.2025
10.	Latitude	:	16.310651
11.	Longitude	:	77.356011

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407125000008358F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	34
Stack Temperature (°C)	86
Velocity (m/s)	6.7
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	58.2	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	19.4	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	25.7	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory

Hanumanthaiah. P
Technical Manager


Note : 1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will be destroyed after 10 days. Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	DG – Set 750 KVA-IV
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	28.04.2025
5. Date of Sample Receipt	:	29.04.2025
6. Sample Code	:	13391
7. Analysis Starting Date	:	29.04.2025
8. Analysis Completion Date	:	02.05.2025
9. Report Issue date	:	02.05.2025
10. Latitude	:	16.310651
11. Longitude	:	77.356011

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407125000008359F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	36
Stack Temperature (°C)	92
Velocity (m/s)	6.9
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm ³	62.8	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	23.7	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	28.2	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager


Note : 1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

Annexure -4

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Thermic Fluid Heater
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	28.04.2025
5.	Date of Sample Receipt	:	29.04.2025
6.	Sample Code	:	13392
7.	Analysis Starting Date	:	29.04.2025
8.	Analysis Completion Date	:	02.05.2025
9.	Report Issue date	:	02.05.2025
10.	Latitude	:	16.310651
11.	Longitude	:	77.356011

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407125000008360F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	36
Stack Temperature (°C)	91
Velocity (m/s)	6.8
Height (m)	3 mtr AGL
Diameter (m)	0.35
Cross sectional area (m ²)	0.0963

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m ³ /hr	2357.4	---
Emission Rate of PM	IS-11255(Part-1) - 2019	MT/day	0.00289	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	56.7	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	17.4	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	24.8	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager


Note: 1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.





MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
 (Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

Annexure - 4

MSVAL/QR/7.4/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG - Set 625KVA- I
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	29.08.2025
5.	Date of Sample Receipt	:	30.08.2025
6.	Sample Code	:	SE/1914
7.	Analysis Starting Date	:	30.08.2025
8.	Analysis Completion Date	:	03.09.2025
9.	Report Issue date	:	03.09.2025
10.	Latitude	:	16.309627
11.	Longitude	:	77.356777

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000018707F
GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	30
Stack Temperature (°C)	65
Velocity (m/s)	5.7
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	72.4	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	16.8	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	25.6	50

INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.


Analysed by



Authorized Signatory

Hanumanthaiah P
Technical Manager

Note : 1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.





MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
 (Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

ANNEXURE -4

MSVAL/QR/7.4/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG - Set 625KVA - II
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	29.08.2025
5.	Date of Sample Receipt	:	30.08.2025
6.	Sample Code	:	SE/1915
7.	Analysis Starting Date	:	30.08.2025
8.	Analysis Completion Date	:	03.09.2025
9.	Report Issue date	:	03.09.2025
10.	Latitude	:	16.309627
11.	Longitude	:	77.356777

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000018708F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	33
Stack Temperature (°C)	68
Velocity (m/s)	5.8
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	67.5	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	23.9	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	29.6	50

INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager



Note: 1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.





MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
 (Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



ANNEXURE - 4

MSVAL/QR/7.4/01

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	DG - Set 625KVA- III
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	29.08.2025
5. Date of Sample Receipt	:	30.08.2025
6. Sample Code	:	SE/1916
7. Analysis Starting Date	:	30.08.2025
8. Analysis Completion Date	:	03.09.2025
9. Report Issue date	:	03.09.2025
10. Latitude	:	16.309627
11. Longitude	:	77.356777

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000018709F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	32
Stack Temperature (°C)	67
Velocity (m/s)	5.9
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	59.4	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	18.5	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	25.2	50

INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by



Authorized Signatory

Hanumanthaiah, P
 Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.





MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
 (Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



Annexure - 4

MSVAL/QR/7.4/01

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	DG - Set 750 KVA-IV
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	29.08.2025
5. Date of Sample Receipt	:	30.08.2025
6. Sample Code	:	SE/1917
7. Analysis Starting Date	:	30.08.2025
8. Analysis Completion Date	:	03.09.2025
9. Report Issue date	:	03.09.2025
10. Latitude	:	16.310626
11. Longitude	:	77.356042

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000018710F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	32
Stack Temperature (°C)	72
Velocity (m/s)	6.0
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	65.7	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	14.3	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	23.5	50

INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.


Analysed by

Authorized Signatory

Hanumantiah P
Technical Manager



Note: 1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.





MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
 (Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

Annexure - 4

MSVAL/QR/7.4/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Thermic Fluid Heater
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	29.08.2025
5.	Date of Sample Receipt	:	30.08.2025
6.	Sample Code	:	SE/1918
7.	Analysis Starting Date	:	30.08.2025
8.	Analysis Completion Date	:	03.09.2025
9.	Report Issue date	:	03.09.2025
10.	Latitude	:	16.310217
11.	Longitude	:	77.356639

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000018711F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	30
Stack Temperature (°C)	35
Velocity (m/s)	6.7
Height (m)	3 mtr AGL
Diameter (m)	0.35
Cross sectional area (m ²)	0.09616

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m ³ /hr	2319.4	---
Emission Rate of PM	IS-11255(Part-1) - 2019	MT/day	BDL	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	BDL	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	BDL	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	BDL	50

BDL: Below Detection Limit


INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager


Note: 1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



Chicksugur, Karnataka, India

33, Chicksugur, Karnataka 584134, India
Lat 16.310217° Long 77.356639°

29/08/2025 01:41 AM GMT +05:30



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
 (Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



ANNEXURE - 4

MSVAL/QR/7.4/01

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	DG - Set 625KVA - I
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	21.07.2025
5. Date of Sample Receipt	:	22.07.2025
6. Sample Code	:	SE/971
7. Analysis Starting Date	:	22.07.2025
8. Analysis Completion Date	:	30.07.2025
9. Report Issue date	:	31.07.2025
10. Latitude	:	16.310626
11. Longitude	:	77.356042

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000014937F
 GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	28
Stack Temperature (°C)	68
Velocity (m/s)	5.8
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	68.1	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	18.6	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	23.2	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--


Analysed by



Authorized Signatory

 Hanumathaiah P
 Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Samples Will be disposed after the specified retention period.
 3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
 5. Sampling is not done by us unless otherwise specified





MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



ANNEXURE - 4

MSVAL/QR/7.4/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG - Set 625KVA- II
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	21.07.2025
5.	Date of Sample Receipt	:	22.07.2025
6.	Sample Code	:	SE/972
7.	Analysis Starting Date	:	22.07.2025
8.	Analysis Completion Date	:	30.07.2025
9.	Report Issue date	:	31.07.2025
10.	Latitude	:	16.309569
11.	Longitude	:	77.356844

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000014938F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	32
Stack Temperature (°C)	82
Velocity (m/s)	6.3
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	64.1	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	20.2	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	26.1	50

INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by




END OF REPORT.

Authorized Signatory

Hanumanthaiah P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Samples Will be disposed after the specified retention period.
 3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
 5. Sampling is not done by us unless otherwise specified





MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
 (Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



Annexure-4

MSVAL/QR/7.4/01

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	DG - Set 625KVA- III
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	21.07.2025
5. Date of Sample Receipt	:	22.07.2025
6. Sample Code	:	SE/973
7. Analysis Starting Date	:	22.07.2025
8. Analysis Completion Date	:	30.07.2025
9. Report Issue date	:	31.07.2025
10. Latitude	:	16.309569
11. Longitude	:	77.356844

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000014939F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	32
Stack Temperature (°C)	85
Velocity (m/s)	6.5
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	56.8	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	16.1	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	23.4	50

INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by



Authorized Signatory

Hanumanthaiah, P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Samples Will be disposed after the specified retention period.
 3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
 5. Sampling is not done by us unless otherwise specified



Chicksugur, Karnataka, India

8954+hcc, Chicksugur, Karnataka 584134, India

Lat 16.309569° Long 77.356844°

21/07/2025 11:32 AM GMT +05:30



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



Annexure -4

MSVAL/QR/7.4/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG - Set 750 KVA-IV
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	21.07.2025
5.	Date of Sample Receipt	:	22.07.2025
6.	Sample Code	:	SE/974
7.	Analysis Starting Date	:	22.07.2025
8.	Analysis Completion Date	:	30.07.2025
9.	Report Issue date	:	31.07.2025
10.	Latitude	:	16.310626
11.	Longitude	:	77.356042

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000014940F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	27
Stack Temperature (°C)	82
Velocity (m/s)	6.3
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	62.1	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	16.8	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	20.1	50

INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by


Authorized Signatory

Hanumanthaiah P
Technical Manager



END OF REPORT:-

Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Samples Will be disposed after the specified retention period.
 3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
 5. Sampling is not done by us unless otherwise specified



Chicksugur, Karnataka, India

33, Chicksugur, Karnataka 584134, India

Lat 16.310626° Long 77.356042°

21/07/2025 10:18 AM GMT +05:30



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballary - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



Annexure - 4

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	Thermic Fluid Heater
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	21.07.2025
5. Date of Sample Receipt	:	22.07.2025
6. Sample Code	:	SE/975
7. Analysis Starting Date	:	22.07.2025
8. Analysis Completion Date	:	30.07.2025
9. Report Issue date	:	31.07.2025
10. Latitude	:	16.31059
11. Longitude	:	77.355982

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000014941F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	27
Stack Temperature (°C)	93
Velocity (m/s)	6.4
Height (m)	3 mtr AGL
Diameter (m)	0.35
Cross sectional area (m ²)	0.09616

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m ³ /hr	2217.7	---
Emission Rate of PM	IS-11255(Part-1) - 2019	MT/day	0.0027	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	63.1	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	21.4	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	29.6	50

INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by




END OF REPORT

Authorized Signatory

Hanumanthaiah P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Samples Will be disposed after the specified retention period.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
 5. Sampling is not done by us unless otherwise specified



Chicksugur, Karnataka, India
33, Chicksugur, Karnataka 584134, India
Lat 16.31059° Long 77.355982°
21/07/2025 1:30 PM GMT +05:30



MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
 E-mail :msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC - 4071

ANNEXURE - 4

\MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	DG - Set 625KVA - I
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	28.06.2025
5. Date of Sample Receipt	:	30.06.2025
6. Sample Code	:	SE/613
7. Analysis Starting Date	:	30.06.2025
8. Analysis Completion Date	:	03.07.2025
9. Report Issue date	:	04.07.2025
10. Latitude	:	16.309575
11. Longitude	:	77.356659

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407125000013397F
GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	36
Stack Temperature (°C)	72
Velocity (m/s)	6.2
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	64.6	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	23.2	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	26.5	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by


Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-



Note : 1. The results listed only to the tested samples & applicable parameters.
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.





MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Bellary - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

Annexure-4

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG - Set 625KVA - II
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	28.06.2025
5.	Date of Sample Receipt	:	30.06.2025
6.	Sample Code	:	SE/614
7.	Analysis Starting Date	:	30.06.2025
8.	Analysis Completion Date	:	03.07.2025
9.	Report Issue date	:	04.07.2025
10.	Latitude	:	16.309575
11.	Longitude	:	77.356659

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407125000013398F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	35
Stack Temperature (°C)	68
Velocity (m/s)	5.9
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	69.8	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	24.9	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	32.6	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory

 Hanumanthaiah P
 Technical Manager


:- END OF REPORT:-

Note: 1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



Chicksugur, Karnataka, India

8954+hcc, Chicksugur, Karnataka 584134, India

Lat 16.309575° Long 77.356659°

28/06/2025 10:39 AM GMT +05:30



MSV Analytical Laboratories

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0)9945456764, 08392-255169
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure 4

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG - Set 625KVA- III
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	28.06.2025
5.	Date of Sample Receipt	:	30.06.2025
6.	Sample Code	:	SE/615
7.	Analysis Starting Date	:	30.06.2025
8.	Analysis Completion Date	:	03.07.2025
9.	Report Issue date	:	04.07.2025
10.	Latitude	:	16.309575
11.	Longitude	:	77.356659

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407125000013399F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	35
Stack Temperature (°C)	75
Velocity (m/s)	6.4
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	66.2	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	18.6	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	24.8	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by


Authorized Signatory

Hanumanthaiah. P
Technical Manager

-: END OF REPORT:-



Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4 Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
 5. Sampling is not done by us unless otherwise specified.





MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

ANALYSIS - 4

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	DG - Set 750 KVA-IV
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	28.06.2025
5. Date of Sample Receipt	:	30.06.2025
6. Sample Code	:	SE/616
7. Analysis Starting Date	:	30.06.2025
8. Analysis Completion Date	:	03.07.2025
9. Report Issue date	:	04.07.2025
10. Latitude	:	16.309575
11. Longitude	:	77.356659

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407125000013400F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	36
Stack Temperature (°C)	80
Velocity (m/s)	6.2
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	68.9	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	23.6	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	28.2	50

INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by


Authorized Signatory

Hanumanthaiah P
Technical Manager

END OF REPORT



Note: 1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.





MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

Annexure - 4

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	Thermic Fluid Heater
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	28.06.2025
5. Date of Sample Receipt	:	30.06.2025
6. Sample Code	:	SE/617
7. Analysis Starting Date	:	30.06.2025
8. Analysis Completion Date	:	03.07.2025
9. Report Issue date	:	04.07.2025
10. Latitude	:	16.31059
11. Longitude	:	77.355982

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407125000013401F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	36
Stack Temperature (°C)	103
Velocity (m/s)	7.3
Height (m)	3 mtr AGL
Diameter (m)	0.35
Cross sectional area (m ²)	0.0963

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m ³ /hr	2530.8	---
Emission Rate of PM	IS-11255(Part-1) - 2019	MT/day	0.0033	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	61.8	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	17.5	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	25.3	50

INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by


Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT:-



Note: 1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



 GPS Map

Chicksugur, Karnataka, India
33, Chicksugur, Karnataka 584134, India
Lat 16.31059° Long 77.355982°
28/06/2025 01:30 PM GMT +05:30

Google



MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

Annexure -4

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	DG - Set 625KVA- I
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	21.05.2025
5. Date of Sample Receipt	:	22.05.2025
6. Sample Code	:	16135
7. Analysis Starting Date	:	22.05.2025
8. Analysis Completion Date	:	26.05.2025
9. Report Issue date	:	27.05.2025
10. Latitude	:	16.31059
11. Longitude	:	77.355982

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407125000009878F
 GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	32
Stack Temperature (°C)	94
Velocity (m/s)	6.5
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	66.5	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	21.2	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	28.4	50


INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager


Note: 1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.





MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Bellary - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



Annexure -4

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	DG - Set 625KVA- II
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	21.05.2025
5. Date of Sample Receipt	:	22.05.2025
6. Sample Code	:	16136
7. Analysis Starting Date	:	22.05.2025
8. Analysis Completion Date	:	26.05.2025
9. Report Issue date	:	27.05.2025
10. Latitude	:	16.31059
11. Longitude	:	77.355982

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407125000009879F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	31
Stack Temperature (°C)	88
Velocity (m/s)	6.9
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	66.9	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	22.4	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	29.5	50

INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.


Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager


-: END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.





MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



ANALYSIS REPORT

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG - Set 625KVA - III
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	21.05.2025
5.	Date of Sample Receipt	:	22.05.2025
6.	Sample Code	:	16137
7.	Analysis Starting Date	:	22.05.2025
8.	Analysis Completion Date	:	26.05.2025
9.	Report Issue date	:	27.05.2025
10.	Latitude	:	16.31059
11.	Longitude	:	77.355982

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407125000009880F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	32
Stack Temperature (°C)	92
Velocity (m/s)	7.2
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	62.3	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	21.7	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	26.8	50

INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah, P
Technical Manager


Note : 1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will be destroyed after 10 days. Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.





MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

Annexure -4

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	DG - Set 750 KVA-IV
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	21.05.2025
5. Date of Sample Receipt	:	22.05.2025
6. Sample Code	:	16138
7. Analysis Starting Date	:	22.05.2025
8. Analysis Completion Date	:	26.05.2025
9. Report Issue date	:	27.05.2025
10. Latitude	:	16.31059
11. Longitude	:	77.355982

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC40712500009881F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	31
Stack Temperature (°C)	86
Velocity (m/s)	6.2
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	66.9	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	20.4	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	26.8	50

INFEERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.


Analysed by



Authorized Signatory

Hanumanthaiah P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.





MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

Annexure - 4

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Thermic Fluid Heater
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	21.05.2025
5.	Date of Sample Receipt	:	22.05.2025
6.	Sample Code	:	16139
7.	Analysis Starting Date	:	22.05.2025
8.	Analysis Completion Date	:	26.05.2025
9.	Report Issue date	:	27.05.2025
10.	Latitude	:	16.31059
11.	Longitude	:	77.355982

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407125000009882F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	32
Stack Temperature (°C)	86
Velocity (m/s)	7.3
Height (m)	3 mtr AGL
Diameter (m)	0.35
Cross sectional area (m ²)	0.0963

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m ³ /hr	2530.7	---
Emission Rate of PM	IS-11255(Part-1) - 2019	MT/day	0.00359	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	59.2	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	19.3	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	27.1	50

INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.


Analysed by



Authorized Signatory

Hanumantaiyah P
Technical Manager

Note : 1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.





MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

Annexure - 4

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG - Set 625KVA-I
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	25.09.2025
5.	Date of Sample Receipt	:	26.09.2025
6.	Sample Code	:	SE/2603
7.	Analysis Starting Date	:	26.09.2025
8.	Analysis Completion Date	:	03.10.2025
9.	Report Issue date	:	04.10.2025
10.	Latitude	:	16.311642
11.	Longitude	:	77.358015

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000021977F
GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	31
Stack Temperature (°C)	63
Velocity (m/s)	5.8
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	62.3	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	16.7	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	21.2	50

INFERENCE	As per KSPCB Standards
Report Status: - The analyzed value for above measured parameter is within the limits.	

Analysed by


Authorized Signatory

Hanumanthaiah P
 Technical Manager

-: END OF REPORT:-



Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Samples Will be disposed after the specified retention period.
 3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
 5. Sampling is not done by us unless otherwise specified





MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
 (Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Bellary - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
 E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC- 4071

Annexure-4

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksgur village, Raichur.
2.	Stack ID	:	DG - Set 625KVA- II
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	25.09.2025
5.	Date of Sample Receipt	:	26.09.2025
6.	Sample Code	:	SE/2604
7.	Analysis Starting Date	:	26.09.2025
8.	Analysis Completion Date	:	03.10.2025
9.	Report Issue date	:	04.10.2025
10.	Latitude	:	16.311642
11.	Longitude	:	77.358015

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000021978F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	31
Stack Temperature (°C)	66
Velocity (m/s)	5.9
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	61.7	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	18.4	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	23.8	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by


Authorized Signatory

Hanumanthaiah P
Technical Manager

- END OF REPORT -



Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Samples Will be disposed after the specified retention period.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
 5. Sampling is not done by us unless otherwise specified





MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
 (Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

Annexure-4

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksgur village, Raichur.
2. Stack ID	:	DG - Set 625KVA- III
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	25.09.2025
5. Date of Sample Receipt	:	26.09.2025
6. Sample Code	:	SE/2605
7. Analysis Starting Date	:	26.09.2025
8. Analysis Completion Date	:	03.10.2025
9. Report Issue date	:	04.10.2025
10. Latitude	:	16.311642
11. Longitude	:	77.358015

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000021979F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	31
Stack Temperature (°C)	69
Velocity (m/s)	6.0
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	52.5	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	18.4	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	21.9	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager


Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Samples Will be disposed after the specified retention period.
 3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
 5. Sampling is not done by us unless otherwise specified





MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
 (Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

Annexure-4

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	DG - Set 750 KVA-IV
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	25.09.2025
5. Date of Sample Receipt	:	26.09.2025
6. Sample Code	:	SE/2606
7. Analysis Starting Date	:	26.09.2025
8. Analysis Completion Date	:	03.10.2025
9. Report Issue date	:	04.10.2025
10. Latitude	:	16.311642
11. Longitude	:	77.358015

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000021980F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	32
Stack Temperature (°C)	75
Velocity (m/s)	6.2
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	61.2	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	19.3	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	23.7	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager


Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Samples Will be disposed after the specified retention period.
 3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
 5. Sampling is not done by us unless otherwise specified





MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
 (Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

Annexure - 4

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	Thermic Fluid Heater
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	25.09.2025
5. Date of Sample Receipt	:	26.09.2025
6. Sample Code	:	SE/2607
7. Analysis Starting Date	:	26.09.2025
8. Analysis Completion Date	:	03.10.2025
9. Report Issue date	:	04.10.2025
10. Latitude	:	16.310217
11. Longitude	:	77.356639

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000021981F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	42
Velocity (m/s)	5.9
Height (m)	3 mtr AGL
Diameter (m)	0.35
Cross sectional area (m ²)	0.09616

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m ³ /hr	2042.4	---
Emission Rate of PM	IS-11255(Part-1) - 2019	MT/day	BDL	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	BDL	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	BDL	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	BDL	50
Carbon Monoxide as CO	IS 13270	PPM	BDL	<150
Carbon Dioxide as CO ₂	(Orsat Apparatus USEPA 3A:1989)	%	7.2	<12

INFERENCE	As per KSPCB Standards
Report Status: - The analyzed value for above measured parameter is within the limits.	

Analysed by



Authorized Signatory

Hanumanthaiah P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Samples Will be disposed after the specified retention period.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
 5. Sampling is not done by us unless otherwise specified





MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

Annexure-5

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	Scrubber-H Block
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	28.04.2025
5. Date of Sample Receipt	:	29.04.2025
6. Sample Code	:	13384
7. Analysis Starting Date	:	29.04.2025
8. Analysis Completion Date	:	02.05.2025
9. Report Issue date	:	02.05.2025
10. Latitude	:	16.310651
11. Longitude	:	77.356011

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC40712500008352F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	36
Stack Temperature (°C)	48
Velocity (m/s)	4.9
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m ²)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m ³ /hr	1601.7	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	41.3	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm ³	10.8	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager



Note : 1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	Scrubber-H Block
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	28.04.2025
5. Date of Sample Receipt	:	29.04.2025
6. Sample Code	:	1896
7. Analysis Starting Date	:	29.04.2025
8. Analysis Completion Date	:	02.05.2025
9. Report Issue date	:	02.05.2025
10. Latitude	:	16.310651
11. Longitude	:	77.356011

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2025/1654

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	36
Stack Temperature (°C)	48
Velocity (m/s)	4.9
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m ²)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.	
-----------	--	--

Analysed by


Authorized Signatory

Handumanthaiah P
Technical Manager



Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
 5. Sampling is not done by us unless otherwise specified.

ANNEXURE-5





MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	Scrubber- E Block
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	28.04.2025
5. Date of Sample Receipt	:	29.04.2025
6. Sample Code	:	13385
7. Analysis Starting Date	:	29.04.2025
8. Analysis Completion Date	:	02.05.2025
9. Report Issue date	:	02.05.2025
10. Latitude	:	16.310651
11. Longitude	:	77.356011

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407125000008353F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	35
Stack Temperature (°C)	48
Velocity (m/s)	4.7
Height (m)	3 mtr AGL
Diameter (m)	0.35
Cross sectional area (m ²)	0.0963

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m ³ /hr	1629.4	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	39.2	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm ³	10.2	35

INFEERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumathaiah P
Technical Manager


Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com

Annexure - 5

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	Scrubber- E Block
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	28.04.2025
5. Date of Sample Receipt	:	29.04.2025
6. Sample Code	:	1897
7. Analysis Starting Date	:	29.04.2025
8. Analysis Completion Date	:	02.05.2025
9. Report Issue date	:	02.05.2025
10. Latitude	:	16.310651
11. Longitude	:	77.356011

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2025/1655

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	35
Stack Temperature (°C)	48
Velocity (m/s)	4.7
Height (m)	3 mtr AGL
Diameter (m)	0.35
Cross sectional area (m ²)	0.0963

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--


Analysed by



Authorized Signatory

Hanumanthaiah P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
 5. Sampling is not done by us unless otherwise specified.





MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



Annexure-5

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	Scrubber-D Block Pharma
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	28.04.2025
5. Date of Sample Receipt	:	29.04.2025
6. Sample Code	:	13386
7. Analysis Starting Date	:	29.04.2025
8. Analysis Completion Date	:	02.05.2025
9. Report Issue date	:	02.05.2025
10. Latitude	:	16.310651
11. Longitude	:	77.356011

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407125000008354F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	34
Stack Temperature (°C)	42
Velocity (m/s)	4.4
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m ²)	0.06160

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m ³ /hr	975.7	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	43.4	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm ³	8.8	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory

Harmumanthaiah P
Technical Manager


Note: 1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	Scrubber-D Block Pharma
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	28.04.2025
5. Date of Sample Receipt	:	29.04.2025
6. Sample Code	:	1898
7. Analysis Starting Date	:	29.04.2025
8. Analysis Completion Date	:	02.05.2025
9. Report Issue date	:	02.05.2025
10. Latitude	:	16.310651
11. Longitude	:	77.356011

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2025/1656

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	34
Stack Temperature (°C)	42
Velocity (m/s)	4.4
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m ²)	0.06160

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory


Hanumathaiah P
Technical Manager

END OF REPORT :-



Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
 5. Sampling is not done by us unless otherwise specified.

Annexure-5





MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	Scrubber-AI Block
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	28.04.2025
5. Date of Sample Receipt	:	29.04.2025
6. Sample Code	:	13387
7. Analysis Starting Date	:	29.04.2025
8. Analysis Completion Date	:	02.05.2025
9. Report Issue date	:	02.05.2025
10. Latitude	:	16.310651
11. Longitude	:	77.356011

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407125000008355F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	36
Stack Temperature (°C)	48
Velocity (m/s)	4.9
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m ²)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m ³ /hr	1601.7	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	46.5	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	BDL	---
Acid mist[HCl Mist]	MSVAL/SOP/SE/002:2022	mg/Nm ³	12.8	35

INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Handmanthaiah P
Technical Manager


Note : 1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 9945456764, 08392-255169
 Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com

ANNEXURE - 5

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	Scrubber-AI Block
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	28.04.2025
5. Date of Sample Receipt	:	29.04.2025
6. Sample Code	:	1899
7. Analysis Starting Date	:	29.04.2025
8. Analysis Completion Date	:	02.05.2025
9. Report Issue date	:	02.05.2025
10. Latitude	:	16.310651
11. Longitude	:	77.356011

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2025/1657

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	36
Stack Temperature (°C)	48
Velocity (m/s)	4.9
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m ²)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory

Hanumantaiah P
Technical Manager



Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
 5. Sampling is not done by us unless otherwise specified.





MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
 (Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

Annexure - 5

MSVAL/QR/7.4/01

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	AI/SCR-01-Intermediate Area
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	29.08.2025
5. Date of Sample Receipt	:	30.08.2025
6. Sample Code	:	SE/1910
7. Analysis Starting Date	:	30.08.2025
8. Analysis Completion Date	:	03.09.2025
9. Report Issue date	:	03.09.2025
10. Latitude	:	16.310324
11. Longitude	:	77.355502

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000018703F
GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	32
Stack Temperature (°C)	38
Velocity (m/s)	4.9
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m ²)	0.06154

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m ³ /hr	1085.5	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm ³	50.3	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm ³	BDL	---
Acid mist[HCl Mist]	MSVAL/SOP/SE/002:2022	mg/Nm ³	15.7	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager


Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/QR/7.4/01

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	AI/SCR-01-Intermediate Area
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	29.08.2025
5. Date of Sample Receipt	:	30.08.2025
6. Sample Code	:	7447
7. Analysis Starting Date	:	30.08.2025
8. Analysis Completion Date	:	03.09.2025
9. Report Issue date	:	03.09.2025
10. Latitude	:	16.310324
11. Longitude	:	77.355502

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2024/3312

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	32
Stack Temperature (°C)	38
Velocity (m/s)	4.9
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m ²)	0.06154

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by


Authorized Signatory

Hanumanthaiah P
Technical Manager



Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
 5. Sampling is not done by us unless otherwise specified.

Annexure - 5





MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
 (Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.4/01

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	E/SCR-01-Intermediate Area
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	29.08.2025
5. Date of Sample Receipt	:	30.08.2025
6. Sample Code	:	SE/1911
7. Analysis Starting Date	:	30.08.2025
8. Analysis Completion Date	:	03.09.2025
9. Report Issue date	:	03.09.2025
10. Latitude	:	16.310324
11. Longitude	:	77.355502

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000018704F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	33
Stack Temperature (°C)	39
Velocity (m/s)	5.0
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m ²)	0.066

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m ³ /hr	1188	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	41.8	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm ³	6.9	35

INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager


Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure - 5

MSVAL/QR/7.4/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	E/SCR-01-Intermediate Area
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	29.08.2025
5.	Date of Sample Receipt	:	30.08.2025
6.	Sample Code	:	7448
7.	Analysis Starting Date	:	30.08.2025
8.	Analysis Completion Date	:	03.09.2025
9.	Report Issue date	:	03.09.2025
10.	Latitude	:	16.310324
11.	Longitude	:	77.355502

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2024/3313

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	33
Stack Temperature (°C)	39
Velocity (m/s)	5.0
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m ²)	0.066

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--


Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager



Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
 5. Sampling is not done by us unless otherwise specified.



 GPS Map Camera

Chicksugur, Karnataka, India

34/p1, Chicksugur, Karnataka 584134, India

Lat 16.310324° Long 77.355502°

29/08/2025 03:16 PM GMT +05:30

Google



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
 (Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

Annexure - 5

MSVAL/QR/7.4/01

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	C/SCR-01-Intermediate Area
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	29.08.2025
5. Date of Sample Receipt	:	30.08.2025
6. Sample Code	:	SE/1912
7. Analysis Starting Date	:	30.08.2025
8. Analysis Completion Date	:	03.09.2025
9. Report Issue date	:	03.09.2025
10. Latitude	:	16.310324
11. Longitude	:	77.355502

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000018705F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	33
Stack Temperature (°C)	40
Velocity (m/s)	5.2
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m ²)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m ³ /hr	1699.8	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	44.7	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm ³	14.6	35

INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by



Authorized Signatory

Hanumanthaiah P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/QR/7.4/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	C/SCR-01-Intermediate Area
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	29.08.2025
5.	Date of Sample Receipt	:	30.08.2025
6.	Sample Code	:	7449
7.	Analysis Starting Date	:	30.08.2025
8.	Analysis Completion Date	:	03.09.2025
9.	Report Issue date	:	03.09.2025
10.	Latitude	:	16.310324
11.	Longitude	:	77.355502

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2024/3314

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	33
Stack Temperature (°C)	40
Velocity (m/s)	5.2
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m ²)	0.0907

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards
Report Status: - The analyzed value for above measured parameter is within the limits.	

Analysed by



Authorized Signatory


Hanumanthaiah P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
 5. Sampling is not done by us unless otherwise specified.

Annexure - 5



 GPS Map Ca



Chicksugur, Karnataka, India

34/p1, Chicksugur, Karnataka 584134, India
Lat 16.310324° Long 77.355502°

29/08/2025 04:50 PM GMT +05:30



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
 (Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganaikallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.4/01

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	AJ/SCR-01- Scrubber Block
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	29.08.2025
5. Date of Sample Receipt	:	30.08.2025
6. Sample Code	:	SE/1913
7. Analysis Starting Date	:	30.08.2025
8. Analysis Completion Date	:	03.09.2025
9. Report Issue date	:	03.09.2025
10. Latitude	:	16.310324
11. Longitude	:	77.355502

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000018706F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	32
Stack Temperature (°C)	39
Velocity (m/s)	4.9
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m ²)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m ³ /hr	1601.7	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	46.4	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm ³	12.4	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager


Note : 1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexeure - 5

MSVAL/QR/7.4/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	AJ/SCR-01- Scrubber Block
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	29.08.2025
5.	Date of Sample Receipt	:	30.08.2025
6.	Sample Code	:	7450
7.	Analysis Starting Date	:	30.08.2025
8.	Analysis Completion Date	:	03.09.2025
9.	Report Issue date	:	03.09.2025
10.	Latitude	:	16.310324
11.	Longitude	:	77.355502

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2024/3315

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	32
Stack Temperature (°C)	39
Velocity (m/s)	4.9
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m ²)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.		
-----------	--	--	--


Analysed by

Authorized Signatory

Hanumathaiah P
Technical Manager



Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
 5. Sampling is not done by us unless otherwise specified.





MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

Annexure -5

MSVAL/QR/7.4/01

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	H/SCR-01-Intermediate Area
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	21.07.2025
5. Date of Sample Receipt	:	22.07.2025
6. Sample Code	:	SE/967
7. Analysis Starting Date	:	22.07.2025
8. Analysis Completion Date	:	30.07.2025
9. Report Issue date	:	31.07.2025
10. Latitude	:	16.301668
11. Longitude	:	77.356168

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000014933F
GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	39
Velocity (m/s)	4.6
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m ²)	0.06154

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m ³ /hr	1020.1	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	52.4	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm ³	13.4	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager



Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Samples Will be disposed after the specified retention period.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
 5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/QR/7.4/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	H/SCR-01-Intermediate Area
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	21.07.2025
5.	Date of Sample Receipt	:	22.07.2025
6.	Sample Code	:	4926
7.	Analysis Starting Date	:	22.07.2025
8.	Analysis Completion Date	:	30.07.2025
9.	Report Issue date	:	31.07.2025
10.	Latitude	:	16.301668
11.	Longitude	:	77.356168

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2024/2646

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	39
Velocity (m/s)	4.6
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m ²)	0.06154

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory


Hanumanthaiah P
Technical Manager

-: END OF REPORT:-



Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
 5. Sampling is not done by us unless otherwise specified.

Annexure-5





MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



MSVAL/QR/7.4/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	C/SCR-03-Centrifuge Area
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	21.07.2025
5.	Date of Sample Receipt	:	22.07.2025
6.	Sample Code	:	SE/968
7.	Analysis Starting Date	:	22.07.2025
8.	Analysis Completion Date	:	30.07.2025
9.	Report Issue date	:	31.07.2025
10.	Latitude	:	16.30167
11.	Longitude	:	77.356166

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000014934F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	38
Velocity (m/s)	4.5
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m ²)	0.066

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m ³ /hr	1070.5	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	38.4	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm ³	7.2	35

INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager



Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Samples Will be disposed after the specified retention period.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
 5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure - 5

MSVAL/QR/7.4/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	C/SCR-03-Centrifuge Area
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	21.07.2025
5.	Date of Sample Receipt	:	22.07.2025
6.	Sample Code	:	4927
7.	Analysis Starting Date	:	22.07.2025
8.	Analysis Completion Date	:	30.07.2025
9.	Report Issue date	:	31.07.2025
10.	Latitude	:	16.30167
11.	Longitude	:	77.356166

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2024/2647

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	38
Velocity (m/s)	4.5
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m ²)	0.066

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by




Authorized Signatory

Hanumathaiah P
Technical Manager

Note:

- The results listed only to the tested samples & applicable parameters.
- Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
- Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
- Sampling is not done by us unless otherwise specified.





MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



Annexure - 5

MSVAL/QR/7.4/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	I/SCR-02-Pharma Area
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	21.07.2025
5.	Date of Sample Receipt	:	22.07.2025
6.	Sample Code	:	SE/969
7.	Analysis Starting Date	:	22.07.2025
8.	Analysis Completion Date	:	30.07.2025
9.	Report Issue date	:	31.07.2025
10.	Latitude	:	16.310668
11.	Longitude	:	77.356168

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000014935F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	33
Stack Temperature (°C)	40
Velocity (m/s)	5.1
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m ²)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m ³ /hr	1667.1	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	42.4	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	BDL	---
Acid mist[HCl Mist]	MSVAL/SOP/SE/002:2022	mg/Nm ³	12.2	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by



END OF REPORT:-

Authorized Signatory

Hanumanthaiah P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Samples Will be disposed after the specified retention period.
 3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
 5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/QR/7.4/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	I/SCR-02-Pharma Area
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	21.07.2025
5.	Date of Sample Receipt	:	22.07.2025
6.	Sample Code	:	4928
7.	Analysis Starting Date	:	22.07.2025
8.	Analysis Completion Date	:	30.07.2025
9.	Report Issue date	:	31.07.2025
10.	Latitude	:	16.310668
11.	Longitude	:	77.356168

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2024/2648

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	33
Stack Temperature (°C)	40
Velocity (m/s)	5.1
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m ²)	0.0907

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by




Authorized Signatory

Hanumanthaiah P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4 Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
 5. Sampling is not done by us unless otherwise specified.

Annexure-5





MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
 (Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



MSVAL/QR/7.4/01

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	D/SCR-02-Pharma Area
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	21.07.2025
5. Date of Sample Receipt	:	22.07.2025
6. Sample Code	:	SE/970
7. Analysis Starting Date	:	22.07.2025
8. Analysis Completion Date	:	30.07.2025
9. Report Issue date	:	31.07.2025
10. Latitude	:	16.309915
11. Longitude	:	77.356209

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000014936F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	31
Stack Temperature (°C)	40
Velocity (m/s)	4.8
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m ²)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m ³ /hr	1569	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	43.1	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm ³	10.2	35

INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by



END OF REPORT:-

Authorized Signatory

Hanumanthaiah P
 Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Samples Will be disposed after the specified retention period.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
 5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure - 5

MSVAL/QR/7.4/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	D/SCR-02-Pharma Area
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	21.07.2025
5.	Date of Sample Receipt	:	22.07.2025
6.	Sample Code	:	4930
7.	Analysis Starting Date	:	22.07.2025
8.	Analysis Completion Date	:	30.07.2025
9.	Report Issue date	:	31.07.2025
10.	Latitude	:	16.309915
11.	Longitude	:	77.356209

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2024/2649

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	40
Velocity (m/s)	4.8
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m ²)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by



END OF REPORT:-

Authorized Signatory

Hanumathaiah P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
 5. Sampling is not done by us unless otherwise specified.





MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
 E-mail :msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

Annexure - 5

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	Scrubber-H/SCR-02 Block Pharma
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	28.06.2025
5. Date of Sample Receipt	:	30.06.2025
6. Sample Code	:	SE/609
7. Analysis Starting Date	:	30.06.2025
8. Analysis Completion Date	:	03.07.2025
9. Report Issue date	:	04.07.2025
10. Latitude	:	16.309575
11. Longitude	:	77.356659

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407125000013393F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	36
Stack Temperature (°C)	42
Velocity (m/s)	4.9
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m ²)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m ³ /hr	1601.7	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	44.2	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm ³	10.2	35

INFERENCE	As per KSPCB Standards
Report Status: - The analyzed value for above measured parameter is within the limits.	

Analysed by

Authorized Signatory

Hanumantappa P
Technical Manager


Note: 1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Samplino is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-H/SCR-02 Block Pharma
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	28.06.2025
5.	Date of Sample Receipt	:	30.06.2025
6.	Sample Code	:	126
7.	Analysis Starting Date	:	30.06.2025
8.	Analysis Completion Date	:	03.07.2025
9.	Report Issue date	:	04.07.2025
10.	Latitude	:	16.309575
11.	Longitude	:	77.356659

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2025/2149

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	36
Stack Temperature (°C)	42
Velocity (m/s)	4.9
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m ²)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory


Hanumathaiah P
Technical Manager

- END OF REPORT -



Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
 5. Sampling is not done by us unless otherwise specified.

Annexeure -5





MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	Scrubber-C/SCR-03 Block Pharma
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	28.06.2025
5. Date of Sample Receipt	:	30.06.2025
6. Sample Code	:	SE/610
7. Analysis Starting Date	:	30.06.2025
8. Analysis Completion Date	:	03.07.2025
9. Report Issue date	:	04.07.2025
10. Latitude	:	16.310463
11. Longitude	:	77.355243

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407125000013394F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	36
Stack Temperature (°C)	43
Velocity (m/s)	4.8
Height (m)	3 mtr AGL
Diameter (m)	0.35
Cross sectional area (m ²)	0.0963

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m ³ /hr	1664.0	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	43.9	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm ³	8.6	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT:-



Note: 1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure - 5

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-C/SCR-03 Block Pharma
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	28.06.2025
5.	Date of Sample Receipt	:	30.06.2025
6.	Sample Code	:	127
7.	Analysis Starting Date	:	30.06.2025
8.	Analysis Completion Date	:	03.07.2025
9.	Report Issue date	:	04.07.2025
10.	Latitude	:	16.310463
11.	Longitude	:	77.355243

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2025/2150

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	36
Stack Temperature (°C)	43
Velocity (m/s)	4.8
Height (m)	3 mtr AGL
Diameter (m)	0.35
Cross sectional area (m ²)	0.0963

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory


Hanumanthaiah P
Technical Manager

-: END OF REPORT:-



Note:

- The results listed only to the tested samples & applicable parameters.
- Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
- Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
- Sampling is not done by us unless otherwise specified.





MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC - 4071

Annexure - 5

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-AJ Block-SCR-01
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	28.06.2025
5.	Date of Sample Receipt	:	30.06.2025
6.	Sample Code	:	SE/611
7.	Analysis Starting Date	:	30.06.2025
8.	Analysis Completion Date	:	03.07.2025
9.	Report Issue date	:	04.07.2025
10.	Latitude	:	16.310463
11.	Longitude	:	77.355243

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407125000013395F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	34
Stack Temperature (°C)	40
Velocity (m/s)	4.7
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m ²)	0.06160

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m ³ /hr	1629.4	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	36.3	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm ³	10.4	35

INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager


-: END OF REPORT:-

Note: 1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-AJ Block-SCR-01
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	28.06.2025
5.	Date of Sample Receipt	:	30.06.2025
6.	Sample Code	:	128
7.	Analysis Starting Date	:	30.06.2025
8.	Analysis Completion Date	:	03.07.2025
9.	Report Issue date	:	04.07.2025
10.	Latitude	:	16.310463
11.	Longitude	:	77.355243

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2025/2151

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	34
Stack Temperature (°C)	40
Velocity (m/s)	4.7
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m ²)	0.06160

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
 Technical Manager

-: END OF REPORT :-



Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4 Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
 5. Sampling is not done by us unless otherwise specified.

Annexure - 5





MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	Scrubber-E Block-SCR-03 Pharma
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	28.06.2025
5. Date of Sample Receipt	:	30.06.2025
6. Sample Code	:	SE/612
7. Analysis Starting Date	:	30.06.2025
8. Analysis Completion Date	:	03.07.2025
9. Report Issue date	:	04.07.2025
10. Latitude	:	16.310463
11. Longitude	:	77.355243

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407125000013396F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	37
Stack Temperature (°C)	44
Velocity (m/s)	5.0
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m ²)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m ³ /hr	1634.4	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	51.6	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm ³	12.4	35

INFERENCE	As per KSPCB Standards
Report Status: - The analyzed value for above measured parameter is within the limits.	

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager


Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Water samples will be destroyed after 10 days. Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NARI.



MSV Analytical Laboratories

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure - 5

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-E Block-SCR-03 Pharma
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	28.06.2025
5.	Date of Sample Receipt	:	30.06.2025
6.	Sample Code	:	129
7.	Analysis Starting Date	:	30.06.2025
8.	Analysis Completion Date	:	03.07.2025
9.	Report Issue date	:	04.07.2025
10.	Latitude	:	16.310463
11.	Longitude	:	77.355243

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2025/2152

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	37
Stack Temperature (°C)	44
Velocity (m/s)	5.0
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m ²)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT:-



Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4 Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
 5. Sampling is not done by us unless otherwise specified.





MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

Annexure - 5

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	I Block - Scrubber -02
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	21.05.2025
5. Date of Sample Receipt	:	22.05.2025
6. Sample Code	:	16131
7. Analysis Starting Date	:	22.05.2025
8. Analysis Completion Date	:	26.05.2025
9. Report Issue date	:	27.05.2025
10. Latitude	:	16.31059
11. Longitude	:	77.355982

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC40712500009874F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	32
Stack Temperature (°C)	54
Velocity (m/s)	5.2
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m ²)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m ³ /hr	1699.8	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	46.8	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm ³	12.4	35

INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager


Note: 1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	I Block - Scrubber -02
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	21.05.2025
5.	Date of Sample Receipt	:	22.05.2025
6.	Sample Code	:	2575
7.	Analysis Starting Date	:	22.05.2025
8.	Analysis Completion Date	:	26.05.2025
9.	Report Issue date	:	27.05.2025
10.	Latitude	:	16.31059
11.	Longitude	:	77.355982

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2025/2149

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	32
Stack Temperature (°C)	54
Velocity (m/s)	5.2
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m ²)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by


Authorized Signatory

Hanumanthaiah P
Technical Manager



Note: 1.The results listed only to the tested samples & applicable parameters.
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4 Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
 5. Sampling is not done by us unless otherwise specified.

Annexure - 5





MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	Scrubber- C Block Reactor
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	21.05.2025
5. Date of Sample Receipt	:	22.05.2025
6. Sample Code	:	16132
7. Analysis Starting Date	:	22.05.2025
8. Analysis Completion Date	:	26.05.2025
9. Report Issue date	:	27.05.2025
10. Latitude	:	16.31059
11. Longitude	:	77.355982

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC40712500009875F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	32
Stack Temperature (°C)	56
Velocity (m/s)	5.1
Height (m)	3 mtr AGL
Diameter (m)	0.35
Cross sectional area (m ²)	0.0963

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m ³ /hr	1768.1	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	41.2	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm ³	9.2	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--

Analysed by



Authorized Signatory

Hanumanthaiah P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure - 5

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	Scrubber- C Block Reactor
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	21.05.2025
5. Date of Sample Receipt	:	22.05.2025
6. Sample Code	:	2576
7. Analysis Starting Date	:	22.05.2025
8. Analysis Completion Date	:	26.05.2025
9. Report Issue date	:	27.05.2025
10. Latitude	:	16.31059
11. Longitude	:	77.355982

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2025/2150

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	32
Stack Temperature (°C)	56
Velocity (m/s)	5.1
Height (m)	3 mtr AGL
Diameter (m)	0.35
Cross sectional area (m ²)	0.0963

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory

Hanumathaiah P
Technical Manager



Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
 5. Sampling is not done by us unless otherwise specified.





MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

Annexure - 5

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	Scrubber-D Block Intermediate
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	21.05.2025
5. Date of Sample Receipt	:	22.05.2025
6. Sample Code	:	16133
7. Analysis Starting Date	:	22.05.2025
8. Analysis Completion Date	:	26.05.2025
9. Report Issue date	:	27.05.2025
10. Latitude	:	16.31059
11. Longitude	:	77.355982

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407125000009876F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	46
Velocity (m/s)	4.8
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m ²)	0.06160

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m ³ /hr	1064.4	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	39.5	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm ³	9.2	35

INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager


Note: 1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-D Block Intermediate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	21.05.2025
5.	Date of Sample Receipt	:	22.05.2025
6.	Sample Code	:	2577
7.	Analysis Starting Date	:	22.05.2025
8.	Analysis Completion Date	:	26.05.2025
9.	Report Issue date	:	27.05.2025
10.	Latitude	:	16.31059
11.	Longitude	:	77.355982

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2025/2151

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	31
Stack Temperature (°C)	46
Velocity (m/s)	4.8
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m ²)	0.06160

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by




Authorized Signatory

Hanumanthaiah P
Technical Manager

Note:

1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

Annexure -5





MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	AI Block- Scrubber no-02
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	21.05.2025
5.	Date of Sample Receipt	:	22.05.2025
6.	Sample Code	:	16134
7.	Analysis Starting Date	:	22.05.2025
8.	Analysis Completion Date	:	26.05.2025
9.	Report Issue date	:	27.05.2025
10.	Latitude	:	16.31059
11.	Longitude	:	77.355982

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC40712500009877F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	31
Stack Temperature (°C)	42
Velocity (m/s)	4.1
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m ²)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m ³ /hr	1340.2	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	49.2	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm ³	10.8	35

INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager


Note: 1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will be destroyed after 10 days. Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure - 5

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	AI Block- Scrubber no-02
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	21.05.2025
5. Date of Sample Receipt	:	22.05.2025
6. Sample Code	:	2578
7. Analysis Starting Date	:	22.05.2025
8. Analysis Completion Date	:	26.05.2025
9. Report Issue date	:	27.05.2025
10. Latitude	:	16.31059
11. Longitude	:	77.355982

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2025/2152

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	42
Velocity (m/s)	4.1
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m ²)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.


Analysed by

Authorized Signatory

Hanumathaiah P
Technical Manager



Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
 5. Sampling is not done by us unless otherwise specified.





MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

Annexure - 5

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-D Block -Intermediate Area-SCR-1
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	25.09.2025
5.	Date of Sample Receipt	:	26.09.2025
6.	Sample Code	:	SE/2599
7.	Analysis Starting Date	:	26.09.2025
8.	Analysis Completion Date	:	03.10.2025
9.	Report Issue date	:	04.10.2025
10.	Latitude	:	16.310517
11.	Longitude	:	77.356007

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000021973F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	33
Stack Temperature (°C)	40
Velocity (m/s)	4.8
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m ²)	0.06154

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m ³ /hr	1063.4	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	50.3	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm ³	12.1	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager



-: END OF REPORT :-

Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Samples Will be disposed after the specified retention period.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
 5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	Scrubber-D Block -Intermediate Area-SCR-1
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	25.09.2025
5. Date of Sample Receipt	:	26.09.2025
6. Sample Code	:	8826
7. Analysis Starting Date	:	26.09.2025
8. Analysis Completion Date	:	03.10.2025
9. Report Issue date	:	04.10.2025
10. Latitude	:	16.310517
11. Longitude	:	77.356007

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2024/3940

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	33
Stack Temperature (°C)	40
Velocity (m/s)	4.8
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m ²)	0.06154

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.006	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards
Report Status: - The analyzed value for above measured parameter is within the limits.	

Analysed by

Authorized Signatory


Hanumanthaiah P
Technical Manager

-: END OF REPORT:-



Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
 5. Sampling is not done by us unless otherwise specified.

Annexeure - 5



 GPS Map C...

Chicksugur, Karnataka, India

33, Chicksugur, Karnataka 584134, India

Lat 16.310517° Long 77.356007°

25/09/2025 03:52 PM GMT +05:30





MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
 (Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Bailari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber- C Block -Pharma Area-SCR-2
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	25.09.2025
5.	Date of Sample Receipt	:	26.09.2025
6.	Sample Code	:	SE/2600
7.	Analysis Starting Date	:	26.09.2025
8.	Analysis Completion Date	:	03.10.2025
9.	Report Issue date	:	04.10.2025
10.	Latitude	:	16.310405
11.	Longitude	:	77.356308

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000021974F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	30
Stack Temperature (°C)	39
Velocity (m/s)	4.5
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m ²)	0.066

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m ³ /hr	1069.2	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	36.2	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm ³	6.6	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager


Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Samples Will be disposed after the specified retention period.
 3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
 5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure - 5

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	Scrubber- C Block -Pharma Area-SCR-2
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	25.09.2025
5. Date of Sample Receipt	:	26.09.2025
6. Sample Code	:	8827
7. Analysis Starting Date	:	26.09.2025
8. Analysis Completion Date	:	03.10.2025
9. Report Issue date	:	04.10.2025
10. Latitude	:	16.310405
11. Longitude	:	77.356308

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2024/3941

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	30
Stack Temperature (°C)	39
Velocity (m/s)	4.5
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m ²)	0.066

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.004	Shall not be more than 0.01

INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.


Analysed by

Authorized Signatory

Hamumanthaiah P
Technical Manager



Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
 5. Sampling is not done by us unless otherwise specified.





MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



Annexure - 5

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	Scrubber-E Block -Intermediate Area-01
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	25.09.2025
5. Date of Sample Receipt	:	26.09.2025
6. Sample Code	:	SE/2601
7. Analysis Starting Date	:	26.09.2025
8. Analysis Completion Date	:	03.10.2025
9. Report Issue date	:	04.10.2025
10. Latitude	:	16.310629
11. Longitude	:	77.355925

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000021975F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	31
Stack Temperature (°C)	41
Velocity (m/s)	5.0
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m ²)	0.0907

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m ³ /hr	1632.6	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	45.6	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm ³	10.9	35

INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumantiah P
Technical Manager



Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Samples Will be disposed after the specified retention period.
 3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
 5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	Scrubber-E Block -Intermediate Area-01
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	25.09.2025
5. Date of Sample Receipt	:	26.09.2025
6. Sample Code	:	8827
7. Analysis Starting Date	:	26.09.2025
8. Analysis Completion Date	:	03.10.2025
9. Report Issue date	:	04.10.2025
10. Latitude	:	16.310629
11. Longitude	:	77.355925

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2024/3942

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	41
Velocity (m/s)	5.0
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m ²)	0.0907

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.002	Shall not be more than 0.01

INFERENCE


As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager



Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4 Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
 5. Sampling is not done by us unless otherwise specified.

Annexure -5





MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
 (Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	Scrubber-I Block-Intermediate Area-01
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	25.09.2025
5. Date of Sample Receipt	:	26.09.2025
6. Sample Code	:	SE/2602
7. Analysis Starting Date	:	26.09.2025
8. Analysis Completion Date	:	03.10.2025
9. Report Issue date	:	04.10.2025
10. Latitude	:	16.310077
11. Longitude	:	77.356043

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000021976F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	30
Stack Temperature (°C)	38
Velocity (m/s)	4.7
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m ²)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m ³ /hr	1536.3	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	45.7	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm ³	11.2	35

INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT:-



Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Samples Will be disposed after the specified retention period.
 3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
 5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure - 5

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID	:	Scrubber-I Block-Intermediate Area-01
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	25.09.2025
5. Date of Sample Receipt	:	26.09.2025
6. Sample Code	:	8828
7. Analysis Starting Date	:	26.09.2025
8. Analysis Completion Date	:	03.10.2025
9. Report Issue date	:	04.10.2025
10. Latitude	:	16.310077
11. Longitude	:	77.356043

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2024/3943

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	30
Stack Temperature (°C)	38
Velocity (m/s)	4.7
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m ²)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.008	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--

Analysed by


Authorized Signatory

Hanumanthaiah P
Technical Manager



-: END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
 5. Sampling is not done by us unless otherwise specified.





MSV Analytical Laboratories

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure - b

ANALYSIS REPORT

MSVAL/A/F/16/02

Test Report No:MSVAL/2025/1963

Issued Date:04.07.2025

1.	Name of the Industry	:	M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
3.	Name of the parameter	:	Volatile Organic Compounds
4.	Date of Monitoring	:	28.06.2025

S. No	Name of the location	Date of Sampling	Duration of monitoring	Method		
				EPA/625/R-96/010b		
				Compendium of Methods Second Edition		
S. No	Name of the location	Date of Sampling	Duration of monitoring	Result	Units	Std
	Near Boiler chimney Area	28.06.2025	8hours	0.26	mg/m ³	---
	Near Production Block Area	28.06.2025	8hours	0.31	mg/m ³	---
	Scrubber-H/SCR-02 Block Pharma Area	28.06.2025	8hours	0.38	mg/m ³	---
	Scrubber-C/SCR-03 Block Pharma Area	28.06.2025	8hours	0.46	mg/m ³	---
	Scrubber-AJ Block-SCR-01 Area Area	28.06.2025	8hours	0.35	mg/m ³	---
	Scrubber-E Block-SCR-03 Pharm	28.06.2025	8hours	0.41	mg/m ³	---
	E- Block intermediate area	30.06.2025	8hours	0.43	mg/m ³	---
	G- Block intermediate area	30.06.2025	8hours	0.42	mg/m ³	---
	Aj- Block intermediate area	30.06.2025	8hours	0.45	mg/m ³	---
	I- Block intermediate area	30.06.2025	8hours	0.36	mg/m ³	---
	H- Block intermediate area	30.06.2025	8hours	0.35	mg/m ³	---

Analysed by



Authorized Signatory


 Hanumanthaiah.P
 Technical Manager

-- END OF REPORT --



Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
 5. Sampling is not done by us unless otherwise specified.



Form 2 -[Rule 6(2)] Authorization
under Hazardous & Other Wastes
[Management & Transboundary
Movement]Rules,2016
Authorization No: 328814

Valid upto: 30/06/2026

(This document contains 4 pages excluding annexure)

Karnataka State Pollution Control Board
Parisara Bhavana,No.49, Church
Street,Bengaluru-560001
Tele : 080-25589112/3, 25581383
Fax:080-25586321
email id: ho@kspcb.gov.in

Annexure-7

Authorization No: 328814 PCB ID: 28295 Date: 21/12/2021

FORM FOR GRANT OR RENEWAL OF AUTHORISATION BY STATE POLLUTION CONTROL BOARD TO THE OCCUPIERS, RECYCLERS, REPROCESSORS, REUSERS, USER AND OPERATORS OF DISPOSAL FACILITIES

Ref: 1. Authorization application submitted by the industry/organization on 05/10/2021 at Regional Office.

2. Inspection of the project site/organization by Regional Officer , Raichur on 05/10/2021
3. Proceedings of CCM dated: , held on:

1. Number of authorization 328814 and date of issue 21/12/2021

2. Reference of application No. 21136 Inward Date 05/10/2021

3. Managing director of Shilpa Medicare Ltd 100% EouPlot no 33,33A,40 to 47,Raichur Growth Centre is hereby granted an authorization based on the enclosed signed inspection report for Generation,Collection,Reception or any other use of hazardous or other wastes or both on the premises situated at the location **Address:** Plot no 30, 31, 32 and 35-39, 33,33A, 40 TO 47 , Raichur Growth Centre **Industrial Area :** Chiksugur , **Taluk :** Raichur , **District :** Raichur

Details of Authorization:

Category of Hazardous waste as per the Schedule I,II & IV of these rules	Description of Hazardous Waste	Quantity/Annum	Unit	Authorized Mode of Disposal or recycling or utilization or co-processing, etc.,
I	28.5~Date-expired products	1.000	M.T	As Per Annexure
I	5.1~Used Spent Oil	3.000	KLT	As Per Annexure
I	28.3~Spent carbon	3.000	M.T	As Per Annexure
	20.3~Distillation Residues	20.300	M.T	As Per Annexure
I	28.1~Process Residue and wastes	8.682	M.T	As Per Annexure



Form 2 -[Rule 6(2)] Authorization
under Hazardous & Other Wastes
[Management & Transboundary
Movement]Rules,2016
Authorization No: 328814

Valid upto: 30/06/2026

(This document contains 4 pages excluding annexure)

Karnataka State Pollution Control Board
Parisara Bhavana, No.49, Church
Street, Bengaluru-560001
Tele : 080-25589112/3, 25581383
Fax: 080-25586321
email id: ho@kspcb.gov.in

Annexure-7

I	28.2~Spent catalyst	11.800 KLT	As Per Annexure
I	28.6~ Spent solvents	623.288 M.T	As Per Annexure
I	33.1~Empty barrels/containers/liners contaminated with hazardous chemicals /wastes	60.000 M.T	As Per Annexure
I	35.3~Chemical Sludge From Waste Water Treatment	1112.857 M.T	As Per Annexure

1. The authorization shall be valid for a period upto 30/06/2026

A. General Conditions of authorization:

1. The authorized person shall comply with the provisions of the Environment (Protection) Act, 1986 and the Rules made there under.
2. The authorization or its renewal shall be produced for inspection at the request of an Officer authorized by the Karnataka State Pollution Control Board.
3. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous wastes and other wastes except what is permitted through this authorization and without obtaining prior permission of the KSPCB.
4. Any unauthorized change in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorization.
5. The person authorized shall implement Emergency Response Procedure (ERP) for which this authorization is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time.
6. The person authorized shall comply with the provisions outlined in the Central Pollution Control Board guidelines on "Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Waste and Penalty".
7. It is the duty of the authorized person to take prior permission of the Karnataka State Pollution Control Board to close down the facility.
8. The imported hazardous and other wastes shall be fully insured for transit as well as for any accidental occurrence and its clean-up operation.



Form 2 -[Rule 6(2)] Authorization
under Hazardous & Other Wastes
[Management & Transboundary
Movement]Rules,2016
Authorization No: 328814

Valid upto: 30/06/2026

(This document contains 4 pages excluding annexure)

Karnataka State Pollution Control Board
Parisara Bhavana, No.49, Church
Street, Bengaluru-560001
Tele : 080-25589112/3, 25581383
Fax: 080-25586321
email id: ho@kspcb.gov.in


Annexure-7

9. The importer or exporter shall bear the cost of import or export and mitigation of damages if any.
10. Any other conditions for compliance as per the Guidelines issued by the Ministry of Environment, Forest and Climate Change or Central Pollution Control Board from time to time.
11. An application for the renewal of an authorization shall be made '**3 months**' before the date of expiry.
12. The Person authorized shall bring to the notice of the Board, if any increase in quantity, change in category and handling operation. In such cases, the authorized Person has to obtain fresh authorization.
13. Karnataka State Pollution Control Board reserves the right to review, impose additional condition or conditions, revoke, change or alter the terms and conditions of this authorization or to suspend or cancel this authorization.
14. The Person authorized shall take steps for reduction and prevention of the waste generated or for recycling or reuse.
15. The authorized person shall maintain the records at site in Form-3 and shall submit the annual returns in Form-4 within 30th June every year for the Period April to March and manifest in Form-10.
16. The record of consumption and fate of the imported hazardous and other wastes shall be maintained.
17. The hazardous and other waste which gets generated during recycling or reuse or recovery or per-processing or utilization of imported hazardous or other wastes shall be treated and disposed of as per specific conditions of authorization.
18. The transportation of hazardous waste shall have to be carried out only through registered/authorized vehicles meant for transportation of hazardous waste.
19. The Person Authorized shall not store the Hazardous Waste more than ninety days as per Rule 8 (1).
20. The Person Authorized shall transport and store the raw materials in a manner so as not to cause any damage to environment, life and property. The applicant shall be solely responsible for any damages to environment.
21. Display Boards: The person authorized shall display sign boards at the storage site as "Hazardous Waste Storage Site" and "Danger" and the site shall be provided with accident preventive measures.

Additional Conditions:

1. The list of waste categories and quantities mentioned in Annexure attached as additional document with this authorization shall only be considered as authorized waste category and quantity.

For and on behalf of the
Karnataka State Pollution Control Board



Form 2 -[Rule 6(2)] Authorization
under Hazardous & Other Wastes
[Management & Transboundary
Movement]Rules,2016
Authorization No: 328814

Valid upto: 30/06/2026

(This document contains 4 pages excluding annexure)

Karnataka State Pollution Control Board
Parisara Bhavana, No.49, Church
Street, Bengaluru-560001
Tele : 080-25589112/3, 25581383
Fax: 080-25586321
email id: ho@kspcb.gov.in

Annexure-7

CHIEF/ SENIOR ENVIRONMENTAL OFFICER

COPY TO:

1. The Environmental Officer, KSPCB, Regional Office, for information and to inspect the industry during your next visit to the area.
2. Master copy (Dispatch).
3. Office copy.

Annexure - VIII

Scrubber details

Scrubber systems are a diverse group of air pollution control devices that can be used to remove particulates and/or gases from industrial exhaust streams. Traditionally, the term "scrubber" has reference to pollution control devices that used liquid to "scrub" unwanted pollutants from a gas stream. Recently, the term is also used to describe systems that inject a dry reagent or slurry into a dirty exhaust stream to "scrub out" acid gases. Scrubbers are one of the primary devices that control gaseous emissions, especially acid gases.

Wet scrubber is a form of pollution control technology in which the polluted gas stream is brought into contact with the scrubbing liquid by spraying it with the liquid, by forcing it through a pool of liquid, or by some other contact method, so as to remove the pollutants.

The design of wet scrubbers or any air pollution control device depends on the industrial process conditions and the nature of the air pollutants involved. Inlet gas characteristics and dust properties (if particles are present) are of primary importance. Scrubbers can be designed to collect particulate matter and/or gaseous pollutants. Wet scrubbers remove dust particles by capturing them in liquid droplets; remove pollutant gases by dissolving or absorbing them into the liquid.

Any droplets that are in the scrubber inlet gas must be separated from the outlet gas stream by means of another device referred to as a mist eliminator or entrainment separator (these terms are interchangeable). Also, the resultant scrubbing liquid must be treated prior to any ultimate discharge or before being reused in the plant.

There are numerous configurations of scrubbers and scrubbing systems, all designed to provide good contact between the liquid and polluted gas stream.

The process and solvent recovery sections are provided with scrubber to scrub the fumes and vapors generated in order to remove such emissions before it is let out into the atmosphere.

Scrubber Details:

1) Scrubbing system for C block intermediate reactors

Type	:	Single Stage Counter Flow Packed Bed
Dia	:	1250 mm
Height	:	4000 mm
M O C	:	PP/FRP
PP	:	5 mm
FRP	:	7 mm with Isophthalic Resin
Packing	:	Polypropylene Pall Rings
Size	:	40 mm dia x 40 mm height
Filter Plate	:	PP Perforated - 15 mm thick
Spray	:	Polypropylene Jet Spray System

b) Blower:

Annexure - VIII

Type	:	Backward Curve SISW
Casing	:	PP/FRP with Isophthalic Resin
Impeller	:	MS/FRP with Bisphenol Resin
Capacity	:	18000 CMH
Stat. Pressure	:	150 mmwg
Motor	:	20 HP FLP – 1440 RPM
Make	:	Kirloskar or CG
Drive	:	Belt

c) Ducting Details:

M O C	:	PP/FRP
Sizes	:	250, 350, 450 & 700 mm dia
Ducting includes Straight lengths, Elbows, T-sections & Reducers		

d) Liquid Circulation Tank:

Capacity	:	3 K L
PP	:	5 mm
FRP	:	7 mm with Isophthalic Resin
<ul style="list-style-type: none"> • Cylindrical, vertical, flat bottom & conical top • External MS/FRP Reinforcement • Necessary Nozzles & Manhole 		
e) Pump:		

Make	:	Antico
Model	:	130 CT
Drive Motor	:	3 HP – 2900 RPM FLP

f) Liquid Circulation Lines:

MOC	:	HDPE
Sizes	:	Variable from 40 mm dia to 75 mm dia

g) MS Support Structure for Scrubber with Anti Corrosive Coating:

2) Scrubbing System for Pharma Block Centrifuges:

CSSR-15& CGLR-14, CSSANFD-02

Ducting from Each Reactor from 1st floor& from CSSANFD Ground Floor. Ducting, Scrubber, Blower, MS structure & pump.

System for Centrifuges:

- CSSCF-01, CSSCF-02, CSSCF-03, CSSCF-04, RCVD-01, RCVD-02, ANFD-01,

a) Scrubber Details:

Type	:	Single Stage Counter Flow Packed Bed
Dia	:	700 mm
Height	:	4000 mm
M O C	:	PP/FRP
PP	:	5 mm
FRP	:	4 mm with Isophthalic Resin
Packing	:	Polypropylene Pal Rings.
Size	:	40 mm dia x 40 mm height.
Filter Plate	:	PP Perforated - 15 mm thick.
Spray	:	Polypropylene Jet Spray System.

b) Blower:

Type	:	Backward Curve SISW
Casing	:	PP/FRP with Isophthalic Resin
Impeller	:	MS/FRP with Bisphenol Resin

Annexure - VIII

Capacity	:	5500 CMH
Stat. Pressure	:	150 mmwg
Motor	:	7.5 HP FLP – 1440 RPM
Make	:	Kirloskar or CG
Drive	:	Belt

c) Ducting Details:

M O C	:	PP/FRP
Sizes	:	200, 275 & 375 mm dia

Ducting includes Straight lengths, Elbows, T-sections & Reducers

d) Liquid Circulation Tank:

Capacity	:	2 K L
PP	:	5 mm
FRP	:	6 mm with Isophthalic Resin
<ul style="list-style-type: none"> • Cylindrical, vertical, flat bottom & conical top • External MS/FRP Reinforcement • Necessary Nozzles & Manhole 		

e) Pump:

Make	:	Antico
Model	:	120 CT
Drive Motor	:	2 HP – 2900 RPM FLP

f) Liquid Circulation Lines:

MOC	:	HDPE
Sizes	:	Variable from 40 mm dia to 63 mm dia

g) MS Support Structure for Scrubber with Anti Corrosive Coating:

3). Wet Scrubbing System at Production Block – D:

Equipments Connected to the System:

- DSSR-04, DSSR-05, , DGLR-01, DGLR-02, DGLR-03, DGLR-06, DGLR-07, DSSRF-01, DSSRF-02, DSSRF-03, DSSVTD-01, DSSVTD02, DSSVTD-03, Isolator & 3 spare points

a) Scrubber Details:

Type	:	Single Stage Counter Flow Packed Bed
Dia	:	1100 mm
Height	:	4000 mm
M O C	:	PP/FRP
PP	:	5 mm
FRP	:	7 mm with Isophthalic Resin
Packing	:	Polypropylene Pal Rings
Size	:	40 mm dia x 40 mm height
Filter Plate	:	PP Perforated - 15 mm thick
Spray	:	Polypropylene Jet Spray System

b) Blower:

Type	:	Backward Curve SISW
Casing	:	PP/FRP with Isophthalic Resin
Impeller	:	MS/FRP with Bisphenol Resin
Capacity	:	13000 CMH
Stat. Pressure	:	150 mmwg
Motor	:	15 HP FLP – 1440 RPM
Make	:	Kirloskar or CG

Annexure - VIII

Drive : Belt

c) Ducting Details:

M O C : PP/FRP
 Sizes : 150, 200, 225, 250, 450, 500 & 600 mm dia
 Ducting includes Straight lengths, Elbows, T-sections & Reducers

d) Liquid Circulation Tank:

Capacity : 3 K L
 PP : 5 mm
 FRP : 7 mm with Isophthalic Resin

- Cylindrical, vertical, flat bottom & conical top
- External MS/FRP Reinforcement
- Necessary Nozzles & Manhole

e) Pump:

Make : Antico
 Model : 130 CT
 Drive Motor : 2 HP – 2900 RPM FLP

f) Liquid Circulation Lines:

MOC : HDPE
 Sizes : Variable from 40 mm dia to 75 mm dia

g) MS Support Structure for Scrubber with Anti Corrosive Coating:

4) Scrubbing System for Pharma Area:

DGLR-08, DSSR-09 in first Floor & ANFD Isolator In Ground floor must given with separate scrubber & Ducting

a) Scrubber Details:

Type : Single Stage Counter Flow Packed Bed
 Dia : 1100 mm
 Height : 4000 mm
 M O C : PP/FRP
 PP : 5 mm
 FRP : 7 mm with Isophthalic Resin
 Packing : Polypropylene Pal Rings
 Size : 40 mm dia x 40 mm height
 Filter Plate : PP Perforated - 15 mm thick
 Spray : Polypropylene Jet Spray System

b) Blower:

Type : Backward Curve SISW
 Casing : PP/FRP with Isophthalic Resin
 Impeller : MS/FRP with Bisphenol Resin
 Capacity : 13000 CMH
 Stat.Pressure : 150 mmwg
 Motor : 15 HP FLP – 1440 RPM
 Make : Kirloskar or CG
 Drive : Belt

c) Ducting Details:

M O C : PP/FRP
 Sizes : 150, 200, 225, 250, 450, 500 & 600 mm dia
 Ducting includes Straight lengths, Elbows, T-sections & Reducers

d) Liquid Circulation Tank:

Annexure - VIII

Capacity : 3 K L
 PP : 5 mm
 FRP : 7 mm with Isophthalic Resin

- Cylindrical, vertical, flat bottom & conical top
- External MS/FRP Reinforcement
- Necessary Nozzles & Manhole

e) Pump:

Make : Antico
 Model : 130 CT
 Drive Motor : 2 HP – 2900 RPM FLP

f) Liquid Circulation Lines:

MOC : HDPE
 Sizes : Variable from 40 mm dia to 75 mm dia

g) MS Support Structure for Scrubber with Anti Corrosive Coating:

5). Wet Scrubbing System at Production Block – E:

System for Reactors:

- ESSR-01, ESSR-02, ESSR-03, ESSR-04, ESSR-08, ESSR-10, ESSR-11, ESSR-12, ESSR-14, EGLR-05, EGLR-06, EGLR-07, EGLR-09 & EGLR-13

a) Scrubber Details:

Type : Single Stage Counter Flow Packed Bed
 Dia : 1200 mm
 Height : 4000 mm
 M O C : PP/FRP
 PP : 5 mm
 FRP : 7 mm with Isophthalic Resin
 Packing : Polypropylene Pall Rings
 Size : 40 mm dia x 40 mm height
 Filter Plate : PP Perforated - 15 mm thick
 Spray : Polypropylene Jet Spray System

b) Blower:

Type : Backward Curve SISW
 Casing : PP/FRP with Isophthalic Resin
 Impeller : MS/FRP with Bisphenol Resin
 Capacity : 17000 CMH
 Stat.Pressure : 150 mmwg
 Motor : 20 HP FLP – 1440 RPM
 Make : Kirloskar or CG
 Drive : Belt

c) Ducting Details:

M O C : PP/FRP
 Sizes : 250, 350, 450 & 675 mm dia
 Ducting includes Straight lengths, Elbows, T-sections & Reducers

d) Liquid Circulation Tank:

Capacity : 3 K L
 PP : 5 mm
 FRP : 7 mm with Isophthalic Resin

- Cylindrical, vertical, flat bottom & conical top

Annexure - VIII

- External MS/FRP Reinforcement
- Necessary Nozzles & Manhole

e) Pump:

Make	:	Antico
Model	:	130 CT
Drive Motor	:	3 HP – 2900 RPM FLP

f) Liquid Circulation Lines:

MOC	:	HDPE
Sizes	:	Variable from 40 mm dia to 75 mm dia

g) MS Support Structure for Scrubber with Anti Corrosive Coating:

6) Scrubbing System for Pharma Block reactors & Centrifuges:

EGLR-13 & ESSR-14, ESSCF-05.

Ducting from Each Reactors from 1st floor & from Ground Floor centrifuge .Ducting, Scrubber, Blower, MS structure

System for Centrifuges:

CSSCF-01, CSSCF-02, CSSCF-03, CSSCF-04, ESSRVCD-01, ESSRVCD-02, ESSTD01 & ESSANFD-01

a) Scrubber Details:

Type	:	Single Stage Counter Flow Packed Bed
Dia	:	750 mm
Height	:	4000 mm
M O C	:	PP/FRP
PP	:	5 mm
FRP	:	4 mm with Isophthalic Resin
Packing	:	Polypropylene Pal Rings
Size	:	40 mm dia x 40 mm height
Filter Plate	:	PP Perforated - 15 mm thick
Spray	:	Polypropylene Jet Spray System

b) Blower:

Type	:	Backward Curve SISW
Casing	:	PP/FRP with Isophthalic Resin
Impeller	:	MS/FRP with Bisphenol Resin
Capacity	:	6200 CMH
Stat.Pressure	:	150 mmwg
Motor	:	7.5 HP FLP – 1440 RPM
Make	:	Kirloskar or CG
Drive	:	Belt

c) Ducting Details:

M O C	:	PP/FRP
Sizes	:	150, 200, 300 & 400 mm dia

Ducting includes Straight lengths, Elbows, T-sections & Reducers

d) Liquid Circulation Tank:

Capacity	:	2 K L
PP	:	5 mm
FRP	:	6 mm with Isophthalic Resin

- Cylindrical, vertical, flat bottom & conical top
- External MS/FRP Reinforcement

Annexure - VIII

- Necessary Nozzles & Manhole

e) Pump:

Make	:	Antico
Model	:	120 CT
Drive Motor	:	2 HP – 2900 RPM FLP

f) Liquid Circulation Lines:

MOC	:	HDPE
Sizes	:	Variable from 40 mm dia to 63 mm dia

g) MS Support Structure for Scrubber with Anti Corrosive Coating:

7. Wet Scrubbing System at Production Block – H:

Equipments Connected to the System:

HSSR-01, HSSR-02, HSSR-03, HSSR-04, HSSR-05, HSSR-07, HGLR-06, HGLR-08, HGLR-10, HGLR-09, , HSSRF-01, HSSRF-02, HSSRF-03, HSSRF-04, VTD-01, VTD-02, VTD-03, ANFD & 3 SPARE POINTS

a) Scrubber Details:

Type	:	Single Stage Counter Flow Packed Bed
Dia	:	1200 mm
Height	:	4000 mm
M O C	:	PP/FRP
PP	:	5 mm
FRP	:	7 mm with Isophthalic Resin
Packing	:	Polypropylene Pal Rings
Size	:	40 mm dia x 40 mm height
Filter Plate	:	PP Perforated - 15 mm thick
Spray	:	Polypropylene Jet Spray System

b) Blower:

Type	:	Backward Curve SISW
Casing	:	PP/FRP with Isophthalic Resin
Impeller	:	MS/FRP with Bisphenol Resin
Capacity	:	16000 CMH
Stat.Pressure	:	150 mm wg
Motor	:	17.5 HP FLP – 1440 RPM
Make	:	Kirloskar or CG
Drive	:	Belt

c) Ducting Details:

M O C	:	PP/FRP
Size	:	200, 425, 475 & 650 mm dia

Ducting includes Straight lengths, Elbows, T-sections & Reducers

d) Liquid Circulation Tank:

Capacity	:	3 K L
PP	:	5 mm
FRP	:	7 mm with Isophthalic Resin
<ul style="list-style-type: none"> • Cylindrical, vertical, flat bottom & conical top • External MS/FRP Reinforcement • Necessary Nozzles & Manhole 		

e) Pump:

Make	:	Antico
Model	:	130 CT

Annexure - VIII

Drive Motor : 3 HP – 2900 RPM FLP

f) Liquid Circulation Lines:

MOC : HDPE

Sizes : Variable from 40 mm dia to 75 mm dia

g) MS Support Structure for Scrubber with Anti Corrosive Coating

8. Wet Scrubbing System at Production Block – H:

Equipments Connected to the System:

HGLR-11, HGLR-12, HGLR-13 in First Floor & ANFD isolator in Ground floor Must given Separately with ducting Blower.

a) Scrubber Details:

Type : Single Stage Counter Flow Packed Bed

Dia : 1200 mm

Height : 4000 mm

M O C : PP/FRP

PP : 5 mm

FRP : 7 mm with Isophthalic Resin

Packing : Polypropylene Pal Rings

Size : 40 mm dia x 40 mm height

Filter Plate : PP Perforated - 15 mm thick

Spray : Polypropylene Jet Spray System

b) Blower:

Type : Backward Curve SISW

Casing : PP/FRP with Isophthalic Resin

Impeller : MS/FRP with Bisphenol Resin

Capacity : 16000 CMH

Stat.Pressure : 150 mm wg

Motor : 17.5 HP FLP – 1440 RPM

Make : Kirloskar or CG

Drive : Belt

c) Ducting Details:

M O C : PP/FRP

Size : 150, 200, 275, 300, 450, 550 & 650mm dia

Ducting includes Straight lengths, Elbows, T-sections & Reducers

d) Liquid Circulation Tank:

Capacity : 3 K L

PP : 5 mm

FRP : 7 mm with Isophthalic Resin

- Cylindrical, vertical, flat bottom & conical top

- External MS/FRP Reinforcement

- Necessary Nozzles & Manhole

e) Pump:

Make : Antico

Model : 130 CT

Drive Motor : 3 HP – 2900 RPM FLP

f) Liquid Circulation Lines:

MOC : HDPE

Sizes : Variable from 40 mm dia to 75 mm dia

g) MS Support Structure for Scrubber with Anti Corrosive Coating

Annexure - VIII

9. Wet Scrubbing System at Production Block – I :

Equipments Connected to the System:

IGLR-01, IGLR-02, IGLR-03, IGLR-04, IGLR-05, IAGR-06, IGLR-09, IGLR-07, IGLR-08, IGLR-10, ISSRF-01, ESSRF-02, ISSRF-03, VTD-01, VTD-02, VTD-03, & 3 SPARE POINTS.

a) Scrubber Details:

Type	:	Single Stage Counter Flow Packed Bed
Dia	:	1050 mm
Height	:	4000 mm
M O C	:	PP/FRP
PP	:	5 mm
FRP	:	7 mm with Isophthalic Resin
Packing	:	Polypropylene Pal Rings
Size	:	40 mm dia x 40 mm height
Filter Plate	:	PP Perforated - 15 mm thick
Spray	:	Polypropylene Jet Spray System

b) Blower:

Type	:	Backward Curve SISW
Casing	:	PP/FRP with Isophthalic Resin
Impeller	:	MS/FRP with Bisphenol Resin
Capacity	:	12500 CMH
Stat.Pressure	:	150 mmwg
Motor	:	15 HP FLP – 1440 RPM
Make	:	Kirloskar or CG
Drive	:	Belt

c) Ducting Details:

M O C	:	PP/FRP
Size	:	150, 225, 300, 450 & 600 mm dia

Ducting includes Straight lengths, Elbows, T-sections & Reducers

d) Liquid Circulation Tank:

Capacity	:	3 K L
PP	:	5 mm
FRP	:	7 mm with Isophthalic Resin
<ul style="list-style-type: none"> • Cylindrical, vertical, flat bottom & conical top • External MS/FRP Reinforcement • Necessary Nozzles & Manhole 		

e) Pump:

Make	:	Antico
Model	:	130 CT
Drive Motor	:	3 HP – 2900 RPM FLP

f) Liquid Circulation Lines:

MOC	:	HDPE
Sizes	:	Variable from 40 mm dia to 75 mm dia

g) MS Support Structure for Scrubber with Anti Corrosive Coating:

10. Scrubbing System For Pharma Area:

Annexure - VIII

IGLR-11, IGLR-12 in First floor & &ANFD isolator in ground floor must be given with separate scrubber, ducting

a) Scrubber Details:

Type	:	Single Stage Counter Flow Packed Bed
Dia	:	1050 mm
Height	:	4000 mm
M O C	:	PP/FRP
PP	:	5 mm
FRP	:	7 mm with Isophthalic Resin
Packing	:	Polypropylene Pal Rings
Size	:	40 mm dia x 40 mm height
Filter Plate	:	PP Perforated - 15 mm thick
Spray	:	Polypropylene Jet Spray System

b) Blower:

Type	:	Backward Curve SISW
Casing	:	PP/FRP with Isophthalic Resin
Impeller	:	MS/FRP with Bisphenol Resin
Capacity	:	12500 CMH
Stat. Pressure	:	150 mmwg
Motor	:	15 HP FLP – 1440 RPM
Make	:	Kirloskar or CG
Drive	:	Belt

c) Ducting Details:

M O C	:	PP/FRP
Size	:	150, 225, 300, 450 & 600 mm dia

Ducting includes Straight lengths, Elbows, T-sections & Reducers

d) Liquid Circulation Tank:

Capacity	:	3 K L
PP	:	5 mm
FRP	:	7 mm with Isophthalic Resin
<ul style="list-style-type: none"> • Cylindrical, vertical, flat bottom & conical top • External MS/FRP Reinforcement • Necessary Nozzles & Manhole 		

e) Pump:

Make	:	Antico
Model	:	130 CT
Drive Motor	:	3 HP – 2900 RPM FLP

f) Liquid Circulation Lines:

MOC	:	HDPE
Sizes	:	Variable from 40 mm dia to 75 mm dia

g) MS Support Structure for Scrubber with Anti Corrosive Coating:

11. Wet Scrubbing System at Production Block – AI:

Equipments Connected to the System:

AI/RE-01, AI/RE-02, AI/RE-03, AI/RE-04, AI/RE-05, AI/RE-06, AI/RE-07, AI/RE-08, AI/RE-09, AI/RE-10, AI/RE-11, AI/RE-11, AI/ISNF-01, AI/ISVTD-01, AI/IS-01, AI/PIS-01, AI/VT-01, AI/VT-02, AI/VT-03, AI/VT-04.

a) Scrubber Details:

Type	:	Single Stage Counter Flow Packed Bed
------	---	--------------------------------------

Annexure - VIII

Dia	:	1050 mm
Height	:	4000 mm
M O C	:	PP/FRP
PP	:	5 mm
FRP	:	7 mm with Isophthalic Resin
Packing	:	Polypropylene Pal Rings
Size	:	40 mm dia x 40 mm height
Filter Plate	:	PP Perforated - 15 mm thick
Spray	:	Polypropylene Jet Spray System

b) Blower:

Type	:	Backward Curve SISW
Casing	:	PP/FRP with Isophthalic Resin
Impeller	:	MS/FRP with Bisphenol Resin
Capacity	:	12500 CMH
Stat.Pressure	:	150 mmwg
Motor	:	15 HP FLP – 1440 RPM
Make	:	Kirloskar or CG
Drive	:	Belt

c) Ducting Details:

M O C	:	PP/FRP
Size	:	150, 225, 300, 450 & 600 mm dia

Ducting includes Straight lengths, Elbows, T-sections & Reducers

d) Liquid Circulation Tank:

Capacity	:	3 K L
PP	:	5 mm
FRP	:	7 mm with Isophthalic Resin

- Cylindrical, vertical, flat bottom & conical top
- External MS/FRP Reinforcement
- Necessary Nozzles & Manhole

e) Pump:

Make	:	Antico
Model	:	130 CT
Drive Motor	:	3 HP – 2900 RPM FLP

f) Liquid Circulation Lines:

MOC	:	HDPE
Sizes	:	Variable from 40 mm dia to 75 mm dia

g) MS Support Structure for Scrubber with Anti Corrosive Coating:

11. Wet Scrubbing System at Production Block – AJ:

Equipments Connected to the System:

AJ/RE-01, AJ/RE-02, AJ/RE-03, AJ/RE-04, AJ/RE-05, AJ/RE-06.

a) Scrubber Details:

Type	:	Single Stage Counter Flow Packed Bed
Dia	:	1050 mm
Height	:	4000 mm
M O C	:	PP/FRP
PP	:	5 mm
FRP	:	7 mm with Isophthalic Resin
Packing	:	Polypropylene Pal Rings

Annexure - VIII

Size	:	40 mm dia x 40 mm height
Filter Plate	:	PP Perforated - 15 mm thick
Spray	:	Polypropylene Jet Spray System
b) Blower:		
Type	:	Backward Curve SISW
Casing	:	PP/FRP with Isophthalic Resin
Impeller	:	MS/FRP with Bisphenol Resin
Capacity	:	12500 CMH
Stat.Pressure	:	150 mmwg
Motor	:	15 HP FLP - 1440 RPM
Make	:	Kirloskar or CG
Drive	:	Belt
c) Ducting Details:		
M O C	:	PP/FRP
Size	:	150, 225, 300, 450 & 600 mm dia
Ducting includes Straight lengths, Elbows, T-sections & Reducers		
d) Liquid Circulation Tank:		
Capacity	:	3 K L
PP	:	5 mm
FRP	:	7 mm with Isophthalic Resin
<ul style="list-style-type: none"> • Cylindrical, vertical, flat bottom & conical top • External MS/FRP Reinforcement • Necessary Nozzles & Manhole 		
e) Pump:		
Make	:	Antico
Model	:	130 CT
Drive Motor	:	3 HP - 2900 RPM FLP
f) Liquid Circulation Lines:		
MOC	:	HDPE
Sizes	:	Variable from 40 mm dia to 75 mm dia
g) MS Support Structure for Scrubber with Anti Corrosive Coating:		

12. Ammonia Scrubbing System at Production Block – AO:

Equipments Connected to the System:

AO/RE-01, AO/RE-02, AO/RE-03, AO/RE-04, AO/RE-05, AO/RE-06.

a) Process Data for 300 NB SCH 20 X MS Column:

Normal Pressure -0.3 kg/cm² (300 MM WC),
 Design Pressure -0.35 kg/cm² (350 MM WC),
 Normal Temperature -50 Deg C,
 Design Temperature -100 Deg C,
 Dish Dimension = Top, Bottom Dish X 5 Thk X 10% Torispherical,
 Shell Dimension = 300 NB SCH 20 X 6.825 M Length,
 Sections-02 No's,
 Body Flange Gasket MOC : Teflon Envelope non metallic asbestos Free (TENMAF),
 Body Flange MOC : MS as per ASME B16.5 Class150,
 MOC - Shell = MS,MOC of Nozzle Pipe = MS,MOC of Nozzle Flanges = MS,MOC- Support =

Annexure - VIII

MS, MOC of bolts / nuts shall be hot dipped galvanized,
 SA 193 Gr. B7 / SA 194 Gr. 2H,MOC (Contact Parts) = MS,MOC: Sight & Light Glass= MS,
 Nozzles = As Per Drawing. Support = 2 No's, Lugs Supports in Each Section,
 Joint Efficiency (Shell / Dish): 85% / 100 %,
 Radiography (Shell/Dish): 10% / 100%,
 External Painting = On MS Parts 2 Coats of Red Oxide Primer. Feed/Reflux pipe assembly,
 Support cleat fro packing support& other parts welded to shell

b) Blower:

Type	:	Backward Curve 6 damper
Casing	:	PP/FRP with Isophthalic Resin
Impeller	:	MS/FRP with Bisphenol Resin
Capacity	:	200 CFW
Start .Pressure	:	300 mm wC
Motor	:	1 HP NFLP – 12880 RPM
Make	:	HMM
Drive	:	Direct

c) Ducting Details:

M O C	:	PP/FRP
Size	:	150, 225, 300, 450 & 600 mm dia

Ducting includes Straight lengths, Elbows, T-sections & Reducers

d) MS Support Structure for Scrubber with Anti Corrosive Coating:

Vertical Design 6 L Kcal Capacity Oil fired Thermic Fluid Heater:

Equipments Connected to the System:

AO/RE-01

Technical specifications:

MODEL	VRT-HT-06
HEAT OUTPUT [KCAL/H]	600000
THERMIC FLUID FLOW THROUGH THE	UNIT [L/H] 79000
TEMPERATURE AT HEATER OUTLET	345 ° C
THERMAL EFFICIENCY [%]	88
FUEL OIL CONSUMPTION AT MAX. OUTPUT [KG/H]	FO/LDO
- FURNACE OIL 9650 KCAL/KG NCV	70.65
- LDO OF 10200 KCAL/KG NCV	66.85
ELECTRICAL CONNECTED LOADS [KW]	
THERMIC FLUID PUMP MOTOR	22 KW
BLOWER MOTOR	3.7 KW
FUEL OIL PUMP	0.37 KW
ELECTRICAL OIL PRE HEATER	(3.0+3.0+3) KW
ELECTRIC SUPPLY	AC;3PHASE;415±5%V;50±3% HZ;4WIRE SYSTEM

Annexure - VIII

APPROX. OVERALL SIZE [MM]	
LENGTH	2650
WIDTH	1650
HEIGHT	2520
APPROX. DRY WEIGHT [KG]	3100

a) Technical Comparison for Thermic Fluid Heater

Sr. No	Item Description	
1	Make	Maxima
2	Model	VRT-HT-06
3	Type	Fully automatic, coil type, pressurized, Thermic fluid tube. Vertical Unit
4	Heat output	600000 kcal/Hr
5	Thermic fluid inlet temperature 0C	325 Deg C
6	Thermic fluid outlet temperature 0C	340 Deg C
7	Furnace oil consumption (kg/hr)	71 Kgs/Hr
8	Thermal Efficiency	88%
9	Overall dimensions including space for cleaning and maintenance (L X B X H), mm	L-2100 x W-2100 x H-2950 add another 3.0 mtr for coil removal
10	Empty weight of the unit	3100 Kgs
11	Operating weight of the unit	3397 Kgs
12	Dimensions of coil (Dia X Length X no of turns)	
a	Quantity of Thermic fluid required	Coil Hold-up 297 Litrs
b	Pressure Drop across Hot Oil Unit	20 MLC
13	Expansion tank 3 KL	
a	Dimensions (L x B x H), mm	1900 x 1300 x 1300 mm
b	MOC	IS 2062
c	Empty weight (kg)	1296 Kgs
d	Operating weight (kg)	4406 Kgs
14	Thermic fluid storage tank or Dump Tank 5 KL	

Annexure - VIII

a	Dimensions (L x B x H), mm	2500 x 1600 x 1850 mm
b	MOC	IS 2062
c	Empty weight (kg)	1719 Kgs
d	Operating weight (kg)	6746 Kgs
15	Furnace oil day tank 0.99 KL	
a	Dimensions (L x B x H), mm	1000 x 1000 x 990 mm
b	MOC	IS 2062
c	Empty weight (kg)	380 Kgs
d	Operating weight (kg)	1370 Kgs
16	Thermic fluid circulation pumps	
a	Capacity 79 M3/Hr	
b	Head	60 MLC
c	Speed	2900 rpm
d	BKW / Recommended motor	BKW - 18 / KW- 22KW
e	MOC of casing	CI
f	MOC of impeller	CI
g	Shaft seal details	Mechnaical Seal
h	Flushing plan details	Drain Point
17	Thermic fluid filling pump	
a	Capacity	1000 LPH
b	Head	50 MLC


Annexure - VIII

c	Speed	1440 rpm
d	BKW / Recommended motor	BKW - 0.5 / KW- 0.75 KW
e	MOC of casing	CI/CS
f	MOC of impeller	EN (Gear + Shaft)
g	Shaft seal details	Mechnaical Seal
h	Flushing plan details	Drain Point
18	Blower	
a	Capacity	1800 M3/Hr
b	Head	400 mm Wc
c	BKW / Rec. motor (KW)	BKW - 3 / KW- 3.7 KW
19	Thermic fluid Drain pump Not Required	
a	Capacity	1000 LPH
b	Head	50 MLC
c	Speed	1440 rpm
d	BKW / Recommended motor	BKW - 0.5 / KW- 0.75 KW
e	MOC of casing	CI/CS
f	MOC of impeller	EN (Gear + Shaft)
g	Shaft seal details	Mechnaical Seal
h	Flushing plan details	Drain Point
20	Stack Details Customer Scope	
a	Diameter	350 mm

Annexure - VIII

b	Height	30.5 Mtr
c	M.O.C.	IS 2062
d	Type	Self Supported, as per IS 6533
e	Connected Electric load	22.22 KW
21	OIL PUMP Make	Prakash /Eqvt
a	Type	Gear
b	Capacity	300 LPH
c	Head	300 mWC
d	BKW / Recommended motor	BKW - 0.6 / KW- 0.75 KW
22	BURNER Make	Maxima
a	Type	Pr. Jet Spill return
b	Capacity	0.8 MW
c	Modulation	Two stage

Annexure - VIII




NOTE: APPROXIMATE DUCT
PIPE LENGTH 25.00 M

Annexure - VIII

Mechanical dust collector / Multi cyclone

Capacity of boiler	:	8 Ton
Output gas flow	:	24000 CMH
Type of fuel	:	Coal/husk
Temp of flue gases	:	180°C-220°C
Air quantity to be handled	:	24000 CMH
Pressure drop across the system	:	70-75 MMWG
Total no of cyclones	:	16 No.'s
Size of output pipe	:	Φ 150 mm
Thickness of cones	:	10 mm
Material of construction of cones	:	IS 210
Thickness of outer casing & hopper	:	3.15 mm

Fig 5: Multicyclone




LONGITUDINAL SECTION OF MULTICYCLONE FOR DUST COLLECTION

Annexure-9

SOLVENT RECOVERY SYSTEM

- After the reaction is complete the solvents are recovered in a distillation unit.
- The distillation unit has two condensers (shell and tube type).
- The first condenser has cooling tower water, while the second condenser will have the chilled water at 0 - 2⁰ C as coolants.
- After the vapors are condensed, the condensate along with un-condensed vapors is passed through a trap which is cooled externally with chilled water.
- The vents of condenser and receiver are connected to scrubber system.
- All the reaction vessels and centrifuges are connected to a common line. These fumes and exhausts are sucked by ID fan and scrubbed by alkali.
- The air after scrubbing is let out into the atmosphere and the scrubbed water is sent to ETP for further treatment.
- This wet scrubber absorbs acidic vapors, traces of solvents etc. and purified gas stream is let out into the atmosphere.

Typical solvent recovery system





MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

Attachment -10

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Boiler - 10TPH & 6TPH
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	28.04.2025
5.	Date of Sample Receipt	:	29.04.2025
6.	Sample Code	:	13383
7.	Analysis Starting Date	:	29.04.2025
8.	Analysis Completion Date	:	02.05.2025
9.	Report Issue date	:	02.05.2025
10.	Latitude	:	16.310651
11.	Longitude	:	77.356011

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407125000008351F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	35
Stack Temperature (°C)	118
Velocity (m/s)	7.2
Height (m)	30 mtr AGL
Diameter (m)	1.12
Cross sectional area (m ²)	0.9856

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m ³ /hr	25546.8	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	69.8	150
Sulphur dioxide	IS-11255(Part-2) - 2019	PPM	BDL	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	PPM	19.2	50
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm ³	BDL	35
Carbon Monoxide as CO	IS 13270	PPM	63	<150
Carbon Dioxide as CO ₂	(Orsat Apparatus USEPA 3A:1989)	%	7.1	<12

BDL: Below Detection limit

INFERENCE	As per KSPCB Standards
Report Status: - The analyzed value for above measured parameter is within the limits.	


Analysed by



Authorized Signatory

Hanumanthaiah P
Technical Manager

Note : 1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.





MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
 (Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



Annexure-0

MSVAL/QR/7.4/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Boiler - 10TPH & 6TPH
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	29.08.2025
5.	Date of Sample Receipt	:	30.08.2025
6.	Sample Code	:	SE/1909
7.	Analysis Starting Date	:	30.08.2025
8.	Analysis Completion Date	:	03.09.2025
9.	Report Issue date	:	03.09.2025
10.	Latitude	:	16.30986
11.	Longitude	:	77.357057

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000018702F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	105
Velocity (m/s)	7.0
Height (m)	30 mtr AGL
Diameter (m)	1.12
Cross sectional area (m ²)	0.9856

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m ³ /hr	24837.1	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	73.8	150
Sulphur dioxide	IS-11255(Part-2) - 2019	PPM	BDL	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	PPM	16.7	50
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm ³	BDL	35
Carbon Monoxide as CO	IS 13270	PPM	42	<150
Carbon Dioxide as CO ₂	(Orsat Apparatus USEPA 3A:1989)	%	7.6	<12

BDL: Below Detection Limit

INFERENCE	As per KSPCB Standards
Report Status: - The analyzed value for above measured parameter is within the limits.	


Analysed by



Authorized Signatory

Hanumanthaiah P
 Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.





MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



Annexure - 10

MSVAL/QR/7.4/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Boiler - 10TPH & 6TPH
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	21.07.2025
5.	Date of Sample Receipt	:	22.07.2025
6.	Sample Code	:	SE/966
7.	Analysis Starting Date	:	22.07.2025
8.	Analysis Completion Date	:	30.07.2025
9.	Report Issue date	:	31.07.2025
10.	Latitude	:	16.31059
11.	Longitude	:	77.355982

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000014932F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	123
Velocity (m/s)	7.6
Height (m)	30 mtr AGL
Diameter (m)	1.12
Cross sectional area (m ²)	0.9856

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m ³ /hr	26966	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	71.3	150
Sulphur dioxide	IS-11255(Part-2) - 2019	PPM	BDL	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	PPM	19.3	50
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm ³	BDL	35
Carbon Monoxide as CO	IS 13270 (Orsat Apparatus USEPA 3A:1989)	PPM	46	<150
Carbon Dioxide as CO ₂		%	7.1	<12

BDL: Below Detection Limit

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--


Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager



Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Samples Will be disposed after the specified retention period.
 3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
 5. Sampling is not done by us unless otherwise specified





MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC-4071

Annexure-10

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Boiler - 10TPH & 6TPH
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	28.06.2025
5.	Date of Sample Receipt	:	30.06.2025
6.	Sample Code	:	SE/608
7.	Analysis Starting Date	:	30.06.2025
8.	Analysis Completion Date	:	03.07.2025
9.	Report Issue date	:	04.07.2025
10.	Latitude	:	16.31059
11.	Longitude	:	77.355982

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407125000013392F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	35
Stack Temperature (°C)	125
Velocity (m/s)	6.4
Height (m)	30 mtr AGL
Diameter (m)	1.12
Cross sectional area (m ²)	0.9856

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m ³ /hr	22708.2	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	63.8	150
Sulphur dioxide	IS-11255(Part-2) - 2019	PPM	BDL	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	PPM	14.3	50
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm ³	BDL	35
Carbon Monoxide as CO	IS 13270 (Orsat Apparatus USEPA 3A:1989)	PPM	56	<150
Carbon Dioxide as CO ₂		%	8.3	<12

BDL: Below Detection limit


INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager


Note : 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



 GPS Map

Google

Chicksugur, Karnataka, India
33, Chicksugur, Karnataka 584134, India
Lat 16.31059° Long 77.355982°
28/06/2025 12:05 PM GMT +05:30



MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



Annexure - 10

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Boiler - 10TPH & 6TPH
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	21.05.2025
5.	Date of Sample Receipt	:	22.05.2025
6.	Sample Code	:	16130
7.	Analysis Starting Date	:	22.05.2025
8.	Analysis Completion Date	:	26.05.2025
9.	Report Issue date	:	27.05.2025
10.	Latitude	:	16.31059
11.	Longitude	:	77.355982

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407125000009873F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	126
Velocity (m/s)	6.9
Height (m)	30 mtr AGL
Diameter (m)	1.12
Cross sectional area (m ²)	0.9856

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m ³ /hr	24482.3	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	66.5	150
Sulphur dioxide	IS-11255(Part-2) - 2019	PPM	BDL	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	PPM	16.8	50
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm ³	BDL	35
Carbon Monoxide as CO	IS 13270	PPM	58	<150
Carbon Dioxide as CO ₂	(Orsat Apparatus USEPA 3A:1989)	%	8.5	<12

BDL: Below Detection limit

INFERENCE	As per KSPCB Standards
Report Status: - The analyzed value for above measured parameter is within the limits.	


Analysed by



Authorized Signatory

Hanumanthaiah P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Water samples will be destroyed after 10 days. Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.





MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

Anu-20

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksgur village, Raichur.
2. Stack ID	:	Boiler - 10TPH & 6TPH
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	25.09.2025
5. Date of Sample Receipt	:	26.09.2025
6. Sample Code	:	SE/2598
7. Analysis Starting Date	:	26.09.2025
8. Analysis Completion Date	:	03.10.2025
9. Report Issue date	:	04.10.2025
10. Latitude	:	16.30986
11. Longitude	:	77.357057

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000021972F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	32
Stack Temperature (°C)	115
Velocity (m/s)	7.7
Height (m)	30 mtr AGL
Diameter (m)	1.12
Cross sectional area (m ²)	0.9856

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m ³ /hr	27320.8	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm ³	69.5	150
Sulphur dioxide	IS-11255(Part-2) – 2019	PPM	BDL	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	PPM	18.1	50
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm ³	BDL	35
Carbon Monoxide as CO	IS 13270	PPM	43	<150
Carbon Dioxide as CO ₂	(Orsat Apparatus USEPA 3A:1989)	%	9.2	<12

BDL: Below Detection limit

INFERENCE	As per KSPCB Standards
Report Status: - The analyzed value for above measured parameter is within the limits.	

Analysed by


Authorized Signatory

Hanumanthaiah P
Technical Manager



END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Samples Will be disposed after the specified retention period.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
 5. Sampling is not done by us unless otherwise specified



Annexure -11

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

**Sender's name and mailing address
(including Phone No. and e-mail)**Shilpa pharma lifesciences ltd
Plot no. 07/3A, Jyoti Industrial Estate, Ghatkopar (E), Mumbai - 400 089Telephone: 9845745068
E-Mail: shilpharma@rediffmail.com**Sender's authorisation No**

28295

Manifest Document No

HW/28295/2025-26/0000178

**Transporter's name and address:
(including Phone No. and e-mail)****Type of vehicle**

Tanker

Transporter's registration No

23836

Vehicle registration No.

KA 01 AP 3329

**Receiver's name and mailing address
(including Phone No. and e-mail)**Shilpa pharma lifesciences ltd
Plot no. 07/3A, Jyoti Industrial Estate, Ghatkopar (E), Mumbai - 400 089
Telephone: 9845745068
E-Mail: shilpharma@rediffmail.com**Receiver's authorisation No.**

23836

Waste description

Waste Category	Physical form	Qty(MT)
28 b. Spent solvents	Liquid	28.63

Total quantity

28.63 MT

No. of Containers**Physical form****Special handling instructions and additional information**

USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

Name and stamp: Signature

MONTH-DAY-YEAR:04-08-2025

Transporter acknowledgement of receipt of wastes**Name and stamp: Signature**

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste**Name and stamp: Signature**

MONTH DAY YEAR

FORM 10
(See rule 19 (1))

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(including Phone No. and e-mail)

Shilpa pharma lifesciences. ltd
Plot No. 30, BDAK, Kharadi, Pimpri Chinchwad, Pune - 411028
Telephone: 91-95745068
E-Mail: shilpharma@ymail.com

Sender's authorisation No

28295

Manifest Document No

HW/20295/2025-26/0000179

Transporter's name and address:
(including Phone No. and e-mail)

Shilpa pharma lifesciences. ltd
Plot No. 30, BDAK, Kharadi, Pimpri Chinchwad, Pune - 411028
Telephone: 91-95745068
E-Mail: shilpharma@ymail.com

Type of vehicle

Truck

Transporter's registration No

83125

Vehicle registration No.

KA 01 AK 9431

Receiver's name and mailing address
(including Phone No. and e-mail)

Shilpa pharma lifesciences. ltd
Plot No. 30, BDAK, Kharadi, Pimpri Chinchwad, Pune - 411028
Telephone: 91-95745068
E-Mail: shilpharma@ymail.com
Receiver's authorisation No. 80996

Receiver's authorisation No.

80996

Waste description

Waste Category	Physical form	Qty(MT)
35.3 Chemical Sludge From Waste Water Treatment	Semi-Solid	21.95

Total quantity :

21.95 MT

No. of Containers

Physical form

Special handling instructions and additional information

USE PPE, WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

Name and stamp/Signature:

MONTH-DAY-YEAR:04-09-2025

Transporter's acknowledgement of receipt of Wastes

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

MONTH-DAY-YEAR

Name and stamp: Signature:



FORM 17

[See rule 19 (7)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(including Phone No. and e-mail)Shilpa pharma lifesciences ltd
Plot No. 33, 34 & 35, Industrial Estate, Chikmagalur, Karnataka, IndiaTelephone: 0845745066
E-Mail: ksharath@voshilpa.com

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000182

Transporter's name and address:
(including Phone No. and e-mail)

Type of vehicle

Truck

Transporter's registration No

83125

Vehicle registration No.

KA 19 AB 2551

Receiver's name and mailing address
(including Phone No. and e-mail)

Shilpa pharma lifesciences ltd
Plot No. 33, 34 & 35, Industrial Estate, Chikmagalur, Karnataka, India
Telephone: 08457450666
E-Mail: ksharath@voshilpa.com

Receiver's authorisation No.

80996

Waste description

Waste Category

Physical form

Qty(MT)

Hazardous waste manifest statement

Total quantity :

24 MT

No. of Containers

Physical form

Special handling instructions and additional information

USE PPE, WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

MONTH-DAY-YEAR: 04-29-2025

Name and stamp of transporter
Transporter acknowledges receipt of wastes
ZAHID ROADLINES
1st Floor, Banjara Chambers
Baikampady, Mangaluru-575011

MONTH-DAY-YEAR

Reference certification for receipt of hazardous and other waste

Name and stamp/Signature

MONTH-DAY-YEAR

Annexure -11

FORM 10
 [See rule 19 (1)]
 MANIFEST FOR HAZARDOUS AND OTHER WASTE

**Sender's name and mailing address
 (including Phone No. and e-mail)**

Shilpa pharma lifesciences ltd
 Plot no 33 33A,40 to 47, Industrial Growth Centre , Choksi Sugur, Raichur Taluk District

Telephone:9845745068
 E-Mail:sharath@vbshilpa.com

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000204

**Transporter's name and address:
 (including Phone No. and e-mail)**

HAJIRA ENTERPRISES
 324 t 2nd Phase harchalli industrial area
 Phone 9986250505
 e-mail:syedmoosa@hotmail.com
 Transporter's registration No: 22794

Type of vehicle

Truck

Transporter's registration No

22794

Vehicle registration No.

KAS1D8455

**Receiver's name and mailing address
 (including Phone No. and e-mail)**

HAJIRA ENTERPRISES
 324 t 2nd Phase harchalli industrial area
 Phone:9986250505
 e-mail:syedmoosa@hotmail.com
 Receiver's authorisation No 22794

Receiver's authorisation No.

22794

Waste description

Waste Category

Physical form

Qty(MT)

33.1 Empty barrels/containers/liners contaminated
 with hazardous chemicals /wastes

Solid

12.264

**Total quantity :
 No. of Containers**

12.264 MT

Physical form

Special handling instructions and additional information

USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY
 OF WATER,

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately
 described above by proper shipping name and are categorised, packed, marked,
 and labelled, and are in all respects in proper conditions for transport by road
 according to applicable national government regulations.

MONTH-DAY-YEAR:08-22-2025


 Name and stamp: Signature:
 Transporter acknowledgement of receipt of wastes

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

3/26/25 3:02 PM

HWV

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(including Phone No. and e-mail)Shilpa pharma lifesciences ltd
Plot no 33,33A,40 to 47 Industrial Growth Centre , Chicksugur, Raichur Taluk DistrictTelephone:9845745068
E-Mail:sharath@vbshlpa.com

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000207

Transporter's name and address:
(including Phone No. and e-mail)ZAHID ROADLINES
M 19 Balkampady Indl Area
Phone:9845515328
e-mail:zahidroadlines2005@gmail.com
Transporter's registration No: 83125

Type of vehicle

Truck

Transporter's registration No

83125

Vehicle registration No.

KA 01 AK 9431

Receiver's name and mailing address
(including Phone No. and e-mail)Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited)
Plot No. 158 to 164, KAIDB Kadachu Industrial Area; Village _Kadachur,Tehsil & District
Yadgir; Karnataka-585221
Phone:7338464597
e-mail:kab@motherearthenviron.com
Receiver's authorisation No.: 80996

Receiver's authorisation No.

80996

Waste description

Waste Category

Physical form

Qty(MT)

35.3 Chemical Sludge From Waste Water Treatment Semi-Solid 24.51

Total quantity :
No. of Containers

24.51 MT

Physical form

Special handling instructions and additional information

USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY
OF WATER.

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately
described above by proper shipping name and are categorised, packed, marked,
and labelled, and are in all respects in proper conditions for transport by road
according to applicable national government regulations.

Name and stamp: Signature:



MONTH-DAY-YEAR:08-26-2025

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

Duly signed: To be forwarded by the sender to the State Pollution Control Board after signing all the relevant documents.

ANNEXURE - II

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Under's name and mailing address
(including Phone No. and e-mail)Shilpa pharma Lifesciences Ltd
Plot no 33,33A,40 to 47, Industrial Growth Centre Chicksugur, Raichur Taluk DistrictTelephone: 9845745068
E-Mail: sharathi@vbshilpa.com

Under's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000205

Transporter's name and address:
(including Phone No. and e-mail)ZAHID ROADLINES
M-9 Baikar Road Indl Area
Phone: 9845515329
e-mail: zahiroadlines2005@gmail.com
Transporter's registration No: 83125

Type of vehicle

Truck

Transporter's registration No

83125

Vehicle registration No.

KA 19 AB 2551

Receiver's name and mailing address
(including Phone No. and e-mail)Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited)
Plot No. 158 to 164, KAIIDB Kadechu Industrial Area; Village - Kadechur; Tehsil & District
Vadgir; Karnataka-585221
Phone: 7338464597
e-mail: lab@motherearthenviron.com
Receiver's authorisation No.: 80996

Receiver's authorisation No.

80996

Waste description

Waste Category

Physical form

Qty(MT)

35.3 Chemical Sludge From Waste Water Treatment

Semi-Solid

23.1

Total quantity:
No. of Containers

23.1 MT

Physical form

Special handling instructions and additional information

USE PPE, WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF
WATER,

Under's Certificate

I hereby declare that the contents of the consignment are fully and accurately
described above by proper shipping name and are categorised, packed, marked,
and labelled, and are in all respects in proper conditions for transport by road
according to applicable national government regulations.

Name and stamp: Signature

MONTH-DAY-YEAR: 08-23-2025

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

Note: To be forwarded by the sender to the state Pollution Control Board after signing all the seven copies

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(including Phone No. and e-mail)Shilpa pharma lifesciences ltd
Plot no 33,33A,40 to 47 Industrial Growth Centre Chicksugur, Raichur Taluk DistrictTelephone:9845745068
E-Mail:sharath@vbsilpa.com

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000202

Transporter's name and address:
(including Phone No. and e-mail)ZAHID ROADLINES
M 19 Baikampady Indl Area
Phone: 9845515328
e-mail:zahidroadlines2005@gmail.com
Transporter's registration No: 83125

Type of vehicle

Truck

Transporter's registration No

83125

Vehicle registration No.

KA 19 AB 2551

Receiver's name and mailing address
(including Phone No. and e-mail)Kalyana Karnataka Waste Management Project Private Limited {Formerly M/s Mother Earth Environ Tech Private Limited}
Plot No. 158 to 164, KAIDB Kadechu Industrial Area, Village , Kadechur Tehsil & District
Yadgir Karnataka-565221
Phone:7338464597
e-mail:lab@motherearthenviro.com
Receiver's authorisation No: 80996

Receiver's authorisation No.

80996

Waste description

Waste Category	Physical form	Qty(MT)
20 3 Distillation Residues	Solid	4.8
28 1 Process Residue and wastes	Solid	2.2
28 3 Spent carbon	Solid	0.66
28 2 Spent catalyst	Slurry	4.1
35 3 Chemical Sludge From Waste Water Treatment	Semi-Solid	4.44

Total quantity :
No. of Containners

16.2 MT

Physical form

USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF
WATER.

Special handling instructions and additional information

I hereby declare that the contents of the consignment are fully and accurately
described above by proper shipping name and are categorised, packed, marked,
and labelled, and are in all respects in proper conditions for transport by road
according to applicable national government regulations.

Sender's Certificate

MONTH-DAY-YEAR:08-08-2025

Name and stamp: Signature

Transporter acknowledgement of receipt of Wastes

Annexure - 1

FORM 10
 [See rule 19 (1)]
 MANIFEST FOR HAZARDOUS AND OTHER WASTE

ender's name and mailing address
 including Phone No. and e-mail)

Shilpa pharma lifesciences ltd
 Plot no 33,33A,40to47, Industrial Growth Centre Chicksugur, Raichur Taluk District

Telephone: 9845745068
 E-Mail: sharath@vbshilpa.com

ender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000200

ransporter's name and address:
 including Phone No. and e-mail)

ZAHID ROADLINES
 M 19 Baikampady Indi Area
 Phone 9845515328
 e-mail: zahidroadlines2005@gmail.com
 Transporter's registration No: 83125

ype of vehicle

Truck

ransporter's registration No

83125

ehicle registration No.

KA 01 AK 9431

eeiver's name and mailing address
 including Phone No. and e-mail)

Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited)
 Plot No. 158 to 164, KAIDB Kadethu Industrial Area; Village Kadethur; Tehsil & District
 Yadgir; Karnataka-585221
 Phone: 7338464597
 e-mail: lab@motherearthenviron.com
 Receiver's authorisation No: 80996

eeiver's authorisation No.

80996

aste description

Waste Category	Physical form	Qty(MT)
28.3. Spent carbon	Solid	0.48
55.3. Chemical Sludge From Waste Water Treatment	Semi-Solid	25.54

total quantity :
 o. of Containers

26.02 MT

ysical form

pecial handling instructions and additional information

USE PPE, WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF
 WATER,

ender's Certificate

I hereby declare that the contents of the consignment are fully and accurately
 described above by proper shipping name and are categorised, packed, marked, and
 labelled, and are in all respects in proper conditions for transport by road according
 to applicable national government regulations.

ame and stamp: Signature:

MONTH-DAY-YEAR: 08-02-2025

ansporter acknowledgement of receipt of Wastes

ame and stamp: Signature:

MONTH-DAY-YEAR

eeiver's certification for receipt of hazardous and other waste

ame and stamp: Signature:

MONTH-DAY-YEAR

Annexure -II

FORM 10
 [See rule 19 (1)]
 MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
 [including Phone No. and e-mail]

Shilpa pharma lifesciences ltd
 Plot no 33,33A,40to47, Industrial Growth Centre Chicksugur, Raichur Taluk District

Telephone:9845745068
 E-Mail:sharath@vbshilpa.com

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000206

Transporter's name and address:
 [including Phone No. and e-mail]

PANCHAMUKI PHARMA CHEM
 Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D)
 562112
 Phone:9845831069
 e-mail:panchamukipharmacem@gmail.com
 Transporter's registration No: 23836

Type of vehicle

Tanker

Transporter's registration No

23836

Vehicle registration No.

KA 01 AP 3329

Receiver's name and mailing address
 [including Phone No. and e-mail]

PANCHAMUKI PHARMA CHEM
 Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D)
 562112
 Phone:9845831069
 e-mail:panchamukipharmacem@gmail.com
 Receiver's authorisation No.: 23836

Receiver's authorisation No.

23836

Waste description

Waste Category	Physical form	Qty(MT)
28.6 Spent solvents	Liquid	26.63

Total quantity :
 No. of Containers

26.63 MT

Physical form

Special handling instructions and additional information

USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER.

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

Name and stamp: Signature

MONTH-DAY-YEAR:08-26-2025

Transporter acknowledgement of receipt of Waste

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

By (White) To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies

FORM 10

{See rule 19 (1)}

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(including Phone No. and e-mail)Shilpa pharma lifesciences ltd
Plot no.33.33A,40to47, Industrial Growth Centre, Chicksugur, Raichur Taluk DistrictTelephone:9845745068
E-Mail:sharath@vosnilpa.com

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000203

Transporter's name and address
(including Phone No. and e-mail)ZAHID ROADLINES
M 19 Balkampady Indl Area
Phone 9845515328
e-mailzahidroadlines2005@gmail.com
Transporter's registration No. 83125

Type of vehicle

Truck

Transporter's registration No

83125

Vehicle registration No.

KA 37B 1476

Receiver's name and mailing address
(including Phone No. and e-mail)Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited)
Plot No. 158 to 164, KAIDB Kadechu Industrial Area; Village, Kadechur, Tehsil & District
Yadgir, Karnataka-585221
Phone:7338464597
e-maillab@motherearthenviron.com
Receiver's authorisation No., 80996

Receiver's authorisation No.

80996

Waste description

Waste Category

Physical form

Qty(MT)

35 3.Chemical Sludge From Waste Water Treatment

Semi-Solid

17.6

Total quantity :
No. of Containers

17.6 MT

Physical form

Special handling instructions and additional information

USE PPE, WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY
OF WATER,

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately
described above by proper shipping name and are categorised, packed, marked,
and labelled, and are in all respects in proper conditions for transport by road
according to applicable national government regulations.

Name and stamp: Signature:

MONTH-DAY-YEAR:08-13-2025

Transporter acknowledgement of receipt of wastes

MONTH-DAY-YEAR

Name and stamp: Signature:

ZAHID ROADLINES

Receiver's certificate for receiving the wastes in hazard waste

MONTH-DAY-YEAR

Balkampady, Mangalore-575011

Name and stamp: Signature:

//11/25 12:38 PM



Anx-11

HWW

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(including Phone No. and e-mail)

Shilpa pharma lifesciences ltd
Plot no 33,33A,40to47, Industrial Growth Centre , Chicksugur Raichur Taluk District
562112
Telephone:9845745068
E-Mail:sharath@vbshilpa.com

Sender's authorisation No.

28295

Manifest Document No

HWW/28295/2025-26/0000197

Transporter's name and address:
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D)
562112
Phone:9845831069
e-mailpanchamukipharmacem@gmail.com
Transporter's registration No.: 23836

Type of vehicle

Tanker

Transporter's registration No

23836

Vehicle registration No.

KA 01 AP 3329

Receiver's name and mailing address
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D)
562112
Phone:9845831069
e-mailpanchamukipharmacem@gmail.com
Receiver's authorisation No.: 23836

Receiver's authorisation No.

23836

Waste description

Waste Category	Physical form	Qty(MT)
28.6. Spent solvents	Liquid	26.5

Total quantity :
No. of Containers

26.5 MT

Physical form

USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

MONTH-DAY-YEAR:07-11-2025

Name and stamp: Signature:

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

MONTH-DAY-YEAR

Name and stamp: Signature:

Copy 1 (Waste) to be forwarded by the sender to the State Pollution Control Board after signing of the seven copies.

7/3/25 11:16 AM

HWW

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(including Phone No. and e-mail)Shilpa pharma lifeSciences ltd
Plot No 33,34,35A,40 to 47 Industrial Growth Centre, Chicksugur, Raichur Taluk DistrictTelephone:9845745068
E-Mail:sharath@vbsilpah.com

Sender's authorisation No

2B295

Manifest Document No

HW/28295/2025-26/0000195

Transporter's name and address:
(including Phone No. and e-mail)PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D)
562112
Phone:9845831069
e-mailpanchamukipharmacem@gmail.com
Transporter's registration No: 23836

Type of vehicle

Tanker

Transporter's registration No

23836

Vehicle registration No.

KA 01 AP 3329

Receiver's name and mailing address
(including Phone No. and e-mail)PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D)
562112
Phone 9845831069
e-mailpanchamukipharmacem@gmail.com
Receiver's authorisation No.: 23836

Receiver's authorisation No.

23836

Waste description

Waste Category	Physical form	Qty(MT)
2B 6. Spent solvents	Liquid	27.09

Total quantity :
No. of Containers

27.09 MT

Physical form

Special handling instructions and additional information

USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road, according to applicable national government regulations.

Name and stamp: Signature

MONTH-DAY-YEAR:07-03-2025

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature

MONTH-DAY-YEAR

Copy 10/10/2025 To be submitted by the sender to the state Pollution Control Board after filling in the seven copies

Annexure-11

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(including Phone No. and e-mail)Shilpa pharma lifesciences ltd
Plot no 33,33A,40 to 47, Industrial Growth Centre, Chicksugur, Raichur Taluk DistrictTelephone: 9845745068
E-Mail: shilpharathi@vbsilpa.com

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000199

Transporter's name and address:
(including Phone No. and e-mail)ZAHID ROADLINES
M 19 Baikampady Irdi Area
Phone 9845515328
e-mail zahidroadlines2005@gmail.com
Transporter's registration No: 33125

Type of vehicle

Truck

Transporter's registration No

83125

Vehicle registration No.

KA 19 AB 2551

Receiver's name and mailing address
(including Phone No. and e-mail)Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited)
Plot No. 15B to 16A, KADIB Kadechu Industrial Area, Village Kadechur, Tehsil & District Yadgir, Karnataka-585221
Phone: 7338464597
e-mail lab@motherearthenviron.com
Receiver's authorisation No: 80996

Receiver's authorisation No.

80996

Waste description

Waste Category

Physical form

Qty(MT)

35.3. Chemical Sludge From Waste Water Treatment

Semi-Solid

19.705

Total quantity :
No. of Containers

19.705 MT

Physical form

Special handling instructions and additional information

USE PPE, WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

MONTH-DAY-YEAR: 07-25-2025

Name and stamp: Signature:



Transporter acknowledgement of receipt of wastes

ZAHID ROADLINES

Name and stamp: Signature: Bantwal Chambers
Baikampady, Mangalore-575011

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

MONTH-DAY-YEAR

Name and stamp: Signature:

FORM 10
[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(including Phone No. and e-mail)

Shilpa pharma lifesciences ltd
Plot no 33,33A,40647, Industrial Growth Centre, Chicksugur Raichur Taluk District

Telephone:9845745068
E-Mail:snarath@vbsrilpa.com

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000198

Transporter's name and address:
(including Phone No. and e-mail)

ZAHID ROADLINES
M 19 Baikampady Indl Area
Phone 9845515328
e-mailzahidroadlines2005@gmail.com
Transporter's registration No 83125

Type of vehicle

Truck

Transporter's registration No

83125

Vehicle registration No.

KA 19 AB 0560

Receiver's name and mailing address
(including Phone No. and e-mail)

Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth
Environ Tech Private Limited)
Plot No. 158 to 164, KAIDB Kadchuk Industrial Area; Village Kadchur; Tehsil & District
Yadgir; Karnataka-585221
Phone:7338464597
e-maillab@motherearthenviro.com
Receiver's authorisation No. 80996

Receiver's authorisation No.

80996

Waste description

Waste Category

Physical form

Qty(MT)

20.3.Distillation Residues

Solid

2.5

28.1.Process Residue and wastes

Slurry

1.2

35.3.Chemical Sludge From Waste Water Treatment

Semi-Solid

20.905

Total quantity :

24.605 MT

No. of Containers

Physical form

USE PPE, WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF
WATER.



Name and stamp: Signature:

I hereby declare that the contents of the consignment are fully and accurately
described above by proper shipping name and are categorised, packed, marked, and
labelled, and are in all respects in proper conditions for transport by road according to
applicable national government regulations.

MONTH-DAY-YEAR:07-15-2025

Transporter acknowledgement of receipt of Wastes

MONTH-DAY-YEAR

Name and stamp: Signature:

Receiver's certification for receipt of hazardous and other waste

7/5/25 4:32 PM

Annexure - 1

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(including Phone No. and e-mail)Shilpa pharma lifesciences ltd
Plot no 33,33A,40 to 47, Industrial Growth Centre, Chicksugur, Raichur Taluk DistrictTelephone: 0845745068
E-Mail: sharath@vbshilpa.com

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000196

Transporter's name and address:
(including Phone No. and e-mail)ZAHID ROADLINES
M 19 Baikampady Indl Area
Phone 9845515328
e-mail: zahidroadlines2005@gmail.com
Transporter's registration No: 83125

Type of vehicle

Truck

Transporter's registration No

83125

Vehicle registration No.

KA 19 AE 1923

Receiver's name and mailing address
(including Phone No. and e-mail)Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited)
Plot No. 158 to 164, KAIIDB Kadethu Industrial Area; Village _Kadethur, Tehsil & District
Yadgir; Karnataka-585221
Phone: 7338464597
e-mail: lab@motherearthenviron.com
Receiver's authorisation No: 80996

Receiver's authorisation No.

80996

Waste description

Waste Category	Physical form	Qty(MT)
35 3.Chemical Sludge From Waste Water Treatment	Semi-Solid	26.17

Total quantity:
No. of Containers

26.17 MT

Physical form

Special handling instructions and additional information

USE PPE, WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

Name and stamp: Signature

MONTH-DAY-YEAR: 07-05-2025



Transporter acknowledgement of receipt of wastes

ZAHID ROADLINES
1st Floor, Bantwal Chambers
Baikampady, MANGALORE - 575 011
Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

Copy of Annexure 1 to be forwarded by the concerned State Pollution Control Board after signing all the documents.

2/2/2025 11:28 AM

HWM

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(including Phone No. and e-mail)Shilpa pharma lifesciences ltd
Plot no 33,33A,60 to 47, Industrial Growth Centre, Chicksugur, Raichur Taluk DistrictTelephone:9945745068
E-Mail:shilphathy@vsnl.com

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000192

Transporter's name and address;
(including Phone No. and e-mail)ZARID ROADLINES
M 19 23 kampady Indi Area
Phone 9845515328
e-mail:zaridroadlines2005@gmail.com
Transporter's registration No. 83125

Type of vehicle

Truck

Transporter's registration No

83125

Vehicle registration No.

KA 19 AE 8021

Receiver's name and mailing address
(including Phone No. and e-mail)Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited)
Plot No. 158 to 164, KALIDB Kadechu Industrial Area; Village _Kadechur;Tehsil & District
Yadgir; Karnataka-585221
Phone:7338464597
e-mail:kao@motherearthenviro.com
Receiver's authorisation No. 80996

Receiver's authorisation No.

80996

Waste description

Waste Category

Physical form Qty(MT)

35.3 Chemical Sludge From Waste Water Treatment Semi-Solid 23.87

Total quantity :
No. of Containers

23.87 MT

Physical form

Special handling instructions and additional information

USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER.

Sender's Certificate



I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

MONTH-DAY-YEAR:06-12-2025

Name and stamp/signature:

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

Annexure-11

5/22/25 3:46 PM

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(including Phone No. and e-mail)Shilpa pharma lifesciences ltd
Plot no.33,33A 40to47 Industrial Growth Centre Chicksugur Raichur Taluk DistrictTelephone:9845745068
E-Mail:sharathi@vbsnailpa.com

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000193

Transporter's name and address:
(including Phone No. and e-mail)ZAHID ROADLINES
M 19 Ba Kumpady Indl Area
Phone:9845515328
e-mail:zahidroadlines2005@gmail.com
Transporter's registration No. 83125

Type of vehicle

Truck

Transporter's registration No

83125

Vehicle registration No.

KA 19 AB 2394

Receiver's name and mailing address
(including Phone No. and e-mail)Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited)
Plot No. '58 to 164, KAOB Kadechu Industrial Area; Village _Kadechur;Tehsil & District
Yadgir; Karnataka-585221
Phone:7338464597
e-mail:kao@motherearthenviro.com
Receiver's authorisation No. 80996

Receiver's authorisation No.

80996

Waste description

Waste Category

Physical form

Qty(MT)

35.3 Chemical Sludge From Waste Water Treatment Semi-Solid 15.69

Total quantity :
No. of Containers

15.69 MT

Physical form

Special handling instructions and additional information

USE PPE . WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY
OF WATER,

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately
described above by proper shipping name and are categorised, packed, marked,
and labelled, and are in all respects in proper conditions for transport by road
according to applicable national government regulations.

MONTH-DAY-YEAR:06-22-2025

Name and stamp: Signature: 

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature: MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature: MONTH-DAY-YEAR

Note: This is a Table forwarded by the concerned authority to the concerned Board after issuing EC/EC-A.

8/11/25 11:53 AM

HWW

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(including Phone No. and e-mail)Shilpa pharma lifesciences ltd
Plot no.33 33A,40to47, Industrial Growth Centre, Chicksugur, Raichur Taluk District.Telephone:9845745068
E-Mail:shurath@vbshilpa.com

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000191

Transporter's name and address:
(including Phone No. and e-mail)PANCHAMUKI PHARMA CHEM
Plot No. 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D)
562112
Phone:9845831069
e-mail:panchamukipharmacchem@gmail.com
Transporter's registration No.: 23836

Type of vehicle

Tanker

Transporter's registration No

23836

Vehicle registration No.

KA 01 AP 3329

Receiver's name and mailing address
(including Phone No. and e-mail)PANCHAMUKI PHARMA CHEM
Plot No. 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D)
562112
Phone:9845831069
e-mail:panchamukipharmacchem@gmail.com
Receiver's authorisation No.: 23836

Receiver's authorisation No.

23836

Waste description

Waste Category	Physical form	Qty(MT)
28 6 Spent solvents	Liquid	24.3

Total quantity :

24.3 MT

No. of Containers

Physical form

Special handling instructions and additional information

USE PPE, WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

MONTH-DAY-YEAR:06-11-2025

Name and stamp: Signature:



Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

Annexure-11

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(including Phone No. and e-mail)Shilpa pharma lifesciences ltd
Plot no 33,33A,40 to 47, Industrial Growth Centre Chicksugur Raichur Taluk DistrictTelephone:9845745068
E-Mail:shnrao@vbsilphda.com

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000190

Transportor's name and address:
(including Phone No. and e-mail)PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli industrial area Kanakapura (tq) Ramanagara (D)
562112
Phone:9845831069
e-mail:panchamukipharmacem@gmail.com
Transporter's registration No: 23836

Type of vehicle

Tanker

Transporter's registration No

23836

Vehicle registration No

KA 01 AP 3329

Receiver's name and mailing address
(including Phone No. and e-mail)PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli industrial area Kanakapura (tq) Ramanagara (D)
562112
Phone:9845831069
e-mail:panchamukipharmacem@gmail.com
Receiver's authorisation No: 23836

Receiver's authorisation No.

23836

Waste description

Waste Category	Physical form	Qty(MT)
28.6. Spent solvents	Liquid	26.64

Total quantity:
No. of Containers

26.64 MT

Physical form

USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY
OF WATER,

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately
described above by proper shipping name and are categorised, packed, marked,
and labelled, and are in all respects in proper conditions for transport by road
according to applicable national government regulations.

Name and stamp: Signature:

MONTH-DAY-YEAR:06-03-2025



Transporter acknowledgement of receipt of Wastes

MONTH-DAY-YEAR

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

MONTH-DAY-YEAR

Name and stamp: Signature:

MONTH-DAY-YEAR

FORM 10
 [See rule 19 (1)]
MANIFEST FOR HAZARDOUS AND OTHER WASTE

**Sender's name and mailing address
 (including Phone No. and e-mail)**

Shilpa pharma lifesciences ltd
 Plot no 33 33A,40ta47, Industrial Growth Centre ,Chicksugur, Raichur Taluk District

Telephone:9845745068
 E-Mail:sharath@vbshilpa.com

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000194

**Transporter's name and address:
 (including Phone No. and e-mail)**

ZAHIO ROADLINES
 M 19 Barkampady Indl Area
 Phone 9845515328
 e-mailzahio.droadlines2005@gmail.com
 Transporter's registration No: 83125

Type of vehicle

Truck

Transporter's registration No

83125

Vehicle registration No.

KA 37B 1476

**Receiver's name and mailing address
 (including Phone No. and e-mail)**

Kaiyan Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited)
 Plot No. 1SB to 164, KADOB Kadechu Industrial Area; Village _Kadechur;Tehsil & District Yadgir; Karnataka-585221
 Phone:7338464597
 e-maillab@motherearthenviron.com
 Receiver's authorisation No: 80996

Receiver's authorisation No.

80996

Waste description

Waste Category

Physical form

Qty(MT)

35.3 Chemical Sludge From Waste Water Treatment

Semi-Solid

21

Total quantity :

No. of Containers

21 MT

Physical form

Special handling instructions and additional information


USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

MONTH-DAY-YEAR:06-23-2025

Name and stamp/ Signature:



Transporter acknowledgement of receipt of Wastes

Name and stamp/ Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp/ Signature:

MONTH-DAY-YEAR

Annexure-11

5/8/25 5:23 PM

Sender's name and mailing address
(including Phone No. and e-mail)Shilpa pharma lifesciences ltd
Plot no 33 33A,40 to 47, Industrial Growth Centre - Chikkasugur, Raichur Taluk, DistrictTelephone: 9845745068
E-Mail: sharath@vbsilpa.com

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000183

Transporter's name and address:
(including Phone No. and e-mail)PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112
Phone: 9845831069
E-mail: panchamukipharmacem@gmail.com
Transporter's registration No. 23836

Type of vehicle

Tanker

Transporter's registration No

23836

Vehicle registration No.

KA 01 AP 3329

Receiver's name and mailing address
(including Phone No. and e-mail)PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112
Phone: 9845831069
E-mail: panchamukipharmacem@gmail.com
Receiver's authorisation No. 23836

Receiver's authorisation No.

23836

Waste description

Waste Category	Physical form	Qty(MT)
28.6. Spent solvents	Liquid	27.73

Total quantity :

27.73 MT

No. of Containers

Physical form

Use Ppe while loading and unloading. Any spillage wash with plenty of water

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

MONTH-DAY-YEAR: 05-08-2025

Name and stamp: Signature:



Transporter acknowledgement of receipt of Wastes

MONTH-DAY-YEAR

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

Copy 1 (White) To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies

FORM 10
[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(including Phone No. and e-mail)Shilpa pharma Lifesciences Ltd
Plot no 33 33A 40to47, Industrial Growth Centre, Chicksugur, Raichur Taluk DistrictTelephone:9845745068
E-Mail:sharath@vbshilpa.com

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000184

Transporter's name and address:
(including Phone No. and e-mail)ZAHID ROADLINES
M 19 Baikampady Indl Area
Phone:9845515328
e-mail:zahidroadlines2005@gmail.com
Transporter's registration No. 83125

Type of vehicle

Truck

Transporter's registration No

83125

Vehicle registration No.

KA 19 AD 7429

Receiver's name and mailing address
(including Phone No. and e-mail)Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth
Environ Tech Private Limited)
Plot No 15B to 16A, KAIDOB Kadchuk Industrial Area, Village _Kadchuk_Tehsil & District
Yadgir, Karnataka-585221
Phone:7338464597
e-mail:lab@motherearthenviron.com
Receiver's authorisation No.: 80996

Receiver's authorisation No:

80996

Waste description

Waste Category

Physical form

Qty(MT)

35 3 Chemical Sludge From Waste Water Treatment

Semi Solid

24.56

Total quantity :
No. of Containers

24.56 MT

Physical form

USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF
WATER,

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately
described above by proper shipping name and are categorised, packed, marked, and
labelled, and are in all respects in proper conditions for transport by road according to
applicable national government regulations.

Name and stamp: Signature:

MONTH-DAY-YEAR:05-10-2025

Transporter acknowledgement of receipt of Wastes

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

MONTH-DAY-YEAR

Name and stamp: Signature:



Annexure-11

3/18/25, 11:34 AM

HWW

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(including Phone No. and e-mail)Shilpa pharma lifesciences ltd
Plot no 33,33A,40 to 47, Industrial Growth Centre - Chicksugur, Raichur Taluk DistrictTelephone:9845745068
E-Mail:snarath@vhsnlpa.com

Sender's authorisation No

28295

Manifest Document No

HWW/28295/2025-26/0000185

Transporter's name and address:
(including Phone No. and e-mail)PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D)
562112
Phone:9845831069
e-mail:panchamukipharmacem@gmail.com
Transporter's registration No: 23836

Type of vehicle

Tanker

Transporter's registration No

23836

Vehicle registration No.

KA 01 AP 3329

Receiver's name and mailing address
(including Phone No. and e-mail)PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D)
562112
Phone:9845831069
e-mail:panchamukipharmacem@gmail.com
Receiver's authorisation No: 23836

Receiver's authorisation No.

23836

Waste description

Waste Category	Physical form	Qty(MT)
28 6 Spent solvents	Liquid	26.54

Total quantity :
No. of Containers

26.54 MT

Physical form

USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

Name and stamp: Signature:

MONTH-DAY-YEAR:05-16-2025

Transporter acknowledgement of receipt of Wastes

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

Copy (100%) to be forwarded by the sender to the State Pollution Control Board after signing on the seven days as

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(including Phone No. and e-mail)Shilpa pharma lifesciences ltd
Plot no 33.33A,40 to 47, Industrial Growth Centre, Chicksugur, Raichur Taluk DistrictTelephone: 9845745068
E-Mail: sharath@vbsilpa.com

Sender's authorisation No.

28295

Manifest Document No

HW/28295/2025-26/0000186

Transporter's name and address:
(including Phone No. and e-mail)ZAHID ROADLINES
M 19 Baikampady Indl Area
Phone: 9845515328
e-mail: zahidroadlines2005@gmail.com
Transporter's registration No. 83125

Type of vehicle

Truck

Transporter's registration No

83125

Vehicle registration No.

KA 19 AB 2551

Receiver's name and mailing address
(including Phone No. and e-mail)Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited)
Plot No. 158 to 164, KAIDB Kadechu Industrial Area; Village _Kadechur; Tehsil & District Yadgir; Karnataka-585221
Phone: 7338464597
e-mail: lab@motherearthenviron.com
Receiver's authorisation No. 80996

Receiver's authorisation No.

80996

Waste description

Waste Category

Physical form

Qty(MT)

35 3.Chemical Sludge From Waste Water Treatment

Semi-Solid

18.41

Total quantity :
No. of Containers

18.41 MT

Physical form

USE PPE, WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

MONTH-DAY-YEAR:05-20-2025

Sender's Certificate



Name and stamp: Signature:

MONTH-DAY-YEAR

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature: *Ramachet*

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

Annexure -11

5/2025 5:44 PM

www

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(including Phone No. and e-mail)Shilpa pharma lifesciences ltd
Plot no 33,33A,4019-7 Industrial Growth Centre , Chicksugur, Raichur Taluk DistrictTelephone:9843745068
E-Mail:sharath@vbshlpe.com

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000189

Transporter's name and address:
(including Phone No. and e-mail)ZAHID ROADLINES
M 19 Balkampady Ind Area
Phone 9845575328
e-mail:zahidroadlines2005@gmail.com
Transporter's registration No. 82125

Type of vehicle

Truck

Transporter's registration No

83125

Vehicle registration No.

KA 19 AE 1923

Receiver's name and mailing address
(including Phone No. and e-mail)Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited)
Plot No 158 to 164, KADOB Kadechu Industrial Area, Village _Kadechur, Tehsil & District
Yadgir, Karnataka-585221
Phone:7338464597
e-mail:lab@motherearthenviro.com
Receiver's authorisation No. 80996

Receiver's authorisation No.

80996

Waste description

Waste Category

Physical form

Qty(MT)

35.3 Chemical Sludge From Waste Water Treatment Semi Solid 26.72

Total quantity :

26.72 MT

No. of Containers

Physical form

USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER.

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

MONTH-DAY-YEAR:05-30-2025

Name and stamp: Signature:



Transporter acknowledgement of receipt of wastes

MONTH-DAY-YEAR

ZAHID ROADLINE

Name and stamp: Signature:

1st Floor, Bantwal Chambers

Balkampady, Mysuru - 575001

Receiver's confirmation for receipt of hazardous and other waste

MONTH-DAY-YEAR

Name and stamp: Signature:

21/25 11:28 AM

HWW

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(including Phone No. and e-mail)Shilpa pharma lifesciences ltd
Plot no 33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk DistrictTelephone:9845745068
E-Mail:sharath@vbsnilpa.com

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000188

Transporter's name and address:
(including Phone No. and e-mail)PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D)
562112
Phone:9845831069
e-mailpanchamukipharmacchem@gmail.com
Transporter's registration No: 23836

Type of vehicle

Tanker

Transporter's registration No

23836

Vehicle registration No.

KA 01 AP 3329

Receiver's name and mailing address
(including Phone No. and e-mail)PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D)
562112
Phone:9845831069
e-mailpanchamukipharmacchem@gmail.com
Receiver's authorisation No.: 23836

Receiver's authorisation No.

23836

Waste description

Waste Category	Physical form	Qty(MT)
28.6. Spent solvents	Liquid	26.82

Total quantity :
No. of Containers

26.82 MT

Physical form

Special handling instructions and additional information

USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

MONTH-DAY-YEAR:05-21-2025



Name and stamp: Signature

Transporter acknowledgement/Receipt of Waste

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

Copy + (WWS) - to be forwarded by the vendor to the State Pollution Control Board after signing all the seven copies

Annexure - 11

5/2025 5:46 PM

HWW

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(including Phone No. and e-mail)Shilpa pharma lifesciences ltd
Plot no 33,33A,40to47 Industrial Growth Centre , Chicksugur, Raichur Taluk DistrictTelephone:9845745068
E-Mail:sharath@vbshilpa.com

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000187

Transporter's name and address:
(Including Phone No. and e-mail)ZAHID ROADLINES
M 19 Baikampady Indl Area
Phone 9845151528
e-mailzahidroadlines2005@gmail.com
Transporter's registration No. 83125

Type of vehicle

Truck

Transporter's registration No

83125

Vehicle registration No.

KA 19 AE 1923

Receiver's name and mailing address
(Including Phone No. and e-mail)Kalyana Karnataka Waste Management Project Private Limited [Formerly M/s Mother Earth Environ Tech Private Limited]
Plot No 158 to 164, KAIDB Kadechu Industrial Area; Village _Kadechur; Tehsil & District
Yadgir; Karnataka-585221
Phone:7338464597
e-maillab@motherearthenviron.com
Receiver's authorisation No. : 80996

Receiver's authorisation No.

80996

Waste description

Waste Category	Physical form	Qty(MT)
35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	28.92

Total quantity :

28.92 MT

No. of Containers

Physical form

Special handling instructions and additional information

USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF
WATER,

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately
described above by proper shipping name and are categorised, packed, marked,
and labelled, and are in all respects in proper conditions for transport by road
according to applicable national government regulations.

MONTH-DAY-YEAR:05-20-2025

Name and stamp: Signature:



Transporter acknowledgement for receipt of wastes

Name and stamp: Signature:
ZAHID ROADLINES
1st Floor, Bantwal Chambers
Bantwal, Mangalore-575017

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

Note: This Manifesto is to be forwarded by the sender to the State Pollution Control Board after signing all the town copies.

05.199.29/hwm/nicconsenid/manifestview/101817

4/7

7/2/25 1:27 PM

HWW

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(including Phone No. and e-mail)Shilpa pharma llfesciences ltd
Plot no.13,33A,40to47, .industrial Growth Centre , Chicksgur, Raichur Taluk DistrictTelephone:9845745068
E-Mail:sharath@vbshilpa.com

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000213

Transporter's name and address:
(including Phone No. and e-mail)ZAHID ROADINES
M 19 Baikampady Indl Area
Phone:9845515328
e-mail:zahidroadlines2005@gmail.com
Transporter's registration No: 83125

Type of vehicle

Truck

Transporter's registration No

83125

Vehicle registration No.

KA 01 AH 7908

Receiver's name and mailing address
(including Phone No. and e-mail)Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited)
Plot No. 158 to 164, KADIR Kadechur Industrial Area; Village _Kadechur;Tehsil & District
Kadgir; Karnataka-585221
Phone:7338464597
e-mail:lab@motherearthenviro.com
Receiver's authorisation No: 80996

Receiver's authorisation No.

80996

Waste description

Waste Category	Physical form	Qty(MT)
35.3 Chemical Sludge From Waste Water Treatment	Semi-Solid	23.59

Total quantity :
No. of Containers

23.59 MT

Physical form

Special handling instructions and additional information

USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

MONTH-DAY-YEAR:09-29-2025



Transporter acknowledgement of receipt of wastes

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

Copy I (With) to be forwarded by the tender to the State Pollution Control Board after signing all the seven copies

205_199_29thenuwicconsentlymanifestsview123606

Annexure-II

FORM 10
(See rule 19 (1))
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)

Shilpa pharma lifesciences ltd
Plot no 33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District
Telephone:9845745068
E-Mail:sharath@vbshilpa.com

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000208

Transporter's name and address (including Phone No. and e-mail)

ZAHID ROADLINES
M 19 Barkampady Indl Area
Phone 9845515378
e-mailzahidroadlines2005@gmail.com
Transporter's registration No: 83125

Type of vehicle

Truck

Transporter's registration No

83125

Vehicle registration No.

KA 01 AH 7908

Receiver's name and mailing address (including Phone No. and e-mail)

Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited)
Plot No. 158 to 164, KAIDB Kadechu Industrial Area; Village _Kadechur; Tehsil & District
Yadgir; Karnataka-585221
Phone:7338464597
e-maillab@motherearthenviron.com
Receiver's authorisation No: 80996

Receiver's authorisation No.

80996

Site description

Waste Category	Physical form	Qty(MT)
35.3 Chemical Sludge From Waste Water Treatment	Semi-Solid	25.79

**Total quantity :
. of Containers**

25.79 MT

Physical form

Special handling instructions and additional information

USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

Name and stamp: Signature:

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature: MONTH-DAY-YEAR:09-08-2025

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature: MONTH-DAY-YEAR

Note: To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
including Phone No. and e-mail)Shilpa pharma lifesciences ltd
Plot no.33,33A,40 to 47, Industrial Growth Centre , Chicksugur, Raichur Taluk DistrictTelephone:9845745068
E-Mail:sharatn@vbsilpa.com

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000212

Transporter's name and address:
including Phone No. and e-mail)ZAHID ROADINES
M 19 Barkampady Indl Area
Phone:9845515328
e-mail:zahidroadlines2005@gmail.com
Transporter's registration No: 83125

Type of vehicle

Truck

Transporter's registration No

83125

Vehicle registration No.

KA 37B 1476

Receiver's name and mailing address
including Phone No. and e-mail)Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited)
Plot No. 15B to 164, KAIDB Kadchuk Industrial Area; Village _Kadchur, Tehsil & District
Yadgir; Karnataka-585221
Phone:7338464597
e-mail:lab@motherearthenviron.com
Receiver's authorisation No.: 80996

Receiver's authorisation No.

80996

Waste description

Waste Category	Physical form	Qty(MT)
35.3 Chemical Sludge From Waste Water Treatment	Semi-Solid	23.96

Total quantity:
No. of Containers

23.96 MT

Physical form

USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

Name and stamp: Signature:

MONTH-DAY-YEAR:09-20-2025

Transporter acknowledgement of receipt of Wastes

ZAHID ROADINES
1ST FLOOR, 100 FEET ROAD, BARKAMPADY, YADGIR, KARNATAKA, INDIA
585221

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

(White) To be furnished by the sender to the State Pollution Control Board after signing of the seven copies

Annexure - 11

25, 1:26 PM

HWW

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(including Phone No. and e-mail)Shilpa pharma lifesciences ltd
Plot no 33,33A,40 to 47, Industrial Growth Centre Chicksugur, Raichur Taluk DistrictTelephone:9845745068
E-Mail:sharath@vbshilpa.com

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000211

Transporter's name and address:
(including Phone No. and e-mail)PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D)
562117
Phone:9845831069
e-mailpanchamukipharmacem@gmail.com
Transporter's registration No: 23836

Type of vehicle

Tanker

Transporter's registration No

23836

Vehicle registration No.

KA 01 AP 3329

Receiver's name and mailing address
(including Phone No. and e-mail)PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D)
562112
Phone:9845831069
e-mailpanchamukipharmacem@gmail.com
Receiver's authorisation No: 23836

Receiver's authorisation No.

23836

Waste description

Waste Category	Physical form	Qty(MT)
28.6. Spent solvents	Liquid	26.79

Total quantity :
No. of Containers

26.79 MT

Physical form

USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY
OF WATER,

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately
described above by proper shipping name and are categorised, packed, marked,
and labelled, and are in all respects in proper conditions for transport by road
according to applicable national government regulations.

Name and stamp: Signature:



MONTH-DAY-YEAR:09-17-2025

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

A/P/M

HW/H

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(including Phone No. and e-mail)Shilpa pharma.lifesciences Ltd
Plot no 53,33A,406-47, Industrial Growth Centre, Chicksugur, Raichur Taluk DistrictTelephone:9845745068
E-Mail:sharath@vbsilpa.com

Carrier's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000210

Transporter's name and address
(including Phone No. and e-mail)ZAHID ROADLINES
M 19 Baikampady Indl Area
Phone:9845515328
e-mail:zahidroadlines2005@gmail.com
Transporter's registration No. 83125

Type of vehicle

Truck

Transporter's registration No

83125

Vehicle registration No.

KA 19 AD 8668

Receiver's name and mailing address
(including Phone No. and e-mail)Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited)
Plot No. 158 to 164, KADECHU Kadechu Industrial Area; Village -Kadechur; Tehsil & District
Yadgir; Karnataka-585221
Phone:7338464597
e-mail:lab@motherearthenviron.com
Receiver's authorisation No.: 80996

Receiver's authorisation No.

80996

Waste description

Waste Category

Physical form Qty(MT)

35.3.Chemical Sludge From Waste Water Treatment Semi-Solid 28.09

Total quantity :
No. of Containers

28.09 MT

Physical form

Special handling instructions and additional information

USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY
OF WATER,

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately
described above by proper shipping name and are categorised, packed, marked,
and labelled, and are in all respects in proper conditions for transport by road
according to applicable national government regulations.

Name and stamp: Signature:

MONTH-DAY-YEAR:09-15-2025

Transporter acknowledgement of receipt of wastes

MONTH-DAY-YEAR

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

Copy 1 (white) To be forwarded by the sender to the State Pollution Control Board after signing all the relevant copies

Annexure - 11

2:37 PM

HWW

FORM 10

(See rule 19 (1))

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(including Phone No. and e-mail)Shilpa pharma lifesciences ltd
Plot no 33,33A,40 to 47, Industrial Growth Centre , Chicksugur, Raichur Taluk DistrictTelephone:9845745068
E-Mail:sharath@vbshilpa.com

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000209

Transporter's name and address:
(including Phone No. and e-mail)PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D)
562112
Phone:9845831069
e-mail:panchamukipharmacem@gmail.com
Transporter's registration No: 23836

Type of vehicle

Tanker

Transporter's registration No

23836

Vehicle registration No.

KA 01 AP 3329

Receiver's name and mailing address
(including Phone No. and e-mail)PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D)
562112
Phone:9845831069
e-mail:panchamukipharmacem@gmail.com
Receiver's authorisation No.: 23836

Receiver's authorisation No.

23836

Waste description

Waste Category	Physical form	Qty(MT)
20.6. Spent solvents	Liquid	25.78

Total quantity :
No. of Containers

25.78 MT

Physical form

USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY
OF WATER,

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately
described above by proper shipping name and are categorised, packed, marked,
and labelled, and are in all respects in proper conditions for transport by road
according to applicable national government regulations.

Name and stamp: Signature:

MONTH-DAY-YEAR:09-09-2025

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

v1(White) - To be forwarded by the sender to the State Pollution Control Board after signing at the sender's corner.

Annexure-12



SHILPA
PHARMA
LIFESCIENCES
LIMITED
UNIT-2

Employee Training Information Report

Status : Active

Information Type : Training Information

Latest Version : Yes

Assigned From :01 Apr 2025

Departments : ALL

SOP Copy : NA

Training Status:Completed

Ref. Doc. No.:SOP-U-2-EHS-GEN-004

Assigned To:NA

Employee.:ALL

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
1	Bharath Kumar Pisay [1618]	Electrical	Adhoc Training	NA	Operation and maintenance of fire extinguisher (SOP-U-2-EHS-GEN-004-07)	02 Apr 2025	02 Apr 2025	NA	NA	Pass	R.ELANG OVAN-[6808]	Classroom
2	Ramachandra Rao Paidi [1171]	Electrical	Adhoc Training	NA	Operation and maintenance of fire extinguisher (SOP-U-2-EHS-GEN-004-07)	02 Apr 2025	02 Apr 2025	NA	NA	Pass	R.ELANG OVAN-[6808]	Classroom
3	Shivakumar Shivappa [1902]	Electrical	Adhoc Training	NA	Operation and maintenance of fire extinguisher (SOP-U-2-EHS-GEN-004-07)	02 Apr 2025	02 Apr 2025	NA	NA	Pass	R.ELANG OVAN-[6808]	Classroom

Annexure-13

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
4	Aklak Pasha [1912]	Electrical	Adhoc Training	NA	Operation and maintenance of fire extinguisher (SOP-U-2-EHS-GEN-004-07)	02 Apr 2025	02 Apr 2025	NA	NA	Pass	R.ELANG OVAN-[6808]	Classroom
5	Suresh [3086]	Electrical	Adhoc Training	NA	Operation and maintenance of fire extinguisher (SOP-U-2-EHS-GEN-004-07)	02 Apr 2025	02 Apr 2025	NA	NA	Pass	R.ELANG OVAN-[6808]	Classroom
6	Ashok [3087]	Electrical	Adhoc Training	NA	Operation and maintenance of fire extinguisher (SOP-U-2-EHS-GEN-004-07)	02 Apr 2025	02 Apr 2025	NA	NA	Pass	R.ELANG OVAN-[6808]	Classroom
7	Chandra Shekar. [3084]	Electrical	Adhoc Training	NA	Operation and maintenance of fire extinguisher (SOP-U-2-EHS-GEN-004-07)	02 Apr 2025	02 Apr 2025	NA	NA	Pass	R.ELANG OVAN-[6808]	Classroom

SHILPA
PHARMA
LIFESCIENCES
LIMITED
UNIT-2

Employee Training Information Report

Status : Active

Information Type : Training Information

Latest Version : Yes

Assigned From :01 Apr 2025

Departments : ALL

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
1	Devendra Pratap Singh [1209]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absences /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	02 Aug 2025	07 Aug 2025	NA	NA	Pass	Bolla Surendra Reddy [2236]	Classroom

Annexure - 13

SOP Copy : NA

Training Status:Completed

Ref. Doc. No.: SOP-U-2-EHS-GEN-001

Assigned To :28 Sep 2025

Employee :- ALL

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
2	Naveen Samgupu [2919]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	22 Aug 2025	22 Aug 2025	NA	NA	Pass	NAGARAJ UGAMIDI [5528]	Classroom
3	Devi Krishna Gujula [2229]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	18 Aug 2025	18 Aug 2025	NA	NA	Pass	B.Siva Kumar [2636]	Classroom

Annexure - 13

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
4	Masuldar Abdul Zaber shaik [3476]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	13 Aug 2025	14 Aug 2025	NA	NA	Pass	M Ramu [1958]	Classroom
5	Jindoba Kashinath Waghmode [2006]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	23 Aug 2025	23 Aug 2025	NA	NA	Pass	M Ramu [1958]	Classroom

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
6	Ranga Rao Baggu [1962]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	19 Aug 2025	19 Aug 2025	NA	NA	Pass	B.Siva Kumar [2636]	Classroom
7	Rajeev Perimi [2787]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	13 Aug 2025	14 Aug 2025	NA	NA	Pass	M Ramu [1958]	Classroom

Annexure - 19

SHILPA PHARMA LIFE SCIENCES LIMITED UNIT-2												
#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
8	Thondamall a Venkata Praveen Kumar [3100]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description/ additional job responsibilities (FM-PA-059-02)	13 Aug 2025	14 Aug 2025	NA	Pass	M Ramu . [1958]	Classroom	
9	Badrinath . [4344]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description/ additional job responsibilities (FM-PA-059-02)	22 Apr 2025	19 May 2025	NA	Pass	DIVI VENUGOP AL . [486]	Classroom	

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
10	GOOTLO PAVAN KUMAR .. [4649]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absenees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	18 Aug 2025	19 Aug 2025	NA	NA	Pass	M Ramu . [1958]	Classroom
11	SANDRAL A PRASAD - [6427]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absenees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	12 Aug 2025	14 Aug 2025	NA	NA	Pass	M Ramu . [1958]	Classroom

Annexure -13

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
12	OJA SUBRAMA NYAM - [6670]	Quality control	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	25 Apr 2025	30 Apr 2025	NA	NA	Pass	V.N.PRASAD ANDE. [1581.]	Classroom
13	SURENDRA BABU GOLLA [5596]	Quality control	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	25 Apr 2025	28 Apr 2025	NA	NA	Pass	V.N.PRASAD ANDE. [1581.]	Classroom

**SHILPA
PHARMA
LIFESCIENCES
LIMITED**

UNIT-2

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
14	VAIBHAV SANJAY KOTHARE .[5928]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absenees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	12 Aug 2025	14 Aug 2025	NA	NA	Pass	Attunuru Prasad Reddy [2952]	Classroom
15	CHEKUBO YINA SURYAVA MSI GOKUL - [6157]	Quality control	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absenees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	09 Apr 2025	21 Apr 2025	NA	NA	Pass	GYANESH WAR MANIKRA O SHEP .. [4826]	Classroom

**SHILPA
PHARMA
LIFESCIENCES
LIMITED
UNIT-2**

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
16	S MAHESH . [6033]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilit ies (FM- PA-059-02)	12 Aug 2025	14 Aug 2025	NA	NA	Pass	Attunuru Prasad Reddy [2952]	Classroom
17	GOLLA PANDUKU MAR . [6069]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilit ies (FM- PA-059-02)	18 Aug 2025	19 Aug 2025	NA	NA	Pass	DIVI VENUGOP AL .; [4866]	Classroom

Annexeure - 13

**SHILPA
PHARMA
LIFESCIENCES
LIMITED
UNIT-2**

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
18	SAGAR LAXMAN GAVALI - [7565]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	11 Jul 2025	22 Jul 2025	NA	NA	Pass	M Ramu . [1958]	Classroom
19	A VENKATA SHIVA REDDY - [7549]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	24 Apr 2025	14 May 2025	NA	NA	Pass	SHANI P T [7539]	Classroom


**SHILPA
PHARMA
LIFESCIENCES
LIMITED
UNIT-2**

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
20	OMKAR CHINTAM ANI GURAV - [8440]	Quality control	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees & transfer employee/ changes in job description / additional job responsibilit ies (FM- PA-059-02)	18 Aug 2025	19 Aug 2025	NA	NA	Pass	Bharmanna Shivaraya Petarge [1186]	Classroom
21	AJIT CHANDRA KANT BORUTE . [6040]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees & transfer employee/ changes in job description / additional job responsibilit ies (FM- PA-059-02)	12 Aug 2025	14 Aug 2025	NA	NA	Pass	Attunuru Prasad Reddy [2952]	Classroom

Annexure -13

**SHILPA
PHARMA
LIFESCIENCES
LIMITED
UNIT-2**

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
22	RAMAVA TH VENKATE SU NAIK . [5592]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absenees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	12 Aug 2025	16 Aug 2025	NA	NA	Pass	Narasimha Murthy Venkata Nanduri [1937]	Classroom
23	Balachandar B [3481]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absenees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	14 Aug 2025	16 Aug 2025	NA	NA	Pass	M Ranu . [1958]	Classroom



Sop Training Log

RefdocNo.:SOP-U-2-EHS-GEN-003

Completed Training

#	Employee Name	Department	Revision No.	Assign Date	Completion Date	Trainer Name	Score(in %)	Training Mode	Status	Comment	Training Due Date
1	Amare Gouda . [1392]	Production	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
2	MANDA SRIRAMULU - [8184]	Production	08	04-Jul-2025	04-Jul-2025	Self	90.0	Online	Pass	Employee has cleared the test	14-Jul-2025
3	Venkatesh Regula [3614]	Production	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
4	Ediga Khajan Goud [1627]	Quality control	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
5	Mujahid Hussain [1716]	Quality Assurance	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
6	Yuvraj . [3725]	Production	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
7	Arun Kumar Gunjanur [1307]	Production	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
8	MANIDEEP BH - [6501]	Quality control	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
9	Prasanna Ravindra Dhanshetti [1496]	Production	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025

Annexure - 13


SHILPA
PHARMA
LIFE SCIENCES
LIMITED
UNIT-2

Sop Training Log

RefDocNo.:SOP-U-2-EHS-GEN-003

Completed Training

#	Employee Name	Department	Revision No.	Assign Date	Completion Date	Trainer Name	Score(in %)	Training Mode	Status	Comment	Training Due Date
10	M.Veerendra Kumar [1161]	Production	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
11	Veereshappa . [1045]	Production	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
12	Rajshekhar Bhimasha Gaikwad [3421]	Production	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
13	SHUBHAM KORALE - [7529]	Quality Assurance	08	04-Jul-2025	04-Jul-2025	Self	90.0	Online	Pass	Employee has cleared the test	14-Jul-2025
14	Umesh Jalkote [1304]	Production	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
15	VELPULAA MALLESWARA RAO - [7615]	Production	08	04-Jul-2025	04-Jul-2025	Self	90.0	Online	Pass	Employee has cleared the test	14-Jul-2025
16	Boya Mallikarjuna [2836]	Production	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
17	S SATISH - [7569]	Production	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
18	Praveen Kumar Gadwal [1308]	Production	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025



Sop Training Log

Ref docNo.:SOP-U-2-EHS-GEN-003

Completed Training

#	Employee Name	Department	Revision No.	Assign Date	Completion Date	Trainer Name	Score(in %)	Training Mode	Status	Comment	Training Due Date
19	MAHESH VASANTRAO SONAWANE - [7639]	Quality Assurance	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
20	Bajeswara Rao Gottipati [3192]	Production	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
21	Nageswara Rao Gudavalli [1372]	Production	08	04-Jul-2025	04-Jul-2025	Self	90.0	Online	Pass	Employee has cleared the test	14-Jul-2025
22	SHIVANAND RAMESH KOLLI - [7431]	Quality Assurance	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
23	Govindappa Galagali .[3940]	Production	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
24	AVINASH ANNASO BHUJAWADKAR - [7660]	Production	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
25	SHRIKRUSHNA SUBHASH TELORE -[7110]	Production	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
26	SATENDRA VERMA - [8218]	Production	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
27	AJIT CHANDRAKANT BORUTE .[6040]	Production	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025




Sop Training Log

RefDocNo.:SOP-U-2-EHS-GEN-003

Completed Training

#	Employee Name	Department	Revision No.	Assign Date	Completion Date	Trainer Name	Score(in %)	Training Mode	Status	Comment	Training Due Date
28	BYRAKONDA HARIKRISHNA - [7311]	Production	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
29	Bolla Surendra Reddy	Production	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
30	Lingaraju Cholappa Bettapnor [2362]	Production	08	04-Jul-2025	04-Jul-2025	Self	90.0	Online	Pass	Employee has cleared the test	14-Jul-2025
31	Arun Kumar Singh [1355]	Production	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
32	Puramshetti Srinivas [2908]	Production	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
33	SUNIL KUMAR YADAV - [7413]	Production	08	04-Jul-2025	04-Jul-2025	Self	90.0	Online	Pass	Employee has cleared the test	14-Jul-2025
34	PRITHIVIRAJ POPAT RANANAVARE - [7277]	Production	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
35	NITINKUMAR VIRBHADRAPPA NASALE - [7286]	Production	08	04-Jul-2025	04-Jul-2025	Self	90.0	Online	Pass	Employee has cleared the test	14-Jul-2025
36	MAHESH SIDDAPPA JATTI - [7426]	Production	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025



Sop Training Log

Ref docNo.:SOP-U-2-EHS-GEN-003

Completed Training

#	Employee Name	Department	Revision No.	Assign Date	Completion Date	Trainer Name	Score(in %)	Training Mode	Status	Comment	Training Due Date
37	MANVENDRA SINGH - [7322]	Production	08	04-Jul-2025	04-Jul-2025	Self	90.0	Online	Pass	Employee has cleared the test	14-Jul-2025
38	PRADEEP S HANCHINAL - [8028]	Production	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
39	Avinash Digambar Bhalerao [3573]	Production	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
40	Venkateshwarlu C [1190]	Production	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
41	Amarsing Kisansing Rajput [3523]	Production	08	04-Jul-2025	04-Jul-2025	Self	90.0	Online	Pass	Employee has cleared the test	14-Jul-2025
42	Balaveeriah Valadasu [1495]	Production	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
43	ASHOK BALASAHEB BAGAL - [7862]	Production	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
44	Anjaliya Babu Dandu [1135]	Production	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
45	VIKAS SINGH - [8016]	Production	08	04-Jul-2025	04-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025

Anujguru - 13



Sop Training Log

RefDocNo.:SOP-U-2-EHS-GEN-003

Completed Training

#	Employee Name	Department	Revision No.	Assign Date	Completion Date	Trainer Name	Score(in %)	Training Mode	Status	Comment	Training Due Date
46	DEEPAK GOVINDRAO NATKARE .. [4799]	Production	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
47	PRABHAKAR SHIVAJI LOHAR - [7910]	Production	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
48	YOGESH ATMARAM METE - [7762]	Production	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
49	Vidyadhar Chiuveri [2502]	Production	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
50	KOTKAR PRAVIN RAMESH - [7764]	Production	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
51	KAVALI NARSIMLU - [7706]	Production	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
52	Samir Kisan Ghuge . [4359]	Production	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
53	SRIHARI CHOUDHURY - [7722]	Production	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
54	Gunti Venkateswarlu [2900]	Production	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025




Sop Training Log

RefdocNo.:SOP-U-2-EHS-GEN-003

Completed Training

#	Employee Name	Department	Revision No.	Assign Date	Completion Date	Trainer Name	Score(in %)	Training Mode	Comment	Training Due Date
55	JAVED GHUDUJAL SAYYAD - [8014]	Production	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online Pass	Employee has cleared the test	14-Jul-2025
56	AVINASH MACHINDRA SHINDE - [7981]	Production	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online Pass	Employee has cleared the test	14-Jul-2025
57	SHUBHAM DILIP PHASE - [7986]	Production	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online Pass	Employee has cleared the test	14-Jul-2025
58	SHRISHAIL JYOTIBA GADE - [8257]	Production	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online Pass	Employee has cleared the test	14-Jul-2025
59	OMKARESWARAR AO PASUMARTHI [4454]	Production	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online Pass	Employee has cleared the test	14-Jul-2025
60	Anantha Sena Reddy Gaunolla [1395]	Quality Assurance	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online Pass	Employee has cleared the test	14-Jul-2025
61	Omprakash . [2199]	Quality control	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online Pass	Employee has cleared the test	14-Jul-2025
62	RAMAVATH VENKATESU NAIK . [5592]	Production	08	04-Jul-2025	05-Jul-2025	Self	90.0	Online Pass	Employee has cleared the test	14-Jul-2025
63	AVADHUT ASHOK KULKARNI . [5694]	Production	08	04-Jul-2025	05-Jul-2025	Self	90.0	Online Pass	Employee has cleared the test	14-Jul-2025

Anx-13 - 13




Sop Training Log

RefDocNo.:SOP-U-2-EHS-GEN-003

Completed Training

#	Employee Name	Department	Revision No.	Assign Date	Completion Date	Trainer Name	Score(in %)	Training Mode	Status	Comment	Training Due Date
64	VIVEK TULSHIRAM JADHAV - [8195]	Production	08	04-Jul-2025	05-Jul-2025	Self	90.0	Online Pass	Employee has cleared the test	14-Jul-2025	
65	VINUKONDA SRIRAMULU - [6763]	Production	08	04-Jul-2025	05-Jul-2025	Self	90.0	Online Pass	Employee has cleared the test	14-Jul-2025	
66	AMRUTHALURI SURESHBABU - [7665]	Production	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online Pass	Employee has cleared the test	14-Jul-2025	
67	DAGGUPATI VENKATARAMAN A - [6322]	Production	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online Pass	Employee has cleared the test	14-Jul-2025	
68	Jalandar Pasula [1610]	Quality control	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online Pass	Employee has cleared the test	14-Jul-2025	
69	APPIKATLA SAI KUMAR - [6542]	Production	08	04-Jul-2025	05-Jul-2025	Self	90.0	Online Pass	Employee has cleared the test	14-Jul-2025	
70	SURENDER RAMACHANDRUMAN [4926]	Personnel & Administration	08	04-Jul-2025	05-Jul-2025	Self	90.0	Online Pass	Employee has cleared the test	14-Jul-2025	
71	PERUMALA SATISHKUMAR . * [4666]	Production	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online Pass	Employee has cleared the test	14-Jul-2025	
72	PANKAJ SHAMUVEL PANDIT - [7732]	Production	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online Pass	Employee has cleared the test	14-Jul-2025	



Sop Training Log

RefDocNo.:SOP-U-2-EHS-GEN-003

Completed Training

#	Employee Name	Department	Revision No.	Assign Date	Completion Date	Trainer Name	Score(in %)	Training Mode	Status	Comment	Training Due Date
73	VIJAY DATATRAY BHANDALKAR - [7288]	Production	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
74	Shivyogi Shankar Kognure [1413]	Production	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
75	BADESAB HUSEN SHAIKH [7188]	EHS	08	04-Jul-2025	05-Jul-2025	Self	90.0	Online	Pass	Employee has cleared the test	14-Jul-2025
76	T BALAJI SAVANTH . [6585]	Production	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
77	Attunuru Prasad Reddy [2952]	Production	08	04-Jul-2025	05-Jul-2025	Self	90.0	Online	Pass	Employee has cleared the test	14-Jul-2025
78	Pulla Reddy Gowreddy [1846]	Quality control	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
79	VAIBHAV SANJAY KOTHARE . [5928]	Production	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
80	Nageshwar Rao Padamati [1364]	Production	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
81	KUMMARI RAMESH - [7273]	Production	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025

Annexure - 1



Sop Training Log
RefDocNo.:SOP-U-2-EHS-GEN-003

Completed Training

#	Employee Name	Department	Revision No.	Assign Date	Completion Date	Trainer Name	Score(in %)	Training Mode	Status	Comment	Training Due Date
82	Manjeet Singh - [7310]	Analytical research and Development (AR&D)	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
83	KESANA SIVANAGARAJU - [7796]	Production	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
84	S MAHESH . [6033]	Production	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
85	Raja Kumar Anipe [1798]	Quality control	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
86	CHANNESHAPPA H . [4824]	Production	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
87	Venkata Reddy Padala [1756]	Quality Assurance	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
88	SWAPNIL SHIVAJI KANDEKAR - [7824]	Production	08	04-Jul-2025	05-Jul-2025	Self	90.0	Online	Pass	Employee has cleared the test	14-Jul-2025
89	Virendra B Kalshetti [4412]	Production	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025
90	Abinash Parida [7388]	Production	08	04-Jul-2025	05-Jul-2025	Self	100.0	Online	Pass	Employee has cleared the test	14-Jul-2025

SHILPA
PHARMA
LIFESCIENCES
LIMITED
UNIT-2

Employee Training Information Report

Status : Active

Information Type : Training Information

Latest Version : Yes

Assigned From :01 Apr 2025

Departments : ALL

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
1	Devendra Pratap Singh [1209]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absences /transfer employee/ changes in job description / additional job responsibilities (FMPA-059-02)	02 Aug 2025	07 Aug 2025	NA	NA	Pass	Bolla Surendra Reddy [2236]	Classroom

Annexure -1

SOP Copy : NA

Training Status:Completed

Ref. Doc. No.:SOP-U-2-EHS-GEN-006

Assigned To :28 Sep 2025

Employee::ALL

SHILPA
PHARMA
LIFESCIENCES
LIMITED
UNIT-2

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
2	Naveen Samgapu [2919]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absenees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	22 Aug 2025	22 Aug 2025	NA	N/A	Pass	NAGARAJ U GAMIDI [5528]	Classroom
3	Devi Krishna Gujjula [2229]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absenees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	18 Aug 2025	18 Aug 2025	NA	N/A	Pass	B.Siva Kumar [2636]	Classroom

Annexure -13

SHILPA
PHARMA
LIFESCIENCES
LIMITED

UNIT-2

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
4	Masuldar Abdul Zaber shaik [3476]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilit ies (FM- PA-059-02)	13 Aug 2025	14 Aug 2025	NA	N/A	Pass	M Ramu [1958]	Classroom
5	Jindoba Kashinath Waghmode [2006]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilit ies (FM- PA-059-02)	23 Aug 2025	23 Aug 2025	NA	N/A	Pass	M Ramu [1958]	Classroom

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
6	Ranga Rao Baggu [1962]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	19 Aug 2025	19 Aug 2025	NA	NA	Pass	B.Siva Kumar [2636]	Classroom
7	Rajeev Perimi [2787]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	13 Aug 2025	14 Aug 2025	NA	NA	Pass	M Ramu [1958]	Classroom

Annexure-13

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
8	Thondamall a Venkata Praveen Kumar [3100]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	13 Aug 2025	14 Aug 2025	NA	NA	Pass	M Ramu . [1958]	Classroom
9	Badrinath . [4344]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	22 Apr 2025	19 May 2025	NA	NA	Pass	DIVI VENUGOP AL . [4866]	Classroom

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
10	GOOTLO PAVAN KUMAR * [4649]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	18 Aug 2025	19 Aug 2025	NA	NA	Pass	M Ramu [1958]	Classroom
11	SANDRAL A PRASAD - [6427]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	12 Aug 2025	14 Aug 2025	NA	NA	Pass	M Ramu [1958]	Classroom

**SHILPA
PHARMA
LIFESCIENCES
LIMITED
UNIT-2**

Annegeure 13

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
12	OJA SUBRAMA	Quality control	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absenees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	25 Apr 2025	30 Apr 2025	NA	NA	Pass	V.N.PRASAD ANDE [1581.]	Classroom
13	SURENDRA BABU GOLLA	Quality control	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absenees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	25 Apr 2025	28 Apr 2025	NA	NA	Pass	V.N.PRASAD ANDE [1581.]	Classroom

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
14	VAIBHAV SANJAY KOTHARE [5928]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absenees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	12 Aug 2025	14 Aug 2025	NA	NA	Pass	Attunuru Prasad Reddy [2952]	Classroom
15	CHEKUBO YINA SURYAVA MSI GOKUL - [6157]	Quality control	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absenees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	09 Apr 2025	21 Apr 2025	NA	NA	Pass	GYANESH WAR MANIKRA O SHEP .. [4826]	Classroom

Annexure -13

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
16	S MAHESH. [6033]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	12 Aug 2025	14 Aug 2025	NA	NA	Pass	Attunuru Prasad Reddy [2952]	Classroom
17	GOLLA PANDUKU MAR. [6069]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	18 Aug 2025	19 Aug 2025	NA	NA	Pass	DIVI VENUGOPAL.: [4866]	Classroom

**SHILPA
PHARMA
LIFESCIENCES
LIMITED
UNIT-2**

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
18	SAGAR LAXMAN GAVALLI - [7565]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	11 Jul 2025	22 Jul 2025	NA	NA	Pass	M Ramu . [1958]	Classroom
19	A VENKATA SHIVA REDDY - [7549]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	24 Apr 2025	14 May 2025	NA	NA	Pass	SHANI P T .[7539]	Classroom

Annexure - 13

**SHILPA
PHARMA
LIFESCIENCES
LIMITED
UNIT-2**

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
20	OMKAR CHINTAM ANI GURAV - [8440]	Quality control	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees employee/ transfer changes in job description / additional job responsibilities (FM-PA-059-02)	18 Aug 2025	19 Aug 2025	NA	NA	Pass	Bharnanna Shivayaya Petarge [1186]	Classroom
21	AJIT CHANDRA KANT BORUTE . [6040]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees employee/ transfer changes in job description / additional job responsibilities (FM-PA-059-02)	12 Aug 2025	14 Aug 2025	NA	NA	Pass	Attunuru Prasad Reddy [2952]	Classroom

**SHILPA
PHARMA
LIFESCIENCES
LIMITED
UNIT-2**

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
22	RAMAVA TH VENKATE SU NAIK . [5592]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absenees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	12 Aug 2025	16 Aug 2025	NA	NA	Pass	Narasimha Murthy Venkata Nanduri [1937]	Classroom
23	Balachandar B [3481]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absenees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	14 Aug 2025	16 Aug 2025	NA	NA	Pass	M Ramu [1958]	Classroom

Annexure 10

SHILPA PHARMA LIFESCIENCES LIMITED UNIT-2						
#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date
24	Vithal Abaso Babar [1411]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	18 Aug 2025
25	RAHUL MOHAN JANKAR - [8351]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR NEW EMPLOYEE (FM-PA-058)	03 Apr 2025
26	SHAMBHO RAJE BHAGAWAN SING - [8357]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR NEW EMPLOYEE (FM-PA-058)	05 Apr 2025
						09 May 2025
						NA
						Pass
						Sasidhar Avula [1198]
						Pass
						B.Siva Kumar [2636]

**SHILPA
PHARMA
LIFE SCIENCES
LIMITED**
UNIT-2

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
27	G GANESH - [8370]	IT	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR NEW EMPLOYEE (FM-PA-058)	14 Apr 2025	21 Apr 2025	NA	NA	Pass	Alkesh Kashet [3938]	Classroom
28	VEER PRATAP SINGH - [8383]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR NEW EMPLOYEE (FM-PA-058)	18 Apr 2025	16 May 2025	NA	NA	Pass	Arun Kumar Singh [1355]	Classroom
29	SAPPOGU RATHNA M - [8389]	Microbiolog y	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR NEW EMPLOYEE (FM-PA-058)	19 Apr 2025	10 May 2025	NA	NA	Pass	Sharan Prasad Hampayya swamy Shivaling [1497]	Classroom
30	INAPURAP U PRAVEEN KUMAR - [8398]	Quality Assurance	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR NEW EMPLOYEE (FM-PA-058)	24 Apr 2025	12 May 2025	NA	NA	Pass	Satish Babu Kota [1489]	Classroom

**SHILPA
PHARMA
LIFESCIENCES
LIMITED**
UNIT-2

Annexure - 13

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
31	INAPURAP U PRAVEEN KUMAR - [8398]	Quality Assurance	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR NEW EMPLOYEE (FM-PA-058)	24 Apr 2025	12 May 2025	NA	NA	Pass	Satish Babu Kota [1489]	Classroom
32	GAURAV PRAKASH PATIL - [8405]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR NEW EMPLOYEE (FM-PA-058)	29 Apr 2025	23 May 2025	NA	NA	Pass	SHANI P T [7539]	Classroom
33	SUNIL KUMAR - [8433]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR NEW EMPLOYEE (FM-PA-058)	21 May 2025	11 Jun 2025	NA	NA	Pass	Narasimha Murthy Venkata Nanduri [1937]	Classroom
34	SOURABH RAMDAS SURYAW ANSHI - [8436]	Quality control	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR NEW EMPLOYEE (FM-PA-058)	22 May 2025	10 Jun 2025	NA	NA	Pass	Bharannana Shivaraya Petarage [1186]	Classroom

SHILPA
PHARMA
LIFESCIENCES
LIMITED
UNIT-2

Employee Training Information Report

Status : Active

Information Type : Training Information

Latest Version : Yes

Assigned From : 01 Apr 2025

Departments : ALL

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
1	Devendra Pratap Singh [1209]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	02 Aug 2025	07 Aug 2025	NA	NA	Pass	Bolla Surendra Reddy [2236]	Classroom

SOP Copy : NA

Training Status:Completed

Ref. Doc. No.:SOP-U-2-EHS-GEN-014

Assigned To : 28 Sep 2025

Employee.:ALL

**SHILPA
PHARMA
LIFESCIENCES
LIMITED
UNIT-2**

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
2	Naveen Samgapu [2919]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /absentees /transfer /employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	22 Aug 2025	22 Aug 2025	NA	NA	Pass	NAGARAJ U GAMIDI [5528]	Classroom
3	Devi Krishna Gujula [2229]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /absentees /transfer /employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	18 Aug 2025	18 Aug 2025	NA	NA	Pass	B.Siva Kumar [2636]	Classroom

Annexeure -13

**SHILPA
PHARMA
LIFESCIENCES
LIMITED
UNIT-2**

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
4	Masuldar Abdul Zaber shaik [3476]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absenees /transfer /employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	13 Aug 2025	14 Aug 2025	NA	NA	Pass	M Ramu [1958]	Classroom
5	Jindoba Kashinath Waghmode [2006]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absenees /transfer /employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	23 Aug 2025	23 Aug 2025	NA	NA	Pass	M Ramu [1958]	Classroom

Annexure - 13

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
6	Ranga Rao Baggu [1962]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2)	19 Aug 2025	19 Aug 2025	NA	NA	Pass	B.Siva Kumar [2636]	Classroom
7	Rajeev Perimi [2787]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2)	13 Aug 2025	14 Aug 2025	NA	NA	Pass	M.Ramu [1958]	Classroom

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
8	Thondamall a Venkata Praveen Kumar [3100]	Production	Adhoc Training	NA	ON JOB TRAINING [JST-1 & JST-2) FOR Long period absenees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	13 Aug 2025	14 Aug 2025	NA	NA	Pass	M Ramu . [1958]	Classroom
9	Badrinath [4344]	Production	Adhoc Training	NA	ON JOB TRAINING [JST-1 & JST-2) FOR Long period absenees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	22 Apr 2025	19 May 2025	NA	NA	Pass	DIVI VENUGOP AL . [4866]	Classroom

**SHILPA
PHARMA
LIFE SCIENCES
LIMITED
UNIT-2**

#	Employee Name	Department	Ref/Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
10	GOOTLO PAVAN KUMAR .. [4649]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	18 Aug 2025	19 Aug 2025	NA	Pass	M Ramu [1958]	Classroom	
11	SANDRAL A PRASAD - [6427]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	12 Aug 2025	14 Aug 2025	NA	Pass	M Ramu [1958]	Classroom	

Anx-13

**SHILPA
PHARMA
LIFESCIENCES
LIMITED**

UNIT -2

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
12	OJA SUBRAMA NYAM - [6670]	Quality control	Adhoc Training	NA	ON JOB TRAINING (IST-1 & JST-2)	25 Apr 2025	30 Apr 2025	NA	NA	Pass	V.N.PRASAD ANDE. [1581.]	Classroom
13	SURENDRA BABU GOLLA [5596]	Quality control	Adhoc Training	NA	ON JOB TRAINING (IST-1 & JST-2)	25 Apr 2025	28 Apr 2025	NA	NA	Pass	V.N.PRASAD ANDE. [1581.]	Classroom

Annexure - 13

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
14	VAIBHAV SANJAY KOTHARE [5928]	Production	Adhoc Training	NA	ON JOB TRAINING (IST-1 & JST-2)	12 Aug 2025	14 Aug 2025	NA	NA	Pass	Attunuru Prasad Reddy [2952]	Classroom
15	CHEKUBO YINA SURYAVA MSI GOKUL - [6157]	Quality control	Adhoc Training	NA	ON JOB TRAINING (IST-1 & JST-2)	09 Apr 2025	21 Apr 2025	NA	NA	Pass	GYANESH WAR MANKRA O SHEP .. [4826]	Classroom

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
16	S MAHESH . [6033]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	12 Aug 2025	14 Aug 2025	NA	NA	Pass	Attunuru Prasad Reddy [2952]	Classroom
17	GOLLA PANDUKU MAR . [6069]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	18 Aug 2025	19 Aug 2025	NA	NA	Pass	DIVI VENUGOP AL . [4866]	Classroom

**SHILPA
PHARMA
LIFESCIENCES
LIMITED
UNIT-2**

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
18	SAGAR LAXMAN GAVALI - [7565]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absenees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	11 Jul 2025	22 Jul 2025	NA	NA	Pass	M Ramu [1958]	Classroom
19	A VENKATA SHIVA REDDY - [7549]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absenees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	24 Apr 2025	14 May 2025	NA	NA	Pass	SHANI P T [7539]	Classroom

Anx-13

**SHILPA
PHARMA
LIFESCIENCES
LIMITED**

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
20	OMKAR CHINTAM ANI GURAV - [8440]	Quality control	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	18 Aug 2025	19 Aug 2025	NA	N/A	Pass	Bharmanna Shivaraya Petarge [1186]	Classroom
21	AJIT CHANDRA KANT BORUTE . [6040]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	12 Aug 2025	14 Aug 2025	NA	N/A	Pass	Attunuru Prasad Reddy [2952]	Classroom

Anx-13

SHILPA
PHARMA
LIFESCIENCES
LIMITED

UNIT-2

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
22	RAMAVA TH VENKATE SU NAIK . [5592]	Production	Adhoc Training	NA	ON JOB TRAINING (IST-1 & JST-2) FOR Long period absentees employee/ transfer changes in job description / additional job responsibilities (FM- PA-059-02)	12 Aug 2025	16 Aug 2025	NA	NA	Pass	Narasimha Murthy Venkata Nanduri [1937]	Classroom
23	Balachandar B [3481]	Production	Adhoc Training	NA	ON JOB TRAINING (IST-1 & JST-2) FOR Long period absentees employee/ transfer changes in job description / additional job responsibilities (FM- PA-059-02)	14 Aug 2025	16 Aug 2025	NA	NA	Pass	M Ramu . [1958]	Classroom

SHILPA
PHARMA
LIFESCIENCES
LIMITED
UNIT-2

Employee Training Information Report

Status : Active

Information Type : Training Information

Latest Version : Yes

Assigned From : 01 Apr 2025

Departments : ALL

SOP Copy : NA

Training Status:Completed

Ref. Doc. No.:SOP-U-2-EHS-GEN-018

Assigned To : 28 Sep 2025

Employee.:ALL

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
1	Devendra Pratap Singh [1209]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	02 Aug 2025	07 Aug 2025	NA	NA	Pass	Bolla Surendra Reddy [2236]	Classroom

Annexure - 13

**SHILPA
PHARMA
LIFESCIENCES
LIMITED**
UNIT-2

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
2	Naveen Samgupu [2919]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilit ies (FM- PA-059-02)	22 Aug 2025	22 Aug 2025	NA	NA	Pass	NAGARAJ U GAMIDI .[5528]	Classroom
3	Devi Krishna Gujula [2229]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilit ies (FM- PA-059-02)	18 Aug 2025	18 Aug 2025	NA	NA	Pass	B.Siva Kumar [2636]	Classroom

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
4	Masuldar Abdul Zaber shaik [3476]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absenees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	13 Aug 2025	14 Aug 2025	NA	NA	Pass	M Ramu . [1958]	Classroom
5	Jindoba Kashinath Waglimode [2006]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absenees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	23 Aug 2025	23 Aug 2025	NA	NA	Pass	M Ramu . [1958]	Classroom

Annexure-19

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
6	Ranga Rao Baggu [1962]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	19 Aug 2025	19 Aug 2025	NA	NA	Pass	B.Siva Kumar [2636]	Classroom
7	Rajeev Perimi [2787]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	13 Aug 2025	14 Aug 2025	NA	NA	Pass	M Ramu . [1958]	Classroom

**SHILPA
PHARMA
LIFESCIENCES
LIMITED**
UNIT-2

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
8	Thondamall a Venkata Praveen Kumar [3100]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	13 Aug 2025	14 Aug 2025	NA	NA	Pass	M Ramu . [1958]	Classroom
9	Badrinath . [4344]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	22 Apr 2025	19 May 2025	NA	NA	Pass	DIVI VENUGOPAL [4866]	Classroom

**SHILPA
PHARMA
LIFESCIENCES
LIMITED
UNIT-2**

Answerone-19

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
10	GOOTLO PAVAN KUMAR .. [4649]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM- PA-059-02)	18 Aug 2025	19 Aug 2025	NA	NA	Pass	M Ramu , [1958]	Classroom
11	SANDRAL A PRASAD - [6427]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM- PA-059-02)	12 Aug 2025	14 Aug 2025	NA	NA	Pass	M Ramu , [1958]	Classroom

**SHILPA
PHARMA
LIFESCIENCES
LIMITED
UNIT-2**

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
12	OJA SUBRAMA NYAM - [6670]	Quality control	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absenees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	25 Apr 2025	30 Apr 2025	NA	NA	Pass	V.N.PRASAD ANDE. [1581.]	Classroom
13	SURENDRA ABABU GOLLA [5596]	Quality control	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absenees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	25 Apr 2025	28 Apr 2025	NA	NA	Pass	V.N.PRASAD ANDE. [1581.]	Classroom

Annexure-13

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
14	VAIBHAV SANJAY KOTHARE [5928]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2)	12 Aug 2025	14 Aug 2025	NA	NA	Pass	Attunuru Prasad Reddy [2952]	Classroom
15	CHEKUBO YINA SURYAVA MSI GOKUL - [6157]	Quality control	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2)	09 Apr 2025	21 Apr 2025	NA	NA	Pass	GYANESH WAR MANKRA O SHEP .. [4826]	Classroom

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
16	S MAHESH . [6033]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	12 Aug 2025	14 Aug 2025	NA	NA	Pass	Attunuru Prasad Reddy [2952]	Classroom
17	GOLLA PANDUKU MAR . [6069]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	18 Aug 2025	19 Aug 2025	NA	NA	Pass	DIVI VENUGOPAL . [4866]	Classroom

**SHILPA
PHARMA
LIFE SCIENCES
LIMITED**

UNIT-2

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
18	SAGAR LAXMAN GAVALI - [7565]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	11 Jul 2025	22 Jul 2025	NA	NA	Pass	M Ramu [1958]	Classroom
19	A VENKATA SHIVA REDDY - [7549]	Production	Adhoc Training	NA	ON JOB TRAINING (JST-1 & JST-2) FOR Long period absentees /transfer employee/ changes in job description / additional job responsibilities (FM-PA-059-02)	24 Apr 2025	14 May 2025	NA	NA	Pass	SHANI P T [7539]	Classroom



**PANCHASHEEL
MEDICAL SERVICES PVT. LTD.,**
INSTITUTE OF INDUSTRIAL & OCCUPATIONAL HEALTH

401 A & B, Navketan Complex, Clock Tower, Secunderabad-500 003. T.S. INDIA.
Cell: 90001 44488, 99634 17491 | Email: drrajahotmail.com | Website: www.panchasheel.co.in



Annexure - 4

Confidential

SHILPA PHARMA LIFESCIENCES LTD UNIT-2
Plot No:33,33A & 40-47, Raichur Industrial Growth Centre Chicksugur-584134,Raichur,
District, Karnataka State, India
MEDICAL SURVEILLANCE PROFORMA

DATE: 21/11/2024

NAME	Mr Badesab Husen Shaikh	DEPARTMENT	Environment Health And Safety
D.O.B/SEX	29/01/1994 / Male	SECTION	EHS
Lab No / E. Code	2139 / 7188	D.O.J	15/09/2023
DIET	Normal (Mixed)	BLOOD GROUP	"A" Positive
ALLERGY	No		

PERSONAL HISTORY

	SMOKING	ALCOHOL	TOBACCO CHEWING	SNUFF
QUANTITY				
DURATION	No	No	No	No
TYPE				

PRESENTING COMPLAINTS	Nil
PAST HISTORY	Nil Particular
FAMILY HISTORY	DM:- No HTN:- No


GENERAL PHYSICAL EXAMINATION

DEFECTS/DISABILITY	No
--------------------	----

Height	163Cms	Weight	69 Kgs	Body Mass Index (BMI)	25.97 kg/m ²
Ideal Weight	63 Kgs	Pulse Rate (Normal 60-100pm)	82per Min	Blood Pressure (BP) (Normal : 120/80 mmhg)	135/82 mmhg
Normal Weight	58 - 68 Kgs				
<u>Interpreting Your BODY MASS INDEX</u>					
Adults		Women		Men	
Under weight		<19.1		<20.7	
In normal range		19.1-25.8		20.7-26.4	
Marginally over weight		25.8-27.3		26.4-27.8	
Over weight		27.3-32.3		27.8-31.1	
Very overweight or obese		>32.3		>31.1	

Diagnosis Makes the Difference

"Exclusive NABL Accredited Lab for Industrial & Occupational Health"



ST LEVEL (mV)

	I	II	III	aVR	aVL	aVF
	+0.00	+0.01	+0.00	-0.00	+0.00	+0.00
	V1	V2	V3	V4	V5	V6
	+0.07	+0.20	+0.16	+0.09	+0.03	+0.01

ECG Analysis Result:

Vent. Rate(BPM) :	89
PR Int.(ms) :	137
P/QRS/T Int.(ms) :	109
QT/QTc Int.(ms) :	338
P/QRS/T Axis(Deg) :	38
RV1/SV5 Amp.(mV) :	0.30
RV5/SV1 Amp.(mV) :	1.30
	0.63
	0.92

Note : Unconfirmed Report Need to Review.

V2.33 Technician :

25mm/s AECG ECG ADS 2024-11-21 12:06:47

> 21390000000 M -Y / cm/kg / mmHg



PANCHASHEEL
MEDICAL SERVICES PVT. LTD.,
INSTITUTE OF INDUSTRIAL & OCCUPATIONAL HEALTH

401 A & B, Navketan Complex, Clock Tower, Secunderabad-500 003. T.S. INDIA.
Cell: 90001 44488, 99634 17491 | Email: drraj@hotmail.com | Website: www.panchasheel.co.in



Answer - 14

E. Code : 7188

VISUAL ACUITY

VISION	DISTANT VISION	NEAR VISION	COLOUR VISION	CORRECTIONS
RIGHT	6/9	N8	Normal	Normal Vision
LEFT	6/9	N8	Normal	

SYSTEMIC EXAMINATION

RESPIRATORY SYSTEM	Respiratory Sounds are Clear.
CARDIO-VASCULAR SYSTEM	S1 S2 Normal.
CENTRAL NERVOUS SYSTEM	Normal.
ELECTRO CARDIOGRAM (ECG)	Within Normal Limits.
CHEST X-RAY IMPRESSION	Normal Chest Radiograph.
ABDOMEN	Liver and Spleen Not Palpable

LAB INVESTIGATION

BLOOD

Test	Result	Normal Range
HB	15.9	M14 to 18 gm/dL F 12 to 16 gm/dL
RBC	5.3	4.0 - 6.0 mill/cumm
TC	8200	4000 - 11000 cells/cumm
DLC (%)	P-65 L-26 E-4 M-5	Neutrophils (or segs): 40 - 70% Lymphocytes: 20 - 40% Eosinophils: 02 - 06% Monocytes: 02 - 06% Basophils: 0.4% - 1%
AEC	328	40-440 cells/cumm
RBC Smear	Normocytic Normochromic	
WBC Smear	Within Normal Limits	
VDRL	Non-Reactive	Non-Reactive
RBS	71	70 - 160 mg/dl

URINE

Test	Result	Normal Range
Colour	Pale Yellow	White to Yellow
Appearance	Clear	Clear
Reaction	Acidic	Acidic
Albumin	Nil	Nil
Sugar	Nil	Nil
Pus cells	1-2 /Hpf	1-5/hpf
RBC	Nil	Nil
EP CELLS	Occasional	1-5/hpf
Others	Nil	Nil

SPUTUM FOR AFB: Negative.
(Acid fast bacillus)

ADVICE/REMARKS: Healthy & free from contagious diseases.

FIT TO WORK

Dr. RAJA VOJJALA
MD(Path)AFIH(CLI)
Physician Industrial Medicine
Regd. No. 13057

Drraj

Medical officer

Diagnosis Makes the Difference


"Exclusive NABL Accredited Lab for Industrial & Occupational Health"

2139

Annexure-15 Green Belt



Annexure-15 Green Belt



Annexure-15 Green Belt



Annexure-15 Green Belt





भारत सरकार

Government of India

वाणिज्य और उद्योग मंत्रालय

Ministry of Commerce & Industry

पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन (पैसो)

Petroleum & Explosives Safety Organisation (PESO)

सीटी सेंटर, दुसरी मंजिल, होटल रूपा के सामने, बालमट्टा रोड

मैगलूरु- 575001

2nd floor, City Centre,

Opposite Hotel Roopa, Balmatta Road,

Mangalore - 575001

Annexure - I

E-mail : dyccernmangalore@explosives.gov.in

Phone/Fax No : 0824 - 2420167, 2441588

संख्या /No. : P/HQ/KA/15/2631 (P234951)

दिनांक /Dated : 17/11/2025

सेवा में
/To,

M/s. SHILPA PHARMA LIFESCIENCES LIMITED,
 100 Export Oriented Unit,
 10/80, 1st Floor,
 RAJENDRA GUNJ,
 RAJENDRA GUNJ,
 Taluka: Raichur,
 District: RAICHUR,
 State: Karnataka
 PIN: 584102

विषय : Plot No, Plot No. 33, 33A & 40 to 47, Raichur Indl. Growth Centre, NA, Chicksugur Village, Raichur, Taluka: Raichur,
 /Sub : District: RAICHUR, State: Karnataka, PIN: 584134 में स्थित विद्यमान पेट्रोलियम वर्ग B,C अधिष्ठापन में अनुशासि से P/HQ/KA/15/2631
 (P234951) के नवीकरण के संदर्भ में।
 Existing Petroleum Class B,C Installation at Plot No, Plot No. 33, 33A & 40 to 47, Raichur Indl. Growth Centre, NA,
 Chicksugur Village, Raichur, Taluka: Raichur, District: RAICHUR, State: Karnataka, PIN: 584134 - Licence No.
 P/HQ/KA/15/2631 (P234951) - Renewal regarding.

महोदय
/Sir(s),

कृपया आपके पत्र क्रमांक OIN2146120 दिनांक 11/11/2025 का अवलोकन करें।

Please refer to your letter No.: OIN2146120, dated 11/11/2025

अनुशासि संख्या P/HQ/KA/15/2631 (P234951) दिनांक 12/02/2016 को दिनांक 31/12/2035 तक नवीनीकृत कर इस पत्र के साथ अप्रिष्ट की जा रही है।

Licence No. P/HQ/KA/15/2631 (P234951) dated 12/02/2016 is forwarded herewith duly renewed upto 31/12/2035.

कृपया पेट्रोलियम नियम 2002 के अधीन बनाए गए नियम 148 में दी गई प्रक्रिया का कडाई से पालन करें। अनुशासि के नवीकरण हेतु समस्त दस्तावेजों को अनुशासि की वैधता समाप्त होने की तिथि से कम से कम 30 दिन पूर्व कार्यालय को प्रेषित करें।

Please follow the procedure strictly as laid down in rule 148 of the Petroleum Rules, 2002 and submit complete documents for the Renewal of the licence **so as to reach this office on or before the date on which Licence expires.**

कृपया पावती दें।

Please acknowledge the receipt.

मवदीय /Yours faithfully,

(डा.एस.एम.मन्नन)
 (Dr. S. M. Mannan))
 उप मुख्य विस्फोटक नियन्त्रक
 Dy. Chief Controller of Explosives
 मैगलूरु/Mangalore

Note:-This is system generated document does not require signature.(अधिक जानकारी जैसे आवेदन की स्थिति, शुल्क तथा अन्य विवरण के लिए हमारी वेबसाइट : <http://peso.gov.in> देखें)(For more information regarding status, fees and other details please visit our website: <http://peso.gov.in>)

प्रूप XV
(प्रथम अनुसूची का अनुच्छेद 6 देखिए)
FORM XV
(see Article 6 of the First Schedule)

अधिष्ठापनों में पेट्रोलियम के आयात और भंडारकरण के लिए अनुज्ञाप्ति
LICENCE TO IMPORT AND STORE PETROLEUM IN AN INSTALLATION

अनुज्ञाप्ति सं. (Licence No.) : P/HQ/KA/15/2631(P234951)

फीस रूपए (Fee Rs.) 10000/- per year

M/s. SHILPA PHARMA LIFESCIENCES LIMITED, 100 Export Oriented Unit, 10/80, 1st Floor, RAJENDRA GUNJ, RAJENDRA GUNJ, Taluka: Raichur, District: RAICHUR, State: Karnataka, PIN: 584102 को केवल इसमें यथा विनिर्दिष्ट वर्ग और मात्राओं में पेट्रोलियम 40.00 KL आयात करने के लिए और उसका, नीचे वर्णित और अनुमोदित नक्शा संख्या P/HQ/KA/15/2631(P234951) तारीख 12/05/2022 जो कि इससे उपाबद्ध है, में दिखाए गए स्थान पर भंडारकरण के लिए पेट्रोलियम अधिनियम, 1934 के उपर्योग या उसके अधीन बनाए गए नियमों तथा इस अनुज्ञाप्ति की अतिरिक्त शर्तों के अधीन रहते हुए, यह अनुज्ञाप्ति अनुदान की जाती है।

Licence is hereby granted to M/s. SHILPA PHARMA LIFESCIENCES LIMITED, 100 Export Oriented Unit, 10/80, 1st Floor, RAJENDRA GUNJ, RAJENDRA GUNJ, Taluka: Raichur, District: RAICHUR, State: Karnataka, PIN: 584102 valid only for the importation and storage of 40.00 KL Petroleum of the class and quantities as herein specified and storage thereof in the place described below and shown on the approved plan No P/HQ/KA/15/2631(P234951) dated 12/05/2022 attached hereto subject to the provisions of the Petroleum Act, 1934 and the rule made thereunder and to the further conditions of this Licence.

यह अनुज्ञाप्ति 31st day of December 2035 तक प्रवृत्त रहेगी।
The Licence shall remain in force till the 31st day of December 2035

पेट्रोलियम का विवरण /Description of Petroleum	अनुज्ञाप्त मात्रा (किलोलीटरों में) /Quantity licenced in KL
वर्ग का प्रपुंज पेट्रोलियम /Petroleum Class A in bulk	NIL
वर्ग का प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class A, otherwise than in bulk	NIL
वर्ग ख प्रपुंज पेट्रोलियम /Petroleum Class B in bulk	20.00 KL
वर्ग ख प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class B, otherwise than in bulk	NIL
वर्ग ग प्रपुंज पेट्रोलियम /Petroleum Class C in bulk	20.00 KL
वर्ग ग प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class C, otherwise than in bulk	NIL
कुल क्षमता /Total Capacity	40.00 KL

April 19, 2010

Chief Controller of Explosives

1). Amendment dated - 12/02/2016

अनुज्ञाप्त परिसरों का विवरण और अवस्थान
DESCRIPTION AND LOCATION OF THE LICENSED PREMISES

अनुज्ञाप्त परिसर जिसकी विश्यास सीमाएं अन्य विशिष्टयां संलग्न अनुमोदित नक्शों में दिखाई गई हैं Plot No: Plot No. 33, 33A & 40 to 47, Raichur Indl. Growth Centre, NA, Chicksugur Village, Raichur, Taluka: Raichur, District: RAICHUR, State: Karnataka, PIN: 584134 स्थान पर अवस्थित है तथा उसमें निम्नलिखित 1 Above Ground tank(s) for CLASS B, 1 Above Ground tank(s) for CLASS C, सम्मिलित हैं।

The licensed premises, the layout, boundaries and other particulars of which are shown in the attached approved plan are situated at Plot No: Plot No. 33, 33A & 40 to 47, Raichur Indl. Growth Centre, NA, Chicksugur Village, Raichur, Taluka: Raichur, District: RAICHUR, State: Karnataka, PIN: 584134 and consists of 1 Above Ground tank(s) for CLASS B, 1 Above Ground tank(s) for CLASS C, together with connected facilities.

Note:-This is system generated document does not require signature.

Digitally signed by S. Mudli Mannan
Reason: Licence No. : P/HQ/KA/15/2631
Location:Mangalore [P234951]
Date:17-11-2025 16:15:48 PM

Annexure -16

पेज सं. 2

अनुज्ञाप्ति संख्या-(Licence No.) P/HQ/KA/15/2631 (P234951)

नवीनीकरण के पृष्ठांकन के लिए स्थान
SPACE FOR ENDORSEMENT OF RENEWALS

पेट्रोलियम अधिनियम, १९३४ के उपबन्धों या उनके अधीन बनाए गए नियमों या इस अनुज्ञाप्ति की शर्तों का उल्लंघन न होने की दशा में यह अनुज्ञाप्ति फ्रिस में बिना किसी छूट के दस वर्ष तक नवीकृत की जा सकेगी।

This licence shall be renewable without any concession in fee for ten years in the absence of contravention of any provisions of the Petroleum Act, 1934 or of the rules framed thereunder or of any of the conditions of this licence.

नवीकरण की तारीख
Date of
Renewalसमाप्ति की तारीख
Date of
Expiry of licenseअनुज्ञापन प्राधिकारी के हस्ताक्षर और
स्टाम्प
Signature and office stamp of the
licensing authority.

1).	20/05/2013	31/12/2015	Sd/- Dr. R. K. S. Chauhan Dy. Chief Controller of Explosives Mangalore
2).	18/11/2015	31/12/2025	Sd/- For Dy. Chief Controller of Explosives Mangalore
3).	17/11/2025	31/12/2035	Dr. S. M. Mannan Dy. Chief Controller of Explosives Mangalore

यदि अनुज्ञाप्ति परिसर इसमें उपाबद्ध विवरण और शर्तों के अनुरूप नहीं पाए जाते हैं और जिन नियमों और शर्तों के अधीन यह अनुज्ञाप्ति मंजूर की गई है उनमें से किसी का उल्लंघन होने की दशा में यह अनुज्ञाप्ति रद्द की जा सकती है और अनुज्ञाप्तिधारी प्रथम अपराध के लिए साधारण कारावास से, जो एक मास तक हो सकता है, या जुमानि से, जो एक हजार रुपये तक हो सकता है, या दोनों से, और प्रत्येक पश्चातवर्ती अपराध के लिए साधारण कारावास से जो तीन मास तक हो सकता है, या जुमानि से, जो पांच हजार रुपये तक हो सकता है, या दोनों से, दण्डनीय होगा।

This licence is liable to be cancelled if the licensed premises are not found conforming to the description given on the approved plan attached hereto and contravention of any of the rules and conditions under which this licence is granted and the holder of this licence is also punishable for the first offence with simple imprisonment which may be extend to one month, or with fine which may extend to one thousand rupees, or with both and for every subsequent offence with simple imprisonment which may extend to three months, or with fine which may extend to five thousand rupees or with both.

Note:-This is system generated document does not require signature.

Annexure-17



भारत सरकार

Government of India

वाणिज्य और उद्योग मंत्रालय

Ministry of Commerce & Industry

पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन (पैसो)

Petroleum & Explosives Safety Organisation (PESO)

सीटी सेंटर, दुसरी मंजिल, होटल रूपा के सामने, बालमद्वा रोड

मैंगलूर- 575001

2nd floor, City Centre, Opposite Hotel Roopa, Balmatta Road,
Mangalore - 575001E-mail : dycce.mangalore@explosives.gov.in

Phone/Fax No : 0824 - 2420167, 2441588

संख्या /No. : P/HQ/KA/15/2540 (P189192)

दिनांक /Dated : 18/07/2023

सेवा में
/To,

SHILPA PHARMA LIFESCIENCES LIMITED,
100 Export Oriented Unit,
2nd Floor, 10/80, Rajendra Gunj,
CHIKSUGUR,
Raichur,
Taluka: Raichur,
District: RAICHUR,
State: Karnataka
PIN: 584102

विषय /Sub : Plot No, Plot No. 33A, 34 & 40 to 47, NA, Raichur Growth Center, Wadloor Rd, Chiksugur Cross Chiksugur, Raichur, Taluka: Raichur, District: RAICHUR, State: Karnataka, PIN: 584134 में स्थित विद्यमान पेट्रोलियम वर्ग A अधिष्ठापन में अनुज्ञाप्ति सं P/HQ/KA/15/2540 (P189192) के नवीकरण के संदर्भ में ।
Existing Petroleum Class A Installation at Plot No, Plot No. 33A, 34 & 40 to 47, NA, Raichur Growth Center, Wadloor Rd, Chiksugur Cross Chiksugur, Raichur, Taluka: Raichur, District: RAICHUR, State: Karnataka, PIN: 584134 - Licence No. P/HQ/KA/15/2540 (P189192) - Renewal regarding.

महोदय
/Sir(s),

कृपया आपके पत्र क्रमांक OIN1384262 दिनांक 11/07/2023 का अवलोकन करें।

Please refer to your letter No.: OIN1384262, dated 11/07/2023

अनुज्ञाप्ति संख्या P/HQ/KA/15/2540 (P189192) दिनांक 12/05/2022 को दिनांक 31/12/2028 तक नवीनीकृत कर इस पत्र के साथ अप्रसित की जा रही है।

Licence No. P/HQ/KA/15/2540 (P189192) dated 12/05/2022 is forwarded herewith duly renewed upto 31/12/2028.

कृपया पेट्रोलियम नियम 2002 के अधीन बनाए गए नियम 148 में दी गई प्रक्रिया का कड़ाई से पालन करें। अनुज्ञाप्ति के नवीकरण हेतु समस्त दस्तावेजों को अनुज्ञाप्ति की वैधता समाप्त होने की तिथि से कम से कम 30 दिन पूर्व कार्यालय को प्रेषित करें।

Please follow the procedure strictly as laid down in rule 148 of the Petroleum Rules, 2002 and submit complete documents for the Renewal of the licence so as to reach this office on or before the date on which Licence expires.

कृपया पावती दें।

Please acknowledge the receipt.

भवदीय /Yours faithfully,

((अहिन नंदी)
(AHIN NANDI))
उप विस्फोटक नियंत्रक
Dy. Controller of Explosives
कृते उप मुख्य विस्फोटक नियंत्रक
For Dy. Chief Controller of Explosives
मैंगलूर/Mangalore

Note:-This is system generated document does not require signature.(अधिक जानकारी जैसे आवेदन की स्थिति, शुल्क तथा अन्य विवरण के लिए हमारी वेबसाइट : <http://peso.gov.in> देखें)(For more information regarding status, fees and other details please visit our website: <http://peso.gov.in>)

Annexure-17

प्र० XV
(प्रथम अनुसूची का अनुच्छेद 6 देखिए)
FORM XV
(see Article 6 of the First Schedule)

अधिकारपालों में पेट्रोलियम के आयात और भंडारकरण के लिए अनुज्ञाप्ति
LICENCE TO IMPORT AND STORE PETROLEUM IN AN INSTALLATION

अनुज्ञाप्ति सं. (Licence No.) : P/HQ/KA/15/2540(P189192)

फीस रूपए (Fee Rs.) 13500/- per year

SHILPA PHARMA LIFESCIENCES LIMITED, 100 Export Oriented Unit, 2nd Floor, 10/80, Rajendra Gunj, CHIKSUGUR, Raichur, Taluka: Raichur, District: RAICHUR, State: Karnataka, PIN: 584102 को केवल इसमें यथा विनिर्दिष्ट वर्ग और मात्राओं में पेट्रोलियम 220.00 KL आयात करने के लिए और उसका, नीचे वर्णित और अनुमोदित नक्शा P/HQ/KA/15/2540(P189192) तारीख 12/05/2022 जो कि इससे उपाबद्ध हैं, में दिखाए गए स्थान पर भंडारकरण के लिए पेट्रोलियम अधिनियम, 1934 के उपर्योग या उसके अधीन बनाए गए नियमों तथा इस अनुज्ञाप्ति की अतिरिक्त शर्तों के अधीन रहते हुए, यह अनुज्ञाप्ति अनुदाता की जाती है।

Licence is hereby granted to **SHILPA PHARMA LIFESCIENCES LIMITED, 100 Export Oriented Unit, 2nd Floor, 10/80, Rajendra Gunj, CHIKSUGUR, Raichur, Taluka: Raichur, District: RAICHUR, State: Karnataka, PIN: 584102** valid only for the importation and storage of 220.00 KL Petroleum of the class and quantities as herein specified and storage thereof in the place described below and shown on the approved plan No P/HQ/KA/15/2540(P189192) dated 12/05/2022 attached hereto subject to the provisions of the Petroleum Act, 1934 and the rule made thereunder and to the further conditions of this Licence.

यह अनुज्ञाप्ति 31st day of December 2028 तक प्रवृत्त रहेगी।

The Licence shall remain in force till the 31st day of December 2028

पेट्रोलियम का विवरण /Description of Petroleum	अनुज्ञाप्त मात्रा (किलोलीटरों में) /Quantity licenced in KL
वर्ग क प्रपुंज पेट्रोलियम /Petroleum Class A in bulk	220.00 KL
वर्ग क प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class A, otherwise than in bulk	NIL
वर्ग ख प्रपुंज पेट्रोलियम /Petroleum Class B in bulk	NIL
वर्ग ख प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class B, otherwise than in bulk	NIL
वर्ग ग प्रपुंज पेट्रोलियम /Petroleum Class C in bulk	NIL
वर्ग ग प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class C, otherwise than in bulk	NIL
कुल क्षमता /Total Capacity	220.00 KL

January 22, 2008

Chief Controller of Explosives

अनुज्ञाप्त परिसरों का विवरण और अवस्थान
DESCRIPTION AND LOCATION OF THE LICENSED PREMISES

अनुज्ञाप्त परिसर जिसकी विचास सीमाएं अन्य विशिष्टां संलग्न अनुमोदित नक्शों में दिखाई गई हैं Plot No: Plot No. 33A, 34 & 40 to 47, NA, Raichur Growth Center, Wadloor Rd, Chiksugur Cross Chiksugur, Raichur, Taluka: Raichur, District: RAICHUR, State: Karnataka, PIN: 584134 स्थान पर अवस्थित है तथा उसमें निम्नलिखित 15 aboveground Petroleum Class A storage tanks together with connected facilities. सम्मिलित हैं।

The licensed premises, the layout, boundaries and other particulars of which are shown in the attached approved plan are situated at Plot No: Plot No. 33A, 34 & 40 to 47, NA, Raichur Growth Center, Wadloor Rd, Chiksugur Cross Chiksugur, Raichur, Taluka: Raichur, District: RAICHUR, State: Karnataka, PIN: 584134 and consists of 15 aboveground Petroleum Class A storage tanks together with connected facilities. together with connected facilities.

Note:-This is system generated document does not require signature.



MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

Annexure-8

MSVAL/AN/RF/01/00

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	28.04.2025
5.	Report Issue Date	:	02.05.2025
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407125000008361F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	DG Set Area	At 07:00 AM	68.6	66.2	67.4	75
2		At 08:00 AM	67.4	65.1	66.3	
3		At 09:00 AM	72.3	69.2	70.8	
4		At 10:00 AM	71.8	68.4	70.1	
5		At 11:00 AM	68.5	66.7	67.6	
6		At 12:00 PM	69.2	66.9	68.1	
7		At 01:00 PM	67.1	64.2	65.7	
8		At 02:00 PM	69.3	66.4	67.9	
9		At 03:00 PM	68.4	67.1	67.8	
10		At 04:00 PM	66.7	63.3	65	
11		At 05:00 PM	69.5	66.8	68.2	
12		At 06:00 PM	69.8	67.2	68.5	
13		At 07:00 PM	71.6	69.6	70.6	70
14		At 08:00 PM	62.4	57.4	59.9	
15		At 09:00 PM	61.2	58.2	59.7	
16		At 10:00 PM	58.4	53.3	55.9	
17		At 11:00 PM	56.7	52.1	54.4	
18		At 12:00 AM	59.5	56.9	58.2	
19		At 01:00 AM	56.7	54.1	55.4	
20		At 02:00 AM	58.4	55.1	56.8	
21		At 03:00 AM	56.2	53.8	55	
22		At 04:00 AM	54.3	51.4	52.9	
23		At 05:00 AM	53.9	47.4	50.7	
24		At 06:00 AM	52.1	46.9	49.5	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits
-----------	---

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager


:- END OF REPORT :-

Note : 1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



MSVAL/AN/RF/01/00

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	28.04.2025
5.	Report Issue Date	:	02.05.2025
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407125000008362F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Production Area	At 07:00 AM	58.3	55.3	56.8	75
2		At 08:00 AM	59.4	54.6	57	
3		At 09:00 AM	62.6	58.7	60.7	
4		At 10:00 AM	66.4	63.5	65	
5		At 11:00 AM	65.2	62.5	63.9	
6		At 12:00 PM	60.2	58.7	59.5	
7		At 01:00 PM	63.7	59.4	61.6	
8		At 02:00 PM	60.1	56.2	58.2	
9		At 03:00 PM	62.8	56.1	59.5	
10		At 04:00 PM	59.4	58.4	58.9	
11		At 05:00 PM	63.4	58.3	60.9	
12		At 06:00 PM	63.6	60.2	61.9	
13		At 07:00 PM	64.9	61.4	63.2	70
14		At 08:00 PM	65.2	62.3	63.8	
15		At 09:00 PM	68.7	64.1	66.4	
16		At 10:00 PM	67.9	64.8	66.4	
17		At 11:00 PM	66.2	63.1	64.7	
18		At 12:00 AM	59.5	55.2	57.4	
19		At 01:00 AM	58.3	54.3	56.3	
20		At 02:00 AM	56.4	53.4	54.9	
21		At 03:00 AM	55.8	51.5	53.7	
22		At 04:00 AM	52.1	47.1	49.6	
23		At 05:00 AM	53.3	50.9	52.1	
24		At 06:00 AM	53.7	49.4	51.6	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits
-----------	---

Analysed by



Authorized Signatory

Hanumantaiah P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

Amenasure - 18

MSVAL/AN/RF/01/00

AMBIENT NOISE LEVEL MONITORING REPORT

1. Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Sample Collected By	:	MSV Analytical Laboratories, Bellary
3. Particulars of Sample Collected	:	Noise meter
4. Date of Monitoring	:	28.04.2025
5. Report Issue Date	:	02.05.2025
6. Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407125000008363F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Main Gate	At 07:00 AM	59.4	55.4	57.4	75
2		At 08:00 AM	58.4	55.3	56.9	
3		At 09:00 AM	61.6	57.8	59.7	
4		At 10:00 AM	63.9	60.4	62.2	
5		At 11:00 AM	64.8	61.9	63.4	
6		At 12:00 PM	61.2	58.2	59.7	
7		At 01:00 PM	62.5	58.4	60.5	
8		At 02:00 PM	61.8	58.4	60.1	
9		At 03:00 PM	61.9	59.1	60.5	
10		At 04:00 PM	60.4	56.9	58.7	
11		At 05:00 PM	67.3	64.7	66	
12		At 06:00 PM	65.6	62.3	64	70
13		At 07:00 PM	69.7	66.4	68.5	
14		At 08:00 PM	70.3	67.6	69	
15		At 09:00 PM	68.9	65.2	67.1	
16		At 10:00 PM	66.4	64.7	65.6	
17		At 11:00 PM	66.9	64.9	65.9	
18		At 12:00 AM	62.4	59.2	60.8	
19		At 01:00 AM	58.7	55.8	57.3	
20		At 02:00 AM	58.9	54.0	56.5	
21		At 03:00 AM	57.4	54.1	55.8	
22		At 04:00 AM	56.6	53.5	55.1	
23		At 05:00 AM	53.1	49.8	51.5	
24		At 06:00 AM	50.1	47.6	48.9	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits
-----------	---

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager


Note : 1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



MSVAL/AN/RF/01/00

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	28.04.2025
5.	Report Issue Date	:	02.05.2025
6.	Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407125000008364F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Administration Office	At 07:00 AM	58.4	55.3	56.9	75
2		At 08:00 AM	59.6	56.4	58	
3		At 09:00 AM	56.2	53.2	54.7	
4		At 10:00 AM	57.9	54.9	56.4	
5		At 11:00 AM	56.5	54.3	55.4	
6		At 12:00 PM	64.8	61.7	63.3	
7		At 01:00 PM	66.4	63.7	65.1	
8		At 02:00 PM	68.9	65.2	67.1	
9		At 03:00 PM	70.4	67.4	68.9	
10		At 04:00 PM	69.2	67.1	68.2	
11		At 05:00 PM	68.4	66.2	67.3	
12		At 06:00 PM	65.6	62.1	63.9	
13		At 07:00 PM	61.2	58.3	59.8	
14		At 08:00 PM	59.5	54.5	57	
15		At 09:00 PM	63.4	60.2	61.8	
16		At 10:00 PM	64.6	61.8	63.2	
17		At 11:00 PM	62.8	58.9	60.9	
18		At 12:00 AM	64.6	62.7	63.7	
19		At 01:00 AM	66.8	64.6	65.7	
20		At 02:00 AM	63.2	59.7	61.5	70
21		At 03:00 AM	59.4	56.9	58.2	
22		At 04:00 AM	54.6	52.7	53.7	
23		At 05:00 AM	54.1	52.3	53.2	
24		At 06:00 AM	52.3	50.7	51.5	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits
-----------	---

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager


- END OF REPORT -

Note : 1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
 (Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



Anneere- 18

MSVAL/QR/7.4/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	29.08.2025
5.	Report Issue Date	:	03.09.2025
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407124000018712F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	DG Set Area	At 07:00 AM	72.3	70.2	68.9	75
2		At 08:00 AM	71.6	68.3	71.2	
3		At 09:00 AM	66.8	64.3	73.6	
4		At 10:00 AM	69.5	67.2	69.8	
5		At 11:00 AM	67.5	65.2	67.2	
6		At 12:00 PM	69.2	63.1	65.4	
7		At 01:00 PM	73.5	70.8	67.5	
8		At 02:00 PM	70.5	65.4	69.5	
9		At 03:00 PM	66.6	63.7	67.2	
10		At 04:00 PM	66.5	63.2	70.5	
11		At 05:00 PM	64.2	62.1	71.6	
12		At 06:00 PM	68.7	64.3	72.2	
13		At 07:00 PM	69.2	66.7	66.3	70
14		At 08:00 PM	67.0	62.1	65.4	
15		At 09:00 PM	68.1	65.7	68.7	
16		At 10:00 PM	72.4	70.5	67.8	
17		At 11:00 PM	57.6	52.5	55.1	
18		At 12:00 AM	61.3	58.9	60.1	
19		At 01:00 AM	60.2	56.7	58.5	
20		At 02:00 AM	59.6	55.4	57.5	
21		At 03:00 AM	56.5	53.1	54.8	
22		At 04:00 AM	54.3	52.6	53.5	
23		At 05:00 AM	52.1	50.5	51.3	
24		At 06:00 AM	58.5	57.1	57.8	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits
-----------	---

Analysed by

Authorized Signatory

Hanumathaiah P
Technical Manager



Note: 1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
 (Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.4/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	29.08.2025
5.	Report Issue Date	:	03.09.2025
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407124000018713F

S.No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	Production Area	At 07:00 AM	63.5	61.2	62.4	75
2		At 08:00 AM	65.8	63.8	64.8	
3		At 09:00 AM	63.8	59.8	61.8	
4		At 10:00 AM	64.3	62.3	63.3	
5		At 11:00 AM	69.5	66.5	68.0	
6		At 12:00 PM	66.3	62.8	64.6	
7		At 01:00 PM	67.5	65.3	66.4	
8		At 02:00 PM	64.2	63.8	64.0	
9		At 03:00 PM	65.8	61.0	63.4	
10		At 04:00 PM	69.5	67.9	68.7	
11		At 05:00 PM	64.2	62.1	63.2	
12		At 06:00 PM	63.8	60.7	62.3	
13		At 07:00 PM	66.9	64.8	65.9	
14		At 08:00 PM	69.2	66.3	67.8	
15		At 09:00 PM	64.2	61.6	62.9	
16		At 10:00 PM	61.7	58.7	60.2	
17		At 11:00 PM	56.3	53.2	54.8	
18		At 12:00 AM	55.8	51.9	53.9	
19		At 01:00 AM	53.2	50.2	51.7	
20		At 02:00 AM	59.8	56.4	58.1	70
21		At 03:00 AM	58.4	54.9	56.7	
22		At 04:00 AM	57.2	54.6	55.9	
23		At 05:00 AM	54.3	52.1	53.2	
24		At 06:00 AM	53.5	50.7	52.1	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits
-----------	---

Analysed by



Authorized Signatory

Hanumanthaiah P
Technical Manager

Note : 1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
 (Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

Annexure 18

MSVAL/QR/7.4/01

AMBIENT NOISE LEVEL MONITORING REPORT

1. Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Sample Collected By	:	MSV Analytical Laboratories, Bellary
3. Particulars of Sample Collected	:	Noise meter
4. Date of Monitoring	:	29.08.2025
5. Report Issue Date	:	03.09.2025
6. Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407124000018714F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Main Gate	At 07:00 AM	62.5	60.2	61.4	75
2		At 08:00 AM	64.2	62.8	63.5	
3		At 09:00 AM	62.1	60.9	61.5	
4		At 10:00 AM	63.7	62.7	63.2	
5		At 11:00 AM	66.3	64.5	65.4	
6		At 12:00 PM	60.6	58.7	59.7	
7		At 01:00 PM	61.7	59.6	60.7	
8		At 02:00 PM	63.8	61.5	62.7	
9		At 03:00 PM	65.9	63.8	64.9	
10		At 04:00 PM	66.7	64.5	65.6	
11		At 05:00 PM	63.8	61.3	62.6	
12		At 06:00 PM	61.2	60.1	60.7	
13		At 07:00 PM	60.7	57.8	59.3	
14		At 08:00 PM	64.9	59.3	62.1	
15		At 09:00 PM	65.2	63.4	64.3	
16		At 10:00 PM	66.7	64.6	65.7	
17		At 11:00 PM	58.9	54.8	56.9	
18		At 12:00 AM	56.8	53.9	55.4	
19		At 01:00 AM	61.7	57.8	59.8	
20		At 02:00 AM	54.7	52.1	53.4	70
21		At 03:00 AM	55.8	53.6	54.7	
22		At 04:00 AM	59.3	57.9	58.6	
23		At 05:00 AM	57.4	54.2	55.8	
24		At 06:00 AM	56.2	53.9	55.1	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits
-----------	---

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager


: ENCL REPORT:

Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 * Sampling is not done during adverse weather conditions & The tests and/or calibrations made with no compensation to the laboratory.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
 (Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.4/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	29.08.2025
5.	Report Issue Date	:	03.09.2025
6.	Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407124000018715F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Administration Office	At 07:00 AM	58.6	55.3	57.0	75
2		At 08:00 AM	56.3	53.4	54.9	
3		At 09:00 AM	61.5	57.9	59.7	
4		At 10:00 AM	64.7	62.1	63.4	
5		At 11:00 AM	63.2	60.7	62.0	
6		At 12:00 PM	61.9	59.8	60.9	
7		At 01:00 PM	59.8	57.2	58.5	
8		At 02:00 PM	57.2	54.6	55.9	
9		At 03:00 PM	56.4	53.8	55.1	
10		At 04:00 PM	60.5	57.3	58.9	
11		At 05:00 PM	59.4	56.7	58.1	
12		At 06:00 PM	58.8	54.2	56.5	
13		At 07:00 PM	54.3	51.3	52.8	
14		At 08:00 PM	52.7	50.8	51.8	
15		At 09:00 PM	63.6	61.5	62.6	
16		At 10:00 PM	64.9	62.7	63.8	
17		At 11:00 PM	53.8	51.2	52.5	
18		At 12:00 AM	56.4	53.9	55.2	
19		At 01:00 AM	54.9	52.7	53.8	
20		At 02:00 AM	53.2	51.9	52.6	
21		At 03:00 AM	52.7	50.4	51.6	70
22		At 04:00 AM	57.6	54.8	56.2	
23		At 05:00 AM	54.3	52.1	53.2	
24		At 06:00 AM	55.2	53.6	54.4	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits
-----------	---

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager


Note: 1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
 (Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

Annexure-18

MSVAL/QR/7.4/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	21.07.2025
5.	Report Issue Date	:	31.07.2025
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407124000014942F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	DG Set Area	At 07:00 AM	65.3	63.5	64.4	75
2		At 08:00 AM	66.2	64.5	65.4	
3		At 09:00 AM	71.4	68.4	69.9	
4		At 10:00 AM	72.8	66.9	69.9	
5		At 11:00 AM	69.3	65.8	67.6	
6		At 12:00 PM	69.4	64.8	67.1	
7		At 01:00 PM	68.2	65.8	67.0	
8		At 02:00 PM	68.1	66.3	67.2	
9		At 03:00 PM	68.7	65.2	67.0	
10		At 04:00 PM	65.4	62.1	63.8	
11		At 05:00 PM	69.5	67.4	68.5	
12		At 06:00 PM	68.1	66.2	67.2	
13		At 07:00 PM	68.4	65.2	66.8	
14		At 08:00 PM	63.4	59.4	61.4	
15		At 09:00 PM	65.4	60.1	62.8	
16		At 10:00 PM	56.9	52.5	54.7	
17		At 11:00 PM	55.2	52.5	53.9	
18		At 12:00 AM	53.4	51.2	52.3	
19		At 01:00 AM	52.8	50.8	51.8	
20		At 02:00 AM	56.4	53.9	55.2	
21		At 03:00 AM	55.5	52.7	54.1	
22		At 04:00 AM	56.9	53.2	55.1	
23		At 05:00 AM	52.7	45.8	49.3	
24		At 06:00 AM	53.7	46.3	50.0	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for all locations is within the limits
-----------	---

Analysed by



END OF REPORT

Authorized Signatory

Hanumanthaiah P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Samples Will be disposed after the specified retention period.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
 5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.4/01

AMBIENT NOISE LEVEL MONITORING REPORT


1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	21.07.2025
5.	Report Issue Date	:	31.07.2025
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407124000014943F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Production Area	At 07:00 AM	62.3	60.3	61.3	75
2		At 08:00 AM	60.2	56.2	58.2	
3		At 09:00 AM	61.2	58.2	59.7	
4		At 10:00 AM	63.6	58.6	61.1	
5		At 11:00 AM	65.8	62.3	64.1	
6		At 12:00 PM	61.2	54.6	57.9	
7		At 01:00 PM	62.6	60.1	61.4	
8		At 02:00 PM	61.3	57.4	59.4	
9		At 03:00 PM	65.4	60.2	62.8	
10		At 04:00 PM	62.3	58.6	60.5	
11		At 05:00 PM	64.5	61.2	62.9	
12		At 06:00 PM	68.1	63.5	65.8	
13		At 07:00 PM	64.9	60.1	62.5	
14		At 08:00 PM	66.3	61.8	64.1	
15		At 09:00 PM	68.7	66.9	67.8	
16		At 10:00 PM	66.6	62.4	64.5	
17		At 11:00 PM	62.8	59.6	61.2	70
18		At 12:00 AM	61.2	55.4	58.3	
19		At 01:00 AM	55.3	50.2	52.8	
20		At 02:00 AM	52.5	48.6	50.6	
21		At 03:00 AM	53.2	49.2	51.2	
22		At 04:00 AM	55.6	49.6	52.6	
23		At 05:00 AM	51.4	47.8	49.6	
24		At 06:00 AM	52.6	48.2	50.4	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits
-----------	---

Analysed by



-- END OF REPORT --

Authorized Signatory

Hanumanthaiah P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Samples Will be disposed after the specified retention period.
 3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
 5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
 (Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



June 2025 - 18

MSVAL/QR/7.4/01

AMBIENT NOISE LEVEL MONITORING REPORT

1. Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Sample Collected By	:	MSV Analytical Laboratories, Bellary
3. Particulars of Sample Collected	:	Noise meter
4. Date of Monitoring	:	21.07.2025
5. Report Issue Date	:	31.07.2025
6. Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407124000014944F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Main Gate	At 07:00 AM	60.3	56.3	58.3	75
2		At 08:00 AM	61.2	58.0	59.6	
3		At 09:00 AM	63.2	59.3	61.3	
4		At 10:00 AM	61.8	57.8	59.8	
5		At 11:00 AM	64.2	60.2	62.2	
6		At 12:00 PM	61.9	57.4	59.7	
7		At 01:00 PM	63.1	59.3	61.2	
8		At 02:00 PM	61.2	58.4	59.8	
9		At 03:00 PM	63.5	56.9	60.2	
10		At 04:00 PM	61.9	55.8	58.9	
11		At 05:00 PM	65.6	56.8	61.2	
12		At 06:00 PM	66.2	62.8	64.5	
13		At 07:00 PM	68.4	62.3	65.4	
14		At 08:00 PM	71.2	66.4	68.8	
15		At 09:00 PM	65.6	61.3	63.5	
16		At 10:00 PM	68.4	62.8	65.6	
17		At 11:00 PM	67.4	63.8	65.6	
18		At 12:00 AM	63.6	56.9	60.3	
19		At 01:00 AM	60.2	55.1	57.7	
20		At 02:00 AM	55.3	50.2	52.8	70
21		At 03:00 AM	54.6	51.8	53.2	
22		At 04:00 AM	58.6	53.2	55.9	
23		At 05:00 AM	54.5	50.1	52.3	
24		At 06:00 AM	52.1	48.6	50.4	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits
-----------	---

Analysed by



Authorized Signatory

Hanumanthaiah P
Technical Manager

--: END OF REPORT:-

Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Samples Will be disposed after the specified retention period.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
 5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
 (Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.4/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	21.07.2025
5.	Report Issue Date	:	31.07.2025
6.	Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407124000014945F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Administration Office	At 07:00 AM	56.9	52.5	54.7	75
2		At 08:00 AM	55.2	52.5	53.9	
3		At 09:00 AM	53.4	51.2	52.3	
4		At 10:00 AM	52.8	50.8	51.8	
5		At 11:00 AM	56.4	53.9	55.2	
6		At 12:00 PM	55.5	52.7	54.1	
7		At 01:00 PM	63.1	59.3	61.2	
8		At 02:00 PM	61.2	58.4	59.8	
9		At 03:00 PM	63.5	56.9	60.2	
10		At 04:00 PM	61.9	55.8	58.9	
11		At 05:00 PM	63.6	58.6	61.1	
12		At 06:00 PM	65.8	62.3	64.1	
13		At 07:00 PM	61.2	54.6	57.9	
14		At 08:00 PM	62.6	60.1	61.4	
15		At 09:00 PM	61.3	57.4	59.4	
16		At 10:00 PM	56.9	52.5	54.7	
17		At 11:00 PM	55.2	52.5	53.9	
18		At 12:00 AM	53.4	51.2	52.3	
19		At 01:00 AM	52.8	50.8	51.8	
20		At 02:00 AM	56.4	53.9	55.2	
21		At 03:00 AM	55.5	52.7	54.1	
22		At 04:00 AM	52.3	48.6	50.5	
23		At 05:00 AM	56.3	50.1	53.2	
24		At 06:00 AM	54.1	48.6	51.4	

INFERENCE As per KSPCB Standards
 Report Status :- The Noise level for the all locations is within the limits

Analysed by



END OF REPORT:-

Authorized Signatory

 Hanumanthaiah P
 Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Samples Will be disposed after the specified retention period.
 3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
 5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
 (Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



Annexure-18

MSVAL/QR/7.4/01

ANALYSIS REPORT OF WATER QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Marked as	:	Effluent Untreated Water
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Sample quantity	:	Pet Bottle, 2 Liter.
5.	Sample Description/condition	:	Water/Good
6.	Date of Sample Collection	:	21.07.2025
7.	Date of sample receipt	:	22.07.2025
8.	Sample Code	:	WW/314
9.	Analysis Starting Date	:	22.07.2025
10.	Analysis Completion Date	:	30.07.2025
11.	Report Issue Date	:	31.07.2025
12.	Latitude	:	16.309915
13.	Longitude	:	77.356209

Discipline: Chemical Group: Pollution & Environment Sub Group: Waste Water ULR No: TC407124000014946F

S.No	Parameters	Protocol	Unit	Result
Physical parameters				
1	Color	IS : 3025(Part-4)	Hazen	<38
2	Odor	IS : 3025(Part-5)	---	Unobjectionable
3	pH @ 25°C	4500 H+ BAPHA 23 rd Edn: 2017	-	6.32
4	Turbidity	2530 B-APHA 23 rd Edition :2017	NTU	4.96
Chemical parameters				
5	Total Suspended solids	2540 F APHA 23rd Edn : 2017	mg/L	224
6	Total Dissolved Solids	2540 C APHA 23 rd Edn : 2017	mg/L	31265
7	Oil & Grease	5520 D APHA 23 rd Edition :2017	mg/L	22
8	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025(Part-44): 2019	mg/L	13754
9	Chemical Oxygen Demand	5230 B-APHA23rd Edn : 2017	mg/L	45968

Analysed by

Authorized Signatory

Hanumantaiah P
Technical Manager

- END OF REPORT -



Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Samples Will be disposed after the specified retention period.
 3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
 5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
 E-mail :msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/AN/RF/01/00

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	28.06.2025
5.	Report Issue Date	:	04.07.2025
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407125000013402F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	DG Set Area	At 07:00 AM	72.8	68.3	70.6	75
2		At 08:00 AM	73.6	66.1	69.9	
3		At 09:00 AM	75.2	65.4	70.3	
4		At 10:00 AM	71.2	69.2	70.2	
5		At 11:00 AM	70.6	68.3	69.5	
6		At 12:00 PM	70.8	67.2	69.0	
7		At 01:00 PM	75.2	66.2	70.7	
8		At 02:00 PM	69.3	65.4	67.4	
9		At 03:00 PM	68.4	61.2	64.8	
10		At 04:00 PM	73.2	68.3	70.8	
11		At 05:00 PM	69.5	61.2	65.4	
12		At 06:00 PM	68.6	60.6	64.6	70
13		At 07:00 PM	67.2	62.3	64.8	
14		At 08:00 PM	66.8	60.8	63.8	
15		At 09:00 PM	65.4	61.2	63.3	
16		At 10:00 PM	64.2	60.3	62.3	
17		At 11:00 PM	61.8	58.3	60.1	
18		At 12:00 AM	59.3	56.8	58.1	
19		At 01:00 AM	57.2	55.4	56.3	
20		At 02:00 AM	55.8	51.2	53.5	
21		At 03:00 AM	55.6	50.3	53.0	
22		At 04:00 AM	54.3	51.2	52.8	
23		At 05:00 AM	55.8	56.4	56.1	
24		At 06:00 AM	56.1	55.2	55.7	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits
-----------	---

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager


Note : 1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

Annealure-18

MSVAL/AN/RF/01/00

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	28.06.2025
5.	Report Issue Date	:	04.07.2025
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407125000013403F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Production Area	At 07:00 AM	60.3	58.3	59.3	75
2		At 08:00 AM	65.2	61.2	63.2	
3		At 09:00 AM	66.1	61.3	63.7	
4		At 10:00 AM	68.1	65.4	66.8	
5		At 11:00 AM	60.5	57.1	58.8	
6		At 12:00 PM	59.2	56.3	57.8	
7		At 01:00 PM	60.3	57.3	58.8	
8		At 02:00 PM	64.2	60.2	62.2	
9		At 03:00 PM	62.3	56.3	59.3	
10		At 04:00 PM	63.5	60.2	61.9	
11		At 05:00 PM	60.9	58.1	59.5	
12		At 06:00 PM	64.8	61.2	63.0	
13		At 07:00 PM	64.2	60.9	62.6	70
14		At 08:00 PM	60.2	58.3	59.3	
15		At 09:00 PM	59.3	55.4	57.4	
16		At 10:00 PM	64.2	60.7	62.5	
17		At 11:00 PM	61.8	58.1	60.0	
18		At 12:00 AM	58.1	55.2	56.7	
19		At 01:00 AM	55.6	51.7	53.7	
20		At 02:00 AM	54.2	48.3	51.3	
21		At 03:00 AM	56.3	51.2	53.8	
22		At 04:00 AM	55.8	52.6	54.2	
23		At 05:00 AM	51.9	48.3	50.1	
24		At 06:00 AM	53.2	50.3	51.8	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits
-----------	---

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

:- END OF REPORT:-



Note: 1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will be destroyed after 10 days. Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/AN/RF/01/00

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	28.06.2025
5.	Report Issue Date	:	04.07.2025
6.	Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407125000013404F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Main Gate	At 07:00 AM	63.8	60.2	62.0	75
2		At 08:00 AM	66.2	61.2	63.7	
3		At 09:00 AM	65.4	64.8	65.1	
4		At 10:00 AM	64.2	61.3	62.8	
5		At 11:00 AM	63.9	60.7	62.3	
6		At 12:00 PM	64.2	60.7	62.5	
7		At 01:00 PM	65.8	61.2	63.5	
8		At 02:00 PM	66.1	60.2	63.2	
9		At 03:00 PM	67.2	58.3	62.8	
10		At 04:00 PM	63.5	59.2	61.4	
11		At 05:00 PM	60.9	56.4	58.7	
12		At 06:00 PM	64.8	62.5	63.7	
13		At 07:00 PM	65.2	58.1	61.7	
14		At 08:00 PM	60.2	57.3	58.8	
15		At 09:00 PM	59.3	51.2	55.3	
16		At 10:00 PM	61.3	57.3	59.3	
17		At 11:00 PM	63.8	57.4	60.6	
18		At 12:00 AM	64.8	61.2	63.0	
19		At 01:00 AM	58.1	52.3	55.2	
20		At 02:00 AM	56.3	49.4	52.9	70
21		At 03:00 AM	55.4	51.2	53.3	
22		At 04:00 AM	53.8	50.6	52.2	
23		At 05:00 AM	59.1	48.3	53.7	
24		At 06:00 AM	55.6	51.2	53.4	

INFEERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits
------------	---

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager


Note : 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

Annexure - 18

MSVAL/AN/RF/01/00

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	28.06.2025
5.	Report Issue Date	:	04.07.2025
6.	Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407125000013405F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Administration Office	At 07:00 AM	55.4	51.2	53.3	75
2		At 08:00 AM	54.2	52.4	53.3	
3		At 09:00 AM	53.6	50.6	52.1	
4		At 10:00 AM	52.8	50.8	51.8	
5		At 11:00 AM	50.6	49.2	49.9	
6		At 12:00 PM	51.2	47.6	49.4	
7		At 01:00 PM	59.4	44.3	51.9	
8		At 02:00 PM	56.3	49.4	52.9	
9		At 03:00 PM	58.2	56.4	57.3	
10		At 04:00 PM	51.2	52.3	51.8	
11		At 05:00 PM	60.9	5.2	33.1	
12		At 06:00 PM	62.3	59.3	60.8	70
13		At 07:00 PM	64.3	62.3	63.3	
14		At 08:00 PM	61.2	57.8	59.5	
15		At 09:00 PM	60.9	58.1	59.5	
16		At 10:00 PM	62.4	55.4	58.9	
17		At 11:00 PM	62.9	56.3	59.6	
18		At 12:00 AM	63.4	59.1	61.3	
19		At 01:00 AM	59.1	52.3	55.7	
20		At 02:00 AM	58.2	49.4	53.8	
21		At 03:00 AM	56.4	51.2	53.8	
22		At 04:00 AM	55.9	48.2	52.1	
23		At 05:00 AM	60.3	56.3	58.3	
24		At 06:00 AM	54.1	49.1	51.6	

INFERENCE	As per KSPCB Standards
Report Status :- The Noise level for the all locations is within the limits	

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager


:: END OF REPORTS ::

Note : 1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



MSVAL/AN/RF/01/00

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	21.05.2025
5.	Report Issue Date	:	27.05.2025
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407125000009883F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	DG Set Area	At 07:00 AM	67.1	65.2		
2		At 08:00 AM	66.9	66.3		
3		At 09:00 AM	70.4	68.4		
4		At 10:00 AM	71.5	69.2		
5		At 11:00 AM	69.8	67.1		
6		At 12:00 PM	71.2	69.2		
7		At 01:00 PM	69.7	66.5		
8		At 02:00 PM	71.2	68.2		
9		At 03:00 PM	70.3	69.3		
10		At 04:00 PM	69.8	64.5		
11		At 05:00 PM	71.3	67.5		
12		At 06:00 PM	70.8	69.3		
13		At 07:00 PM	71.5	64.5		
14		At 08:00 PM	68.6	58.6		
15		At 09:00 PM	66.5	63.2		
16		At 10:00 PM	62.3	58.4		
17		At 11:00 PM	54.3	51.5		
18		At 12:00 AM	58.6	55.6		
19		At 01:00 AM	59.5	56.7		
20		At 02:00 AM	54.6	52.8		
21		At 03:00 AM	56.7	51.9		
22		At 04:00 AM	58.1	56.8		
23		At 05:00 AM	56.5	51.7		
24		At 06:00 AM	54.8	52.6		

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits
-----------	---

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager


Note : 1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



Annexure - 18

MSVAL/AN/RF/01/00

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	21.05.2025
5.	Report Issue Date	:	27.05.2025
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407125000009884F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Production Area	At 07:00 AM	59.2	56.2	57.7	75
2		At 08:00 AM	59.4	58.4	58.9	
3		At 09:00 AM	61.8	56.5	59.2	
4		At 10:00 AM	66.8	64.6	65.7	
5		At 11:00 AM	69.5	62.5	66.0	
6		At 12:00 PM	67.4	58.7	63.1	
7		At 01:00 PM	63.5	60.1	61.8	
8		At 02:00 PM	65.2	58.9	62.1	
9		At 03:00 PM	66.8	59.5	63.2	
10		At 04:00 PM	65.8	62.3	64.1	
11		At 05:00 PM	63.2	59.4	61.3	
12		At 06:00 PM	64.1	61.1	62.6	70
13		At 07:00 PM	61.6	52.3	57.0	
14		At 08:00 PM	62.8	59.6	61.2	
15		At 09:00 PM	66.9	62.7	64.8	
16		At 10:00 PM	62.8	60.3	61.6	
17		At 11:00 PM	64.5	60.9	62.7	
18		At 12:00 AM	62.5	58.4	60.5	
19		At 01:00 AM	59.5	55.6	57.6	
20		At 02:00 AM	57.6	54.7	56.2	
21		At 03:00 AM	55.8	52.4	54.1	
22		At 04:00 AM	56.8	51.7	54.3	
23		At 05:00 AM	55.9	52.8	54.4	
24		At 06:00 AM	56.2	50.2	53.2	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits
-----------	---

Analysed by



Authorized Signatory

Hanumanthaiah P
Technical Manager

Note : 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/AN/RF/01/00

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	21.05.2025
5.	Report Issue Date	:	27.05.2025
6.	Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407125000009885F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Main Gate	At 07:00 AM	57.4	52.6	55.0	75
2		At 08:00 AM	58.2	54.7	56.5	
3		At 09:00 AM	60.3	56.8	58.6	
4		At 10:00 AM	61.8	59.6	60.7	
5		At 11:00 AM	62.6	60.4	61.5	
6		At 12:00 PM	61.8	58.8	60.3	
7		At 01:00 PM	61.9	58.1	60.0	
8		At 02:00 PM	62.3	58.7	60.5	
9		At 03:00 PM	62.8	57.4	60.1	
10		At 04:00 PM	62.6	55.	58.8	
11		At 05:00 PM	67.6	64.1	65.9	
12		At 06:00 PM	65.9	61.0	63.5	
13		At 07:00 PM	68.3	64.8	66.6	
14		At 08:00 PM	69.5	66.5	68.0	
15		At 09:00 PM	67.4	64.8	66.1	
16		At 10:00 PM	68.4	63.9	66.2	
17		At 11:00 PM	68.2	63.8	66.0	
18		At 12:00 AM	66.9	60.1	63.5	
19		At 01:00 AM	59.1	56.4	57.8	
20		At 02:00 AM	58.4	55.1	56.8	
21		At 03:00 AM	59.2	53.9	56.6	70
22		At 04:00 AM	58.3	52.8	55.6	
23		At 05:00 AM	54.9	50.1	52.5	
24		At 06:00 AM	52.9	48.4	50.7	

INFEERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits
------------	---

Analysed by

Authorized Signatory

 Hanumanthaiah P
 Technical Manager


Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail :msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

Annexure - 18

MSVAL/AN/RF/01/00

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	21.05.2025
5.	Report Issue Date	:	27.05.2025
6.	Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407125000009886F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Administration Office	At 07:00 AM	56.2	55.3	55.8	75
2		At 08:00 AM	57.8	55.4	56.6	
3		At 09:00 AM	56.9	54.1	55.5	
4		At 10:00 AM	59.5	55.8	57.7	
5		At 11:00 AM	54.6	52.1	53.4	
6		At 12:00 PM	62.6	59.6	61.1	
7		At 01:00 PM	63.5	60.4	62.0	
8		At 02:00 PM	66.8	62.8	64.8	
9		At 03:00 PM	70.9	64.8	67.9	
10		At 04:00 PM	66.7	62.6	64.7	
11		At 05:00 PM	69.2	65.3	67.3	
12		At 06:00 PM	64.6	61.1	62.9	70
13		At 07:00 PM	65.8	59.4	62.6	
14		At 08:00 PM	62.3	56.7	59.5	
15		At 09:00 PM	66.4	61.2	63.8	
16		At 10:00 PM	65.1	62.3	63.7	
17		At 11:00 PM	68.2	63.7	66.0	
18		At 12:00 AM	66.5	61.8	64.2	
19		At 01:00 AM	62.1	64.6	63.4	
20		At 02:00 AM	62.8	59.7	61.3	
21		At 03:00 AM	56.9	52.4	54.7	
22		At 04:00 AM	54.6	51.1	52.9	
23		At 05:00 AM	55.4	53.4	54.4	
24		At 06:00 AM	53.6	51.7	52.7	

INFERENCE	As per KSPCB Standards
Report Status :- The Noise level for the all locations is within the limits	

Analysed by

Authorized Signatory

Hanumathaiah P
Technical Manager


Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC - 4071

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	25.09.2025
5.	Report Issue Date	:	04.10.2025
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407124000021982F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	DG Set Area	At 07:00 AM	64.1	62.6	63.4	75
2		At 08:00 AM	66.2	65.1	65.7	
3		At 09:00 AM	69.8	67.4	68.6	
4		At 10:00 AM	70.1	67.9	69.0	
5		At 11:00 AM	71.2	66.7	69.0	
6		At 12:00 PM	68.9	65.3	67.1	
7		At 01:00 PM	69.3	66.1	67.7	
8		At 02:00 PM	68.8	65.9	67.4	
9		At 03:00 PM	67.9	64.7	66.3	
10		At 04:00 PM	68.6	65.3	67.0	
11		At 05:00 PM	67.6	65.8	66.7	
12		At 06:00 PM	69.1	64.6	66.9	70
13		At 07:00 PM	67.4	65.2	66.3	
14		At 08:00 PM	65.3	61.7	63.5	
15		At 09:00 PM	66.1	62.3	64.2	
16		At 10:00 PM	59.6	54.1	56.9	
17		At 11:00 PM	55.6	53.7	54.7	
18		At 12:00 AM	56.1	54.2	55.2	
19		At 01:00 AM	54.8	52.6	53.7	
20		At 02:00 AM	55.8	53.1	54.5	
21		At 03:00 AM	56.7	53.5	55.1	
22		At 04:00 AM	55.3	54.6	55.0	
23		At 05:00 AM	54.4	50.1	52.3	
24		At 06:00 AM	52.7	48.1	50.4	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits
-----------	---

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager



Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Samples Will be disposed after the specified retention period.
 3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
 5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	25.09.2025
5.	Report Issue Date	:	04.10.2025
6.	Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407124000021983F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Main Gate	At 07:00 AM	59.6	55.2	57.4	75
2		At 08:00 AM	60.4	57.4	58.9	
3		At 09:00 AM	63.2	60.2	61.7	
4		At 10:00 AM	61.9	58.7	60.3	
5		At 11:00 AM	63.7	61.3	62.5	
6		At 12:00 PM	65.6	62.3	64.0	
7		At 01:00 PM	64.1	61.4	62.8	
8		At 02:00 PM	63.6	60.9	62.3	
9		At 03:00 PM	66.2	62.3	64.3	
10		At 04:00 PM	64.7	61.8	63.3	
11		At 05:00 PM	65.6	59.6	62.6	
12		At 06:00 PM	64.9	58.6	61.8	
13		At 07:00 PM	66.9	61.4	64.2	70
14		At 08:00 PM	69.5	64.8	67.2	
15		At 09:00 PM	65.6	60.8	63.2	
16		At 10:00 PM	65.4	63.1	64.3	
17		At 11:00 PM	67.8	63.6	65.7	
18		At 12:00 AM	62.6	58.9	60.8	
19		At 01:00 AM	61.2	57.4	59.3	
20		At 02:00 AM	58.6	52.7	55.7	
21		At 03:00 AM	53.7	50.6	52.2	
22		At 04:00 AM	52.7	50.7	51.7	
23		At 05:00 AM	50.9	46.8	48.9	
24		At 06:00 AM	51.2	46.9	49.1	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits
-----------	---

Analysed by



Authorized Signatory

Hanumanthaiah P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Samples Will be disposed after the specified retention period.
 3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
 5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

Annexure - 18

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	25.09.2025
5.	Report Issue Date	:	04.10.2025
6.	Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407124000021984F


S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Administration Office	At 07:00 AM	52.3	50.7	51.5	75
2		At 08:00 AM	54.1	51.6	52.9	
3		At 09:00 AM	52.6	50.2	51.4	
4		At 10:00 AM	53.8	51.4	52.6	
5		At 11:00 AM	54.6	51.1	52.9	
6		At 12:00 PM	52.9	50.6	51.8	
7		At 01:00 PM	59.6	54.1	56.9	
8		At 02:00 PM	56.4	52.8	54.6	
9		At 03:00 PM	59.7	54.9	57.3	
10		At 04:00 PM	62.3	58.6	60.5	
11		At 05:00 PM	64.7	56.9	60.8	
12		At 06:00 PM	65.6	58.6	62.1	
13		At 07:00 PM	63.4	60.1	61.8	70
14		At 08:00 PM	64.7	61.1	62.9	
15		At 09:00 PM	62.6	58.6	60.6	
16		At 10:00 PM	59.8	55.1	57.5	
17		At 11:00 PM	56.5	52.3	54.4	
18		At 12:00 AM	52.7	48.6	50.7	
19		At 01:00 AM	51.6	46.9	49.3	
20		At 02:00 AM	50.2	45.6	47.9	
21		At 03:00 AM	53.5	45.8	49.7	
22		At 04:00 AM	50.7	44.7	47.7	
23		At 05:00 AM	51.4	44.6	48.0	
24		At 06:00 AM	50.9	41.9	46.4	

INFERENCE	As per KSPCB Standards
Report Status :- The Noise level for the all locations is within the limits	

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager



Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Samples Will be disposed after the specified retention period.
 3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
 5. Sampling is not done by us unless otherwise specified

Sl. No.	Land Sy.No.	Extent	Village	Sale deed No.
1.	38	12 A-30 G out which Middle portion 4 acres 10 guntas	Bulbapur	2005/25-88 Date : 27-2-1988

Sd/- M. Virupaxgouda, Advocate
B Sc., LLB (Spl.)
Place : Raichur H.No. 1-1-148, Uday Nagar, Opp. West Police Station,
Date : 29-05-2017 Raichur. Cell No. 9448184134

SHILPA MEDICARE LIMITED 100% EOU

Plot No: 33,33A & 40 – 47,
Industrial growth centre, KIDB Industrial area,
Chick sugar, Raichur-584134.

Environmental clearance obtained for the Shilpa Medicare Ltd 100%EOU for the Expansion and Modification of Active pharmaceutical ingredients, manufacturing unit.

EC No: SEIAA 50 IND 2016 dated:28-04-2017

Details are available at www.moef.nic.in

SD/-
MANAGING DIRECTOR.

CET Exams, in Chitradurga on Tuesday. Principal Gangadhar and his mother Latha are also seen. DH PHOTO

CET result**Annexure-19****Chitradurga lad secures 12th rank**

CHITRADURGA: K R Satwik, a student of SRS Educational Institution of the city has secured the 12th rank to the State in engineering division in the Common Entrance Test - 2017 results announced by Karnataka Examination Authority on Tuesday.

He has scored 173 marks out of 200 in CET engineering thus making his parents and college proud.

Speaking to reporters after receiving a felicitation from the

management of SRS Educational Institution in Chitradurga on Tuesday, he expressed his thanks to the management of the college, teaching staff and parents for backing him in his studies. He said, he had scored 95% in the second pre-university exams this year. He said, he never took any tuitions and studied the subjects under the guidance of teachers. Sharing his joy, he said he prefers to study computer sciences in engineering.

DH News Service

'Govt urged to support ryots to remove silt from reservoir'

RAICHUR, DHNS: Efforts of Karnataka Rajya Raitha Sangha & Hasiru Sene to remove silt from Tungabhadra reservoir received support but the water resources minister and the government remained disinterested in the task, said Sangha Honorary President Chamara Malipati.

Speaking at the press meet here, he said, with the help of public contributions, silt was being removed from a part of the reservoir. But the elected representatives of Raichur, Koppal and Ballari did not show any concern, he said.

The silt removed from the reservoir would be more useful for farmers in maintaining the fertility of their agriculture fields. Farmers were more interested in taking the silt to their fields. The



Chamara Malipati

government should provide only the machines and diesel. Within two to three years the silt from entire reservoir could be removed, he said. If the government did not extend the helping hand, the farmers would collect donations and take up the work, he added.

The government has planned to construct a reservoir at Navali to store 40 TMC ft water. But it was not an easy task. Construction of the reservoir would take a decade as the land should be acquired from farmers.

Therefore, desilting would be an easy task, he said.

PDS rice seized

DAVANGERE, DHNS: Azad Nagar police of the city have seized 10 quintals of Anna Bhagya rice illegally stored at the residence of Mubina, at 5th Cross, Venkabhoi

Colony in Davangere.

Police arrested accused Mubina and remanded her to judicial custody.

Azadnagar Police have registered a case.



Hosapete

Annexure-20

**State Level Environment Impact Assessment Authority-Karnataka**

(Constituted by MoEF, Government of India under section 3(3) of E(P) Act, 1986)

No. SEIAA 50 IND 2016

Date: 29.06.2022

TRANSFER OF ENVIRONMENTAL CLEARANCE**Preamble:**

Attention is invited to Authority's letter No. SEIAA 50 IND 2016 dated 28.04.2017 and corrigendum dated 15.03.2018, 15.06.2020 & 31.01.2022 regarding grant of Environmental Clearance for Expansion and Modification of Active Pharmaceutical Ingredients (APIs) & Intermediates Manufacturing Industry with R & D activity manufacturing industry Project at Plot Nos. 30, 31, 32, 35 to 39, 33, 33A, & 40-47 of Raichur Industrial Growth Centre, Wadloor Road Chicksugur, Raichur District Karnataka to M/s Shilpa Medicare Limited.

M/s Shilpa Pharma Lifesciences Limited vide letter received on 16.04.2022 requested for transfer of EC granted to M/s Shilpa Medicare Limited in favour of M/s. Shilpa Pharma Lifesciences Limited.

The State Level Environment Impact Assessment Authority, Karnataka considered the request made by M/s Shilpa Pharma Lifesciences Limited during the meeting held on 7th May 2022 in the light of provision for "Transferability of Environmental Clearance (EC)" under para 11 of the Notification No. S.O. 1533(E) dated 14th September 2006. The Authority after discussion have decided to transfer the Environmental Clearance issued to M/s Shilpa Medicare Limited, 100% export oriented unit, Unit-II plot No. 30, 31, 32, 35 to 39, 33, 33A, & 40-47, Raichur Industrial Growth Center, Wadloor Road, Chicksugur, Raichur District - 584134 vide letter No. SEIAA 50 IND 2016 dated 28.04.2017 and corrigendum dated 15.03.2018, 15.06.2020 & 31.01.2022 in favour of M/s Shilpa Pharma Lifesciences Limited - Unit-2, Plot No. 30, 31, 32, 35 to 39, 33, 33A, & 40-47, Raichur Industrial Growth Center, Chiksugur - 584 134, Raichur District, Karnataka State on the same terms and conditions under which the prior Environmental Clearance has been granted and for same validity period.



...2

Annexure-20

-2-

Hence the Order.

ORDER

Pursuant to the facts and circumstances in the preamble, the Environmental Clearance granted by our order No SEIAA 50 IND 2016 dated 28.04.2017 and corrigendum dated 15.03.2018, 16.06.2020 & 31.01.2022 the name of the proponent may be substituted by M/s Shilpa Pharma Lifesciences Limited - Unit 2.

Yours faithfully,

Vijay Mohan Raj V
Member Secretary
SEIAA Karnataka

To,

M/s Shilpa Pharma Lifesciences Limited,
unit-2, Plot No. 30, 31, 32, 35 to 39, 33, 33A, & 40-47,
Raichur Industrial Growth Center,
Chiksugur - 584 134, Raichur District,
Karnataka State

Copy to:

1. The Secretary, Ministry of Environment & Forests and Climate Change Indira Paryavaran Bhavan, Jor Bagh Road, Aliganj, New Delhi-110 003.
2. The Director, Department of Mines and Geology, Khanija Bhavan, Race course road, Bangalore - 560 001.
3. The Member Secretary, Karnataka State Pollution Control Board, Bangalore.
4. The APCCF, Regional Office, Ministry of Environment & Forests (SZ), Kendriya Sadan, IV Floor, E & F Wings, 17th Main Road, Koramangala II Block, Bengaluru - 560 034.
5. M/s Shilpa Medicare Limited, 100% export oriented unit, Unit-II, Plot No. 30, 31, 32, 35 to 39, 33, 33A, & 40-47, Raichur Industrial Growth Center, Wadloor Road, Chicksugur, Raichur District - 584134
6. Guard File.

Annexure-20



State Level Environment Impact Assessment Authority-Karnataka

(Constituted by MoEF, Government of India, under section 3(3) of E(P) Act, 1986)

No. SEIAA 50 IND 2016

Date: 28-04-2017

To,

M/s. Shilpa Medicare Limited
100% export oriented unit
Unit -II Plot No.33, 33A & 44 to 47
Raichur Industrial Growth Centre
Wadloor Road, Chicksugur,
Raichur District-584134


Sir,

Sub: Expansion & Modification of Active Pharmaceutical Ingredients (APIs) & Intermediates manufacturing unit at Plot No. 33, 33A and 40 to 47 of Raichur Industrial Growth Centre, Wadloor Road, Chicksugur, Raichur District of M/s. Shilpa Medicare Limited - Issue of Environmental Clearance - Reg.

This has reference to your online application dated 26th October 2016 bearing proposal No. SIA/KA/IND2/17628/2016 addressed to SEIAA, Karnataka and subsequent letters addressed to SEIAA/SEAC Karnataka furnishing further information/ seeking prior Environmental Clearance for the above project under the EIA Notification, 2006.

2. It is inter-alia noted that Environmental Clearance has been issued by MoEF, Govt. of India to this project vide letter No. J-11011/71/2007-IA II (I) dated 12th March 2008 for expansion of Bulk drug unit to manufacturing of Ambroxol HCl of 47 MTA, Anastrozole of 0.1MTA, Bicalutamide of 0.5MTA, Carboplatin of 0.35MTA, Cisplatin of 0.1MTA, Coenzyme Q-10 of 18MTA, Docetaxel of 0.1MTA, Gemcitabine HCl of 0.3MTA, Irinotecan HCl Trihydrate of 0.1MTA, Oxaliplatin of 0.05MTA, Paclitaxel of 0.1MTA, Temozolomide of 0.1MTA, 3a, 7B-Dihydroxy Cholanic Acid of 60 MTA with Total quantity 126.8MTA.

3. Your application for the Environmental Clearance to the proposed Expansion & Modification of Active Pharmaceutical Ingredients (APIs) & Intermediates manufacturing unit by M/s. Shilpa Medicare Limited was appraised as per the prescribed procedure in light of the provisions under the EIA Notification, 2006 on the basis of the mandatory documents enclosed with



Annexure-20

State Level Environment Impact Assessment Authority-Karnataka (Constituted by MoEF, Government of India under section 3(3) of E(P) Act, 1986)

SEIAA 50 IND 2016

Expansion & Modification of Active Pharmaceutical
Ingredients (APIs) & Intermediates manufacturing unit
by M/s. Shilpa Medicare Limited

the application viz., the Form 1, Pre feasibility report, EIA Report for manufacture of proposed Active Pharmaceutical Ingredients (APIs) & Intermediates and the additional clarifications furnished in response to the observations of the SEAC, Karnataka , in its meetings held on 26th April 2017 and SEAC has recommended for issue of Environmental Clearance for the proposed Expansion & modification.

4. It is, inter-alia, noted that M/s. Shilpa Medicare Limited have proposed for manufacture of Active Pharmaceutical Ingredients (APIs) & Intermediates manufacturing of total capacity 422.415 TPA listed in **ANNEXURE -I**. The total plot area is 84,984 Sqm(21 Acres), out of which 19,459 Sqm area is for Ground Coverage area, 30,927.5 Sqm area is for Built up area, 9,458.94 Sqm area is for Hard paved area, 26,322 Sqm area is for green belt and 32,433.16 Sqm is unused area. Total water consumption is 577.5 KLD (214.6 KLD from KIADB and 362.9 KLD from recycled & condensate water), out of which 30 KLD for domestic purpose, 532.5 KLD for industrial purpose and 15 KLD for green belt. Power requirement is 1800 KVA. 3 number DG set of 625 KVA will be installed for emergency power back-up with existing DG Set of 1 No X 750 KVA. It is proposed to install 1 No X 6 Lakh Kcal of Furnace oil fired Thermic fluid heater and existing capacity of 1 No. x6 TPH & 1 No X 10 TPH Coal/Husk fired steam boiler. The total cost of the project is Rs.6040 Lakhs.

5. The wastewater generation will be 201 KLD, out of which 25 KLD will be the domestic sewage, 176 KLD will be the industrial effluent (130.5 KLD : Low TDS & 70.5 KLD : High TDS). Domestic sewage and the industrial effluent such as Low TDS effluent shall be treated in ETP of capacity 130.5 KLD followed by RO and High TDS effluent shall be treated in solvent stripper followed by MEE of 100 KLD and ATFT. The MEE condensate shall be treated along with Low TDS effluent. The solid wastes generated are inorganic and organic of total quantity 48 Kg/day and 72 Kg/day respectively shall be composted. The hazardous waste generated are Process residue of 8,682.4Kg/ Annum, Spent carbon of 2,536.3 Kg/ Annum and Distillation residue of 20.3MT/ Annum shall be sent to Co Processing in cement industries, Inorganic salt from process of 96,879.54 Kg/ Annum, Salt from MEE system of 393 Tons/ Annum, ETP Sludge of 36,000Kg/ Annum shall be sent to TSDF /Co processing industries, waste oil from DG set & Boiler of 1800 L/ Annum, Discarded containers/Liners/Barrels of 6000No's / Annum, e-waste of 60 Kg, Spent catalyst of 11,800.8 L/ Annum shall be handed over to KSPCB Authorized recyclers/re-processors. Spent solvent of 6,23,288 L/ Annum shall be distilled in house/ send to re-processors for reuse or recover.

6. The project proposal has been considered by SEAC during the meeting held on 18th & 19th November 2016 and ToR was issued on 9th January 2017 for conducting Environment Impact Assessment (EIA) Study. The project is located within the notified industrial area and hence does not require public



Annexure-20

State Level Environment Impact Assessment Authority-Karnataka

(Constituted by MoEF, Government of India under section 3(3) of E(P) Act, 1986)

SEIAA 50 IND 2016

Expansion & Modification of Active Pharmaceutical
Ingredients (APIs) & Intermediates manufacturing unit
by M/s. Shilpa Medicare Limited

consultation. The EIA has been conducted and report submitted by Sri. K R Sreeharsha S/o Late K V Ramaswamy, R/AT No. 5/76, IV Main N R Colony, Bangalore-560 019. Applicability of the Notification No. S. O 648 (E) dated 3rd March 2016 issued by the MoEF, GoI, regarding mandatory accreditation of Environmental consultants from NABET/QCI stands deferred in this case in view of the interim order granted by High Court of Karnataka in W. P. No. 15026-15038/2016 (GM-RES): (Sri. K R Sreeharsha Vs. Union of India represented by MoEF &CC, GoI & Dept Ecology & Environment, GoK) dated 21.03.2016. The project proponent submitted the EIA Report.

7. Based on the information submitted by you, presentation made by you and your consultant Sri. K R Sreeharsha S/o Late K V Ramaswamy, R/AT No. 5/76, IV main N R Colony, Bangalore-560 019. The State Level Expert Appraisal Committee (SEAC) examined the proposal in the meeting held on 22nd April 2017 and 26th April 2017 and has recommended for issue of Environmental Clearance.

8. The SEIAA Karnataka has considered the project in its meeting held on 26th & 27th April 2017 and after due consideration of the relevant documents submitted by the project proponent and additional clarifications furnished in response to its observations and the appraisal and recommendation of the SEAC and decided to accord Environmental Clearance in accordance with the provisions of Environmental Impact Assessment Notification-2006 and its subsequent amendments, subject to strict compliance of the following terms and conditions: -

Part A- SPECIFIC CONDITIONS

1. National Emission Standards for Organic Chemicals Manufacturing Industry issued by the Ministry vide G.S.R. 608(E) dated 21st July, 2010 and amended time to time shall be followed by the unit.
2. The total effluent generation shall not exceed 201 KLD. Domestic sewage and the industrial effluent such as Low TDS effluent shall be treated in ETP of capacity 130.5 KLD followed by RO and High TDS effluent shall be treated in solvent stripper followed by MEE of 100 KLD and ATFT. The MEE condensate shall be treated along with Low TDS effluent.
3. Effluent Treatment Plant shall ensure to prevent ground water contamination due to leakage from unlined tanks.
4. Total water requirement from KIADB water supply shall not exceed 214.6 KLD and prior permission shall be obtained from the concerned Authority. No ground water shall be used.
5. The process emissions from the boiler shall be dispersed through stack of adequate height as per CPCB/KSPCB standards. The gaseous emissions from the DG set shall be dispersed through stack height as per CPCB standards shall be provided. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution.


Annexure-20

State Level Environment Impact Assessment Authority-Karnataka
(Constituted by MoEF, Government of India under section 3(3) of E(P) Act, 1986)

SEIAA 50 IND 2016

Expansion & Modification of Active Pharmaceutical
Ingredients (APIs) & Intermediates manufacturing unit
by M/s. Shilpa Medicare Limited

6. Ambient air quality data shall be collected as per NAAQS standards notified by the Ministry vide G.S.R. No. 826(E) dated 16th September, 2009. The levels of PM₁₀, PM_{2.5}, SO₂, NO_x, CO, VOC and HCl shall be monitored in the ambient air and emissions from the stacks and displayed at a convenient location near the main gate of the company and at important public places. The company shall upload the results of monitored data on its website and shall update the same periodically. It shall simultaneously be sent to the Regional office of MoEF - Bangalore, SEIAA - Karnataka, the respective zonal office of CPCB and the KSPCB.
7. The company shall upload the status of compliance of the stipulated environmental clearance conditions, including results of monitored data on its website and shall update the same periodically. It shall simultaneously be sent to the Regional office of MoEF - Bangalore, SEIAA - Karnataka, the respective zonal office of CPCB and the KSPCB. The levels of PM₁₀, PM_{2.5}, SO₂, NO_x, CO and VOC (ambient levels) and emissions from the stacks shall be monitored and displayed at a convenient location near the main gate of the company and at important public places.
8. The Company shall obtain Authorization for collection, storage and disposal of hazardous waste under the Hazardous and other Wastes (Management and Transboundary Movement) Rules, 2016 for management of hazardous wastes and prior permission from KSPCB shall be obtained for disposal of solid / hazardous waste to the TSDF. The concerned company shall undertake measures for firefighting facilities in case of emergency.
9. In plant control measures for checking fugitive emissions from all the vulnerable sources shall be provided. Fugitive emissions shall be controlled by providing closed storage, closed handling & conveyance of chemicals/materials, multi cyclone separator and water sprinkling system. Dust suppression system including water sprinkling system shall be provided at loading and unloading areas to control dust emissions. Fugitive emissions in the work zone environment, product, raw materials storage area etc. shall be regularly monitored. The emissions shall conform to the limits stipulated by the KSPCB.
10. Hazardous chemicals shall be stored in tanks in tank farms, drums, carboys etc. Flame arresters shall be provided on tank farm. Solvent transfer shall be by pumps.
11. The company shall undertake following Waste Minimization measures :-
 - a. Metering and control of quantities of active ingredients to minimize waste.
 - b. Reuse of by-products from the process as raw materials or as raw material substitutes in other processes.
 - c. Use of automated filling to minimize spillage.
 - d. Use of Close Feed system into batch reactors.
 - e. Venting equipment through vapour recovery system.



Annexure-20

State Level Environment Impact Assessment Authority-Karnataka

(Constituted by MoEF, Government of India under section 3(3) of E(P) Act, 1986)

SEIAA 50 IND 2016

Expansion & Modification of Active Pharmaceutical
Ingredients (APIs) & Intermediates manufacturing unit
by M/s. Shilpa Medicare Limited

- f. Use of high pressure hoses for equipment clearing to reduce wastewater generation.

12. For control of fugitive emission following steps shall be followed:

- a. Closed handling system shall be provided for chemicals.
- b. Reflux condenser shall provide over reactor.
- c. System of leak detection and repair of pump/pipeline based on preventive maintenance.
- d. The acids shall be taken from storage tanks to reactors through closed pipeline. Storage tanks shall be vented through trap receiver and condenser operated on chilled water.
- e. Cathodic protection shall be provided to the underground solvent storage tanks.

13. Solvent management shall be as follows:


- a. Solvent used in the process shall be completely recovered and reused.
- b. Efforts are to be made to recover inorganic salts.
- c. Reactor shall be connected to chilled brine condenser system.
- d. Reactor and solvent handling pump shall have mechanical seals to prevent leakages.
- e. The condensers shall be provided with sufficient HTA and residence time so as to achieve more than 95% recovery
- f. Solvents shall be stored in a separate space specified with all safety measures.
- g. Proper earthing shall be provided in all the electrical equipment wherever solvent handling is done.
- h. Entire plant shall be flame proof. The solvent storage tanks shall be provided with breather valve to prevent losses.
- i. Fugitive emissions in the work zone environment, product, raw materials storage area etc. shall be regularly monitored. The emissions shall conform to the limits imposed by KSPCB.

14. No effluent shall be discharged outside the factory premises and "Zero" discharge concept shall be adopted.

15. Multi-cyclone followed by bag filter shall be provided to the boilers to control particulate emissions within 100 mg/Nm³. The gaseous emissions shall be dispersed through stack of adequate height as per CPCB/KSPCB guidelines.

16. Two stage chilled water/caustic scrubber shall be provided to process vents to control HCl. Two stage scrubbers with caustic lye media solution shall be provided to process vents to control SO₂. The scrubbing media shall be sent to effluent treatment plant (ETP) for treatment. Efficiency of scrubber shall be monitored regularly and maintained properly. At no time, the emission levels shall go beyond the prescribed standards.

17. As proposed Process residue, Spent carbon and Distillation residue shall be sent to Co Processing in cement industries, Inorganic salt from



Annexure-20


State Level Environment Impact Assessment Authority-Karnataka
(Constituted by MoEF, Government of India under section 3(3) of E(P) Act, 1986)

SEIAA 50 IND 2016

Expansion & Modification of Active Pharmaceutical
Ingredients (APIs) & Intermediates manufacturing unit
by M/s. Shilpa Medicare Limited

process, Salt from MEE system, ETP Sludge shall be sent to TSDF /Co processing industries, waste oil from DG set & Boiler, Discarded containers/Liners/Barrels, e-waste, Spent catalyst, shall be handed over to KSPCB Authorized recyclers/re-processors, Spent solvent shall be distilled in house/ send to re-processors for reuse or recover.

18. Boiler ash shall be stored separately as per CPCB guidelines so that it shall not adversely affect the air quality, becoming air borne by wind or water regime during rainy season by flowing along with the storm water. Direct exposure of workers to fly ash & dust shall be avoided.
19. During transfer of materials, spillages shall be avoided and garland drains be constructed to avoid mixing of accidental spillages with domestic waste and storm drains.
20. The Company shall harvest surface as well as rainwater from the rooftops of the buildings and storm water drains to recharge the ground water and use the same water for the various activities of the project to conserve fresh water.
21. The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire fighting system shall be as per the OISD 117 norms.
22. Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.
23. Usage of PPEs by all employees/ workers shall be ensured.
24. Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.
25. Green belt shall be developed in at least 33% of area with suitable species of the plants as per the CPCB guidelines to mitigate the effects of fugitive emissions. Selection of plant species shall be as per the CPCB guidelines.
26. The adequate financial provisions shall be made in the budget of the project for implementation of the above suggested environmental safeguards. Fund so earmarked shall not be diverted for any other purposes.
27. The company shall comply with the recommendations made in the EIA/EMP/Risk assessment report. Risk assessment shall be included in the safety Manual.
28. Provision shall be made for the housing for the construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile sewage treatment plant, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structure to be removed after the completion of the project. All the construction wastes shall be managed so that there is no impact on the surrounding environment.
29. The coal to be stored in coal stockyard on impervious layer in a covered shed and along the boundary garland canal to be provided leading to a



Annexure-20

State Level Environment Impact Assessment Authority-Karnataka

(Constituted by MoEF, Government of India under section 3(3) of E(P) Act, 1986)

SEIAA 50 IND 2016


Expansion & Modification of Active Pharmaceutical
Ingredients (APIs) & Intermediates manufacturing unit
by M/s. Shilpa Medicare Limited

exit pond/tank to arrest coal dust run-off and to allow settling of coal fines. The coal fines to be removed periodically.

30. Avoids bromination processes (wherever followed)
31. Recovers Lithium salts from the effluents wherever Lithium compounds are used in the reactions.
32. Treatment of recalcitrant's to be documented and kept at all times.
33. Adopts Good Management Practices (GMP) & Green Chemistry.
34. Storage facilities for the fuel shall be made in the plant area in consultation with Department of Explosives, Nagpur. Disaster Management Plan shall be prepared to meet any eventuality in case of an accident taking place due to storage of Fuel.
35. The Project authorities also shall earmark at least 2.5 % of the total cost of the project towards the corporate social responsibility and item-wise details along with time bound action plan shall be prepared and submitted to the Authority.
36. The project proponent shall use Husk as Fuel for the Boilers.
37. The project proponent shall store fresh solvents, used solvents, recovered solvents as per the PESO norms and shall not be stored in plastic bags
38. The industry shall not operate without a functional effluent treatment plant as per the order of the Hon'ble Supreme Court dated February 22, 2017 in W.P. No. 375 of 2012.

B. GENERAL CONDITIONS:

1. The project authorities shall strictly adhere to the stipulations made by the Karnataka State Pollution Control Board (KSPCB).
2. At no time, the emissions shall exceed the prescribed limits. In the event of failure of any pollution control system adopted by the unit, the unit shall be immediately put out of operation and shall not be restarted until the desired efficiency has been achieved.
3. No further expansion or modifications in the plant shall be carried out without prior approval of the SEIAA/Ministry of Environment and Forests as the case may be. In case of deviations or alterations in the project proposal from those submitted to this Authority for clearance, a fresh reference shall be made to the Authority to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
4. The gaseous emissions (PM₁₀, PM_{2.5}, SO₂, NO_x, CO, VOC) and Particulate Matter along with RSPM levels from various process units shall conform to the standards prescribed by the concerned authorities from time to time. At no time, the emission levels shall go beyond the stipulated standards. In the event of failure of pollution control system(s) adopted by the unit, the respective unit shall not be restarted until the control measures are rectified to achieve the desired efficiency. Stack monitoring for PM₁₀, PM_{2.5}, SO₂, NO_x, CO, VOC shall be carried.



Annexure-20


State Level Environment Impact Assessment Authority-Karnataka

(Constituted by MoEF, Government of India under section 3(3) of E(P) Act, 1986)

SEIAA 50 IND 2016

Expansion & Modification of Active Pharmaceutical
Ingredients (APIs) & Intermediates manufacturing unit
by M/s. Shilpa Medicare Limited

5. The project authorities shall strictly comply with the rules and regulations under Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989 as amended in October 1994 and January 2000. All transportation of Hazardous Chemicals shall be as per the MVA, 1989. Authorization from the KSPCB shall be obtained for collection, treatment, storage, and disposal of hazardous wastes.
6. The project authorities must strictly comply with the rules and regulations with regard to handling and disposal of hazardous wastes in accordance with the Hazardous and other Wastes (Management and Transboundary Movement) Rules, 2016. Authorization from the KSPCB must be obtained for collection/treatment/ storage/disposal of hazardous wastes.
7. Application of solar energy should be incorporated for illumination of common areas, lighting for gardens and street lighting in addition to provision for solar water heating. A hybrid system or fully solar system for lighting and heating should be provided. Details in this regard should be submitted to the SEIAA.
8. The overall noise levels in and around the plant area shall be kept well within the standards (85 dBA) by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, Rules, 1989 viz. DBA (day time) and 70 dBA (night time).
9. The project proponent shall also comply with all the environmental protection measures and safeguards as per the information provided.
10. The implementation of the project vis-à-vis environmental action plans shall be monitored by MoEF, Regional Office at Bangalore / KSPCB/ CPCB and the Department of Environment & Ecology, Bangalore. A six monthly compliance status report shall be submitted to monitoring agencies.
11. The project proponent shall inform the public that the project has been accorded environmental clearance by the SEIAA and copies of the clearance letter are available with the KSPCB and may also be seen at Website of the Authority at <http://www.seiaa.karnataka.gov.in> <http://environmentclearance.nic.in/> This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the MoEF Regional Office at Bangalore / KSPCB/ CPCB and the Department of Environment & Ecology, Bangalore/Kalaburgi.
12. The project authorities shall inform the MoEF Regional Office at Bangalore / KSPCB/ CPCB and the Department of Ecology and Environment, Bangalore, Kalaburgi the date of financial closure and final



Annexure-20

State Level Environment Impact Assessment Authority-Karnataka


(Constituted by MoEF, Government of India under section 3(3) of E(P) Act, 1986)

SEIAA 50 IND 2016

Expansion & Modification of Active Pharmaceutical
Ingredients (APIs) & Intermediates manufacturing unit
by M/s. Shilpa Medicare Limited

approval of the project by the concerned authorities and the date of start of the project.

13. The SEIAA, Karnataka may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
14. The SEIAA, Karnataka reserves the right to stipulate additional conditions, if found necessary. The company in a time bound manner will implement these conditions.
15. The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 Hazardous and other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and rules.
16. The issue of Environment Clearance doesn't confer any right to the project proponent to operate / run the project without obtaining statutory clearances / sanctions from all other concerned Authorities.
17. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environmental (Protection) Act, 1986.
18. Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
19. Officials from the Department of Environment and Ecology, Bangalore/ Regional Office of MoEF, Bangalore who would be monitoring the implementation of Environmental safeguards should be given full cooperation, facilities and documents/ data by the project proponents during their inspection. A complete set of all the documents submitted to MoEF / SEIAA should be forwarded to the APCCF, Regional Office of MoEF, Bangalore/ Department of Ecology and Environment, Bangalore/Kalaburagi/ Regional Officer, KSPCB Bangalore.
20. In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Authority.
21. The Authority reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environment (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.
22. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, Forest Conservation Act, 1980 and Wildlife (Protection) Act, 1972 etc. shall be obtained, as applicable by project proponents from the competent authorities.
23. These stipulations would be enforced among others under the provisions of water (Prevention and Control of Pollution) Act, 1974, the Air



Annexure-20

State Level Environment Impact Assessment Authority-Karnataka
 (Constituted by MoEF, Government of India under section 3(3) of E(P) Act, 1986)

SEIAA 50 IND 2016

Expansion & Modification of Active Pharmaceutical
 Ingredients (APIs) & Intermediates manufacturing unit
 by M/s. Shilpa Medicare Limited

(Prevention and Control of Pollution) act 1981, the Environment
 (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA
 Notification, 2006.

24. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it is found that construction of the project has been started without obtaining environmental clearance.

Yours faithfully,

(RAMACHANDRA)

Member Secretary,
 SEIAA - Karnataka.

25/4/17

Copy to:

- 1) The Secretary, Ministry of Environment, Forests and Climate Change, Indira Paryavaran Bhavan, Jor Bagh Road, Aliganj, New Delhi- 110 003.
- 2) The Member Secretary, Karnataka State Pollution Control Board, Bangalore.
- 3) The APCCF, Regional Office, Ministry of Environment & Forests (SZ), Kendriya Sadan, IV Floor, E & F wings, 17th Main Road, Koramangala II Block, Bangalore - 560 034.
- 4) Regional Director (Environment), Ecology and Environment Department, Government of Karnataka, Timmapuri Chowk, Vallabhai Patel Circle, Temple Road Near Court, Kalaburgi.
- 5) Guard File.

Annexure-20

State Level Environment Impact Assessment Authority-Karnataka
(Constituted by MoEF, Government of India under section 3(3) of E(P) Act, 1986)


SEIAA 50 IND 2016

Expansion & Modification of Active Pharmaceutical
Ingredients (APIs) & Intermediates manufacturing unit
by M/s. Shilpa Medicare Limited

Annexure -I to Environment Clarence letter No. SEIAA 47 IND 2016 dated 28-04-2017

Sl. No	Name of products for manufacture (proposed)	Capacity in TPA
1.	Ambroxyl Hcl	10
2	Anatrazole	0.1
3	Gemcitabine Hcl	0.1
4	Paclitaxel	0.1
5	Temezdomide	0.1
6	Bicalutamide	0.5
7	Docetaxel Trihydrate	0.1
8	3a,7B-Dihydroxy Cholanic Acid	60
9	Bendamustine hcl	0.2
10	Bortzomib	0.005
11	Capicitabine	60
12	Imatinib	5
13	Lenalidomide	0.5
14	Letrozole	0.05
15	PMD	0.25
16	Decitabine	0.01
17	Cytrabine	0.05
18	Cabazitaxel	0.01
19	Acebrophylline	10
20	Cloferabine	0.01
21	Melphalan	0.025
22	Cyclophosphamide	1
23	Tenfoviro	50
24	PMK	0.25
25	Erlotinib	2
26	Emtricitabine	1
27	Dimethyl fumarate	12
28	Elvitegravir	1
29	Cobicistat	100
30	Busulfan	0.05
31	Zoledranic Acid	0.005
32	Tranexamic Acid	100
33	Sunitinib Malate	3
34	Sorafenib Toxilate	3
35	Abiraterone acetate	2
	Total	422.415




 (RAMACHANDRA) 28/4/17
 Member Secretary,
 SEIAA - Karnataka.

Annexure-20



State Level Environment Impact Assessment Authority-Karnataka

(Constituted by MoEF, Government of India, under section 3(3) of E(P) Act, 1986)

No. SEIAA 50 IND 2016

Date: 15.03.2018

CORRIGENDUM

The following corrections shall be incorporated in the Environmental Clearance letter No. SEIAA 50 IND 2016 dated 28-04-2017 issued to M/s. Shilpa Medicare Limited, 100% export oriented unit, Unit -II Plot No.33, 33A & 44 to 47, Raichur Industrial Growth Centre Wadloor Road, Chicksugur, Raichur District-584134 for expansion & modification of Active Pharmaceutical Ingredients (APIs) & Intermediates manufacturing unit at Plot No. 33, 33A and 40 to 47 of Raichur Industrial Growth Centre, Wadloor Road, Chicksugur, Raichur District:

- 1) Specific Condition No. 30 shall be corrected and read as follows:

"Bromination to be avoided using liquid bromine. Explore other alternative brominating reagents such as Poly N-Bromosuccinimide, Cetyltrimethyl ammonium tribromide, tertiary butyl ammonium bromide and Tetrabutyl ammonium tribromide."

- 2) ANNEXURE -I shall be replaced with ANNEXURE -I (R) enclosed to this corrigendum.

Rest of the contents and the conditions of the Environmental Clearance letter No. SEIAA 50 IND 2016 dated 28-04-2017 remains unchanged.



To,

M/s. Shilpa Medicare Limited
100% export oriented unit,
Unit -II Plot No.33, 33A & 44 to 47
Raichur Industrial Growth Centre
Wadloor Road, Chicksugur, Raichur District-584134.

Copy to:

1. The Secretary, Ministry of Environment, Forests and Climate Change, Indira Paryavaran Bhavan, Jor Bagh Road, Aliganj, New Delhi- 110003.
2. The Member Secretary, Karnataka State Pollution Control Board, Bangalore.
3. The APCCF, Regional Office, Ministry of Environment & Forests (SZ), Kendriya Sadan, IV Floor, E & F wings, 17th Main Road, Koramangala II Block, Bangalore-560 034.
4. Regional Director (Environment), Ecology and Environment Department, Government of Karnataka, Timmapuri Chowk, Vallabhai Patel Circle, Temple Road Near Court, Kalaburgi.
5. Guard File.

Annexure-20

State Level Environment Impact Assessment Authority-Karnataka
(Constituted by MoEF, Government of India under section 3(3) of E(P) Act, 1986)

SEIAA 50 IND 2016

Expansion & Modification of Active Pharmaceutical
Ingredients (APIs) & Intermediates manufacturing unit
by M/s. Shilpa Medicare Limited

ANNEXURE -I (R) to Environment Clarence letter No. SEIAA 50 IND 2016 dated 28-04-2017

List of Active Pharmaceutical Ingredients (APIs) & Intermediates to be manufactured:

Sl. No	Products		Intermediates	
	Name of the product	Production capacity Kg/Annum	Name of the Intermediates	Production capacity Kg/Annum
1	Ambroxol HCl	10000	Intermediate-I: 2-Amino 3,5-di bromo-N(trans-4-hydroxy cyclohexyl) benzylamine and it's synonyms	9343
2	Anastrozole	100	2,2-(5-bromomethyl)-1,3-phenylenebis(2-methylpropio nitrile) and it's synonyms	480
			Intermediate-II: 2,2-(5-(1,1,2,4-triazol-1-yl methyl)benzene-1,3-di yl) bis(2-Methyl propiolitrile) and it's synonyms	270
3	Gemcitabine HCl	100	Intermediate-I: 2',2'-Difluorodeoxycytidine and it's synonyms	184
			Intermediate-II: Dizirconium silicide	124
4	Paclitaxel	100	Intermediate-I: Baccatin-III (Paclitaxel crude) and it's synonyms	240
			Intermediate-II: Paclitaxel Crude	144
			Intermediate-III: Paclitaxel Crude	132
5	Temozolomide	100	Intermediate-I: Temazolamide crude and it's synonyms	240
6	Bicalutamide	500	Intermediate-I: -N-(4-cyano-3-(tri fluoromethyl)phenyl)-3-((4-fluorophenyl) sulphanyl)-2-hydroxy-2-methyl propanamide. and it's synonyms	590.4
7	Docetaxel trihydrate	100	Intermediate-I: 7,10-di-O-chloroacetyl-10-di acetyl baccatin-III and it's synonyms	192
			Intermediate-II: 2-O-benyl-7,10-di-O-chloro acetyl-decetaxel and it's synonyms	



Annexure-20

State Level Environment Impact Assessment Authority-Karnataka
(Constituted by MoEF, Government of India under section 3(3) of E(P) Act, 1986)

SEIAA 50 IND 2016

Expansion & Modification of Active Pharmaceutical
Ingredients (APIs) & Intermediates manufacturing unit
by M/s. Shilpa Medicare Limited

8	3a,7b-Dihydroxy Cholanic Acid	60000	Intermediate-I: Cholic acid methyl ester and it's synonyms	142800
			Recovery stage- I: 3,7,12 TRIHYDROXY CHOLAN 24 OIC ACID CRUDE	4800
			Intermediate-II: 3a, 7b-diacetyl,12a-hydroxy-methyl cholanate and it's synonyms	125712
			Recovery stage- II: 3,7,12 TRIHYDROXY CHOLAN 24 OIC ACID CRUDE	36000
			Intermediate-III: 3a, 7a-diacetyl-12-keto-methyl cholanate and its synonyms	142800
			Recovery stage:III 3,7,12 TRIHYDROXY CHOLAN 24 OIC ACID CRUDE	9600
9	BendamustineHCl	200	Intermediate-IV: 3a, 7a-dihydroxy-5b-Cholan 24-OIC ACID and it's synonyms	102720
			Intermediate-V: 3a, hydroxy-7-keto-Cholanic acid and it's synonyms	79992
10	Bortezomib	5	Recovery Stage-V: 3a,7b DIHYDROXY 5b-CHOLAN 24 OIC ACID CRUDE	19200
			-	-
11	Capecitabine	60000	Intermediate-I: (s)-3-phenyl-2-(phrazine-2-carboxyamido)propanoic acid and it's synonyms	29.52
			Intermediate-II:3-methyl-1-(3-phenyl-2-(phrazine-2-carboxyamido)propanamido)butyl)boromic acid and it's synonyms	6.396
12	Imatinib mesylate	5000	Intermediate-I: (2,3-di-O-acetyl-5-deoxy-5-fluorocyclidine) and its synonyms	72000
			Intermediate-II: (2,3-di-O-acetyl-5-deoxy-5-deoxy-5-fluoro-n4-(n-pentyloxy carboxyl) and its synonyms	79200
13	Lenalidomide	500	Intermediate-I: Chromate(V)	



Annexure-20

State Level Environment Impact Assessment Authority-Karnataka
(Constituted by MoEF, Government of India under section 3(3) of E(P) Act, 1986)

SEJAA 50 IND 2016

Expansion & Modification of Active Pharmaceutical
Ingredients (APIs) & Intermediates manufacturing unit
by M/s. Shilpa Medicare Limited

14	Letrozole	50	Intermediate-I: -4-(1H-1,2,4-triazol-1-yl) methyl)benzonitrile methane sulfonate and it's synonyms	151
15	Pemetrexed disodium	250	Intermediate-I: -N-4[2-(2-amino-4,7-dihydro-4-oxo-1H-Phyrolo[2,3-d]pyrimidin-5-yl)ethyl]benzoyl)-L-glutamic acid di sodium salt. and it's synonyms Intermediate-II: Pemetrexed di acid	467 349.5
16	Decitabine	10	Intermediate-I: 1- methyl-2-deoxy ribose and it's synonyms Intermediate-II: 1-methyl-3,5-di-O-acetyl-2-deoxy penta furanose and it's synonyms Intermediate-III: (1-(3,5-di-O-acetyl-2-deoxy-O-robo fur nosol)-5-azacytosine) and it's synonyms Intermediate-IV: (4-amino-1(2-deoxy-D-erythro penta furan asol)-1,3,5-triazin-2(1-H)-one and it's synonyms	155 208 102 20
17	Cytarabine	50	Intermediate-I: Cyclocytidine.HCl and it's synonyms	62
18	Cabazitaxel	10	Intermediate-I: 4a-acetoxy-2a benzoxyloxy-5b,2-o-epoxy-1b,hydroxyl-7b,10b-linethoxy-9-oxo-11-haxane-13a-yl(2R,4S,5R)-3tert-hydroxy carbonyl-2-(4-methoxy phenyl)-4phenyl-4-phenyl-1,3-oxozodidine-5-carboxylate. and it's synonyms Intermediate-II: Di isopropyl ether solvate of 4a-acetoxy-2a benzoxyloxy-5b 2-o-epoxy-1b,hydroxyl-7b,10b-linethoxy-9-oxo-11-haxane-13a-yl(2R,4S,5R)-3tert-butoxycarbonyl amino-2-phenylpropionate. and it's synonyms Intermediate-II: Cabazitaxel Crude	13 19
19	Acebrophylline	10000	Intermediate-I: 1,2,3,6-tetrahydro-2-di enethyl-2,6- do oxo-7 H-purine acetic acid with trans-4-[(2-methoxy-3,5-dibromophenyl{amino} cyclohexanol	



Annexure-20

State Level Environment Impact Assessment Authority-Karnataka (Constituted by MoEF, Government of India under section 3(3) of E(P) Act, 1986)

SEIAA 50 IND 2016

Expansion & Modification of Active Pharmaceutical
Ingredients (APIs) & Intermediates manufacturing unit
by M/s. Shilpa Medicare Limited

20	Clofarabine	10	Intermediate-I: 2-Deoxy-1-a-bromo-2-B-fluoro-3-5-di-O-bezyl-d-ribofuranose and it's <u>synonyms</u> Intermediate-II: 2-chloro-b-butyl amido purine and it's <u>synonyms</u>	45 23
21	Melphalan HCl	25	Intermediate-I: (s)-3-(4-aminophenyl)-2-(1,3-dioxo isoindoline-2-yl)propoic acid. and it's <u>synonyms</u>	514.5
			Intermediate-II: (S)-methyl-3-(4-aminophenyl)-2-(1,3-dioxoiso indoline-2-yl)propanate. and it's <u>synonyms</u>	342
			Intermediate-III: (S) methyl-3-(4-(bis(2-hydroxyethyl)amino)phenyl)-2-(1,3-di oxo isoindolin-2-yl)propanate. and it's <u>synonyms</u>	249
			Intermediate-IV: (S)-2-amino-3-(4-(bis(2-chloro ethyl) amino) phenyl) propanoic acid hydrochloride. and it's <u>synonyms</u>	249
22	Cyclophosphamide	1000	Intermediate-I: Bis(2-chloroethyl)amine hydrochloride	886
			Intermediate-II: Bis(2-chloroethyl) phosphoramicidic dichloride and it's <u>synonyms</u>	810
23	TENOFOVIRDISOP ROXIL FUMARATE	50000	Intermediate-I: -9-[R-2-[bis{[isopropoxycarconyl]oxo}methaxy]phosphonyl]methoxy]propyl]adenine fumarate. and it's <u>synonyms</u>	142500
24	Pemetrexed dipotassium	250	Intermediate-I: -N-4-[2-(2-amino-4,7-dihydro-4-oxo-1H-phyrrol(2,3-d)pyrimidin-5-yl)ethyl]benzoyl]-L-glutamic acid, disodium salt and it's <u>synonyms</u> Intermediate-II: Potassium2-(4-(2-amino-4-ox-4,7 dihydro-3H-pyrrolo[2,3-d]pyrimidin -5-yl)ethyl)benzamide)pentane	562 State



Annexure-20

State Level Environment Impact Assessment Authority-Karnataka

(Constituted by MoEF, Government of India under section 3(3) of E(PI) Act, 1986)

SEIAA 50 IND 2016

Expansion & Modification of Active Pharmaceutical
Ingredients (APIs) & Intermediates manufacturing unit
by M/s. Shilpa Medicare Limited

25	Erlotinib Hcl	2000	Intermediate-I: 2-AMINO-4,5-BIS(2-METHOXYETHOXY)BENZONITRILE and it's synonyms Intermediate-II: N-(4,5-bis(2 methoxy ethoxy)-2-cynophenyl)-N-N-dimethyl farmamidine and it's synonyms Intermediate-III: 6,7-Bis-(2-methoxyethoxy)-4(3H)-quinazolinone	2733.5 2573 2733.5
26	Emtricitabine	1000	Intermediate-I: (1R,2S,5R)-Menthyl-(2R,5S)-5-(4-amino-2-oxo-2H-pyrimidin-1-yl)-[1,3]oxathiolane-2-carboxylic acid and it's synonyms	1935
27	Dimethyl Fumarate	12000	Intermediate-I: Di methyl (E) butane di acetate, and it's synonyms	14666
28	ELVITEGRAVIR	1000	Intermediate-I: (3-chloro-2-fluorophenyl)(2,4-diemethoxyphenyl)methanone and it's synonyms Intermediate-II: 1-(5-3-chloro-2-fluorobenzyl)-2,4-dimethoxyphenyl)ethanone and it's synonyms Intermediate-III: Thyl-3-(5-3-chloro-2-fluorobenzyl)-2-4-dimethoxyphenyl)-3-oxopropanate and it's synonyms Intermediate-IV: Ethyl-3-(5-3-chloro-2-fluorobenzyl)-2,4-dimethoxyphenyl)-2-((dimethyl amino)methylene)-3-oxopropanate and it's synonyms Intermediate-V: Ethyl-6(3-chloro-2-fluorobenzyl)-1,4-dihydro-1((s)-1-hydroxy-3-methylbutan-2-yl)-7-methoxy-4-oxogurolone-3-carboxylate and it's synonyms Intermediate-VI: -6(3-chloro-2-fluorobenzyle)- 1,4-dihydro-1((s)-hydroxy-3-methylbutan-2-yl)-7-methoxy-4-oxogurolone-3-carboxylic acid and it's synonyms	102.6 918.5 965 1061.4 1061.5



Annexure-20

State Level Environment Impact Assessment Authority-Karnataka

(Constituted by MoEF, Government of India under section 3(3) of E(P) Act, 1986)

SEIAA 50 IND 2016

Expansion & Modification of Active Pharmaceutical
Ingredients (APIs) & Intermediates manufacturing unit
by M/s. Shilpa Medicare Limited

29	COBICISTAT	100000	Intermediate-I: 2-bromo-2-nitrobutane and it's synonyms	34865
			Intermediate-II: 1-(6-Ethoxy-2-(methylthio)pyrimidin-4-yl)piperidine-2-carboxylic acid and it's synonyms	40695
			Intermediate-III: Ethyl (2S)-2-(((2-isopropyl-1,3-thiazol-4-yl)methyl)(methyl)carbamoyl)amino)-4-(4-morpholinyl)butanoate ethanedioate and it's synonyms	48152
			Intermediate-IV: (L)-amino lactone hydrogen bromide salt and its synonyms	3486.1
			Intermediate-V: 3-((cs)-terahydro-2-oxoform-3-yl)-1-((2-isopropylthiazol-4-yl)methyl-1-methyl urea	40659.3
30	Busulfan	50	Intermediate-I: Butane-1,4-diyldimethanesulfonate and it's synonyms	171
			Intermediate-II: (S)-ethyl-2-[3-(2-isopropylthiazol-4-yl)methyl-3-methylamido]-4-morpholin-4-ylbutanate oxalate salt	48151.8
31	Zoledronic Acid	5	Intermediate-I: Imidazol-1-yl-acetic acid methyl ester and it's synonyms	12.5
			Intermediate-II: Imidazol-1-yl-acetic acid and it's synonyms	10
			Intermediate-III: (1-hydroxy-2-imidazol-1-phosphono-ethyl)-phosphoric acid and it's synonyms	6
32	TRANEXAMICACID	100000	Intermediate-I: Methyl(4-cyano cyclohexane-1-carboxylate and it's synonyms	128700
			Intermediate-II: Sodium-4-amino methyl cyclohexane carbocylate and it's synonyms	1002561
			Intermediate-III: Sodium-4-aminomethyl cyclohexane carbocylate and it's synonyms	4818



Annexure-20

State Level Environment Impact Assessment Authority-Karnataka
(Constituted by MoEF, Government of India under section 3(3) of E(P) Act, 1986)

SEIAA 50 IND 2016

Expansion & Modification of Active Pharmaceutical
Ingredients (APIs) & Intermediates manufacturing unit
by M/s. Shilpa Medicare Limited

			Intermediate-IV: 4-amino methyl cyclohexane carbocylate acid sodium salt and it's <u>synonyms</u>	543312
			Intermediate-V: 4-amino methyl cyclohexane-carbocyclicacid and it's <u>synonyms</u>	124146
			Intermediate-VI: 4-amino methyl cyclohexane-carbocyclicacid and it's <u>synonyms</u>	113850
33	Sunitinib Maleate	3000	Intermediate-I: 2-[(3,5-Dimethyladamantan-1-yl)carbonyl]hydrazinecarboxamide and it's <u>synonyms</u> Intermediate-II: N,N dimethyl sunitinib and it's <u>synonyms</u>	2592
34	Sorefenib Tosylate	3000	Intermediate-I: 4-(4-Aminophenoxy)-N-methyl picolinamide and it's <u>synonyms</u> Intermediate-II: 1-(4-(2-methyl carbonyl)pyridine-4-yloxy)phenyl-3-(tri floro methanol)phenol) urea. and it's <u>synonyms</u>	2850 2925
35	Abiraterone acetate	2000	Intermediate-I: De hydroepiandrosterone-17-hydrazone and it's <u>synonyms</u> Intermediate-II: 17-bromo-androsta-5,16-diene-3-B-ol and it's <u>synonyms</u> Intermediate-III: 17-(3-phyridyle)androsta-5,16-diene-3-B-ol and it's <u>synonyms</u>	6600 4323 2640



(RAMACHANDRA)
Member Secretary,
SEIAA - Karnataka.

Annexure-20



State Level Environment Impact Assessment Authority-Karnataka

(Constituted by MoEF, Government of India, under section 3(3) of E(P) Act, 1986)

No. SEIAA 50 IND 2016

Date: 16.06.2020

CORRIGENDUM

Para 4 (Page 2) of the Environmental Clearance letter No. SEIAA 50 IND 2016 dated 28-04-2017 and the corrigendum dated 15.03.2018 issued to M/s. Shilpa Medicare Limited, 100% export oriented unit, Unit -II Plot No.33, 33A & 44 to 47, Raichur Industrial Growth Centre Wadloor Road, Chicksugur, Raichur District-584134 for expansion & modification of Active Pharmaceutical Ingredients (APIs) & Intermediates manufacturing unit at Plot No. 33, 33A and 40 to 47 of Raichur Industrial Growth Centre, Wadloor Road, Chicksugur, Raichur District shall be corrected and read as follows:

"4. It is, inter-alia, noted that M/s. Shilpa Medicare Limited have proposed for manufacture of Active Pharmaceutical Ingredients (APIs) & Intermediates manufacturing of total capacity 422.415 TPA listed in ANNEXURE -I(R) and the byproducts listed in ANNEXURE- II (R). The total plot area is 84,984 Sqm(21 Acres), out of which 19,459 Sqm area is for Ground Coverage area, 30,927.5 Sqm area is for Built up area, 9,458.94 Sqm area is for Hard paved area, 26,322 Sqm area is for green belt and 32,433.16 Sqm is unused area. Total water consumption is 577.5 KLD (214.6 KLD from KIADB and 362.9 KLD from recycled & condensate water), out of which 30 KLD for domestic purpose, 532.5 KLD for industrial purpose and 15 KLD for green belt. Power requirement is 1800 KVA. 3 number DG set of 625 KVA will be installed for emergency power back-up with existing DG Set of 1 No X 750 KVA. It is proposed to install 1 No X 6 Lakh Kcal of Furnace oil fired Thermic fluid heater and existing capacity of 1 No. x6 TPH & 1 No X 10 TPH Coal/Husk fired steam boiler. The total cost of the project is Rs.6040 Lakhs."

Rest of the contents and the conditions of the Environmental Clearance letter No. SEIAA 50 IND 2016 dated 28-04-2017 and the corrigendum dated 15.03.2018 remains unchanged.

To,

M/s. Shilpa Medicare Limited
100% export oriented unit,
Unit -II Plot No.33, 33A & 44 to 47,
Raichur Industrial Growth Centre
Wadloor Road, Chicksugur, Raichur District-584134.



(VIJAYAKUMAR GOGI)
Member Secretary,
SEIAA.

Annexure-20

-2-

Copy to:

1. The Secretary, Ministry of Environment, Forests and Climate Change, Indira Paryavaran Bhavan, Jor Bagh Road, Aliganj, New Delhi- 110003.
2. The Member Secretary, Karnataka State Pollution Control Board, Bangalore.
3. The APCCF, Regional Office, Ministry of Environment & Forests (SZ), Kendriya Sadan, IV Floor, E & F wings, 17th Main Road, Koramangala II Block, Bangalore-560 034.
4. Guard File.

Annexure-20

State Level Environment Impact Assessment Authority-Karnataka
(Constituted by MoEF, Government of India under section 3(3) of E(P) Act, 1986)

SEIAA 50 IND 2016

Expansion & Modification of Active Pharmaceutical
Ingredients (APIs) & Intermediates manufacturing unit
by M/s. Shilpa Medicare Limited

**ANNEXURE -II (R) to Environment Clarence letter No. SEIAA 50 IND 2016
dated 28-04-2017**

List of by products to be manufactured:

Sl. No	Name of the Product	Stage	By Product	Quantity / batch (in Kgs)	No. of Batches / Annum	By Product Generated Quantity (MT/ annum)
1	3a,7B-Dihydroxy Cholanic Acid	II	Potassium acetate	595	240	142.8
		IV	Caustic potash lye solution	711.35		170.7
2	Capacitabine	I	Tin salt	500	240	120.0
		II	Pyridine Hcl	160		38.4
3	Decitabine	II	Pyridine Hcl	40.4	20	0.8




 (VIJAYAKUMAR GOGI)
 Member Secretary,
 SELAA - Karnataka.