

**Your (Half Yearly Compliance Report) has been Submitted with following details**

<b>Proposal No</b>	EC No:IA-J-11011/301/2020-IA-II(I) Dated 2021
<b>Compliance ID</b>	1228934275
<b>Compliance Number(For Tracking)</b>	EC/M/COMPLIANCE/1228934275/2026
<b>Reporting Year</b>	2026
<b>Reporting Period</b>	01 Jun(01 Oct - 31 Mar)
<b>Submission Date</b>	25-05-2026
<b>RO/SRO Name</b>	Shri S Senthil Kumar
<b>RO/SRO Email</b>	jk083.ifs@nic.in
<b>State</b>	KARNATAKA
<b>RO/SRO Office Address</b>	Integrated Regional Offices, Bengaluru
<b>Note:-</b> SMS and E-Mail has been sent to Shri S Senthil Kumar, KARNATAKA with Notification to Project Proponent.	



Outlook

---

**Half yearly EC compliance report for the term October -2025 to March-2026**

---

**From** EHS <ehs@shilpapharma.com>**Date** Thu 21/05/2026 15:27**To** Env Section Regional Office Bangalore <rosz.bng-mefcc@gov.in>**Cc** R Elangovan <r.elangovan@shilpapharma.com>; K.Sharath Reddy <sharath@shilpapharma.com>

1 attachment (29 MB)

EC Compliance EC No IA-J-11011 301 2020—IA-II(I)Dated 05.01.2021.pdf;

Respected Sir/Madam,

**To**

The Additional Principal Chief Conservator of Forests,  
Regional Office, Ministry of Environment and Forests (SZ),  
Kendriya Sadan, 4th Floor, E&F Wing, 17th Main Road,  
II nd Block, Koramangala, Bangalore-560034.

Respected Sir / Madam,

**Sub** : Submission of EC Six Months Compliance status report – Reg**Ref** :  
1. EC No: IA-J-11011/301/2020—IA-II(I)Dated 05.01.2021  
2. Corrigendum No: F.No. IA-J-11011/301/2020-II(I)Date30.09.2021  
3. EC Transfer letter IA-J-11011/301/2020-II(I) dtd 20th June 2022We are herewith submitting half yearly compliance report for the term **October -2025 to March-2026****Project Name** : "Shilpa Pharma LifeSciences Ltd. Unit II"- bulk drugs, APIs & intermediates manufacturing industry with R&D at Shilpa Pharma Lifesciences Ltd Unit-II, Plot no 30,31,32and35-39,33, 33A, 40 to 47, Raichur Growth Centre, Chiksugur,Raichur-584134.

Environment Clearance: EC was obtained from Expert Appraisal Committee (EAC), MoEF &amp; CC, vide letter no. EC No: SEIAIAJ-11011/301/2020—IA-II (I)Dated 05.11.2021.; Corrigendum Dtd 30-09-2021 &amp; EC transfer letter dtd 20th June 2022

The following documents are attached

- 1) Waste water monitoring reports attached as Annexure-1
- 2) VOC Copy attached as Annexure -2
- 3) Ambient Air Quality Reports attached as Annexure -3
- 4) Water mass balance chart attached as Annexure-4
- 5) Medical Reports attached one Employee report as Annexure-5
- 6) Fire Hydrant system photos attached as Annexre-6
- 7) Sample training record attached as Annexure-7
- 8) KIDBI Agreement copy attached as Annexure-8
- 9) Stack emission reports are attached as Annexure-9

- 10) Flow meter record of one day is attached as Annexure-10
- 11) Manifesto attached as Annexure-11
- 12) The green belt layout attached as Annexure-12
- 13) Environment cell attached as Annexure-13s
- 14) Noise reports attached as Annexure-14
- 15) The CER activities details attached as Annexure-15
- 16) Capital and running costs of environmental management system attached as Annexure-16
- 17) Copy of the letter submitted to Gram Panchayat Is attached as Annexure-17
- 18) Form –V attached as Annexure-18
- 19) EC Advertisement in Deccan Herald (English) of SML U2 Annexure-19
- 20) EC advertisement in Prajavani (Kannada) of SMLU2-Annexure-20
- 21) EC, Corrigendum & EC Transfer letter attached as Annexure-21

Kindly acknowledge the receipt of the document and e-mail.

Thanks & Regards,

Vijay Kumar N

Environment, Health & Safety

Mob No 8884683004

Shilpa Pharma LifeSciences Limited, Unit-2

Raichur Industrial growth Center, Chicksugur-584134

# Shilpa Pharma Lifesciences Limited

(Unit-2: 100% Export Oriented Unit)

Plot No: 33, 33A & 40-47, Raichur Industrial Growth Centre,  
Chicksugur-584 134, Raichur District, Karnataka State, India.

CIN No. U24100KA2020PLC134081

SPL/100%EOU/EHS/013/2026-27

Date: 19.05.2026

To

The Additional Principal Chief Conservator of Forests,  
Regional Office, Ministry of Environment and Forests (SZ),  
Kendriya Sadan, 4th Floor, E&F Wing, 17<sup>th</sup> Main Road,  
II nd Block, Koramangala, Bangalore-560034.

Respected Sir / Madam,

Sub : Submission of EC Six Months Compliance status report – Reg

Ref : 1. EC No: IA-J-11011/301/2020—IA-II(I)Dated 05.01.2021  
2. Corrigendum No: F.No. IA-J-11011/301/2020-II(I)Date30.09.2021  
3. EC Transfer letter IA-J-11011/301/2020-II(I) dtd 20<sup>th</sup> June 2022

We are herewith submitting half yearly compliance report for the term **October -2025 to March-2026**

**Project Name :** "Shilpa Pharma LifeSciences Ltd. Unit II"- bulk drugs, APIs & intermediates manufacturing industry with R&D at Shilpa Pharma Lifesciences Ltd Unit-II, Plot no 30,31,32and35-39,33, 33A, 40 to 47, Raichur Growth Centre, Chiksugur,Raichur-584134.

Environment Clearance: EC was obtained from Expert Appraisal Committee (EAC), MoEF & CC, vide letter no. EC No: SEIAAIJ-11011/301/2020—IA-II (I)Dated 05.11.2021. ;  
Corrigendum Dtd 30-09-2021 & EC transfer letter dtd 20<sup>th</sup> June 2022

The following documents are attached

- 1) Waste water monitoring reports attached as Annexure-1
- 2) VOC Copy attached as Annexure -2
- 3) Ambient Air Quality Reports attached as Annexure -3
- 4) Water mass balance chart attached as Annexure-4
- 5) Medical Reports attached one Employee report as Annexure-5
- 6) Fire Hydrant system photos attached as Annexure-6
- 7) Sample training record attached as Annexure-7
- 8) KIDBI Agreement copy attached as Annexure-8
- 9) Stack emission reports are attached as Annexure-9
- 10) Flow meter record of one day is attached as Annexure-10
- 11) Manifesto attached as Annexure-11
- 12) The green belt layout attached as Annexure-12
- 13) Environment cell attached as Annexure-13s



# Shilpa Pharma Lifesciences Limited

(Unit-2: 100% Export Oriented Unit)

Plot No: 33, 33A & 40-47, Raichur Industrial Growth Centre,  
Chicksugur-584 134, Raichur District, Karnataka State, India.

CIN No. U24100KA2020PLC134081


- 14) Noise reports attached as Annexure-14
- 15) The CER activities details attached as Annexure-15
- 16) Capital and running costs of environmental management system attached as Annexure-16
- 17) Copy of the letter submitted to Gram Panchayat Is attached as Annexure-17
- 18) Form -V attached as Annexure-18
- 19) EC Advertisement in Deccan Herald (English) of SML U2 Annexure-19
- 20) EC advertisement in Prajavani (Kannada) of SMLU2-Annexure-20
- 21) EC, Corrigendum & EC Transfer letter attached as Annexure-21

Kindly acknowledge the receipt of the document and e-mail.

Thanking you,

Yours faithfully

**For SHILPA PHARMA LIFESCIENCES LIMITED-UNIT-02**



to: Office of the Regional Office, Karnataka State Pollution Control Board, Building st Shed No.C-03

KSSIDC Industrial Estate, 3rd Cross, Hyderabad Road, Raichur – 584102(✓)

2. The Member secretary, Karnataka state pollution control board, Parisara Bhavan, #49,4th & 5th Floor, Church Street, Bengaluru, Karnataka 560001.(By Mail)
3. The Principal secretary, Department of forest, Ecology & Environment Government of Karnataka, Room No: 404, 4th floor, II nd stage, Multi Storied Building, Bangalore-560 001(By Mail)

**SHILPA PHARMA LIFE SCIENCES LIMITED, 100% EOU**  
**MoEF Conditions Compliance Status Report**  
**(From October -2025 to March -2026)**

**Sub: Expansion and Modification of the Active Pharmaceutical Ingredients (API's Manufacturing Unit with R&D Activity by Mls Shilpa Medicare Limited, 100\*/ EOU, Unit-II, located at Plot 30, 31, 32 and 35-39, 33, 33A and 40-47, Raichur Industrial Growth Center, Wadloor Road, Chicksugur, Raichur, Karnataka - Environmental Clearance regarding**

**The Project is under implementation CFE is obtained and after completion CFO will be obtained & the expansion activities will be commissioned; all the systems for all the conditions are in place, The water consumption & waste water generation will be generated as per the conditions after the completion of the implementation of the expansion & obtaining the CFO**

Shilpa Medicare limited, 100% EOU Environment clearance F.NO.IA-J-1101/301/202-IA-II (I) dated 5-01-2021 compliance status.

**Part-A/Specific Conditions**

1.	<p><b>A. Specific condition</b>                  (i). The Unit shall install waste water flow meter at the outlet of Unit - I and inlet of Unit- II, and keep record of waste water flow from Unit-I to Unit- II. The monitoring report shall be submitted to the SPCB/MoEFCC Regional office.</p>	Flow meters installed at Unit-1 & unit-2 & kept the Records & submitted	Complied, Waste water monitoring reports attached As <b>Annexure-1</b>
2.	<p>(ii). The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented.</p>	<p>The company has implemented all the environmental Protection measures and safeguards proposed in the docs submitted to the ministry &amp; All the recommendations in EIA/EMP implemented .                  Following Details of Env. Protection measures implemented.</p> <ul style="list-style-type: none"> <li>• ZLD treatment plant</li> <li>• Scrubber installed to control process emission</li> <li>• Condenser are installed to control the VOC &amp; odour emission</li> <li>• Acoustic enclosure in diesel generator for noise level reduction</li> </ul>	<p>The Expansion project under this EC is not yet implemented</p>

**SHILPA PHARMA LIFE SCIENCES LIMITED, 100% EOU****MoEF Conditions Compliance Status Report****(From October -2025 to March -2026)**

		<ul style="list-style-type: none"> <li>• Installed bag filter for dust emission control</li> <li>• Installed isolators for controlling dust exposures</li> </ul>	
3.	(iii). Fugitive emissions shall be controlled at 99.98% with effective chillers. Volatile organic compounds (VOCs)/Fugitive emissions shall be controlled at 99.997% with effective chillers/modern technology. Regular VOCs monitoring should be carried out.	Effective chilled water circulation given to the condensers to control the fugitive emissions & VOCs are controlled to 99.997% , Regularly VOC's are monitored	Complied, VOC Copy's attached as <b>Annexure No-2</b> & Ambient air Quality reports attached as <b>Annexure No-3</b>
4.	(iv). As already committed by the project proponent, Zero Liquid Discharge shall be ensured and no waste/treated water shall be discharged outside the premises. Treated effluent shall be reused in the process/utilities. Treated Industrial effluent shall not be used for gardening/greenbelt development/horticulture.	Zero Liquid discharge system is installed & effectively functioning & treated effluent is reused in utilities	Complied, water mass balance chart from Oct-25-March-26 attached as <b>Annexure no-4</b>
5.	(v). Occupational health center for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection..	Occupational Health Centre is available , Health data of the workers is maintained & is used for allocating work location & The workers are provided with safety kits & PPE's	Complied, Medical reports attached , one employee report as <b>Annexure -5</b>
6.	(vi). The unit shall arrange for protection of possible fire hazards during manufacturing process in material handling. Fire-fighting system shall be as per the norms.	The Industry has taken all the control measures to prevent the Fire in the premises & Firefighting systems are in place as per the relevant codes	Complied, Fire hydrant system photos Attached as <b>Annexure -6</b>
7.	(vii). Training shall be imparted to all employees on safety and health aspects of chemicals handling. Safety and visual reality training shall be provided to employees..	Training class room & onjob is imparted to all the employees/workers on Storage & Handling of Hazardous chemicals	Complied Sample training records attached as <b>Annexure -7</b>
8.	(viii). Total fresh water requirement shall not exceed 293.114 m <sup>3</sup> /day, proposed to be met from KIADB sourced from River Krishna. Prior permission in this regard shall be obtained from the concerned regulatory authority.	Fresh water water intake does not exceed 293.114 M <sup>3</sup> /Day, will be met from KIADB water supply ; this qty will be used after completion of the expansion	Complied, KIDBI Agreement copy attached as <b>Annexure-8</b>
9.	(ix). Storm water from the roof top shall be channelized through pipes to the storage tank constructed for harvesting	Storm water from the roof tops is collected &	Complied,

**SHILPA PHARMA LIFE SCIENCES LIMITED, 100% EOU**  
**MoEF Conditions Compliance Status Report**  
**(From October -2025 to March -2026)**

	of rain water in the premises and harvested water shall be used for various industrial processes in the unit. No recharge shall be permitted within the premises. Process effluent/ any wastewater shall not be allowed to mix with storm	stored & reused & is not Recharged(200KL Roof top rain water harvesting tank capacity) , The Process effluents or waste water is not allowed to mixed into storm water , The effluent is transferred through pipe lines to ETP by pumping	
10.	(x). Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For ZLD, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.	Stack emission Reports are attached and are within the limits , Flow meter & Camera is installed	Complied, Monthly stack emission Reports are attached as <b>Annexure -9</b> ; Flow meter Record of one day is attached as <b>Annexure-10</b> , Having 24x7 Monitoring system will be installed before obtaining CFO under this EC,(EC/Under implementation)
11.	(i). Solvent management shall be carried out as follows: (a) Reactor shall be connected to chilled water condenser system. (b) Reactor and solvent handling pump shall have mechanical seals to prevent leakages. (c) Solvents shall be stored in a separate space specified with all safety measures. (d) Proper earthing shall be provided in all the electrical equipment wherever solvent handling is done. (e) Entire plant shall be flameproof. The solvent storage tanks shall be provided with breather valve to prevent losses. (f) All the solvent storage tanks shall be connected with vent condensers with chilled water circulation.	1) All the Reactors sub Condensers are connected with Chilled water 2)All solvents handling pumps are provided with mechanical seals 3) Solvents are stored separately & is segregated with all the all the safety Measures in place 4) All the equipment , electrical installations are provided with earthing 5) All the electrical fittings in the plant are Flameproof fittings 6) The solvents storage tanks are provided with the Breather valves	Complied,

**SHILPA PHARMA LIFE SCIENCES LIMITED, 100% EOU**  
**MoEF Conditions Compliance Status Report**  
**(From October -2025 to March -2026)**

		7) The solvent storage tanks are connected to the vent condensers with chilled water circulation	
12.	(ii). Process organic residue and spent carbon, if any, shall be sent to Cement other suitable industries for its incinerations. ETP sludge, process inorganic & evaporation salt shall be disposed of to the TSDF.	Process residues & spent Carbon shall be sent to the co processing in cement plants , The ETP sludge , inorganic salts from Process & evaporation salts shall be disposed to the TSDF	Complied, Manifesto attached as <b>Annexure-11</b>
13.	(iii). The company shall undertake waste minimization measures as below (a) Metering and control of quantities of active ingredients to minimize waste; (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. (c) Use of automated filling to minimize spillage. (d) Use of Close Feed system into batch reactors. (e) Venting equipment through vapour recovery system. (f) Use of high-pressure hoses for equipment clearing to reduce wastewater generation.	<ol style="list-style-type: none"> <li>1) All the Raw materials are metered /weighed on the scales &amp; only the required quantities are taken</li> <li>2) The Byproducts are reused in the other processes by other industries</li> <li>3) All the solvents &amp; raw materials are handling in closed loop system with level transmitters &amp; flow transmitters to avoid the spillages</li> <li>4) All the vapours are condensed before venting</li> <li>5) Pressure cleaning systems are used to reduce the waste water generation</li> </ol>	Complied,
14.	(iv). The green belt of at least 5-10 m width shall be developed in nearly 33% of the total project area, mainly along the plant periphery. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department. Records of tree canopy shall be monitored through remote sensing map.	Green belt of 33% of the area is developed with local species , Records are monitored green belt photos attached	Complied; The green belt layout attached as <b>Annexure-12</b>
15.	(v). The activities and the action plan proposed by the project proponent to address the socio-economic issues in the study area, shall be completed as per the schedule presented before the Committee and as described in the EMP report in letter and spirit. All the commitments made shall be satisfactorily implemented. Preference shall be given to local	All the socio economic issues in the study area as committed in the emp will be completed in time Preference is given to locals for employment in	Complied

**SHILPA PHARMA LIFE SCIENCES LIMITED, 100% EOU**  
**MoEF Conditions Compliance Status Report**  
**(From October -2025 to March -2026)**

	villagers for employment in the unit. Preference shall be given to local villagers for employment in the unit.	the unit	
16.	(vi). A separate Environmental Management Cell (having qualified person with Environmental Science/Environmental Engineering/specialization in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.	Environmental Management cell with Qualified personnel is in place The Laboratory is set up to array out the day to day monitoring the Effluent treatment	Complied Environment cell attached as <b>Annexure-13</b>
17.	(i) No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SEIM, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SEIM, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	No expansions other than that of those envisaged in the EMP will be carried out with out Clearance from the ministry/SEIAA	Complied
18.	(ii) The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment	All the light fittings are with LED lamps	Complied
19.	(iii). The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods. Silencers, enclosures etc. On all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the environment ( Protection ) Act, 1986 Rules, 1989 viz. 75 dBA ( day time ) and 70 dBA ( night tme ).	Acoustic enclosures are installed for DG sets & maintain the noise levels within 75 DBA in Day & 70 DBA in night Reports attached	Complied; Noise reports attached as <b>Annexure - 14</b>
20.	(iv) The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. CER activities shall be undertaken by involving local villages and administration and shall be implemented. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.	The CER activities are undertaken , The company is spending the amount as committed for CER activities	Complied, The CER activities details attached as <b>Annexure-15</b>
21.	(v) The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.	The industry has invested in the Pollution control Measures & Recurring costs are budgeted as committed in the EMP The funds earmarked shall not be diverted for other purposes	Complied, capital and running costs of environmental management system attached as <b>Annexure-16</b>

**SHILPA PHARMA LIFE SCIENCES LIMITED, 100% EOU****MoEF Conditions Compliance Status Report****(From October -2025 to March -2026)****General Conditions**

1.	(vi) A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishat/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.	Copy of the EC is submitted to the grampanchayat	Complied; Copy of the letter submitted to Grampanchayat is attached as <b>Annexure -17</b>
2.	(vii) The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.	The Industry is Submitting the 6 monthly compliance to Regional office of MOEF ,CPCB & SPCB , & is posted in its website	Complied,
3.	(viii) The environmental statement for each financial year ending 31st March in Form-Vas is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Ruler,, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail.	The environmental statement form -V is submitted to SPCB Yearly & is posted on its website	Complied, Form -V attached as <b>Annexure No-18</b>
4.	(ix) The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry and at <a href="https://parivesh.nic.in/">https://parivesh.nic.in/</a> . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.	News paper advertisement is given to two local papers intimating the public about the accordance of EC for this project news paper images attached	Complied, advertisement attached as <b>Annexure No-19&amp;20</b>
5.	(x) The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	The Financial closure of this expansion activity and the date of start of will be intimated to the ministry	Complied,
6.	(xi) This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.		Noted
7.	The Ministry reserves the right to stipulate additional conditions, if found necessary at subsequent stages and the project proponent shall implement all the said conditions in a time bound manner. The Ministry may revoke or suspend the environmental clearance, if implementation of any of the		Noted

**SHILPA PHARMA LIFE SCIENCES LIMITED, 100% EOU**  
**MoEF Conditions Compliance Status Report**  
**(From October -2025 to March -2026)**

	above conditions is not found satisfactory.		
8.	Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.		Noted
9.	Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.		Noted
10.	The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 read with subsequent amendments therein.		Noted
11.	This issues with the approval of the competent authority		Noted

**Amendment in EC with the details are as under**

S. No.	Para of EC	Details as per the EC	To be revised / read as	Compliance Status
1	Page 6, Sl. no. 7	There are no National parks, wildlife sanctuaries, Biosphere Reserves, Tiger/Elephant Reserves, Wildlife Corridors etc. within 10 km distance from the project site. River/water body river	There are no National parks, wildlife sanctuaries, Biosphere Reserves, Tiger/Elephant Reserves, Wildlife Corridors etc. within 10 km distance from the project site. River/water body river Krishna, Marched Kere, Machalapur Lake are at a distance of 7.7 km, 6.5 km & 7.84 km respectively in North, South West & South West direction respectively. Total water requirement is 625.667 m <sup>3</sup> /day of which fresh water requirement of 293.114 m <sup>3</sup> /day will be met from KIADB sourced from River Krishna. The Total effluent generation from unit II after expansion and industrial effluents from unit I will be treated in ETP of Unit II. Effluent quantities generated is in the table below.	Expansion project is not yet implemented. Boiler & thermic fluid heaters installed and the project is stopped due to the market conditions are not good.

**SHILPA PHARMA LIFE SCIENCES LIMITED, 100% EOU**  
**MoEF Conditions Compliance Status Report**  
**(From October -2025 to March -2026)**


Krishna, Marched Kere, Machalapur Lake are at a distance of 7.7 km, 6.5 km & 7.84 km respectively in North, South West & South West direction respectively. Total water requirement is 625.667 m <sup>3</sup> /day of which fresh water requirement of 293.114 m <sup>3</sup> /day will be met from KIADB Water sourced from River Krishna. Domestic sewage of Unit II will be treated along with LTDS effluent in SML Unit II. The total effluent generation from Unit I after expansion and HTDS effluent from Unit I will be treated in ETP of Unit II. Treatment facility has / will be developed as mentioned in the EMP report.	Effluent from SML Unit	Waste water Generated (in KLD)	Treated Effluent Reused (in KLD)	Utilization / Reused At
	Unit I: a) HTDS Effluent	61.5	40.93	SML Unit I
			20.57	SML Unit II
	b) Cooling Tower Bleed	8.04	8.04	SML UnitII
	Unit II: a)HTDS Effluent = 80.539 KLD	308.743	308.743	SML Unit II
	b)LTDS Effluent = 123.704 KLD			
	c)Cooling Tower Bleed = 29.5 KLD			
	d)DM regenerate = 45 KLD			
e)Domestic Sewage = 30 KLD				
	378.283	378.283		
	<p align="center">In ETP of Unit II.  <b>** _ Domestic sewage of Unit II will be treated along with LTDS effluent in SML Unit II. Treatment facility has / will be developed as mentioned in the EMP report.</b></p>			

**SHILPA PHARMA LIFE SCIENCES LIMITED, 100% EOU****MoEF Conditions Compliance Status Report****(From October -2025 to March -2026)**

2	Page 7, Sl. No. 9	Existing unit has 1 × 10 TPH and 1 × 6 TPH Rice Husk / Coal / Briquette fired boilers. Additionally, 1 × 16 TPH Rice Husk / Coal / Briquette fired boiler will be installed. Electrostatic Precipitator with a stack of height of 30m AGL will be installed for controlling the particulate emission within the statutory limit of 115mg/Nm <sup>3</sup> for the proposed boilers	The Emission Sources, the fuel and the APC measures are as under:						
			S. No.	Source	Capacity	Fuel Used	APC Equipment	Stack Height	
			1	Boiler	10 TPH	Rice Husk / Coal / Briquette	Bag Filter	Common Stack of 30 m AGL	Complied
			2	Boiler	6 TPH				Complied
			3	Boiler – New	16 TPH	Rice Husk / Coal / Briquette	ESP	New Stack of 30 m AGL	6TPH Gas fire boiler installed not yet commissioned because project is stopped due to market conditions are not good
			4	Thermic Fluid Heater	6 Lakh kcal	Furnace Oil	Chimney	Common Chimney of 30 m AGL	Complied
			5	Thermic Fluid Heater	8 Lakh kcal				4X2 Lakh Kcal installed not yet commissioned because project is stopped due to market conditions are not good
6	Thermal Fluid Heater (New)	12 Lakh kcal	Furnace Oil	Chimney	New chimney of 30 m AGL	Installed not yet commissioned because project is stopped due to market conditions are not good			

Thanking you,

For SHILPA PHARMA LIFE SCIENCES LIMITED, 100% EOU





# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169;

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC- 4071

Annexure - 01

MSVAL/QR/7.8/01

## ANALYSIS REPORT OF WATER QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Marked as	:	Effluent treated Water
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Sample quantity	:	Pet Bottle, 2 Liter.
5.	Sample Description/condition	:	Water/Good
6.	Date of Sample Collection	:	25.12.2025
7.	Date of sample receipt	:	26.12.2025
8.	Sample Code	:	WW/1401
9.	Analysis Starting Date	:	26.12.2025
10.	Analysis Completion Date	:	30.12.2025
11.	Report Issue Date	:	31.12.2025
12.	Latitude	:	16.310829
13.	Longitude	:	77.355355

Discipline: Chemical Group: Pollution & Environment Sub Group: Waste Water ULR No: TC407124000030938F

S.No	Parameters	Protocol	Unit	Result	KSPCB Standards
<b>Physical parameters</b>					
1	Color	IS : 3025(Part-4)	Hazen	<5	---
2	Odor	IS : 3025(Part-5)	---	Unobjectionable	---
3	pH @ 25°C	4500 H+ BAPHA 23rd Edn: 2017	---	7.65	6.5-8.5
4	Turbidity	2530 B-APHA 23rd Edition :2017	NTU	0.58	---
<b>Chemical parameters</b>					
5	Total Suspended solids	2540 F APHA 23rd Edn : 2017	mg/L	28	100
6	Total Dissolved Solids	2540 C APHA 23rd Edn : 2017	mg/L	550	2250
7	Oil & Grease	5520 D APHA 23rd Edition :2017	mg/L	6	10
8	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025(Part-44): 2019	mg/L	24	30
9	Chemical Oxygen Demand	5230 B-APHA23rd Edn : 2017	mg/L	80.4	250

Analysed by

Authorized Signatory


Hanumanthaiah P  
Technical Manager

:- END OF REPORT:-



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified

Annexure - 1





# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvballary2018@gmail.com, labmsv@gmail.com, Website : www.msvballary.com



TC- 4071

Annexure - 2

MSVAL/QR/7.8/01

## ANALYSIS REPORT OF WATER QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Marked as	:	Effluent treated Water
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Sample quantity	:	Pet Bottle, 2 Liter.
5.	Sample Description /condition	:	Water/Good
6.	Date of Sample Collection	:	20.02.2026
7.	Date of sample receipt	:	21.02.2026
8.	Sample Code	:	WW/531
9.	Analysis Starting Date	:	21.02.2026
10.	Analysis Completion Date	:	25.02.2026
11.	Report Issue Date	:	26.02.2026
12.	Latitude	:	16.310638
13.	Longitude	:	77.356205

Discipline: Chemical Group: Pollution & Environment Sub Group: Waste Water ULR No: TC407126000005540F

S.No	Parameters	Protocol	Unit	Result	KSPCB Standards
<b>Physical parameters</b>					
1	Color	IS : 3025(Part-4)	Hazen	<5	---
2	Odor	IS : 3025(Part-5)	---	Unobjectionable	---
3	pH @ 25°C	4500 H+ BAPHA 23rd Edn: 2017	-	7.35	6.5-8.5
4	Turbidity	2530 B-APHA 23rd Edition:2017	NTU	0.2	---
<b>Chemical parameters</b>					
5	Total Suspended solids	2540 F APHA 23rd Edn : 2017	mg/L	12	100
6	Total Dissolved Solids	2540 C APHA 23rd Edn : 2017	mg/L	96	2250
7	Oil & Grease	5520 D APHA 23rd Edition :2017	mg/L	6	10
8	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025(Part-44): 2019	mg/L	24	30
9	Chemical Oxygen Demand	5230 B-APHA23rd Edn : 2017	mg/L	72	250

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager

-: END OF REPORT :-



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified

Annexure -1



GPS Map Camera



Wadloor, Karnataka, India   
8964+cm9, Wadloor, Karnataka 584134, India  
Lat 16.311553° Long 77.356176°  
20/02/2026 06:06 PM GMT +05:30



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



Annexure-2

MSVAL/QR/7.8/01

## ANALYSIS REPORT OF WATER QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Marked as	:	Effluent treated Water
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Sample quantity	:	Pet Bottle, 2 Liter.
5.	Sample Description/condition	:	Water/Good
6.	Date of Sample Collection	:	14.01.2026
7.	Date of sample receipt	:	15.01.2026
8.	Sample Code	:	WW/062
9.	Analysis Starting Date	:	15.01.2026
10.	Analysis Completion Date	:	22.01.2026
11.	Report Issue Date	:	23.01.2026
12.	Latitude	:	16.310638
13.	Longitude	:	77.356205

Discipline: Chemical Group: Pollution & Environment Sub Group: Waste Water ULR No: TC407126000001246F

S.No	Parameters	Protocol	Unit	Result	KSPCB Standards
<b>Physical parameters</b>					
1	Color	IS : 3025(Part-4)	Hazen	<5	---
2	Odor	IS : 3025(Part-5)	---	Unobjectionable	---
3	pH @ 25°C	4500 H+ BAPHA 23rd Edn: 2017	-	7.41	6.5-8.5
4	Turbidity	2530 B-APHA 23 <sup>rd</sup> Edition :2017	NTU	0.3	---
<b>Chemical parameters</b>					
5	Total Suspended solids	2540 F APHA 23rd Edn : 2017	mg/L	14	100
6	Total Dissolved Solids	2540 C APHA 23 <sup>rd</sup> Edn : 2017	mg/L	98	2250
7	Oil & Grease	5520 D APHA 23 <sup>rd</sup> Edition :2017	mg/L	4	10
8	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025(Part-44): 2019	mg/L	20	30
9	Chemical Oxygen Demand	5230 B-APHA23rd Edn : 2017	mg/L	68.2	250

Analysed by

Authorized Signatory


Hanumanthaiah P  
Technical Manager

:- END OF REPORT:-



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only. -  
5. Sampling is not done by us unless otherwise specified

Annexure - 2



GPS Map Ca

Chicksugur, Karnataka,  
India 

33, Chicksugur, Karnataka 584134, India

Lat 16.310638° Long 77.356205°

14/01/2026 05:54 PM GMT +05:30

Google



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 895/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498-03895, (O) : 08392-255169,  
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



Annexure-1

MSVAL/QR/7.8/01

## ANALYSIS REPORT OF WATER QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Marked as	:	Effluent treated Water
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Sample quantity	:	Pet Bottle, 2 Liter.
5.	Sample Description/condition	:	Water/Good
6.	Date of Sample Collection	:	25.03.2026
7.	Date of sample receipt	:	26.03.2026
8.	Sample Code	:	WW/767
9.	Analysis Starting Date	:	26.03.2026
10.	Analysis Completion Date	:	30.03.2026
11.	Report Issue Date	:	31.03.2026
12.	Latitude	:	16.311568
13.	Longitude	:	77.358104

Discipline: Chemical Group: Pollution & Environment Sub Group: Waste Water ULR No: TC407126000008530F

S.No	Parameters	Protocol	Unit	Result	KSPCB Standards
<b>Physical parameters</b>					
1	Color	IS : 3025(Part-4)	Hazen	<5	---
2	Odor	IS : 3025(Part-5)	---	Unobjectionable	---
3	pH @ 25°C	4500 H+ BAPHA 23rd Edn: 2017	-	7.28	6.5-8.5
4	Turbidity	2530 B-APHA 23 <sup>rd</sup> Edition :2017	NTU	0.3	---
<b>Chemical parameters</b>					
5	Total Suspended solids	2540 F APHA 23 <sup>rd</sup> Edn : 2017	mg/L	16	100
6	Total Dissolved Solids	2540 C APHA 23 <sup>rd</sup> Edn : 2017	mg/L	360	2250
7	Oil & Grease	5520 D APHA 23 <sup>rd</sup> Edition :2017	mg/L	6	10
8	Bio-Chemical Oxygen Demand (3 days at 27°C)	IS 3025(Part-44): 2019	mg/L	22	30
9	Chemical Oxygen Demand	5230 B-APHA23 <sup>rd</sup> Edn : 2017	mg/L	68.4	250

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager

-: END OF REPORT :-



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified

Annexure-1



GPS Map Camera

### Wadloor, Karnataka, India

Shilpa Pharma Lifesciences Limited (a Subsidiary Of Shilpa Medicare Limited, Formerly Shilpa Corporate Holdings), plot # 33, 33a & 40 To 47 Raichur Growth Centre, Chicksugur Village Raichur 584134 Karnataka-indiraichur Industrial Growth Centre, Chicksugur 584 134, Wadloor, Karnataka 584134, India  
Lat 16.311568° Long 77.358104°

Wednesday, 25/03/2026 05:52 PM GMT +05:30



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC- 4071

Annexure - 1

MSVAL/QR/7.8/1/Test Report

## ANALYSIS REPORT OF WATER QUALITY

- Name and Address of Industry** : M/S. Shilpa Pharma Life Sciences Limited unit-2,  
Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center,  
Chicksugur village, Raichur.
- Sample Marked as** : Effluent treated Water
- Sample Collected By** : MSV Analytical Laboratories, Bellary.
- Sample quantity** : Pet Bottle, 2 Liter.
- Sample Description/condition** : Water/Good
- Date of Sample Collection** : 29.11.2025
- Date of sample receipt** : 01.12.2025
- Sample Code** : WW/1218
- Analysis Starting Date** : 01.12.2025
- Analysis Completion Date** : 06.12.2025
- Report Issue Date** : 08.12.2025
- Latitude** : 16.311643
- Longitude** : 77.358016

Discipline: Chemical

Group: Pollution & Environment

Sub Group: Waste Water

ULR No: TC407125000028642F

S. No	Parameters	Protocol	Unit	Result	KSPCB Standards
<b>Physical Parameters</b>					
1	Color	IS 3025 Part 4	Hazen	<5	---
2	Odor	IS 3025 Part 5	---	Unobjectionable	---
3	pH @ 25°C	IS 3025 Part 11	-	8.02	6.5-8.5
4	Turbidity	IS 3025 Part 10	NTU	1.03	---
5	Total Dissolved Solids	IS 3025 Part 16	mg/l	686	2250
6	Total Suspended solids	IS 3025 Part 17	mg/l	40	100
<b>Chemical Parameters</b>					
7	Oil & Grease	IS 3025 Part 39, Method (a)	mg/l	7.2	10
8	Bio-chemical Oxygen Demand <sup>5%</sup> (3 days at 27°C)	IS 3025 Part 44	mg/l	26.8	30
9	Chemical Oxygen Demand	IS 3025 Part 58	mg/l	106.6	250

Analysed by

Authorized Signatory

Hanumanthaiah.P  
Technical Manager

\*\*\* End of Report \*\*\*



Note: 1. The results listed only to the tested samples & applicable parameters.


2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified

Ahmedabad - 2



GPS Map

Chicksugur, Karnataka, India 

100% Export Oriented Unit, Plot #33, Raichur Growth Ce

33a & 40 To 47, Chicksugur, Karnataka 584134, India

Lat 16.311643° Long 77.358016°

29/11/2025 05:35 PM GMT +05:30

Google



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255189,  
E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC- 4071

Annexure - 1

MSVAL/QR/7.8/1/Test Report

## ANALYSIS REPORT OF WATER QUALITY

1. Name and Address of Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2,  
Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center,  
Chicksugur village, Raichur.
2. Sample Marked as : Effluent treated Water
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Sample quantity : Pet Bottle, 2 Liter.
5. Sample Description/condition : Water/Good
6. Date of Sample Collection : 28.10.2025
7. Date of sample receipt : 29.10.2025
8. Sample Code : WW/948
9. Analysis Starting Date : 29.10.2025
10. Analysis Completion Date : 03.11.2025
11. Report Issue Date : 03.11.2025
12. Latitude : 16.311547
13. Longitude : 77.356228

Discipline: Chemical Group: Pollution & Environment Sub Group: Waste Water ULR No: TC407125000024806F

S.No	Parameters	Protocol	Unit	Result	KSPCB Standards
<b>Physical Parameters</b>					
1	Color	IS 3025 Part 4	Hazen	<5	---
2	Odor	IS 3025 Part 5	---	Unobjectionable	---
3	pH @ 25°C	IS 3025 Part 11	-	7.53	6.5-8.5
4	Turbidity	IS 3025 Part 10	NTU	0.6	---
5	Total Dissolved Solids	IS 3025 Part 16	mg/l	548	2250
6	Total Suspended solids	IS 3025 Part 17	mg/l	34	100
<b>Chemical Parameters</b>					
7	Oil & Grease	IS 3025 Part 39, Method (a)	mg/l	5	10
8	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025 Part 44	mg/l	23.6	30
9	Chemical Oxygen Demand	IS 3025 Part 58	mg/l	98.2	250

Analysed by

*Ramesh*

Authorized Signatory


Hanumanthiah.P  
Technical Manager

\*\*\* End of Report \*\*\*



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified

-Annexure - 1



GPS Map Camera

Wadloor, Karnataka, India

8964+cm9, Wadloor, Karnataka 584134, India

Lat 16.311547° Long 77.356228°

28/10/2025 05:31 PM GMT +05:30

Google



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255189,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure-2

MSVAL/A/F/16/02

## ANALYSIS REPORT

Test Report No: MSVAL/2024/6509

Issued Date:31.12.2025

1.	Name of the Industry	:	M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
3.	Name of the parameter	:	Volatile Organic Compounds
4.	Date of Monitoring	:	25.12.2025

S. No	Name of the location	Date of Sampling	Duration of monitoring	Method		
				Result	Units	Std
1	Near Near Main Gate Area	25.12.2025	8hours	0.17	mg/m <sup>3</sup>	---
2	Near Production Block Area	25.12.2025	8hours	0.22	mg/m <sup>3</sup>	---
3	Scrubber-I Block -Intermediate Area-SCR-02	25.12.2025	8hours	0.29	mg/m <sup>3</sup>	---
4	Scrubber- E Block -Pharma Area-SCR-03	25.12.2025	8hours	0.26	mg/m <sup>3</sup>	---
5	Scrubber-D Block -Intermediate Area-02	25.12.2025	8hours	0.33	mg/m <sup>3</sup>	---
6	Scrubber-C Block-Intermediate Area-01	25.12.2025	8hours	0.24	mg/m <sup>3</sup>	---

Analysed by

Authorized Signatory

Hanumanthaiah.P  
Technical Manager

END OF REPORT



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169;

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com

Annexure - 2

MSVAL/QR/7.8/01

## ANALYSIS REPORT

Test Report No: MSVAL/2026/927

Issued Date: 30.03.2026

1.	Name of the Industry	:	M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
3.	Name of the parameter	:	Volatile Organic Compounds
4.	Date of Monitoring	:	25.03.2026

S. No	Name of the location	Date of Sampling	Duration of monitoring	Method		
				Result	Units	Std
1	Near Near Main Gate Area	25.03.2026	8hours	0.15	mg/m <sup>3</sup>	---
2	Near Production Block Area	25.03.2026	8hours	0.19	mg/m <sup>3</sup>	---
3	Scrubber-I Block -Intermediate Area-SCR-02	25.03.2026	8hours	0.24	mg/m <sup>3</sup>	---
4	Scrubber- E Block -Pharma Area-SCR-03	25.03.2026	8hours	0.23	mg/m <sup>3</sup>	---
5	Scrubber-D Block -Intermediate Area-02	25.03.2026	8hours	0.31	mg/m <sup>3</sup>	---
6	Scrubber-C Block-Intermediate Area-01	25.03.2026	8hours	0.25	mg/m <sup>3</sup>	---

Analysed by

Authorized Signatory

Handumanthaiah.P  
Technical Manager

-: END OF REPORTS



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S.No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

Annexure- 3

MSVAL/QR/7.8/01

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	25.12.2025
7.	Date of Sample Receipt	:	26.12.2025
8.	Analysis Starting Date	:	26.12.2025
9.	Analysis Completion Date	:	30.12.2025
10.	Report Issue Date	:	31.12.2025
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.311619
13.	Longitude	:	77.35805

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407124000030921F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			AAQ/6261	AAQ/6262	AAQ/6263			
1	Particulate Matter (Size less than 10 µm) PM <sub>10</sub>	IS-5182(Part-23):2017	74.5	72.6	69.4	µg/m <sup>3</sup>	72.2	100
2	Particulate Matter (Size less than 2.5 µm) or PM <sub>2.5</sub>	IS-5182(Part-24):2019	26.8	28.1	25.4	µg/m <sup>3</sup>	26.8	60
3	Sulphur Dioxide as SO <sub>2</sub>	IS-5182(Part-2):2017	17.2	14.5	12.5	µg/m <sup>3</sup>	14.7	80
4	Oxides of Nitrogen as NO <sub>x</sub>	IS-5182(Part-6):2017	30.8	28.9	23.3	µg/m <sup>3</sup>	27.7	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.58	0.52	0.50	mg/m <sup>3</sup>	0.53	2

### INFERENCE

As per NAAQS Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager

:- END OF REPORT:-



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255189,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure - 3

MSVAL/QR/7.8/01

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	25.12.2025
7.	Date of Sample Receipt	:	26.12.2025
8.	Analysis Starting Date	:	26.12.2025
9.	Analysis Completion Date	:	30.12.2025
10.	Report Issue Date	:	31.12.2025
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.311619
13.	Longitude	:	77.35805

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air Test Report No: MSVAL/2024/6502

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			11712	11712	11712			
6	Carbon Dioxide as CO <sub>2</sub>	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H <sub>2</sub> S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/m <sup>2</sup>	BDL	---

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits
-----------	---

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager

END OF REPORT



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified

Amesure-3



GPS Map C



Chicksugur, Karnataka, India  
24, Chicksugur, Karnataka 584134, India  
Lat 16.311622° Long 77.358007°  
28/06/2025 09:36 AM GMT +05:30



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

Annexure- 3

MSVAL/QR/7.8/01

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	25.12.2025
7.	Date of Sample Receipt	:	26.12.2025
8.	Analysis Starting Date	:	26.12.2025
9.	Analysis Completion Date	:	30.12.2025
10.	Report Issue Date	:	31.12.2025
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.311619
13.	Longitude	:	77.35805

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407124000030922F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Toleranc e limits
			1	2	3			
			AAQ/6264	AAQ/6265	AAQ/6266			
1	Particulate Matter (Size less than 10 $\mu\text{m}$ ) PM <sub>10</sub>	IS-5182(Part-23):2017	82.6	78.4	70.6	$\mu\text{g}/\text{m}^3$	77.2	100
2	Particulate Matter (Size less than 2.5 $\mu\text{m}$ ) or	IS-5182(Part-24):2019	32.4	30.1	26.4	$\mu\text{g}/\text{m}^3$	29.6	60
3	Sulphur Dioxide as SO <sub>2</sub>	IS-5182(Part-2):2017	18.1	17.9	15.4	$\mu\text{g}/\text{m}^3$	17.1	80
4	Oxides of Nitrogen as NO <sub>x</sub>	IS-5182(Part-6):2017	30.9	29.4	26.8	$\mu\text{g}/\text{m}^3$	29.0	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.56	0.54	0.52	$\text{mg}/\text{m}^3$	0.54	2

### INFERENCE

As per NAAQS Standards  
Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager

END OF REPORT



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com

Annexure-3

MSVAL/QR/7.8/01

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	25.12.2025
7.	Date of Sample Receipt	:	26.12.2025
8.	Analysis Starting Date	:	26.12.2025
9.	Analysis Completion Date	:	30.12.2025
10.	Report Issue Date	:	31.12.2025
11.	Sampling Protocol	:	IS 5182 : Part 14
12.	Latitude	:	16.311619
13.	Longitude	:	77.35805

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air Test Report No: MSVAL/2024/6503

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			11713	11713	11713			
6	Carbon Dioxide as CO <sub>2</sub>	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H <sub>2</sub> S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m <sup>2</sup>	BDL	-

### INFERENCE

As per NAAQS Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager

END OF REPORT:-



Note: 1. The results listed only to the tested samples & applicable parameters.


2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing


4. Total liability of our laboratory is limited to the Invoice amount; Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified

Annexure - 3



GPS Map

**Chicksugur, Karnataka, India**   
100% Export Oriented Unit, Plot #33, Raichur Growth Ce  
33a & 40 To 47, Chicksugur, Karnataka 584134, India  
Lat 16.311619° Long 77.35805°  
25/12/2025 09:42 AM GMT +05:30



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC- 4071

Annexure - 3

MSVAL/QR/7.8/01

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	14.01.2026
7.	Date of Sample Receipt	:	15.01.2026
8.	Analysis Starting Date	:	15.01.2026
9.	Analysis Completion Date	:	22.01.2026
10.	Report Issue Date	:	23.01.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.311619
13.	Longitude	:	77.35805

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC40712600001229F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
1	Particulate Matter (Size less than 10 µm) PM <sub>10</sub>	IS-5182(Part-23):2017	78.7	74.2	71.5	µg/m <sup>3</sup>	74.8	100
2	Particulate Matter (Size less than 2.5 µm) or PM <sub>2.5</sub>	IS-5182(Part-24):2019	29.6	24.5	21.6	µg/m <sup>3</sup>	25.2	60
3	Sulphur Dioxide as SO <sub>2</sub>	IS-5182(Part-2):2017	21.3	18.9	15.5	µg/m <sup>3</sup>	18.6	80
4	Oxides of Nitrogen as NO <sub>x</sub>	IS-5182(Part-6):2017	34.8	32.4	28.9	µg/m <sup>3</sup>	32.0	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.62	0.48	0.42	mg/m <sup>3</sup>	0.51	2

INFERENCE

As per NAAQS Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager

-: END OF REPORT



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com

Amesure - 3

MSVAL/QR/7.8/01

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	14.01.2026
7.	Date of Sample Receipt	:	15.01.2026
8.	Analysis Starting Date	:	15.01.2026
9.	Analysis Completion Date	:	22.01.2026
10.	Report Issue Date	:	23.01.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.31165
13.	Longitude	:	77.358042

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: MSVAL/2026/100

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			123	124	125			
6	Carbon Dioxide as CO <sub>2</sub>	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H <sub>2</sub> S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/m <sup>2</sup>	BDL	--

### INFERENCE

As per NAAQS Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager

∴ END OF REPORT ∴



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified

Annexure-3



**Chicksugur, Karnataka, India**

100% Export Oriented Unit, Plot #33, Raichur Growth Centre, 33a & 40 To 47, Chicksugur, Karnataka 584134, India

Lat 16.31165° Long 77.358042°

14/01/2026 09:25 AM GMT +05:30

Google



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255168,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

Annexure- 3

MSVAL/QR/7.8/01

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	14.01.2026
7.	Date of Sample Receipt	:	15.01.2026
8.	Analysis Starting Date	:	15.01.2026
9.	Analysis Completion Date	:	22.01.2026
10.	Report Issue Date	:	23.01.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.311619
13.	Longitude	:	77.35805

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC40712600001230F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			287	288	289			
1	Particulate Matter (Size less than 10 µm) PM <sub>10</sub>	IS-5182(Part-23):2017	79.6	75.9	72.3	µg/m <sup>3</sup>	75.9	100
2	Particulate Matter (Size less than 2.5 µm) or PM <sub>2.5</sub>	IS-5182(Part-24):2019	29.5	26.7	23.6	µg/m <sup>3</sup>	26.6	60
3	Sulphur Dioxide as SO <sub>2</sub>	IS-5182(Part-2):2017	21.3	15.4	12.1	µg/m <sup>3</sup>	16.3	80
4	Oxides of Nitrogen as NO <sub>x</sub>	IS-5182(Part-6):2017	27.8	25.3	22.8	µg/m <sup>3</sup>	25.3	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.52	0.49	0.44	mg/m <sup>3</sup>	0.48	2

### INFERENCE

As per NAAQS Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager

:- END OF REPORT:-



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction. Only.

5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com

Ameexue -3

MSVAL/QR/7.8/01

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	14.01.2026
7.	Date of Sample Receipt	:	15.01.2026
8.	Analysis Starting Date	:	15.01.2026
9.	Analysis Completion Date	:	22.01.2026
10.	Report Issue Date	:	23.01.2026
11.	Sampling Protocol	:	IS 5182 : Part 14
12.	Latitude	:	16.310578
13.	Longitude	:	77.356036

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: MSVAL/2026/101

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			126	127	128			
6	Carbon Dioxide as CO <sub>2</sub>	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H <sub>2</sub> S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m <sup>2</sup>	BDL	--

### INFERENCE

As per NAAQS Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory


Hanumanthaiah P  
Technical Manager

:- END OF REPORT :-



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified


Annexure - 3



GPS Map Camera



Google

Chicksugur, Karnataka,  
India 

33, Chicksugur, Karnataka 584134, India  
Lat 16.310578° Long 77.356036°  
14/01/2026 09:49 AM GMT +05:30



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
E-mail : msvlabellary2018@gmail.com, labmsv@gmail.com, Website : www.msvlabellary.com



TC- 4071

Annexure-3

MSVAL/QR/7.8/01

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	14.01.2026
7.	Date of Sample Receipt	:	15.01.2026
8.	Analysis Starting Date	:	15.01.2026
9.	Analysis Completion Date	:	22.01.2026
10.	Report Issue Date	:	23.01.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.311619
13.	Longitude	:	77.35805

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC40712600001229F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
1	Particulate Matter (Size less than 10 µm) PM <sub>10</sub>	IS-5182(Part-23):2017	78.7	74.2	71.5	µg/m <sup>3</sup>	74.8	100
2	Particulate Matter (Size less than 2.5 µm) or PM <sub>2.5</sub>	IS-5182(Part-24):2019	29.6	24.5	21.6	µg/m <sup>3</sup>	25.2	60
3	Sulphur Dioxide as SO <sub>2</sub>	IS-5182(Part-2):2017	21.3	18.9	15.5	µg/m <sup>3</sup>	18.6	80
4	Oxides of Nitrogen as NO <sub>x</sub>	IS-5182(Part-6):2017	34.8	32.4	28.9	µg/m <sup>3</sup>	32.0	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.62	0.48	0.42	mg/m <sup>3</sup>	0.51	2

### INFERENCE

As per NAAQS Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager

:- END OF REPORT



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only. ....

5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakalu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvballary2018@gmail.com, labmsv@gmail.com, Website : www.msvballary.com

Annexure-3

MSVAL/QR/7.8/01

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	14.01.2026
7.	Date of Sample Receipt	:	15.01.2026
8.	Analysis Starting Date	:	15.01.2026
9.	Analysis Completion Date	:	22.01.2026
10.	Report Issue Date	:	23.01.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.31165
13.	Longitude	:	77.358042

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: MSVAL/2026/100

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			123	124	125			
6	Carbon Dioxide as CO <sub>2</sub>	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H <sub>2</sub> S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/m <sup>2</sup>	BDL	--

INFERENCE

As per NAAQS Standards

Report Status : The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager

:- END OF REPORT:-



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount, Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified

Annexure-3



**Chicksugar, Karnataka, India**

100% Export Oriented Unit, Plot #33, Raichur Growth Centre, 33a & 40 To 47, Chicksugar, Karnataka 584134, India

Lat 16.31165° Long 77.358042°

14/01/2026 09:25 AM GMT +05:30



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC- 4071

Annexure - 3

MSVAL/QR/7.8/01

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	14.01.2026
7.	Date of Sample Receipt	:	15.01.2026
8.	Analysis Starting Date	:	15.01.2026
9.	Analysis Completion Date	:	22.01.2026
10.	Report Issue Date	:	23.01.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.311619
13.	Longitude	:	77.35805

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC40712600001230F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
1	Particulate Matter (Size less than 10 $\mu\text{m}$ ) PM <sub>10</sub>	IS-5182(Part-23):2017	287	288	289	$\mu\text{g}/\text{m}^3$	75.9	100
2	Particulate Matter (Size less than 2.5 $\mu\text{m}$ ) or PM <sub>2.5</sub>	IS-5182(Part-24):2019	79.6	75.9	72.3	$\mu\text{g}/\text{m}^3$	26.6	60
3	Sulphur Dioxide as SO <sub>2</sub>	IS-5182(Part-2):2017	29.5	26.7	23.6	$\mu\text{g}/\text{m}^3$	16.3	80
4	Oxides of Nitrogen as NO <sub>x</sub>	IS-5182(Part-6):2017	21.3	15.4	12.1	$\mu\text{g}/\text{m}^3$	25.3	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.52	0.49	0.44	$\text{mg}/\text{m}^3$	0.48	2

### INFERENCE

As per NAAQS Standards  
Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager

:- END OF REPORT:-



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com

Annexure - 3

MSVAL/QR/7.8/01

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL.
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	14.01.2026
7.	Date of Sample Receipt	:	15.01.2026
8.	Analysis Starting Date	:	15.01.2026
9.	Analysis Completion Date	:	22.01.2026
10.	Report Issue Date	:	23.01.2026
11.	Sampling Protocol	:	IS 5182 : Part 14
12.	Latitude	:	16.310578
13.	Longitude	:	77.356036

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: MSVAL/2026/101

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			126	127	128			
6	Carbon Dioxide as CO <sub>2</sub>	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H <sub>2</sub> S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/m <sup>2</sup>	BDL	--

<b>INFERENCE</b>	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits
------------------	---

Analysed by

Authorized Signatory


Hanumanthiah P  
Technical Manager

:- END OF REPORT:-




- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified

Annexure-3



GPS Map Camera

Chicksugur, Karnataka,  
India 

33, Chicksugur, Karnataka 584134, India

Lat 16.310578° Long 77.356036°

14/01/2026 09:49 AM GMT +05:30



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,  
E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



Annexure - 3

MSVAL/QR/7.8/01

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	25.03.2026
7.	Date of Sample Receipt	:	26.03.2026
8.	Analysis Starting Date	:	26.03.2026
9.	Analysis Completion Date	:	30.03.2026
10.	Report Issue Date	:	31.03.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.31161
13.	Longitude	:	77.357983

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC40712600008513F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			AAAQ/2247	AAAQ/2248	AAAQ/2249			
1	Particulate Matter (Size less than 10 $\mu\text{m}$ ) PM <sub>10</sub>	IS-5182(Part-23):2017	81.2	74.3	71.5	$\mu\text{g}/\text{m}^3$	75.7	100
2	Particulate Matter (Size less than 2.5 $\mu\text{m}$ ) or	IS-5182(Part-24):2019	30.2	25.1	22.4	$\mu\text{g}/\text{m}^3$	25.9	60
3	Sulphur Dioxide as SO <sub>2</sub>	IS-5182(Part-2):2017	23.1	19.5	16.2	$\mu\text{g}/\text{m}^3$	19.6	80
4	Oxides of Nitrogen as NO <sub>x</sub>	IS-5182(Part-6):2017	34.2	32.6	27.5	$\mu\text{g}/\text{m}^3$	31.4	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.62	0.51	0.42	$\text{mg}/\text{m}^3$	0.52	2

**INFERENCE** As per NAAQS Standards  
Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by



Authorized Signatory

Hanumanthalah P  
Technical Manager

- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mdb : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure-3

MSVAL/QR/7.8/01

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	25.03.2026
7.	Date of Sample Receipt	:	26.03.2026
8.	Analysis Starting Date	:	26.03.2026
9.	Analysis Completion Date	:	30.03.2026
10.	Report Issue Date	:	31.03.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.31161
13.	Longitude	:	77.357983

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air Test Report No: MSVAL/2026/921

S.No	Parameter	Protocols	Shift wise results			Units	Result In Avg.	Tolerance limits
			1	2	3			
6	Carbon Dioxide as CO <sub>2</sub>	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H <sub>2</sub> S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m <sup>2</sup>	BDL	--

INFERENCE

As per NAAQS Standards  
Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by



Authorized Signatory

Hanumanthaiah P  
Technical Manager

- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified

Annexure - 3



GPS Map Camera



**Wadloor, Karnataka, India** 🇮🇳  
Shilpa Pharma Lifesciences Limited (a Subsidiary Of Shilpa Medicare Limited, Formerly Shilpa Corporate Holdings), plot # 33, 33a & 40 To 47 Raichur Growth Centre, Chicksugur Village Raichur 584134 Karnataka-indiarachur Industrial Growth Centre, Chicksugur 584 134, Wadloor, Karnataka 584134, India  
Lat 16.31161° Long 77.357983°  
25/03/2026 09:32 AM GMT +05:30

Google



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695(A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Bailari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
E-mail : msvbellary2018@gmail.com, iabmsv@gmail.com, Website : www.msvbellary.com



Annexure-3

MSVAL/QR/7.8/01

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	25.03.2026
7.	Date of Sample Receipt	:	26.03.2026
8.	Analysis Starting Date	:	26.03.2026
9.	Analysis Completion Date	:	30.03.2026
10.	Report Issue Date	:	31.03.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.310578
13.	Longitude	:	77.356036

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC40712600008514F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			AAAQ/2250	AAAQ/2251	AAAQ/2252			
1	Particulate Matter (Size less than 10 µm) PM <sub>10</sub>	IS-5182(Part-23):2017	75.2	73.6	69.2	µg/m <sup>3</sup>	72.7	100
2	Particulate Matter (Size less than 2.5 µm) or	IS-5182(Part-24):2019	27.5	24.3	20.8	µg/m <sup>3</sup>	24.2	60
3	Sulphur Dioxide as SO <sub>2</sub>	IS-5182(Part-2):2017	23.6	18.4	14.6	µg/m <sup>3</sup>	18.9	80
4	Oxides of Nitrogen as NO <sub>x</sub>	IS-5182(Part-6):2017	27.1	25.2	21.5	µg/m <sup>3</sup>	24.6	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.59	0.53	0.41	mg/m <sup>3</sup>	0.51	2

### INFERENCE

As per NAAQS Standards  
Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager

:- END OF REPORT



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 895/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Saniganakalu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure-3

MSVAL/QR/7.8/01

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	25.03.2026
7.	Date of Sample Receipt	:	26.03.2026
8.	Analysis Starting Date	:	26.03.2026
9.	Analysis Completion Date	:	30.03.2026
10.	Report Issue Date	:	31.03.2026
11.	Sampling Protocol	:	IS 5182 : Part 14
12.	Latitude	:	16.310725
13.	Longitude	:	77.356129

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air Test Report No: MSVAL/2026/922

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			924	925	926			
6	Carbon Dioxide as CO <sub>2</sub>	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H <sub>2</sub> S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/m <sup>2</sup>	BDL	--

INFERENCE

As per NAAQS Standards  
Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory


Hanumanthaiah P  
Technical Manager

:- END



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified

Annexure-3



Google

GPS Map Camera

Chicksugur, Karnataka,  
India

33, Chicksugur, Karnataka 584134, India

Lat 16.310578° Long 77.356036°

25/03/2026 9:40 AM GMT +05:30



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
C.M.C Ward No 18 & C.T.C W.No. 16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Bellari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255189,  
E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC-4071

Annexure-3

MSVAL/QR/7.8/1/Test Report

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

1. Name and Address of Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2,  
Plot No. 33, 33A, 40-47, Raichur Industrial Growth  
Center, Chicksugur village, Raichur.
2. Name of the location : Near Main Gate
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sampling Equipments : Sample collected with RDS, FPS & CO Meter.
5. Duration of Monitoring : 24 Hours
6. Date of Monitoring : 29.11.2025
7. Date of Sample Receipt : 01.12.2025
8. Analysis Starting Date : 01.12.2025
9. Analysis Completion Date : 06.12.2025
10. Report Issue Date : 08.12.2025
11. Sampling Protocol : IS 5182:Part 14
12. Latitude : 16.311643
13. Longitude : 77.358016

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Ambient Air

ULR No: TC407125000028624F

S. No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			AAQ/5488	AAQ/5489	AAQ/5490			
1	Particulate Matter (Size less than 10 $\mu\text{m}$ ) PM <sub>10</sub>	IS 5182 Part-23	88.3	82.2	76.6	$\mu\text{g} / \text{m}^3$	82.4	100
2	Particulate Matter (Size less than 2.5 $\mu\text{m}$ ) or PM <sub>2.5</sub>	IS 5182 Part 24	43.2	36.6	32.5	$\mu\text{g} / \text{m}^3$	37.4	60
3	Sulphur Dioxide as SO <sub>2</sub>	IS 5182 Part-2	18.2	15.2	14.2	$\mu\text{g} / \text{m}^3$	15.9	80
4	Nitrogen Dioxide as NO <sub>2</sub>	IS 5182 Part-6	23.6	20.1	18.7	$\mu\text{g} / \text{m}^3$	20.8	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.98	0.82	0.67	$\text{mg} / \text{m}^3$	0.82	2

INFERENCE

As per NAAQS Standards  
Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

Hanumanthaiah.P  
Technical Manager

\*\*\* End of Report \*\*\*



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com

Annexure-3

MSVAL/QR/7.8/1/Test Report

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

- Name and Address of Industry** : M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
- Name of the location** : Near Main Gate.
- Sample Collected By** : MSV Analytical Laboratories, Bellary.
- Particulars of the sampling Equipments** : Sample collected with RDS, FPS & CO Meter.
- Duration of Monitoring** : 24 Hours
- Date of Monitoring** : 29.11.2025
- Date of Sample Receipt** : 01.12.2025
- Analysis Starting Date** : 01.12.2025
- Analysis Completion Date** : 06.12.2025
- Report Issue Date** : 08.12.2025
- Sampling Protocol** : IS 5182:Part 14
- Latitude** : 16.311643
- Longitude** : 77.358016

Discipline: Chemical      Group: Atmospheric Pollution      Sub Group: Ambient Air      Test Report No: MSVAL/2025/5700

S. No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			11650	11651	11652			
6	Carbon Dioxide as CO <sub>2</sub>	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H <sub>2</sub> S	IS-5182 Part-7	BDL	BDL	BDL	µg/m <sup>3</sup>	BDL	--

<b>INFERENCE</b>	As per NAAQS Standards, BDL – Below Detectable Limit Report Status :- The analyzed values for above measured parameter are within the limits
------------------	---

Analysed by

Authorized Signatory

Hanumanthaiah.P  
Technical Manager

\*\*\* End of Report \*\*\*




- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified

Annescube-3



GPS Map



Chicksugar, Karnataka, India 

100% Export Oriented Unit, Plot #33, Raichur Growth Cell  
33a & 40 To 47, Chicksugar, Karnataka 584134, India  
Lat 16.311643° Long 77.358016°  
29/11/2025 09:20 AM GMT +05:30



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255189,  
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



Annexure-3

MSVAL/QR/7.8/1/Test Report

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

1. Name and Address of Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Name of the location : Near Production Block Between C&D
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sampling Equipments : Sample collected with RDS, FPS & CO Meter.
5. Duration of Monitoring : 24 Hours
6. Date of Monitoring : 29.11.2025
7. Date of Sample Receipt : 01.12.2025
8. Analysis Starting Date : 01.12.2025
9. Analysis Completion Date : 06.12.2025
10. Report Issue Date : 08.12.2025
11. Sampling Protocol : IS 5182:Part 14
12. Latitude : 16.3111643
13. Longitude : 77.358016

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407125000028625F

S. No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			AAQ/5491	AAQ/5492	AAQ/5493			
1	Particulate Matter (Size less than 10 µm)PM <sub>10</sub>	IS 5182 Part-23	65.2	58.7	53.6	µg / m <sup>3</sup>	59.2	100
2	Particulate Matter (Size less than 2.5 µm) or PM <sub>2.5</sub>	IS 5182 Part 24	31.5	28.7	19.2	µg / m <sup>3</sup>	26.5	60
3	Sulphur Dioxide as SO <sub>2</sub>	IS 5182 Part-2	11.2	8.9	7.6	µg / m <sup>3</sup>	9.2	80
4	Nitrogen Dioxide as NO <sub>2</sub>	IS 5182 Part-6	18.2	15.6	13.2	µg / m <sup>3</sup>	15.7	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.52	0.43	0.27	mg / m <sup>3</sup>	0.41	2


<b>INFERENCE</b>	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits
------------------	---

Analysed by

Authorized Signatory

Hanumanthiah.P  
Technical Manager

\*\*\* End of Report \*\*\*



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure-3

MSVAL/QR/7.8/1/Test Report

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

- Name and Address of Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
- Name of the location : Near Production Block Between C&D
- Sample Collected By : MSV Analytical Laboratories, Bellary.
- Particulars of the sampling Equipments : Sample collected with RDS, FPS & CO Meter.
- Duration of Monitoring : 24 Hours
- Date of Monitoring : 29.11.2025
- Date of Sample Receipt : 01.12.2025
- Analysis Starting Date : 01.12.2025
- Analysis Completion Date : 06.12.2025
- Report Issue Date : 08.12.2025
- Sampling Protocol : IS 5182 : Part 14
- Latitude : 16.3111643
- Longitude : 77.358016

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Ambient Air

Test Report No: MSVAL/2025/5701

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			11653	11654	11655			
6	Carbon Dioxide as CO <sub>2</sub>	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H <sub>2</sub> S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m <sup>2</sup>	BDL	--

### INFERENCE

As per NAAQS Standards, BDL - Below Detectable Limit

Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

Hanumanthaiah.P  
Technical Manager

\*\*\* End of Report\*\*\*



Note: 1. The results listed only to the tested samples & applicable parameters.


2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified

Amesure-3



GPS Map



Chicksugur, Karnataka, India 

100% Export Oriented Unit, Plot #33, Raichur Growth Ce  
33a & 40 To 47, Chicksugur, Karnataka 584134, India

Lat 16.311643° Long 77.358016°

29/11/2025 09:47 AM GMT +05:30



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



Annexure-3

MSVAL/QR/7.8/1/Test Report

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

1. Name and Address of Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2,  
Plot No. 33, 33A, 40-47, Raichur Industrial Growth  
Center, Chicksugur village, Raichur.
2. Name of the location : Near Main Gate
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sampling Equipments : Sample collected with RDS, FPS & CO Meter.
5. Duration of Monitoring : 24 Hours
6. Date of Monitoring : 28.10.2025
7. Date of Sample Receipt : 29.10.2025
8. Analysis Starting Date : 29.10.2025
9. Analysis Completion Date : 03.11.2025
10. Report Issue Date : 03.11.2025
11. Sampling Protocol : IS 5182:Part 14
12. Latitude : 16.310147
13. Longitude : 77.357666

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Ambient Air

ULR No: TC407125000024788F

S. No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			4348	4349	4350			
1	Particulate Matter (Size less than 10 µm)PM <sub>10</sub>	IS 5182 Part-23	80.1	75.8	68.0	µg / m <sup>3</sup>	74.6	100
2	Particulate Matter (Size less than 2.5 µm) or PM <sub>2.5</sub>	IS 5182 Part 24	28.0	26.2	22.6	µg / m <sup>3</sup>	25.6	60
3	Sulphur Dioxide as SO <sub>2</sub>	IS 5182 Part-2	16.5	14.8	12.1	µg / m <sup>3</sup>	14.5	80
4	Nitrogen Dioxide as NO <sub>2</sub>	IS 5182 Part-6	22.6	20.1	18.8	µg / m <sup>3</sup>	20.5	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.38	0.34	0.29	mg / m <sup>3</sup>	0.34	2

INFERENCE

As per NAAQS Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

Hanumanthaiah.P  
Technical Manager

\*\*\* End of Report \*\*\*



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com

Annexure-3

MSVAL/QR/7.8/1/Test Report

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

1. Name and Address of Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Name of the location : Near Main Gate
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sampling Equipments : Sample collected with RDS, FPS & CO Meter.
5. Duration of Monitoring : 24 Hours
6. Date of Monitoring : 28.10.2025
7. Date of Sample Receipt : 29.10.2025
8. Analysis Starting Date : 29.10.2025
9. Analysis Completion Date : 03.11.2025
10. Report Issue Date : 03.11.2025
11. Sampling Protocol : IS 5182:Part 14
12. Latitude : 16.310147
13. Longitude : 77.357666

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Ambient Air

Test Report No: MSVAL/2025/4708

S. No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			10200	10201	10202			
6	Carbon Dioxide as CO <sub>2</sub>	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H <sub>2</sub> S	IS-5182 Part-7	BDL	BDL	BDL	µg/ m <sup>2</sup>	BDL	--

### INFERENCE

As per NAAQS Standards, BDL – Below Detectable Limit  
Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

Hanumanthaiah.P  
Technical Manager

\*\*\* End of Report \*\*\*



Note: 1. The results listed only to the tested samples & applicable parameters.


2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified

Annexure -3





# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



Annexure-3

MSVAL/QR/7.8/1/Test Report

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

- Name and Address of Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
- Name of the location : Near Production Block Between C&D
- Sample Collected By : MSV Analytical Laboratories, Bellary.
- Particulars of the sampling Equipments : Sample collected with RDS, FPS & CO Meter.
- Duration of Monitoring : 24 Hours
- Date of Monitoring : 28.10.2025
- Date of Sample Receipt : 29.10.2025
- Analysis Starting Date : 29.10.2025
- Analysis Completion Date : 03.11.2025
- Report Issue Date : 03.11.2025
- Sampling Protocol : IS 5182:Part 14
- Latitude : 16.310555
- Longitude : 77.35602

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Ambient Air

ULR No: TC407125000024789F

S. No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			4351	4352	4353			
1	Particulate Matter (Size less than 10 µm) PM <sub>10</sub>	IS 5182 Part-23	68.1	65.6	60.4	µg / m <sup>3</sup>	64.7	100
2	Particulate Matter (Size less than 2.5 µm) or PM <sub>2.5</sub>	IS 5182 Part 24	26.3	24.6	20.1	µg / m <sup>3</sup>	23.7	60
3	Sulphur Dioxide as SO <sub>2</sub>	IS 5182 Part-2	14.0	12.1	10.8	µg / m <sup>3</sup>	12.3	80
4	Nitrogen Dioxide as NO <sub>2</sub>	IS 5182 Part-6	22.4	20.5	16.1	µg / m <sup>3</sup>	19.7	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.34	0.30	0.28	mg / m <sup>3</sup>	0.31	2

INFERENCE

As per NAAQS Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

Hanumanthalah.P  
Technical Manager

\*\*\* End of Report \*\*\*



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com

Annexure -3

MSVAL/QR/7.8/1/Test Report

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

1. Name and Address of Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Name of the location : Near Production Block Between C&D
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sampling Equipments : Sample collected with RDS, FPS & CO Meter.
5. Duration of Monitoring : 24 Hours
6. Date of Monitoring : 28.10.2025
7. Date of Sample Receipt : 29.10.2025
8. Analysis Starting Date : 29.10.2025
9. Analysis Completion Date : 03.11.2025
10. Report Issue Date : 03.11.2025
11. Sampling Protocol : IS 5182 : Part 14
12. Latitude : 16.310555
13. Longitude : 77.35602

Discipline: Chemical      Group: Atmospheric Pollution      Sub Group: Ambient Air      Test Report No: MSVAL/2025/4709

S. No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			10203	10204	10205			
6	Carbon Dioxide as CO <sub>2</sub>	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H <sub>2</sub> S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m <sup>2</sup>	BDL	--

### INFERENCE

As per NAAQS Standards, BDL - Below Detectable Limit  
Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory


Hanumanthaiah.P  
Technical Manager

\*\*\* End of report \*\*\*




- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified

Annexure-3



## WATER BALANCE CHART Oct 2025-Mar 2026





**PANCHASHEEL**  
**MEDICAL SERVICES PVT. LTD.,**  
**INSTITUTE OF INDUSTRIAL & OCCUPATIONAL HEALTH**



# 401 A & B, Navketan Complex, Clock Tower, Secunderabad-500 003. T.S. INDIA.  
 Cell: 90001 44488, 99634 17491 | Email: drraaj@hotmail.com | Website: www.panchasheel.com

**Confidential**

**SHILPA PHARMA LIFESCEINCES LTD UNIT-2**  
 Plot No:33,33A & 40-47, Raichur Industrial Growth Centre Chicksugur-584134,Raichur,  
 District, Karnataka State, India  
**MEDICAL SURVEILLANCE PROFORMA**

**DATE: 25/11/2025**

NAME	: Mr.Anjaliya Babu Dandu	DEPARTMENT	: Production
D.O.B/SEX	: 03/04/1982 / Male	SECTION	: AJ-Block
Lab No / E. Code	: 4014 / 1135	D.O.J	: 22/08/2006
DIET	: Normal (Mixed)	BLOOD GROUP	: "A" Positive
ALLERGY	: No		

**PERSONAL HISTORY**

	SMOKING	ALCOHOL	TOBACCO CHEWING	SNUFF
QUANTITY				
DURATION	No	No	No	No
TYPE				

PRESENTING COMPLAINTS	Nil
PAST HISTORY	Nil Particular
FAMILY HISTORY	DM:- No HTN:- No

**GENERAL PHYSICAL EXAMINATION**

DEFECTS/DISABILITY	: No
--------------------	------

Height	: 161Cms	Weight	: 88 Kgs	Body Mass Index (BMI)	: 33.9 kg/m <sup>2</sup>
Ideal Weight	: 61 Kgs	Pulse Rate (Normal : 60-100pm)	: 74per Min	Blood Pressure (BP) (Normal : 120/80) mmhg	: 140/87 mmhg
Normal Weight	: 56 - 66 Kgs				


**Interpreting Your BODY MASS INDEX**

Adults	Women	Men
Under weight	<19.1	<20.7
In normal range	19.1-25.8	20.7-26.4
Marginally over weight	25.8-27.3	26.4-27.8
Over weight	27.3-32.3	27.8-31.1
Very overweight or obese	>32.3	>31.1

*Diagnosis Makes the Difference*

**"Exclusive NABL Accredited Lab for Industrial & Occupational Health"**

4014



PR Int.(ms) : 139  
 P/QRS/T Int.(ms) : 100 98 167  
 QT/QTc Int.(ms) : 369 396  
 P/QRS/T Axis(Deg.) : 57 69 19  
 RV1/SV5 Amp.(mV) : 0.32 0.46  
 RV5/SV1 Amp.(mV) : 1.20 0.67

ECG Analysis Results:  
 800 Normal Sinus Rhythm  
 500 rSR' Pattern in V1/V2  
 611 T Abnormality(Flat T)  
 \*\*\* Borderline Abnormal ECG \*\*\*

ST LEVEL (mV)					
I	II	III	aVR	aVL	aVF
-0.00	-0.03	-0.02	+0.02	+0.00	-0.02
V1	V2	V3	V4	V5	V6
+0.06	+0.10	+0.05	+0.01	-0.01	-0.03

V2.21 Technician:

Note: Unconfirmed Report Need to Review.

Appendix-5



**PANCHASHEEL**  
**MEDICAL SERVICES PVT. LTD.,**  
 INSTITUTE OF INDUSTRIAL & OCCUPATIONAL HEALTH



# 401 A & B, Navketan Complex, Clock Tower, Secunderabad-500 003, T.S. INDIA.

Cell: 90001 44488, 99634 17491 | Email: drraaj@hotmail.com | Website: www.panchasheel.com

Lab No / E. Code : 4014 / 1135

**VISUAL ACUITY**

VISION	DISTANT VISION	NEAR VISION	COLOUR VISION	CORRECTIONS
RIGHT	6/6	N6	Normal	Normal Vision
LEFT	6/6	N6	Normal	

**SYSTEMIC EXAMINATION**

RESPIRATORY SYSTEM	Respiratory Sounds are Clear.
CARDIO-VASCULAR SYSTEM	S1 S2 Normal.
CENTRAL NERVOUS SYSTEM	Normal.
ELECTRO CARDIOGRAM (ECG)	Within Normal Limits.
CHEST X-RAY IMPRESSION	Normal Chest Radiograph.
ABDOMEN	Liver and Spleen Not Palpable

**LAB INVESTIGATION**

BLOOD			URINE		
Test	Result	Normal Range	Test	Result	Normal Range
HB	13.3	M14 to 18 gm/dL F 12 to 16 gm/dL	Colour	Pale Yellow	White to Yellow
RBC	4.43	4.0 - 6.0 mill/cumm	Appearance	Clear	Clear
TC	8300	4000 - 11000 cells/cumm	Reaction	Acidic	Acidic
DLC (%)	P-48 L-47 E-02 M-03	Neutrophils (or segs): 40 - 70% Lymphocytes: 20 - 40% Eosinophils: 02 - 08% Monocytes: 02 - 08% Basophils: 0.4% - 1%	Albumin	Nil	Nil
AEC	166	40-440 cells/cumm	Sugar	0.5%	Nil
RBC Smear	Normocytic Normochromic		Pus cells	Nil	1-5/hpf
WBC Smear	Within Normal Limits		RBC	Nil	Nil
VDRL	Non-Reactive	Non-Reactive	EP CELLS	Occasional	1-5/hpf
RBS	158	70 - 160 mg/dl	Others	Nil	Nil
Advise Fbs. Plbs & HbA1c					

**SPUTUM FOR AFB: Negative.**  
 (Acid fast bacillus)

**ADVICE/REMARKS:** Healthy & free from contagious diseases.

**FIT TO WORK**


**Dr. RAJA VOJJALA**  
 MBBS, MD (P&H) AFIM (CLI)  
 Physician Industrial Medicine  
 Regd. No: 13067

Medical officer

*Diagnosis Makes the Difference*

**"Exclusive NABL Accredited Lab for Industrial & Occupational Health"**

Answer-5



Annexure-6



## Document Completed Training Report

**Department** : Environment Health and Safety  
**Document Number** : SPL2/EHS/SOP/GEN/0001  
**Version Number** : 02  
**Source** : Document  
**Document Name** : HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT

**Doc Type / Content Type** : SOP/GEN  
**From Date** : N/A  
**To Date** : N/A  
**Total Trained Duration** : 5h 44m 18s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1218-RAMAKRISHNA KALIPINDI	26 Mar 2026	31 Mar 2026	ELANGO VAN ., VIJAY KUMAR N	Target Training - Revision	100.0	0h 5m 3s	Shift Incharge	6808 - ELANGO VAN .
1394-SURESH AKKENA	26 Mar 2026	30 Mar 2026	ELANGO VAN ., VIJAY KUMAR N	Target Training - Revision	90.00	0h 5m 2s	Executive	6808 - ELANGO VAN .
1404-KRISHNA .	16 Apr 2026	24 Apr 2026	N/A	JR Training	90.00	0h 6m 47s	Senior Executive	4332 - MANJUNATHA D N
2789-SRINIVASULU REDDY KONDA	26 Mar 2026	30 Mar 2026	ELANGO VAN ., VIJAY KUMAR N	Target Training - Revision	100.0	0h 10m 12s	Executive	6808 - ELANGO VAN .
3784-NARASIMHULU AMJALA	26 Mar 2026	30 Mar 2026	ELANGO VAN ., VIJAY KUMAR N	Target Training - Revision	90.00	0h 5m 12s	Chemist	6808 - ELANGO VAN .

Annexure - 7

**Downloaded By:** YERRAGUDI VENKATESH

**Downloaded Date:** 19 May 2026 09:53:13

**This is electronically generated report and there is no need of any manual signature**

## Document Completed Training Report

**Department** : Environment Health and Safety  
**Document Number** : SPL2/EHS/SOP/GEN/0001  
**Version Number** : 02  
**Source** : Document  
**Document Name** : HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT

**Doc Type / Content Type** : SOP/GEN  
**From Date** : N/A  
**To Date** : N/A  
**Total Trained Duration** : 5h 44m 18s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
5503-S SUMAN .	26 Mar 2026	04 Apr 2026	ELANGO VAN ., VIJAY KUMAR N	Target Training - Revision	100.0	0h 5m 18s	Executive	6808 - ELANGO VAN .
7188-BADESAB HUSEN SHAIKH	26 Mar 2026	31 Mar 2026	ELANGO VAN ., VIJAY KUMAR N	Target Training - Revision	100.0	0h 9m 42s	Junior Executive	6808 - ELANGO VAN .
7260-NAGARAJ GANGANNAVAR	26 Mar 2026	04 Apr 2026	ELANGO VAN ., VIJAY KUMAR N	Target Training - Revision	100.0	0h 5m 44s	Junior Executive	6808 - ELANGO VAN .
9273-TADI SIVA RAMA KRISHNA REDDY	26 Mar 2026	30 Mar 2026	ELANGO VAN ., VIJAY KUMAR N	Target Training - Revision	100.0	0h 5m 21s	Senior Chemist	6808 - ELANGO VAN .
9343-NAMILA KONDA VAMSHIDHAR RAO	14 Mar 2026	25 Apr 2026	N/A	JR Training	90.00	0h 5m 12s	Senior Executive	1198 - SASIDHAR AVULA

Annexure-7

**Downloaded By:** YERRAGUDI VENKATESH

**Downloaded Date:** 19 May 2026 09:53:13

**This is electronically generated report and there is no need of any manual signature**

## Document Completed Training Report

**Department** : Environment Health and Safety  
**Document Number** : SPL2/EHS/SOP/GEN/0001  
**Version Number** : 02  
**Source** : Document  
**Document Name** : HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT

**Doc Type / Content Type** : SOP/GEN  
**From Date** : N/A  
**To Date** : N/A  
**Total Trained Duration** : 5h 44m 18s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
9402-VASA DURGARAO	03 Apr 2026	21 Apr 2026	N/A	JR Training	90.00	0h 5m 14s	Executive	7539 - SHANI PT
9409-RUSHIKESH SOMNATH SHINDE	08 Apr 2026	27 Apr 2026	N/A	JR Training	90.00	0h 6m 13s	Senior Process Engineer	7539 - SHANI PT
9423-J EUNICE ARUL RAJ	11 Apr 2026	21 Apr 2026	N/A	JR Training	100.0	0h 40m 10s	Executive	6808 - ELANGO VAN .
9427-KURVA SHASHIDHAR	11 Apr 2026	05 May 2026	N/A	JR Training	100.0	0h 12m 2s	Senior Chemist	1209 - DEVENDRA PRATAP SINGH
9428-CHANNAMALLIKA RJUN SANGAPPA BURLI	11 Apr 2026	05 May 2026	N/A	JR Training	100.0	0h 15m 0s	Trainee Chemist	1209 - DEVENDRA PRATAP SINGH
9443-ABHAY SINGH	14 Apr 2026	14 May 2026	N/A	JR Training	100.0	0h 10m 51s	Trainee Chemist	1355 - ARUN KUMAR SINGH

**Downloaded By:** YERRAGUDI VENKATESH

**Downloaded Date:** 19 May 2026 09:53:13

**This is electronically generated report and there is no need of any manual signature**

Appendix - 7

## Document Completed Training Report

**Department** : Environment Health and Safety  
**Document Number** : SPL2/EHS/SOP/GEN/0001  
**Version Number** : 02  
**Source** : Document  
**Document Name** : HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT

**Doc Type / Content Type** : SOP/GEN  
**From Date** : N/A  
**To Date** : N/A  
**Total Trained Duration** : 5h 44m 18s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
9448-KISHOR SINGH	14 Apr 2026	21 Apr 2026	N/A	JR Training	100.0	0h 5m 59s	Junior Executive	6808 - ELANGO VAN .
9458-KASA SUBBARAO	16 Apr 2026	08 May 2026	N/A	JR Training	100.0	0h 7m 21s	Senior Chemist	7539 - SHANI PT
9466-VIJAY SIDDHESHWAR JADHAV	20 Apr 2026	16 May 2026	N/A	JR Training	90.00	0h 16m 40s	Senior Chemist	1198 - SASIDHAR AVULA
9506-JAGANNATH BISOYI	28 Apr 2026	16 May 2026	N/A	JR Training	100.0	2h 16m 59s	Senior Chemist	7539 - SHANI PT
9511-AMIT KANT KUSHWAHA	29 Apr 2026	14 May 2026	N/A	JR Training	100.0	0h 24m 16s	Senior Chemist	1355 - ARUN KUMAR SINGH

Annexure - 7

**Downloaded By:** YERRAGUDI VENKATESH

**Downloaded Date:** 19 May 2026 09:53:13

**This is electronically generated report and there is no need of any manual signature**

## Document Completed Training Report

**Department** : Environment Health and Safety  
**Document Number** : SPL2/EHS/SOP/GEN/0006  
**Version Number** : 02  
**Source** : Document  
**Document Name** : FIRST AID

**Doc Type / Content Type** : SOP/GEN  
**From Date** : N/A  
**To Date** : N/A  
**Total Trained Duration** : 4h 11m 17s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
5503-S SUMAN .	26 Mar 2026	04 Apr 2026	ELANGO VAN ., VIJAY KUMAR N	Target Training - Revision	100.0	0h 5m 6s	Executive	6808 - ELANGO VAN .
7188-BADESAB HUSEN SHAIKH	26 Mar 2026	30 Mar 2026	ELANGO VAN ., VIJAY KUMAR N	Target Training - Revision	100.0	0h 5m 5s	Junior Executive	6808 - ELANGO VAN .
7260-NAGARAJ GANGANNAVAR	26 Mar 2026	02 Apr 2026	ELANGO VAN ., VIJAY KUMAR N	Target Training - Revision	100.0	0h 5m 4s	Junior Executive	6808 - ELANGO VAN .
9273-TADI SIVA RAMA KRISHNA REDDY	26 Mar 2026	30 Mar 2026	ELANGO VAN ., VIJAY KUMAR N	Target Training - Revision	100.0	0h 11m 37s	Senior Chemist	6808 - ELANGO VAN .
9343-NAMILA KONDA VAMSHIDHAR RAO	14 Mar 2026	25 Apr 2026	N/A	JR Training	100.0	0h 5m 1s	Senior Executive	1198 - SASIDHAR AVULA

Annexure - 7

Downloaded By: YERRAGUDI VENKATESH

Downloaded Date: 19 May 2026 09:53:51

This is electronically generated report and there is no need of any manual signature

## Document Completed Training Report

**Department** : Environment Health and Safety  
**Document Number** : SPL2/EHS/SOP/GEN/0006  
**Version Number** : 02  
**Source** : Document  
**Document Name** : FIRST AID

**Doc Type / Content Type** : SOP/GEN  
**From Date** : N/A  
**To Date** : N/A  
**Total Trained Duration** : 4h 11m 17s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1218-RAMAKRISHNA KALIPINDI	26 Mar 2026	31 Mar 2026	ELANGO VAN ., VIJAY KUMAR N	Target Training - Revision	90.00	0h 5m 26s	Shift Incharge	6808 - ELANGO VAN .
1394-SURESH AKKENA	26 Mar 2026	30 Mar 2026	ELANGO VAN ., VIJAY KUMAR N	Target Training - Revision	100.0	0h 5m 8s	Executive	6808 - ELANGO VAN .
1404-KRISHNA .	16 Apr 2026	24 Apr 2026	N/A	JR Training	90.00	0h 5m 41s	Senior Executive	4332 - MANJUNATHA D N
2789-SRINIVASULU REDDY KONDA	26 Mar 2026	29 Mar 2026	ELANGO VAN ., VIJAY KUMAR N	Target Training - Revision	100.0	0h 5m 3s	Executive	6808 - ELANGO VAN .
3784-NARASIMHULU AMJALA	26 Mar 2026	01 Apr 2026	ELANGO VAN ., VIJAY KUMAR N	Target Training - Revision	100.0	0h 6m 16s	Chemist	6808 - ELANGO VAN .

Annexure-7

**Downloaded By:** YERRAGUDI VENKATESH

**Downloaded Date:** 19 May 2026 09:53:51

**This is electronically generated report and there is no need of any manual signature**

## Document Completed Training Report

**Department** : Environment Health and Safety  
**Document Number** : SPL2/EHS/SOP/GEN/0006  
**Version Number** : 02  
**Source** : Document  
**Document Name** : FIRST AID

**Doc Type / Content Type** : SOP/GEN  
**From Date** : N/A  
**To Date** : N/A  
**Total Trained Duration** : 4h 11m 17s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
9458-KASA SUBBARAO	16 Apr 2026	08 May 2026	N/A	JR Training	100.0	0h 10m 14s	Senior Chemist	7539 - SHANI PT
9466-VIJAY SIDDHESHWAR JADHAV	20 Apr 2026	16 May 2026	N/A	JR Training	90.00	0h 8m 32s	Senior Chemist	1198 - SASIDHAR AVULA
9506-JAGANNATH BISOYI	28 Apr 2026	16 May 2026	N/A	JR Training	100.0	0h 58m 55s	Senior Chemist	7539 - SHANI PT
9511-AMIT KANT KUSHWAHA	29 Apr 2026	14 May 2026	N/A	JR Training	100.0	0h 18m 50s	Senior Chemist	1355 - ARUN KUMAR SINGH

**Downloaded By:** YERRAGUDI VENKATESH

**Downloaded Date:** 19 May 2026 09:53:51

**This is electronically generated report and there is no need of any manual signature**

Annexure-7

## Document Completed Training Report

**Department** : Environment Health and Safety  
**Document Number** : SPL2/EHS/SOP/GEN/0006  
**Version Number** : 02  
**Source** : Document  
**Document Name** : FIRST AID

**Doc Type / Content Type** : SOP/GEN  
**From Date** : N/A  
**To Date** : N/A  
**Total Trained Duration** : 4h 11m 17s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
9402-VASA DURGARAO	03 Apr 2026	21 Apr 2026	N/A	JR Training	100.0	0h 5m 1s	Executive	7539 - SHANI PT
9409-RUSHIKESH SOMNATH SHINDE	08 Apr 2026	27 Apr 2026	N/A	JR Training	100.0	0h 15m 14s	Senior Process Engineer	7539 - SHANI PT
9427-KURVA SHASHIDHAR	11 Apr 2026	05 May 2026	N/A	JR Training	100.0	0h 12m 21s	Senior Chemist	1209 - DEVENDRA PRATAP SINGH
9428-CHANNAMALLIKA RJUN SANGAPPA BURLI	11 Apr 2026	05 May 2026	N/A	JR Training	90.00	0h 5m 5s	Trainee Chemist	1209 - DEVENDRA PRATAP SINGH
9443-ABHAY SINGH	14 Apr 2026	14 May 2026	N/A	JR Training	90.00	0h 46m 38s	Trainee Chemist	1355 - ARUN KUMAR SINGH
9448-KISHOR SINGH	14 Apr 2026	21 Apr 2026	N/A	JR Training	100.0	0h 11m 0s	Junior Executive	6808 - ELANGO VAN .

Annexure-9

**Downloaded By:** YERRAGUDI VENKATESH

**Downloaded Date:** 19 May 2026 09:53:51

**This is electronically generated report and there is no need of any manual signature**

## Document Completed Training Report

**Department** : Environment Health and Safety  
**Document Number** : SPL2/EHS/SOP/GEN/0014  
**Version Number** : 01  
**Source** : Document  
**Document Name** : HANDLING OF HAZARDOUS CHEMICALS

**Doc Type / Content Type** : SOP/GEN  
**From Date** : N/A  
**To Date** : N/A  
**Total Trained Duration** : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1135-ANJALIYA BABU DANDU	20 Dec 2025	21 Dec 2025	ELANGO VAN .. BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 3s	Shift Incharge	4866 - DIVI VENUGOPAL
1147-VIJAY KUMAR KURUVA	20 Dec 2025	31 Dec 2025	ELANGO VAN .. BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 9m 51s	Senior Shift Incharge	1355 - ARUN KUMAR SINGH
1157-KRISHNA .	20 Dec 2025	20 Dec 2025	ELANGO VAN .. BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 6s	Senior Chemist	1168 - BIJAY KETAN MANGARAJ
1162-S.NANDAKISHORE .	20 Dec 2025	21 Dec 2025	ELANGO VAN .. BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 10m 39s	Deputy Manager	4332 - MANJUNATHA D N

Amesha-7

**Downloaded By:** YERRAGUDI VENKATESH

**Downloaded Date:** 19 May 2026 09:55:08

**This is electronically generated report and there is no need of any manual signature**

## Document Completed Training Report

**Department** : Environment Health and Safety  
**Document Number** : SPL2/EHS/SOP/GEN/0014  
**Version Number** : 01  
**Source** : Document  
**Document Name** : HANDLING OF HAZARDOUS CHEMICALS

**Doc Type / Content Type** : SOP/GEN  
**From Date** : N/A  
**To Date** : N/A  
**Total Trained Duration** : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1069-CHANNA REDDY .	20 Dec 2025	29 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 33m 50s	Senior Incharge	6645 - CHANDRASHEKAR SHANTAMALL APPA DUDHANI
1070-GOVINDARAJULU MENDI SRINIVASULU	20 Dec 2025	26 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 10m 24s	Senior Shift Incharge	1355 - ARUN KUMAR SINGH
1071-PARMANAND RAMANNA PATIL	20 Dec 2025	29 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 10s	Senior Shift Incharge	4866 - DIVI VENUGOPAL

Annexure-7

**Downloaded By:** YERRAGUDI VENKATESH

**Downloaded Date:** 19 May 2026 09:55:08

**This is electronically generated report and there is no need of any manual signature**

## Document Completed Training Report

**Department** : Environment Health and Safety  
**Document Number** : SPL2/EHS/SOP/GEN/0014  
**Version Number** : 01  
**Source** : Document  
**Document Name** : HANDLING OF HAZARDOUS CHEMICALS

**Doc Type / Content Type** : SOP/GEN  
**From Date** : N/A  
**To Date** : N/A  
**Total Trained Duration** : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1168-BIJAY KETAN MANGARAJ	20 Dec 2025	20 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 12s	Associate Vice President	7538 - KARUNAKAR ANATAM
1184-MEER MASOOD ALI	20 Dec 2025	02 Jan 2026	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 11m 43s	Chemist	4866 - DIVI VENUGOPAL
1186-BHARMANNA SHIVARAYA PETARGE	20 Dec 2025	24 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 8m 6s	Assistant general manager	1168 - BIJAY KETAN MANGARAJ
1190- VENKATESHWARU LU C	20 Dec 2025	25 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 10m 4s	Senior Chemist	4866 - DIVI VENUGOPAL

Appendix - 7

**Downloaded By:** YERRAGUDI VENKATESH

**Downloaded Date:** 19 May 2026 09:55:08

**This is electronically generated report and there is no need of any manual signature**

## Document Completed Training Report

**Department** : Environment Health and Safety

**Doc Type / Content Type** : SOP/GEN

**Document Number** : SPL2/EHS/SOP/GEN/0014

**From Date** : N/A

**Version Number** : 01

**To Date** : N/A

**Source** : Document

**Total Trained Duration** : 67h 28m 26s

**Document Name** : HANDLING OF HAZARDOUS CHEMICALS

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1193-JINDAPPA K	20 Dec 2025	07 Jan 2026	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 3s	Shift Incharge	4866 - DIVI VENUGOPAL
1196-UDAY KUMAR TALLAPALLY	20 Dec 2025	03 Jan 2026	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 18s	Senior Chemist	1198 - SASIDHAR AVULA
1198-SASIDHAR AVULA	20 Dec 2025	03 Jan 2026	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 9m 51s	Manager	3940 - GOVINDAPPA GALAGALI
1199-PRAVEEN CHINTALAPATI	20 Dec 2025	28 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 10m 4s	Executive	7539 - SHANI PT

**Downloaded By:** YERRAGUDI VENKATESH

**Downloaded Date:** 19 May 2026 09:55:08

**This is electronically generated report and there is no need of any manual signature**

Annexure - 7

## Document Completed Training Report

**Department** : Environment Health and Safety  
**Document Number** : SPL2/EHS/SOP/GEN/0014  
**Version Number** : 01  
**Source** : Document  
**Document Name** : HANDLING OF HAZARDOUS CHEMICALS

**Doc Type / Content Type** : SOP/GEN  
**From Date** : N/A  
**To Date** : N/A  
**Total Trained Duration** : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1209-DEVENDRA PRATAP SINGH	20 Dec 2025	25 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 15m 44s	Deputy General Manager	1045 - VEERESHAPPA
1210-ARUN KUMAR	20 Dec 2025	23 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 9m 10s	Deputy Manager	1209 - DEVENDRA PRATAP SINGH
1218-RAMAKRISHNA KALIPINDI	20 Dec 2025	26 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 45s	Shift Incharge	6808 - ELANGO VAN .
1234-SANDEEP KULKARNI	20 Dec 2025	29 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 16s	Senior Chemist	1168 - BIJAY KETAN MANGARAJ

Annexure - 7

**Downloaded By:** YERRAGUDI VENKATESH

**Downloaded Date:** 19 May 2026 09:55:08

**This is electronically generated report and there is no need of any manual signature**

## Document Completed Training Report

**Department** : Environment Health and Safety  
**Document Number** : SPL2/EHS/SOP/GEN/0014  
**Version Number** : 01  
**Source** : Document  
**Document Name** : HANDLING OF HAZARDOUS CHEMICALS

**Doc Type / Content Type** : SOP/GEN  
**From Date** : N/A  
**To Date** : N/A  
**Total Trained Duration** : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1200-NAGABABU CHENNU	20 Dec 2025	23 Dec 2025	ELANGO VAN .. BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 2s	Assistant Manager	1198 - SASIDHAR AVULA
1201-SUBBA RAO VENKATA MOTHUKURU	20 Dec 2025	26 Dec 2025	ELANGO VAN .. BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 25s	Senior Executive	1355 - ARUN KUMAR SINGH
1205-RAJSHEKAR REDDY KANALA	20 Dec 2025	31 Dec 2025	ELANGO VAN .. BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 12m 22s	Senior Executive	7539 - SHANI PT
1206-S JAYADEV GORANTLA	20 Dec 2025	20 Dec 2025	ELANGO VAN .. BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 10m 15s	Senior Chemist	1168 - BIJAY KETAN MANGARAJ

Amme... - 7

**Downloaded By:** YERRAGUDI VENKATESH

**Downloaded Date:** 19 May 2026 09:55:08

This is electronically generated report and there is no need of any manual signature

## Document Completed Training Report

**Department** : Environment Health and Safety  
**Document Number** : SPL2/EHS/SOP/GEN/0014  
**Version Number** : 01  
**Source** : Document  
**Document Name** : HANDLING OF HAZARDOUS CHEMICALS

**Doc Type / Content Type** : SOP/GEN  
**From Date** : N/A  
**To Date** : N/A  
**Total Trained Duration** : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1243-SHARANAPPA NAMMAKAM	20 Dec 2025	29 Dec 2025	ELANGO VAN .. BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 1s	Senior Assistant	6645 - CHANDRASHEKAR SHANTAMALL APPA DUDHANI
1247-SIDDHARTHA REDDY PAMURI	20 Dec 2025	23 Dec 2025	ELANGO VAN .. BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 2s	Senior Executive	4866 - DIVI VENUGOPAL
1248-DEVARAJA .	20 Dec 2025	27 Dec 2025	ELANGO VAN .. BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 32s	Senior Manager	1168 - BIJAY KETAN MANGARAJ

Annexure-7

**Downloaded By:** YERRAGUDI VENKATESH

**Downloaded Date:** 19 May 2026 .09:55:08

**This is electronically generated report and there is no need of any manual signature**

## Document Completed Training Report

**Department** : Environment Health and Safety  
**Document Number** : SPL2/EHS/SOP/GEN/0014  
**Version Number** : 01  
**Source** : Document  
**Document Name** : HANDLING OF HAZARDOUS CHEMICALS

**Doc Type / Content Type** : SOP/GEN  
**From Date** : N/A  
**To Date** : N/A  
**Total Trained Duration** : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1251-SANDEEP GADDYAPPA VADIGERI	20 Dec 2025	02 Jan 2026	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 19m 0s	Deputy Manager	4332 - MANJUNATHA D N
1257-NARASIMAHLU GADWAL	20 Dec 2025	24 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 9m 27s	Senior Assistant	6645 - CHANDRASHEKAR SHANTAMALL APPA DUDHANI
1262-VENKATA SUBBA REDDY DHANI REDDY	20 Dec 2025	01 Jan 2026	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 11m 46s	Senior Executive	1198 - SASIDHAR AVULA

Annexure - 7

**Downloaded By:** YERRAGUDI VENKATESH

**Downloaded Date:** 19 May 2026 09:55:08

**This is electronically generated report and there is no need of any manual signature**

## Document Completed Training Report

**Department** : Environment Health and Safety  
**Document Number** : SPL2/EHS/SOP/GEN/0014  
**Version Number** : 01  
**Source** : Document  
**Document Name** : HANDLING OF HAZARDOUS CHEMICALS

**Doc Type / Content Type** : SOP/GEN  
**From Date** : N/A  
**To Date** : N/A  
**Total Trained Duration** : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1304-UMESH JALKOTE	20 Dec 2025	20 Dec 2025	ELANGO VAN .. BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 10m 58s	Senior Chemist	1372 - NAGESWARA RAO GUDAVALLI
1307-ARUN KUMAR GUNJANUR	20 Dec 2025	22 Dec 2025	ELANGO VAN .. BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 7m 12s	Senior Chemist	1209 - DEVENDRA PRATAP SINGH
1308-PRAVEEN KUMAR GADWAL	20 Dec 2025	23 Dec 2025	ELANGO VAN .. BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 8m 8s	Senior Chemist	1355 - ARUN KUMAR SINGH
1310-SRINIVAS AVULA	20 Dec 2025	03 Jan 2026	ELANGO VAN .. BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 9s	Executive	1198 - SASIDHAR AVULA

Annexure-7

**Downloaded By:** YERRAGUDI VENKATESH

**Downloaded Date:** 19 May 2026 09:55:08

This is electronically generated report and there is no need of any manual signature

## Document Completed Training Report

**Department** : Environment Health and Safety  
**Document Number** : SPL2/EHS/SOP/GEN/0014  
**Version Number** : 01  
**Source** : Document  
**Document Name** : HANDLING OF HAZARDOUS CHEMICALS

**Doc Type / Content Type** : SOP/GEN  
**From Date** : N/A  
**To Date** : N/A  
**Total Trained Duration** : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1318-SRINIVASA RAO KODALI	20 Dec 2025	20 Dec 2025	ELANGO VAN .. BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 16s	Assistant Manager	4332 - MANJUNATHA D N
1321-ANIL GANGADHAR BOLLINENI	20 Dec 2025	21 Dec 2025	ELANGO VAN .. BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 46s	Senior Executive	4866 - DIVI VENUGOPAL
1347-SUMAN MIDDE	20 Dec 2025	22 Dec 2025	ELANGO VAN .. BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 10m 4s	Senior Executive	1355 - ARUN KUMAR SINGH
1355-ARUN KUMAR SINGH	20 Dec 2025	23 Dec 2025	ELANGO VAN .. BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 16m 16s	Senior Manager	1045 - VEERESHAPPA

Annexure - 7

**Downloaded By:** YERRAGUDI VENKATESH

**Downloaded Date:** 19 May 2026 09:55:08

**This is electronically generated report and there is no need of any manual signature**

## Document Completed Training Report

**Department** : Environment Health and Safety  
**Document Number** : SPL2/EHS/SOP/GEN/0014  
**Version Number** : 01  
**Source** : Document  
**Document Name** : HANDLING OF HAZARDOUS CHEMICALS

**Doc Type / Content Type** : SOP/GEN  
**From Date** : N/A  
**To Date** : N/A  
**Total Trained Duration** : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1360-LAKSHMI KANTH .	20 Dec 2025	24 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 14s	Chemist	1168 - BIJAY KETAN MANGARAJ
1364-NAGESHWAR RAO PADAMATI	20 Dec 2025	23 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 7m 6s	Senior Executive	1209 - DEVENDRA PRATAP SINGH
1372-NAGESWARA RAO GUDAVALLI	20 Dec 2025	20 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 10s	Assistant Manager	1045 - VEERESHAPPA
1389-GURUNATH LOMADA	20 Dec 2025	21 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 17s	Senior Executive	1168 - BIJAY KETAN MANGARAJ

Annex-7

**Downloaded By:** YERRAGUDI VENKATESH

**Downloaded Date:** 19 May 2026 09:55:08

**This is electronically generated report and there is no need of any manual signature**

## Document Completed Training Report

**Department** : Environment Health and Safety  
**Document Number** : SPL2/EHS/SOP/GEN/0014  
**Version Number** : 01  
**Source** : Document  
**Document Name** : HANDLING OF HAZARDOUS CHEMICALS

**Doc Type / Content Type** : SOP/GEN  
**From Date** : N/A  
**To Date** : N/A  
**Total Trained Duration** : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1394-SURESH AKKENA	20 Dec 2025	20 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 6m 18s	Executive	6808 - ELANGO VAN .
1404-KRISHNA .	20 Dec 2025	31 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 11m 36s	Senior Executive	4332 - MANJUNATHA D N
1406-SHIVARAJ JOJAN	20 Dec 2025	21 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 11m 10s	Senior Executive	1168 - BIJAY KETAN MANGARAJ
1411-VITTHAL ABASO BABAR	20 Dec 2025	01 Jan 2026	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 10m 4s	Senior Executive	4866 - DIVI VENUGOPAL

Annexure - 7

**Downloaded By:** YERRAGUDI VENKATESH

**Downloaded Date:** 19 May 2026 09:55:08

**This is electronically generated report and there is no need of any manual signature**

## Document Completed Training Report

**Department** : Environment Health and Safety  
**Document Number** : SPL2/EHS/SOP/GEN/0014  
**Version Number** : 01  
**Source** : Document  
**Document Name** : HANDLING OF HAZARDOUS CHEMICALS

**Doc Type / Content Type** : SOP/GEN  
**From Date** : N/A  
**To Date** : N/A  
**Total Trained Duration** : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1413-SHIVYOGI SHANKAR KOGNURE	20 Dec 2025	24 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 7m 6s	Senior Executive	1209 - DEVENDRA PRATAP SINGH
1418-SURESH SHIVAMURTHI	20 Dec 2025	21 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 10m 3s	Senior Chemist	4866 - DIVI VENUGOPAL
1482-S P PRABHAKAR SIDDESHWAR KUMBHAR	20 Dec 2025	24 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 12m 22s	Senior Executive	1372 - NAGESWARA RAO GUDAVALLI
1483-SUDHAKAR CHINDUKURI	20 Dec 2025	25 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 16s	Senior Executive	4866 - DIVI VENUGOPAL

Annexure-7

**Downloaded By:** YERRAGUDI VENKATESH

**Downloaded Date:** 19 May 2026 09:55:08

**This is electronically generated report and there is no need of any manual signature**

## Document Completed Training Report

**Department** : Environment Health and Safety  
**Document Number** : SPL2/EHS/SOP/GEN/0014  
**Version Number** : 01  
**Source** : Document  
**Document Name** : HANDLING OF HAZARDOUS CHEMICALS

**Doc Type / Content Type** : SOP/GEN  
**From Date** : N/A  
**To Date** : N/A  
**Total Trained Duration** : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1486-SURESH GOUD SHAGALA	20 Dec 2025	22 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 29s	Senior Executive	1168 - BIJAY KETAN MANGARAJ
1495-BALAVEERIAIAH VALADASU	20 Dec 2025	22 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 10m 17s	Shift Incharge	4866 - DIVI VENUGOPAL
1496-PRASANNA RAVINDRA DHANSHETTI	20 Dec 2025	20 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 19s	Assistant Manager	1209 - DEVENDRA PRATAP SINGH

Annexure-7

Downloaded By: YERRAGUDI VENKATESH

Downloaded Date: 19 May 2026 09:55:08

This is electronically generated report and there is no need of any manual signature

## Document Completed Training Report

**Department** : Environment Health and Safety  
**Document Number** : SPL2/EHS/SOP/GEN/0014  
**Version Number** : 01  
**Source** : Document  
**Document Name** : HANDLING OF HAZARDOUS CHEMICALS

**Doc Type / Content Type** : SOP/GEN  
**From Date** : N/A  
**To Date** : N/A  
**Total Trained Duration** : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1563-LINGA REDDY BANAVASI	20 Dec 2025	25 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 7m 35s	Senior Assistant	6645 - CHANDRASHEKAR SHANTAMALL APPA DUDHANI
1569-SURESH KUMAR REDDY PATCHARLA	20 Dec 2025	25 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 10s	Senior Executive	1168 - BIJAY KETAN MANGARAJ
1581-V.N.PRASAD ANDE	20 Dec 2025	30 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 6m 4s	Assistant general manager	1168 - BIJAY KETAN MANGARAJ

Annexure - 7

**Downloaded By:** YERRAGUDI VENKATESH

**Downloaded Date:** 19 May 2026 09:55:08

**This is electronically generated report and there is no need of any manual signature**

## Document Completed Training Report

**Department** : Environment Health and Safety  
**Document Number** : SPL2/EHS/SOP/GEN/0014  
**Version Number** : 01  
**Source** : Document  
**Document Name** : HANDLING OF HAZARDOUS CHEMICALS

**Doc Type / Content Type** : SOP/GEN  
**From Date** : N/A  
**To Date** : N/A  
**Total Trained Duration** : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1604-G.NAGARJUNA .	20 Dec 2025	26 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 3s	Deputy Manager	1209 - DEVENDRA PRATAP SINGH
1610-JALANDAR PASULA	20 Dec 2025	30 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 10m 28s	Senior Executive	1168 - BIJAY KETAN MANGARAJ
1627-EDIGA KHAJAN GOUD	20 Dec 2025	22 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 16m 19s	Executive	1168 - BIJAY KETAN MANGARAJ
1679-M.NARESH KUMAR	20 Dec 2025	23 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 6s	Senior Executive	1355 - ARUN KUMAR SINGH

Annexure-7

**Downloaded By:** YERRAGUDI VENKATESH

**Downloaded Date:** 19 May 2026 09:55:08

**This is electronically generated report and there is no need of any manual signature**

## Document Completed Training Report

**Department** : Environment Health and Safety  
**Document Number** : SPL2/EHS/SOP/GEN/0014  
**Version Number** : 01  
**Source** : Document  
**Document Name** : HANDLING OF HAZARDOUS CHEMICALS

**Doc Type / Content Type** : SOP/GEN  
**From Date** : N/A  
**To Date** : N/A  
**Total Trained Duration** : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1697-YOGESH PATIL	20 Dec 2025	20 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 30s	Executive	4332 - MANJUNATHA D N
1784-CHINNA MASUM KASANNA GARI	20 Dec 2025	25 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 6m 6s	Executive	1168 - BIJAY KETAN MANGARAJ
1793-MEENAPPA MADIGA	20 Dec 2025	24 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 10m 13s	Deputy Manager	4332 - MANJUNATHA D N
1798-RAJA KUMAR ANIPE	20 Dec 2025	29 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 2s	Senior Executive	1168 - BIJAY KETAN MANGARAJ

Annexure - 7

Downloaded By: YERRAGUDI VENKATESH

Downloaded Date: 19 May 2026 09:55:08

This is electronically generated report and there is no need of any manual signature

## Document Completed Training Report

**Department** : Environment Health and Safety  
**Document Number** : SPL2/EHS/SOP/GEN/0014  
**Version Number** : 01  
**Source** : Document  
**Document Name** : HANDLING OF HAZARDOUS CHEMICALS

**Doc Type / Content Type** : SOP/GEN  
**From Date** : N/A  
**To Date** : N/A  
**Total Trained Duration** : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1842-HARI OM KUMAR	20 Dec 2025	05 Jan 2026	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 3s	Executive	1198 - SASIDHAR AVULA
1846-PULLA GOWREDDY	20 Dec 2025	21 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 10m 30s	Senior Executive	1168 - BIJAY KETAN MANGARAJ
1913-DEVARAJA .	20 Dec 2025	25 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 2s	Assistant	6645 - CHANDRASHEKAR SHANTAMALL APPA DUDHANI

Appendix-7

Downloaded By: YERRAGUDI VENKATESH

Downloaded Date: 19 May 2026 09:55:08

This is electronically generated report and there is no need of any manual signature

## Document Completed Training Report

**Department** : Environment Health and Safety  
**Document Number** : SPL2/EHS/SOP/GEN/0014  
**Version Number** : 01  
**Source** : Document  
**Document Name** : HANDLING OF HAZARDOUS CHEMICALS

**Doc Type / Content Type** : SOP/GEN  
**From Date** : N/A  
**To Date** : N/A  
**Total Trained Duration** : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1916-VIVEKANAND HOSUR	20 Dec 2025	29 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 43s	Executive	1168 - BIJAY KETAN MANGARAJ
1937-NARASIMHA MURTHY VENKATA NANDURI	20 Dec 2025	29 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 18s	Assistant Manager	7539 - SHANI PT
1945-ESWAR RAO BANISETTI	20 Dec 2025	27 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 6m 22s	Deputy Manager	1355 - ARUN KUMAR SINGH
1958-M RAMU .	20 Dec 2025	22 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 45s	Deputy Manager	7539 - SHANI PT

Annexure - 7

**Downloaded By:** YERRAGUDI VENKATESH

**Downloaded Date:** 19 May 2026 09:55:08

**This is electronically generated report and there is no need of any manual signature**

## Document Completed Training Report

**Department** : Environment Health and Safety  
**Document Number** : SPL2/EHS/SOP/GEN/0014  
**Version Number** : 01  
**Source** : Document  
**Document Name** : HANDLING OF HAZARDOUS CHEMICALS

**Doc Type / Content Type** : SOP/GEN  
**From Date** : N/A  
**To Date** : N/A  
**Total Trained Duration** : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1962-RANGA RAO BAGGU	20 Dec 2025	31 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 12m 15s	Senior Executive	1198 - SASIDHAR AVULA
1974-VENKATARA O SAANA	20 Dec 2025	21 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 13s	Executive	4866 - DIVI VENUGOPAL
1978-CHANUKYA SHAU KAR	20 Dec 2025	27 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 7m 4s	Executive	1168 - BIJAY KETAN MANGARAJ
2006-JINDOBA KASHINATH WAGHMODE	20 Dec 2025	28 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 11m 24s	Senior Executive	7539 - SHANI PT

Annexure-7

**Downloaded By:** YERRAGUDI VENKATESH

**Downloaded Date:** 19 May 2026 09:55:08

This is electronically generated report and there is no need of any manual signature

## Document Completed Training Report

**Department** : Environment Health and Safety  
**Document Number** : SPL2/EHS/SOP/GEN/0014  
**Version Number** : 01  
**Source** : Document  
**Document Name** : HANDLING OF HAZARDOUS CHEMICALS

**Doc Type / Content Type** : SOP/GEN  
**From Date** : N/A  
**To Date** : N/A  
**Total Trained Duration** : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
2025-ALURE VASANT	20 Dec 2025	21 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 43s	Senior Executive	7539 - SHANI PT
2027-SANTHOSH MIRJI	20 Dec 2025	26 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 8m 41s	Executive	4332 - MANJUNATHA D N
2033-PAVAN BIJI	20 Dec 2025	21 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 9m 14s	Executive	1168 - BIJAY KETAN MANGARAJ
2040-DEVA KUMAR AMBIGAR	20 Dec 2025	01 Jan 2026	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 13m 26s	Executive	1168 - BIJAY KETAN MANGARAJ

Annexure-7

**Downloaded By:** YERRAGUDI VENKATESH

**Downloaded Date:** 19 May 2026 09:55:08

**This is electronically generated report and there is no need of any manual signature**

## Document Completed Training Report

**Department** : Environment Health and Safety  
**Document Number** : SPL2/EHS/SOP/GEN/0014  
**Version Number** : 01  
**Source** : Document  
**Document Name** : HANDLING OF HAZARDOUS CHEMICALS

**Doc Type / Content Type** : SOP/GEN  
**From Date** : N/A  
**To Date** : N/A  
**Total Trained Duration** : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
2059-MAHESH NARASU BHANDARI	20 Dec 2025	02 Jan 2026	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 12m 5s	Executive	4332 - MANJUNATHA D N
2075-RAMESH BABU YKKALURI	20 Dec 2025	02 Jan 2026	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 11m 15s	Executive	1198 - SASIDHAR AVULA
2078-NAGARAJU EEDA	20 Dec 2025	02 Jan 2026	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 6m 10s	Senior Executive	1168 - BIJAY KETAN MANGARAJ
2085-SRIHARI RAO EMANI	20 Dec 2025	10 Jan 2026	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 10m 40s	Assistant Manager	7539 - SHANI PT

Annexure - 7

**Downloaded By:** YERRAGUDI VENKATESH

**Downloaded Date:** 19 May 2026 09:55:08

**This is electronically generated report and there is no need of any manual signature**

## Document Completed Training Report

**Department** : Environment Health and Safety  
**Document Number** : SPL2/EHS/SOP/GEN/0014  
**Version Number** : 01  
**Source** : Document  
**Document Name** : HANDLING OF HAZARDOUS CHEMICALS

**Doc Type / Content Type** : SOP/GEN  
**From Date** : N/A  
**To Date** : N/A  
**Total Trained Duration** : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
2113-RAJAGOPAL ONTERU	20 Dec 2025	23 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 17s	Executive	4866 - DIVI VENUGOPAL
2127-MALLESU DALAVAI	20 Dec 2025	22 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 15s	Senior Executive	5528 - NAGARAJU GAMIDI
2134-VENKATA PRASAD KONDAPALLI	20 Dec 2025	27 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 4s	Executive	1355 - ARUN KUMAR SINGH
2138-SIVAPRASAD REDDY MUNAGALA	20 Dec 2025	29 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 4s	Senior Executive	1168 - BIJAY KETAN MANGARAJ

Annexure - 7

**Downloaded By:** YERRAGUDI VENKATESH

**Downloaded Date:** 19 May 2026 09:55:08

**This is electronically generated report and there is no need of any manual signature**

## Document Completed Training Report

**Department** : Environment Health and Safety  
**Document Number** : SPL2/EHS/SOP/GEN/0014  
**Version Number** : 01  
**Source** : Document  
**Document Name** : HANDLING OF HAZARDOUS CHEMICALS

**Doc Type / Content Type** : SOP/GEN  
**From Date** : N/A  
**To Date** : N/A  
**Total Trained Duration** : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
2142-AMAR SARODE	20 Dec 2025	20 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 4s	Executive	4332 - MANJUNATHA D N
2193-SOMANATH REDDY GADDAM	20 Dec 2025	21 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 10m 3s	Executive	1168 - BIJAY KETAN MANGARAJ
2194-KOVELAKUNTLA VENKATESWARLU	20 Dec 2025	26 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 6m 31s	Executive	7539 - SHANI PT
2199-OMPRAKASH .	20 Dec 2025	30 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 23s	Executive	1168 - BIJAY KETAN MANGARAJ

Amesure - 7

**Downloaded By:** YERRAGUDI VENKATESH

**Downloaded Date:** 19 May 2026 09:55:08

This is electronically generated report and there is no need of any manual signature

## Document Completed Training Report

**Department** : Environment Health and Safety  
**Document Number** : SPL2/EHS/SOP/GEN/0014  
**Version Number** : 01  
**Source** : Document  
**Document Name** : HANDLING OF HAZARDOUS CHEMICALS

**Doc Type / Content Type** : SOP/GEN  
**From Date** : N/A  
**To Date** : N/A  
**Total Trained Duration** : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
2212-K SANKAR	20 Dec 2025	24 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 11m 6s	Senior Executive	1372 - NAGESWARA RAO GUDAVALLI
2214-SHRISHAIL SHIVASHARANAPP A BAMBASE	20 Dec 2025	21 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 1s	Shift Incharge	7539 - SHANI PT
2229-DEVI KRISHNA GUJJULA	20 Dec 2025	03 Jan 2026	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 15s	Senior Executive	1198 - SASIDHAR AVULA
2236-BOLLA SURENDRA REDDY	20 Dec 2025	22 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 11m 11s	Deputy Manager	1209 - DEVENDRA PRATAP SINGH

Approved - f

**Downloaded By:** YERRAGUDI VENKATESH

**Downloaded Date:** 19 May 2026 09:55:08

**This is electronically generated report and there is no need of any manual signature**

## Document Completed Training Report

**Department** : Environment Health and Safety  
**Document Number** : SPL2/EHS/SOP/GEN/0014  
**Version Number** : 01  
**Source** : Document  
**Document Name** : HANDLING OF HAZARDOUS CHEMICALS

**Doc Type / Content Type** : SOP/GEN  
**From Date** : N/A  
**To Date** : N/A  
**Total Trained Duration** : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
2271-ARVIND CHANDRAKANT BALKUNDI	20 Dec 2025	26 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 9s	Senior Executive	1168 - BIJAY KETAN MANGARAJ
2307-AVULARAJU POKALA	20 Dec 2025	24 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 17m 16s	Executive	4866 - DIVI VENUGOPAL
2334-SHANKAR MEEDIGADA	20 Dec 2025	29 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 1s	Senior Executive	1209 - DEVENDRA PRATAP SINGH
2343-PRASADU NAKKA	20 Dec 2025	31 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 10m 8s	Executive	1168 - BIJAY KETAN MANGARAJ

Annexure - 7

**Downloaded By:** YERRAGUDI VENKATESH

**Downloaded Date:** 19 May 2026 09:55:08

This is electronically generated report and there is no need of any manual signature

## Document Completed Training Report

**Department** : Environment Health and Safety  
**Document Number** : SPL2/EHS/SOP/GEN/0014  
**Version Number** : 01  
**Source** : Document  
**Document Name** : HANDLING OF HAZARDOUS CHEMICALS

**Doc Type / Content Type** : SOP/GEN  
**From Date** : N/A  
**To Date** : N/A  
**Total Trained Duration** : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
2356-BHEEM RAYUDU KONKAL	20 Dec 2025	21 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 10m 2s	Senior Chemist	1168 - BIJAY KETAN MANGARAJ
2362-LINGARAJU CHOLAPPA BETTAPNOR	20 Dec 2025	22 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 9m 10s	Senior Chemist	1209 - DEVENDRA PRATAP SINGH
2404-BHEEMSINGH	20 Dec 2025	30 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 10m 16s	Senior Chemist	1168 - BIJAY KETAN MANGARAJ
2408-NISHANT KUMAR	20 Dec 2025	23 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 14s	Senior Executive	1209 - DEVENDRA PRATAP SINGH

Annexure - 7

**Downloaded By:** YERRAGUDI VENKATESH

**Downloaded Date:** 19 May 2026 09:55:08

**This is electronically generated report and there is no need of any manual signature**

## Document Completed Training Report

**Department** : Environment Health and Safety  
**Document Number** : SPL2/EHS/SOP/GEN/0014  
**Version Number** : 01  
**Source** : Document  
**Document Name** : HANDLING OF HAZARDOUS CHEMICALS

**Doc Type / Content Type** : SOP/GEN  
**From Date** : N/A  
**To Date** : N/A  
**Total Trained Duration** : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
2409-BRAHMAIAH MANDADAPU	20 Dec 2025	26 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 6m 17s	Assistant Manager	7539 - SHANI PT
2412-MADARVALI SYED	20 Dec 2025	21 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 5s	Senior Executive	1209 - DEVENDRA PRATAP SINGH
2502-VIDYADHAR CHIUVERI	20 Dec 2025	21 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 47s	Executive	1209 - DEVENDRA PRATAP SINGH
2546-SHARANABASAVA REVANNASID KULKARNI	20 Dec 2025	22 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 36s	Assistant Manager	4332 - MANJUNATHA D N

Annexure - 7

**Downloaded By:** YERRAGUDI VENKATESH

**Downloaded Date:** 19 May 2026 09:55:08

This is electronically generated report and there is no need of any manual signature

## Document Completed Training Report

**Department** : Environment Health and Safety  
**Document Number** : SPL2/EHS/SOP/GEN/0014  
**Version Number** : 01  
**Source** : Document  
**Document Name** : HANDLING OF HAZARDOUS CHEMICALS

**Doc Type / Content Type** : SOP/GEN  
**From Date** : N/A  
**To Date** : N/A  
**Total Trained Duration** : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
2601-MULAPARTHI SAMRAJ	20 Dec 2025	20 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 10m 20s	Senior Executive	7539 - SHANI PT
2636-B.SHIVA KUMAR	20 Dec 2025	02 Jan 2026	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 43s	Assistant Manager	1198 - SASIDHAR AVULA
2637-NAGA SAI KOLLIPARA	20 Dec 2025	26 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 5s	Executive	1355 - ARUN KUMAR SINGH
2695-NARESH BHANDARIGAL	20 Dec 2025	08 Jan 2026	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 35s	Engineer	4332 - MANJUNATHA D N

Annexure - 7

**Downloaded By:** YERRAGUDI VENKATESH

**Downloaded Date:** 19 May 2026 09:55:08

**This is electronically generated report and there is no need of any manual signature**

## Document Completed Training Report

**Department** : Environment Health and Safety  
**Document Number** : SPL2/EHS/SOP/GEN/0014  
**Version Number** : 01  
**Source** : Document  
**Document Name** : HANDLING OF HAZARDOUS CHEMICALS

**Doc Type / Content Type** : SOP/GEN  
**From Date** : N/A  
**To Date** : N/A  
**Total Trained Duration** : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
2787-RAJEEV PERIMI	20 Dec 2025	22 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 14m 54s	Senior Executive	7539 - SHANI PT
2789-SRINIVASULU REDDY KONDA	20 Dec 2025	25 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 15m 43s	Executive	6808 - ELANGO VAN .
2793-IRFAN MAHAMMAD	20 Dec 2025	30 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 11s	Senior Chemist	1168 - BIJAY KETAN MANGARAJ
2796-G SUBRAMANYAM REDDY	20 Dec 2025	25 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 15m 32s	Senior Executive	1209 - DEVENDRA PRATAP SINGH

Annexure - 7

**Downloaded By:** YERRAGUDI VENKATESH

**Downloaded Date:** 19 May 2026 09:55:08

**This is electronically generated report and there is no need of any manual signature**

## Document Completed Training Report

**Department** : Environment Health and Safety  
**Document Number** : SPL2/EHS/SOP/GEN/0014  
**Version Number** : 01  
**Source** : Document  
**Document Name** : HANDLING OF HAZARDOUS CHEMICALS

**Doc Type / Content Type** : SOP/GEN  
**From Date** : N/A  
**To Date** : N/A  
**Total Trained Duration** : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
2834-SAMEER M	20 Dec 2025	20 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 20s	Assistant	6645 - CHANDRASHE KAR SHANTAMALL APPA DUDHANI
2837-SRINIVAS REDDY NARAVA	20 Dec 2025	26 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 39s	Executive	1168 - BIJAY KETAN MANGARAJ
2849- EDUKONDALU PAGOLU	20 Dec 2025	27 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 6m 0s	Senior Executive	4866 - DIVI VENUGOPAL

Amesure-7

**Downloaded By:** YERRAGUDI VENKATESH

**Downloaded Date:** 19 May 2026 09:55:08

This is electronically generated report and there is no need of any manual signature

## Document Completed Training Report

**Department** : Environment Health and Safety  
**Document Number** : SPL2/EHS/SOP/GEN/0014  
**Version Number** : 01  
**Source** : Document  
**Document Name** : HANDLING OF HAZARDOUS CHEMICALS

**Doc Type / Content Type** : SOP/GEN  
**From Date** : N/A  
**To Date** : N/A  
**Total Trained Duration** : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
2884-SRINIVASA RAO MUVVALA	20 Dec 2025	21 Dec 2025	ELANGO VAN .. BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 9s	Senior Executive	4866 - DIVI VENUGOPAL
2895-J RAGHAVENDRA YADAV	20 Dec 2025	21 Dec 2025	ELANGO VAN .. BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 9s	Senior Executive	1168 - BIJAY KETAN MANGARAJ
2900-GUNTI VENKATESWARLU	20 Dec 2025	23 Dec 2025	ELANGO VAN .. BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 10m 15s	Senior Executive	1355 - ARUN KUMAR SINGH
2908-PURAMSHETTI SRINIVAS	20 Dec 2025	21 Dec 2025	ELANGO VAN .. BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 9m 1s	Senior Executive	1355 - ARUN KUMAR SINGH

Annexure - 7

**Downloaded By:** YERRAGUDI VENKATESH

**Downloaded Date:** 19 May 2026 09:55:08

**This is electronically generated report and there is no need of any manual signature**

## Document Completed Training Report

**Department** : Environment Health and Safety  
**Document Number** : SPL2/EHS/SOP/GEN/0014  
**Version Number** : 01  
**Source** : Document  
**Document Name** : HANDLING OF HAZARDOUS CHEMICALS

**Doc Type / Content Type** : SOP/GEN  
**From Date** : N/A  
**To Date** : N/A  
**Total Trained Duration** : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
2911-BOYINI PARUSHURAM	20 Dec 2025	07 Jan 2026	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 3s	Executive	1355 - ARUN KUMAR SINGH
2919-NAVEEN SAMGAPU	20 Dec 2025	29 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 3s	Executive	5528 - NAGARAJU GAMIDI
2922-VSV PRASAD AKULA	20 Dec 2025	28 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 12s	Senior Executive	1355 - ARUN KUMAR SINGH
2952-ATTUNURU PRASAD REDDY	20 Dec 2025	26 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 6m 35s	Assistant Manager	1209 - DEVENDRA PRATAP SINGH

Annexure-7

**Downloaded By:** YERRAGUDI VENKATESH

**Downloaded Date:** 19 May 2026 09:55:08

**This is electronically generated report and there is no need of any manual signature**

## Document Completed Training Report

**Department** : Environment Health and Safety  
**Document Number** : SPL2/EHS/SOP/GEN/0014  
**Version Number** : 01  
**Source** : Document  
**Document Name** : HANDLING OF HAZARDOUS CHEMICALS

**Doc Type / Content Type** : SOP/GEN  
**From Date** : N/A  
**To Date** : N/A  
**Total Trained Duration** : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
2972-CHANDRA SEKHAR KUMMARI	20 Dec 2025	30 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 4s	Senior Chemist	1168 - BIJAY KETAN MANGARAJ
2995-ARAVIND GIDDALUR	20 Dec 2025	26 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 10s	Senior Executive	1355 - ARUN KUMAR SINGH
3017-KASI SANDEEP BURUGUPALLI	20 Dec 2025	23 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 16m 35s	Senior Executive	5528 - NAGARAJU GAMIDI
3019-FAYAZ AHMAD SHAIK	20 Dec 2025	28 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 13m 13s	Senior Executive	5528 - NAGARAJU GAMIDI

Annexure - 7

Downloaded By: YERRAGUDI VENKATESH

Downloaded Date: 19 May 2026 09:55:08

This is electronically generated report and there is no need of any manual signature

## Document Completed Training Report

**Department** : Environment Health and Safety  
**Document Number** : SPL2/EHS/SOP/GEN/0014  
**Version Number** : 01  
**Source** : Document  
**Document Name** : HANDLING OF HAZARDOUS CHEMICALS

**Doc Type / Content Type** : SOP/GEN  
**From Date** : N/A  
**To Date** : N/A  
**Total Trained Duration** : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
3090-RAKESH KUMAR K	20 Dec 2025	22 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 11s	Site Incharge	4332 - MANJUNATHA D N
3100-THONDAMALLA VENKATA PRAVEEN KUMAR	20 Dec 2025	22 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 1s	Executive	7539 - SHANI PT
3152-SUDHIR PATANGE	20 Dec 2025	06 Jan 2026	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 6m 51s	Engineer	4332 - MANJUNATHA D N
3323-PURNAPRAJNA KULKARNI	20 Dec 2025	28 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 34s	Senior Chemist	1168 - BIJAY KETAN MANGARAJ

Annexure-7

**Downloaded By:** YERRAGUDI VENKATESH

**Downloaded Date:** 19 May 2026 09:55:08

**This is electronically generated report and there is no need of any manual signature**

## Document Completed Training Report

**Department** : Environment Health and Safety  
**Document Number** : SPL2/EHS/SOP/GEN/0014  
**Version Number** : 01  
**Source** : Document  
**Document Name** : HANDLING OF HAZARDOUS CHEMICALS

**Doc Type / Content Type** : SOP/GEN  
**From Date** : N/A  
**To Date** : N/A  
**Total Trained Duration** : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
3382-LEELA MOHAN BURRA	20 Dec 2025	28 Dec 2025	ELANGO VAN .. BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 9s	Executive	1168 - BIJAY KETAN MANGARAJ
3406-VAIBHAV VILAS DESHPANDE	20 Dec 2025	26 Dec 2025	ELANGO VAN .. BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 56s	Senior Executive	7539 - SHANI PT
3421-RAJSHEKHAR BHIMASHA GAIKWAD	20 Dec 2025	25 Dec 2025	ELANGO VAN .. BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 6m 2s	Deputy Manager	1355 - ARUN KUMAR SINGH
3476-MASULDAR ABDUL ZABER SHAIK	20 Dec 2025	22 Dec 2025	ELANGO VAN .. BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 34s	Executive	7539 - SHANI PT

Annexure - 7

**Downloaded By:** YERRAGUDI VENKATESH

**Downloaded Date:** 19 May 2026 09:55:08

**This is electronically generated report and there is no need of any manual signature**

## Document Completed Training Report

**Department** : Environment Health and Safety  
**Document Number** : SPL2/EHS/SOP/GEN/0014  
**Version Number** : 01  
**Source** : Document  
**Document Name** : HANDLING OF HAZARDOUS CHEMICALS

**Doc Type / Content Type** : SOP/GEN  
**From Date** : N/A  
**To Date** : N/A  
**Total Trained Duration** : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
3481-BALACHANDAR B	20 Dec 2025	27 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 20s	Senior Executive	7539 - SHANI PT
3523-AMARSING KISANSING RAJPUT	20 Dec 2025	21 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 10m 6s	Senior Executive	1209 - DEVENDRA PRATAP SINGH
3573-AVINASH DIGAMBAR BHALERAO	20 Dec 2025	25 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 12m 28s	Senior Executive	1209 - DEVENDRA PRATAP SINGH
3612-SANTHOSH RAJU POSANI	20 Dec 2025	22 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 3s	Executive	1168 - BIJAY KETAN MANGARAJ

Annexure - 7

**Downloaded By:** YERRAGUDI VENKATESH

**Downloaded Date:** 19 May 2026 09:55:08

**This is electronically generated report and there is no need of any manual signature**

## Document Completed Training Report

**Department** : Environment Health and Safety  
**Document Number** : SPL2/EHS/SOP/GEN/0014  
**Version Number** : 01  
**Source** : Document  
**Document Name** : HANDLING OF HAZARDOUS CHEMICALS

**Doc Type / Content Type** : SOP/GEN  
**From Date** : N/A  
**To Date** : N/A  
**Total Trained Duration** : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
3644-PRASHANT KALYANI GUNDURE	20 Dec 2025	21 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 6m 27s	Executive	1372 - NAGESWARA RAO GUDAVALLI
3776-RAJASHEKHAR .	20 Dec 2025	30 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 46s	Executive	1355 - ARUN KUMAR SINGH
3784-NARASIMHULU AMJALA	20 Dec 2025	30 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 9s	Chemist	6808 - ELANGO VAN .
3785-G PRATAP REDDY .	20 Dec 2025	04 Feb 2026	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 13m 29s	Senior Executive	1168 - BIJAY KETAN MANGARAJ

Annexure - 7

**Downloaded By:** YERRAGUDI VENKATESH

**Downloaded Date:** 19 May 2026 09:55:08

**This is electronically generated report and there is no need of any manual signature**

## Document Completed Training Report

**Department** : Environment Health and Safety  
**Document Number** : SPL2/EHS/SOP/GEN/0014  
**Version Number** : 01  
**Source** : Document  
**Document Name** : HANDLING OF HAZARDOUS CHEMICALS

**Doc Type / Content Type** : SOP/GEN  
**From Date** : N/A  
**To Date** : N/A  
**Total Trained Duration** : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
3822-KADATHALA SRAVAN GOUD	20 Dec 2025	25 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 13m 42s	Executive	1355 - ARUN KUMAR SINGH
3853-KALLIPATI NAGABHUSHANA M .	20 Dec 2025	28 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 10m 7s	Senior Executive	1168 - BIJAY KETAN MANGARAJ
3917-SANTOSH KUMAR	20 Dec 2025	21 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 13m 43s	Senior Executive	1372 - NAGESWARA RAO GUDAVALLI

Annexure-7

**Downloaded By:** YERRAGUDI VENKATESH

**Downloaded Date:** 19 May 2026 09:55:08

**This is electronically generated report and there is no need of any manual signature**

## Document Completed Training Report

**Department** : Environment Health and Safety  
**Document Number** : SPL2/EHS/SOP/GEN/0014  
**Version Number** : 01  
**Source** : Document  
**Document Name** : HANDLING OF HAZARDOUS CHEMICALS

**Doc Type / Content Type** : SOP/GEN  
**From Date** : N/A  
**To Date** : N/A  
**Total Trained Duration** : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
3920-RAMAKRISHNA K. S	20 Dec 2025	25 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 6s	Junior Executive	6645 - CHANDRASHEKAR SHANTAMALL APPA DUDHANI
3978-GIRISH MOHAN BHANDARE	20 Dec 2025	22 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 10m 28s	Manager	1045 - VEERESHAPPA
3996-ANILKUMAR POLISETTY	20 Dec 2025	27 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 10m 37s	Senior Executive	1209 - DEVENDRA PRATAP SINGH

Annexure-7

Downloaded By: YERRAGUDI VENKATESH

Downloaded Date: 19 May 2026 09:55:08

This is electronically generated report and there is no need of any manual signature

## Document Completed Training Report

**Department** : Environment Health and Safety  
**Document Number** : SPL2/EHS/SOP/GEN/0014  
**Version Number** : 01  
**Source** : Document  
**Document Name** : HANDLING OF HAZARDOUS CHEMICALS

**Doc Type / Content Type** : SOP/GEN  
**From Date** : N/A  
**To Date** : N/A  
**Total Trained Duration** : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
4000-BALAJI VAMANRAO HANDGE	20 Dec 2025	21 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 10m 47s	Senior Executive	4866 - DIVI VENUGOPAL
4078-YALLALING .	20 Dec 2025	27 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 1s	Senior Chemist	1168 - BIJAY KETAN MANGARAJ
4173-DEVIDAS DATTATRAY GUND	20 Dec 2025	31 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 5s	Chemist	1168 - BIJAY KETAN MANGARAJ
4324-BASWRAJ KALYANI GUNDURE	20 Dec 2025	24 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 6s	Senior Chemist	1355 - ARUN KUMAR SINGH

Annexure - 9

**Downloaded By:** YERRAGUDI VENKATESH

**Downloaded Date:** 19 May 2026 09:55:08

**This is electronically generated report and there is no need of any manual signature**

## Document Completed Training Report

**Department** : Environment Health and Safety

**Document Number** : SPL2/EHS/SOP/GEN/0014

**Version Number** : 01

**Source** : Document

**Document Name** : HANDLING OF HAZARDOUS CHEMICALS

**Doc Type / Content Type** : SOP/GEN

**From Date** : N/A

**To Date** : N/A

**Total Trained Duration** : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
4332-MANJUNATHA D N	20 Dec 2025	13 Feb 2026	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 15m 3s	Deputy General Manager	1013 - SHARATH REDDY KALKOTA
4344-BADRINATH .	20 Dec 2025	25 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 25s	Senior Chemist	4866 - DIVI VENUGOPAL
4412-VIRENDRA BHIMASHANKAR KALSHETTI	20 Dec 2025	20 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 11m 7s	Senior Chemist	7539 - SHANI PT
4453-P NAGARAJU .	20 Dec 2025	21 Jan 2026	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 2s	Executive	1198 - SASIDHAR AVULA

Annexure - 7

**Downloaded By:** YERRAGUDI VENKATESH

**Downloaded Date:** 19 May 2026 09:55:08

**This is electronically generated report and there is no need of any manual signature**

## Document Completed Training Report

**Department** : Environment Health and Safety  
**Document Number** : SPL2/EHS/SOP/GEN/0014  
**Version Number** : 01  
**Source** : Document  
**Document Name** : HANDLING OF HAZARDOUS CHEMICALS

**Doc Type / Content Type** : SOP/GEN  
**From Date** : N/A  
**To Date** : N/A  
**Total Trained Duration** : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
4454-PASUMARTHI OMKARESWARAR AO	20 Dec 2025	23 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 7s	Executive	7539 - SHANI PT
4606-SAGAR M	20 Dec 2025	24 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 6m 11s	Executive	1209 - DEVENDRA PRATAP SINGH
4609-UMESHA .	20 Dec 2025	02 Jan 2026	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 5s	Senior Chemist	1198 - SASIDHAR AVULA
4649-GOOTLO PAVAN KUMAR	20 Dec 2025	22 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 10m 14s	Executive	7539 - SHANI PT

Annexure-7

**Downloaded By:** YERRAGUDI VENKATESH

**Downloaded Date:** 19 May 2026 09:55:08

**This is electronically generated report and there is no need of any manual signature**

## Document Completed Training Report

**Department** : Environment Health and Safety  
**Document Number** : SPL2/EHS/SOP/GEN/0014  
**Version Number** : 01  
**Source** : Document  
**Document Name** : HANDLING OF HAZARDOUS CHEMICALS

**Doc Type / Content Type** : SOP/GEN  
**From Date** : N/A  
**To Date** : N/A  
**Total Trained Duration** : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
4666-PERUMALA SATISH KUMAR	20 Dec 2025	21 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 17m 24s	Senior Executive	1355 - ARUN KUMAR SINGH
4716-BIRENDRA KUMAR RANA	20 Dec 2025	22 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 10m 24s	Chemist	1168 - BIJAY KETAN MANGARAJ
4788-AMARRAYYA .	20 Dec 2025	21 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 12m 54s	Executive	4332 - MANJUNATHA D N
4799-DEEPAK GOVINDRAO NATKARE	20 Dec 2025	23 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 53s	Executive	4866 - DIVI VENUGOPAL

Annexure - 7

**Downloaded By:** YERRAGUDI VENKATESH

**Downloaded Date:** 19 May 2026 09:55:08

**This is electronically generated report and there is no need of any manual signature**

## Document Completed Training Report

**Department** : Environment Health and Safety  
**Document Number** : SPL2/EHS/SOP/GEN/0014  
**Version Number** : 01  
**Source** : Document  
**Document Name** : HANDLING OF HAZARDOUS CHEMICALS

**Doc Type / Content Type** : SOP/GEN  
**From Date** : N/A  
**To Date** : N/A  
**Total Trained Duration** : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
4826-GYANESHWAR MANIKRAO SHEP	20 Dec 2025	29 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 11m 11s	Manager	1168 - BIJAY KETAN MANGARAJ
4866-DIVI VENUGOPAL	20 Dec 2025	17 Jan 2026	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 20m 14s	Deputy Manager	3940 - GOVINDAPPA GALAGALI
4901-THAMATAM SANTI	20 Dec 2025	05 Jan 2026	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 33s	Senior Chemist	1198 - SASIDHAR AVULA
4980-MULAKA MADHU	20 Dec 2025	23 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 10m 37s	Deputy Manager	4332 - MANJUNATHA D N

Annexure-7

**Downloaded By:** YERRAGUDI VENKATESH

**Downloaded Date:** 19 May 2026 09:55:08

**This is electronically generated report and there is no need of any manual signature**

## Document Completed Training Report

**Department** : Environment Health and Safety

**Doc Type / Content Type** : SOP/GEN

**Document Number** : SPL2/EHS/SOP/GEN/0014

**From Date** : N/A

**Version Number** : 01

**To Date** : N/A

**Source** : Document

**Total Trained Duration** : 67h 28m 26s

**Document Name** : HANDLING OF HAZARDOUS CHEMICALS

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
4985-THEJA P	20 Dec 2025	30 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 10m 36s	Chemist	1168 - BIJAY KETAN MANGARAJ
5029- RAGHAVENDRA RAO K	20 Dec 2025	26 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 6m 19s	Senior Assistant	6645 - CHANDRASHE KAR SHANTAMALL APPA DUDHANI
5030-VIJAYA VIJAY BHASKAR K	20 Dec 2025	25 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 21m 2s	Executive	1209 - DEVENDRA PRATAP SINGH

Annexure-7

**Downloaded By:** YERRAGUDI VENKATESH

**Downloaded Date:** 19 May 2026 09:55:08

**This is electronically generated report and there is no need of any manual signature**

## Document Completed Training Report

**Department** : Environment Health and Safety  
**Document Number** : SPL2/EHS/SOP/GEN/0014  
**Version Number** : 01  
**Source** : Document  
**Document Name** : HANDLING OF HAZARDOUS CHEMICALS

**Doc Type / Content Type** : SOP/GEN  
**From Date** : N/A  
**To Date** : N/A  
**Total Trained Duration** : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
5155-PARAMESHWAR .	20 Dec 2025	30 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 16m 0s	Executive	1355 - ARUN KUMAR SINGH
5184-MADHAV VINAYAK KUMBHAR .	20 Dec 2025	01 Jan 2026	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 1s	Chemist	1168 - BIJAY KETAN MANGARAJ
5208-VIJAY KUMAR N	20 Dec 2025	23 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 6m 7s	Executive	6808 - ELANGO VAN .
5301-MAHESH MANIK VANVE	20 Dec 2025	02 Jan 2026	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 43s	Senior Chemist	1198 - SASIDHAR AVULA

Annexure - 7

**Downloaded By:** YERRAGUDI VENKATESH

**Downloaded Date:** 19 May 2026 09:55:08

**This is electronically generated report and there is no need of any manual signature**

## Document Completed Training Report

**Department** : Environment Health and Safety  
**Document Number** : SPL2/EHS/SOP/GEN/0014  
**Version Number** : 01  
**Source** : Document  
**Document Name** : HANDLING OF HAZARDOUS CHEMICALS

**Doc Type / Content Type** : SOP/GEN  
**From Date** : N/A  
**To Date** : N/A  
**Total Trained Duration** : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
5314-BASANA GOWDA C	20 Dec 2025	22 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 10m 4s	Engineer	4332 - MANJUNATHA D N
5350-KIRAN KUMAR S	20 Dec 2025	21 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 8s	Executive	7539 - SHANI PT
5376-SAGAR BALU BAGAV	20 Dec 2025	26 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 57s	Chemist	1168 - BIJAY KETAN MANGARAJ
5379-MAHESH BASAPPA HATTALI	20 Dec 2025	27 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 15m 31s	Chemist	1168 - BIJAY KETAN MANGARAJ

Annexure - 7

**Downloaded By:** YERRAGUDI VENKATESH

**Downloaded Date:** 19 May 2026 09:55:08

**This is electronically generated report and there is no need of any manual signature**

## Document Completed Training Report

**Department** : Environment Health and Safety  
**Document Number** : SPL2/EHS/SOP/GEN/0014  
**Version Number** : 01  
**Source** : Document  
**Document Name** : HANDLING OF HAZARDOUS CHEMICALS

**Doc Type / Content Type** : SOP/GEN  
**From Date** : N/A  
**To Date** : N/A  
**Total Trained Duration** : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
5438-BEERAPPA BALBHIM GAWADE	20 Dec 2025	23 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 7m 5s	Executive	5528 - NAGARAJU GAMIDI
5491-SUKADEV MOHANTY	20 Dec 2025	20 Jan 2026	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 12m 13s	Senior Executive	1198 - SASIDHAR AVULA
5503-S SUMAN .	20 Dec 2025	22 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 4s	Executive	6808 - ELANGO VAN .
5528-NAGARAJU GAMIDI	20 Dec 2025	21 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 10m 14s	Manager	3940 - GOVINDAPPA GALAGALI

Annexure - 7

Downloaded By: YERRAGUDI VENKATESH

Downloaded Date: 19 May 2026 09:55:08

This is electronically generated report and there is no need of any manual signature

## Document Completed Training Report

**Department** : Environment Health and Safety  
**Document Number** : SPL2/EHS/SOP/GEN/0014  
**Version Number** : 01  
**Source** : Document  
**Document Name** : HANDLING OF HAZARDOUS CHEMICALS

**Doc Type / Content Type** : SOP/GEN  
**From Date** : N/A  
**To Date** : N/A  
**Total Trained Duration** : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
5548-SUSHANT PANDURANG PATIL	20 Dec 2025	28 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 10m 26s	Senior Executive	7539 - SHANI PT
5549-PINJARI SAIFULLA	20 Dec 2025	04 Jan 2026	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 10m 17s	Executive	7539 - SHANI PT
5592-VENKATESU NAIK RAMAVATH	20 Dec 2025	28 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 6m 30s	Executive	7539 - SHANI PT
5596-GOLLA SURENDRA BABU	20 Dec 2025	25 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 4s	Senior Chemist	1168 - BIJAY KETAN MANGARAJ

Amend - 7

**Downloaded By:** YERRAGUDI VENKATESH

**Downloaded Date:** 19 May 2026 09:55:08

This is electronically generated report and there is no need of any manual signature

## Document Completed Training Report

**Department** : Environment Health and Safety  
**Document Number** : SPL2/EHS/SOP/GEN/0014  
**Version Number** : 01  
**Source** : Document  
**Document Name** : HANDLING OF HAZARDOUS CHEMICALS

**Doc Type / Content Type** : SOP/GEN  
**From Date** : N/A  
**To Date** : N/A  
**Total Trained Duration** : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
5687-D BALAKRISHNA .	20 Dec 2025	01 Jan 2026	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 8s	Senior Executive	7539 - SHANI PT
5694-AVADHUT ASHOK KULKARNI	20 Dec 2025	21 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 12m 13s	Senior Chemist	7539 - SHANI PT
5858-KUKUNOOR HANMANTHU	20 Dec 2025	29 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 15s	Chemist	1168 - BIJAY KETAN MANGARAJ
5880-AMIT ASHOK MALI	20 Dec 2025	01 Jan 2026	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 7m 1s	Chemist	1168 - BIJAY KETAN MANGARAJ

Annexure-7

**Downloaded By:** YERRAGUDI VENKATESH

**Downloaded Date:** 19 May 2026 09:55:08

**This is electronically generated report and there is no need of any manual signature**

## Document Completed Training Report

**Department** : Environment Health and Safety

**Doc Type / Content Type** : SOP/GEN

**Document Number** : SPL2/EHS/SOP/GEN/0014

**From Date** : N/A

**Version Number** : 01

**To Date** : N/A

**Source** : Document

**Total Trained Duration** : 67h 28m 26s

**Document Name** : HANDLING OF HAZARDOUS CHEMICALS

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
5928-KOTHARE VAIBHAV SANJAY	20 Dec 2025	20 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 2s	Executive	1209 - DEVENDRA PRATAP SINGH
5954-TUSAR KUMAR MOHAPATRA	20 Dec 2025	27 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 1s	Chemist	1168 - BIJAY KETAN MANGARAJ
6033-S MAHESH	20 Dec 2025	25 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 31m 3s	Executive	1209 - DEVENDRA PRATAP SINGH
6040-AJIT CHANDRAKANT BORUTE	20 Dec 2025	29 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 11m 49s	Executive	1209 - DEVENDRA PRATAP SINGH

Annexure-7

**Downloaded By:** YERRAGUDI VENKATESH

**Downloaded Date:** 19 May 2026 09:55:08

**This is electronically generated report and there is no need of any manual signature**

## Document Completed Training Report

**Department** : Environment Health and Safety  
**Document Number** : SPL2/EHS/SOP/GEN/0014  
**Version Number** : 01  
**Source** : Document  
**Document Name** : HANDLING OF HAZARDOUS CHEMICALS

**Doc Type / Content Type** : SOP/GEN  
**From Date** : N/A  
**To Date** : N/A  
**Total Trained Duration** : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
6069-GOLLA PANDUKUMAR	20 Dec 2025	25 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 40s	Executive	4866 - DIVI VENUGOPAL
6096-SUDHARSHAN DATTRAO GIRI	20 Dec 2025	22 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 10s	Chemist	1168 - BIJAY KETAN MANGARAJ
6157-CHEKU BOYINA SURYAVAMSI G	20 Dec 2025	31 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 10s	Chemist	1168 - BIJAY KETAN MANGARAJ
6196-BANDAMEEDI RAMESH	20 Dec 2025	23 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 6m 53s	Senior Chemist	1355 - ARUN KUMAR SINGH

Annexure-7

**Downloaded By:** YERRAGUDI VENKATESH

**Downloaded Date:** 19 May 2026 09:55:08

**This is electronically generated report and there is no need of any manual signature**

## Document Completed Training Report

**Department** : Environment Health and Safety  
**Document Number** : SPL2/EHS/SOP/GEN/0014  
**Version Number** : 01  
**Source** : Document  
**Document Name** : HANDLING OF HAZARDOUS CHEMICALS

**Doc Type / Content Type** : SOP/GEN  
**From Date** : N/A  
**To Date** : N/A  
**Total Trained Duration** : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
6254-AMIT ANNAPPA ATHANI	20 Dec 2025	01 Jan 2026	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 20s	Senior Chemist	1168 - BIJAY KETAN MANGARAJ
6284-HANUMANTHA J GOWDA	20 Dec 2025	24 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 2s	Senior Executive	6645 - CHANDRASHEKAR SHANTAMALL APPA DUDHANI
6286-PARASHURAMA .	20 Dec 2025	22 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 2s	Chemist	7539 - SHANI PT

Annexure-7

**Downloaded By:** YERRAGUDI VENKATESH

**Downloaded Date:** 19 May 2026 09:55:08

This is electronically generated report and there is no need of any manual signature

## Document Completed Training Report

**Department** : Environment Health and Safety  
**Document Number** : SPL2/EHS/SOP/GEN/0014  
**Version Number** : 01  
**Source** : Document  
**Document Name** : HANDLING OF HAZARDOUS CHEMICALS

**Doc Type / Content Type** : SOP/GEN  
**From Date** : N/A  
**To Date** : N/A  
**Total Trained Duration** : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
6331-PEGGI RAJU	20 Dec 2025	01 Jan 2026	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 25s	Chemist	1168 - BIJAY KETAN MANGARAJ
6427-SANDRALA PRASAD	20 Dec 2025	20 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 9s	Executive	7539 - SHANI PT
6501-MANIDEEP BH	20 Dec 2025	23 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 12m 53s	Senior Chemist	1168 - BIJAY KETAN MANGARAJ
6542-APPIKATLA SAI KUMAR	20 Dec 2025	21 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 2s	Senior Chemist	1209 - DEVENDRA PRATAP SINGH

Annexure - 7

**Downloaded By:** YERRAGUDI VENKATESH

**Downloaded Date:** 19 May 2026 09:55:08

**This is electronically generated report and there is no need of any manual signature**

## Document Completed Training Report

**Department** : Environment Health and Safety  
**Document Number** : SPL2/EHS/SOP/GEN/0014  
**Version Number** : 01  
**Source** : Document  
**Document Name** : HANDLING OF HAZARDOUS CHEMICALS

**Doc Type / Content Type** : SOP/GEN  
**From Date** : N/A  
**To Date** : N/A  
**Total Trained Duration** : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
6585-T BALAJI SAVANTH	20 Dec 2025	20 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 11m 51s	Assistant Manager	1355 - ARUN KUMAR SINGH
6631-RAKESH KUMAR P	20 Dec 2025	27 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 15m 13s	Chemist	1168 - BIJAY KETAN MANGARAJ
6645-CHANDRASHEKAR SHANTAMALLAPPA DUDHANI	20 Dec 2025	24 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 6m 16s	Senior Manager	3642 - K H HONNESHAI A H
6670-OJA SUBRAMANYAM	20 Dec 2025	02 Jan 2026	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 10m 29s	Senior Chemist	1168 - BIJAY KETAN MANGARAJ

Average - 7

**Downloaded By:** YERRAGUDI VENKATESH

**Downloaded Date:** 19 May 2026 09:55:08

This is electronically generated report and there is no need of any manual signature

## Document Completed Training Report

**Department** : Environment Health and Safety  
**Document Number** : SPL2/EHS/SOP/GEN/0014  
**Version Number** : 01  
**Source** : Document  
**Document Name** : HANDLING OF HAZARDOUS CHEMICALS

**Doc Type / Content Type** : SOP/GEN  
**From Date** : N/A  
**To Date** : N/A  
**Total Trained Duration** : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
6683-SURYA PRAKASH MAURYA	20 Dec 2025	28 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 10m 6s	Senior Chemist	1355 - ARUN KUMAR SINGH
6793-RUSHIKESH BALASAHEB MALI	20 Dec 2025	24 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 19m 14s	Chemist	1168 - BIJAY KETAN MANGARAJ
6808-ELANGO VAN .	20 Dec 2025	20 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 2s	Deputy General Manager	3642 - K H HONNESHAI A H

Annexure-7

**Downloaded By:** YERRAGUDI VENKATESH

**Downloaded Date:** 19 May 2026 09:55:08

**This is electronically generated report and there is no need of any manual signature**

## Annexure-8





सत्यमेव जयते

# INDIA NON JUDICIAL Government of Karnataka

## e-Stamp

Certificate No. : IN-KA80755190001275M  
Certificate Issued Date : 16-Jun-2014 11:47 AM  
Account Reference : NONACC (BK)/ kakscub08/ RAICHUR/ KA-RC  
Unique Doc. Reference : SUBIN-KAKAKSCUB0816241109760662M  
Purchased by : SHILPA MEDICARE LTD RAICHUR  
Description of Document : Article 12 Bond  
Description : AGREEMENT  
Consideration Price (Rs.) : 0  
(Zero)  
First Party : SHILPA MEDICARE LTD RAICHUR  
Second Party : K I A D B RAICHUR  
Stamp Duty Paid By : SHILPA MEDICARE LTD RAICHUR  
Stamp Duty Amount(Rs.) : 200  
(Two Hundred only)




  
Authorised Officer  
Raichur City Urban Co-op Bank Ltd  
Gunj Road Raichur.

.....Please write or type below this line.....

An Agreement entered into the 17th day of June Month Two Thousand Fourteen and / between The Karnataka Industrial Areas Development Board herein after called the supplier and M/s. Shilpa Medicare Ltd. here in after referred to as the consumer which terms wherever it occur in these presents will include its successors, interest, heirs, administrators assigns.

For Shilpa Medicare Ltd. 100% EOU

For: Karnataka Industrial Area Development Board

  
Deputy Development Officer

  
Managing Director  
Cont.....2.

### Statutory Alert:

1. The authenticity of this Stamp Certificate should be verified at "www.shilpa.com". Any discrepancy in the details on this Certificate and as appears on the website renders it invalid.
2. The onus of displaying the legitimacy is on the users of the certificate.
3. For further details please refer to the information on the Consumer Authority.

## Annexure-8

-2-

Whereas the consumer applied for supply of 500.00 Kilo Liters of water per day for Shilpa Medicare Limited at Plot No: 33, 33A, 40 to 47, of Raichur Growth Centre Industrial Area and whereas the suppliers agreed to supply water from their water mains subject to terms and conditions enumerated hereinafter.

### PROVISION OF WATER METER :

For the purpose of measuring the quantity of water supplied to the consumer, the consumer shall provide water meter as per the directions of the supplier and shall keep it in a good working conditions of the at the cost of the consumer. If at any time, it is found defective or out of order, the consumer shall have it replaced or repairs at his cost and during the period it is defective, the charges will be levied bases on the average consumption for three months prior to the month in which the defect was noticed.

### METER READING

The supplier shall arrange for the meter reading every month & furnish a return of the meter reading every month to the consumer.

### WATER CHARGES :

The quantities of water supply shall be charged at Rs. 30.00 Per Kilo liters only

Consumer shall pay the charges regularly on presentation of the bill by the supplier within fifteen days of the posting of the Bill. Failing which the water supply shall be dis-connected. If a reconnection is given, the consumer shall be charges with Rs. 100.00 ( Rupees: One Hundred only) as reconnection charges.

### REVISION IN WATER CHARGES


The consumer shall pay the water supply charges at such other revised rates as may be fixed by the Board from time to time.

For: Karnataka Industrial Area Development Board

  
Deputy Development Officer

Cont.....3.

For Shilpa Medicare Ltd. 100% EOU

  
Managing Director

## Annexure-8

-3-

### IN CORRECT WATER METER READING :

In the event of meter reading appearing to be incorrect in the opinion of the consumer the meter shall be tested by the supplier on application made by the consumer and if found defective water charges will be revised on the cost results provided on such revision shall be made if the error is less than 3%.

### INTERRUPTION :

The supplier shall as far as practicable give notice in case of inability on his part to supply water on account of temporary shut down of power or break down in supply system or any other reason. As regards permanent stoppage of water supply the consumer to make his own arrangements.

### REVISION IN QUANTITIES :

If the quantity of water to be supplied has to be revised in future based on changed conditions and circumstances prior intimation in this regard will be given by the supplier to the consumer and for such supply of revised quantity of water, the rate applicable is subject to determination afresh by the supplier.

### EXCESS USAGE :

The supplier is not bound to supply more water than the quantity hereby agreed upon. However, if the consumer draws more than the agreed quantity of water he is liable to charge at double, the aforesaid rate for the excess quantity so drawn, the connection is liable to be disconnected in the event of the supplier being unable to permit the excess drawl after issue of a notice in writing given to the consumer for the consumption within the agreed quantity.

### USE OF WATER :

It is expressly agreed between the supplier and the consumer that the water supply shall be employed for domestic/industrial use only. The consumer shall endeavor to avoid any wastage of water by leakage or otherwise if the consumer is found to misuse or waste the water supply will be disconnected.

### ARBITRATION :

In case of dispute arising out of this agreement which cannot be settled by the mutual examination of the supplier and the consumer, the matter shall be referred to the Chairman of the Board whose decision shall be final and legally binding on both the parties, notwithstanding anything herein contained. However, the parties to this agreement by giving to the other party at any time three months notice in writing by registered post to the last known address.

For: Karnataka Industrial Area Development Board

Cont.....4.

Deputy Development Officer

For: Shri. Medinore Ltd. 100% EOU

Managing Director

## Annexure-8

-4-

### IN WITNESS WHEREOF :

The supplier hath caused it's the Deputy Development Officer, to set his hand and affix the official seal there to and the consumer hath set his hand official seal on the day and year first above written.

Signed, Sealed and Delivered,  
On behalf of KIADB,  
By  
Deputy Development Officer,  
Karnataka Industrial Areas Development Board,  
Plot No: 49, Raichur Industrial Area,  
Hyderabad Road,  
RAICHUR.


For: Karnataka Industrial Areas Development Board

  
Deputy Development Officer

In the presence of :

- 1) 
- 2) 

For Shilpa Medicare Ltd. 100% EOU

  
Managing Director

Signed, Sealed and Delivered,

By the above named lessee:  
In the presence of :



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure - 9

MSVAL/QR/7.8/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-I Block -Intermediate Area-SCR-02
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	25.12.2025
5.	Date of Sample Receipt	:	26.12.2025
6.	Sample Code	:	11714
7.	Analysis Starting Date	:	26.12.2025
8.	Analysis Completion Date	:	30.12.2025
9.	Report Issue date	:	31.12.2025
10.	Latitude	:	16.309681
11.	Longitude	:	77.356215

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2024/6504

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	32
Stack Temperature (°C)	38
Velocity (m/s)	4.9
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m <sup>2</sup> )	0.06154

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.005	Shall not be more than 0.01

<b>INFERENCE</b>	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager

:- END OF REPORT:-



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No. 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC- 4071

Annexure-9

MSVAL/QR/7.8/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-I Block -Intermediate Area-SCR-02
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	25.12.2025
5.	Date of Sample Receipt	:	26.12.2025
6.	Sample Code	:	SE/4526
7.	Analysis Starting Date	:	26.12.2025
8.	Analysis Completion Date	:	30.12.2025
9.	Report Issue date	:	31.12.2025
10.	Latitude	:	16.309681
11.	Longitude	:	77.356215

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000030924F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	32
Stack Temperature (°C)	38
Velocity (m/s)	4.9
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m <sup>2</sup> )	0.06154

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m <sup>3</sup> /hr	1085.56	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm <sup>3</sup>	56.8	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm <sup>3</sup>	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm <sup>3</sup>	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm <sup>3</sup>	15.2	35

**INFERENCE** As per KSPCB Standards  
Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory


Hanumanthalah P  
Technical Manager

:- END OF REPORT:-



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified

Annechuse-9



GPS Map



Chicksugur, Karnataka, India 

100% Export Oriented Unit, Plot #33, Raichur Growth Ce

33a & 40 To 47, Chicksugur, Karnataka 584134, India

Lat 16.311643° Long 77.358016°

25/12/2025 12:45 PM GMT +05:30



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC- 4071

MSVAL/QR/7.8/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Boller - 10TPH & 6TPH
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	25.12.2025
5.	Date of Sample Receipt	:	26.12.2025
6.	Sample Code	:	SE/4525
7.	Analysis Starting Date	:	26.12.2025
8.	Analysis Completion Date	:	30.12.2025
9.	Report Issue date	:	31.12.2025
10.	Latitude	:	16.311643
11.	Longitude	:	77.358016

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000030923F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	31
Stack Temperature (°C)	109
Velocity (m/s)	8.2
Height (m)	30 mtr AGL
Diameter (m)	1.12
Cross sectional area (m <sup>2</sup> )	0.9856

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m <sup>3</sup> /hr	29094.9	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm <sup>3</sup>	71.6	150
Sulphur dioxide	IS-11255(Part-2) - 2019	PPM	BDL	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	PPM	16.4	50
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm <sup>3</sup>	BDL	35
Carbon Monoxide as CO	IS 13270	PPM	40	<150
Carbon Dioxide as CO <sub>2</sub>	(Orsat Apparatus USEPA 3A:1989)	%	9.4	<12

BDL: Below Detection limit

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager



Note: 1. The results listed only to the tested samples & applicable parameters.


2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified

Annexure- 9



GPS Map

Chicksugur, Karnataka, India

34/p1, Chicksugur, Karnataka 584134, India

Lat 16.310829° Long 77.355355°

25/12/2025 05:40 PM GMT +05:30

Google



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (D) : 08392-255169,  
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

Annexure-9

MSVAL/QR/7.8/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber- E Block -Pharma Area-SCR-03
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	25.12.2025
5.	Date of Sample Receipt	:	26.12.2025
6.	Sample Code	:	SE/4527
7.	Analysis Starting Date	:	26.12.2025
8.	Analysis Completion Date	:	30.12.2025
9.	Report Issue date	:	31.12.2025
10.	Latitude	:	16.310829
11.	Longitude	:	77.355355

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000030925F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	33
Stack Temperature (°C)	40
Velocity (m/s)	5.2
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m <sup>2</sup> )	0.066

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m <sup>3</sup> /hr	1235.52	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm <sup>3</sup>	46.8	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm <sup>3</sup>	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm <sup>3</sup>	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm <sup>3</sup>	7.2	35

**INFERENCE** As per KSPCB Standards  
Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager

:- END OF REPORT:-



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified



Annexure - 9

# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com

MSVAL/QR/7.8/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S, Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugar village, Raichur.
2.	Stack ID	:	Scrubber- E Block -Pharma Area-SCR-03
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	25.12.2025
5.	Date of Sample Receipt	:	26.12.2025
6.	Sample Code	:	11715
7.	Analysis Starting Date	:	26.12.2025
8.	Analysis Completion Date	:	30.12.2025
9.	Report Issue date	:	31.12.2025
10.	Latitude	:	16.310829
11.	Longitude	:	77.355355

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2024/6505

## GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	33
Stack Temperature (°C)	40
Velocity (m/s)	5.2
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m <sup>2</sup> )	0.066

## RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.005	Shall not be more than 0.01

<b>INFERENCE</b>	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--

Analysed by

Authorized Signatory


Hanumanthaiah P  
Technical Manager

END OF REPORT



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified

Answer-9



GPS Map

Chicksugur, Karnataka, India

33, Chicksugur, Karnataka 584134, India

Lat 16.31048° Long 77.356252°

25/12/2025 04:38 PM GMT +05:30

Google



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 84498 03895, (O) : 08392-255169,  
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.8/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-D Block -Intermediate Area-02
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	25.12.2025
5.	Date of Sample Receipt	:	26.12.2025
6.	Sample Code	:	SE/4529
7.	Analysis Starting Date	:	26.12.2025
8.	Analysis Completion Date	:	30.12.2025
9.	Report Issue date	:	31.12.2025
10.	Latitude	:	16.31048
11.	Longitude	:	77.356252

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000030926F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	32
Stack Temperature (°C)	39
Velocity (m/s)	4.9
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m <sup>2</sup> )	0.0907

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m <sup>3</sup> /hr	1599.94	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm <sup>3</sup>	43.2	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm <sup>3</sup>	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm <sup>3</sup>	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm <sup>3</sup>	9.5	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager

:- END OF REPORT:-



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com

MSVAL/QR/7.8/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-D Block -Intermediate Area-02
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	25.12.2025
5.	Date of Sample Receipt	:	26.12.2025
6.	Sample Code	:	11716
7.	Analysis Starting Date	:	26.12.2025
8.	Analysis Completion Date	:	30.12.2025
9.	Report Issue date	:	31.12.2025
10.	Latitude	:	16.31048
11.	Longitude	:	77.356252

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2024/6506

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	32
Stack Temperature (°C)	39
Velocity (m/s)	4.9
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m <sup>2</sup> )	0.0907

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.003	Shall not be more than 0.01

<b>INFERENCE</b>	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager

:- END OF REPORT



Note: 1. The results listed only to the tested samples & applicable parameters.


2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.


5. Sampling is not done by us unless otherwise specified

Ahmedabad-9



GPS Map



**Chicksugur, Karnataka, India**   
100% Export Oriented Unit, Plot #33, Raichur Growth Ce  
33a & 40 To 47, Chicksugur, Karnataka 584134, India  
Lat 16.311643° Long 77.358016°  
25/12/2025 12:45 PM GMT +05:30



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-256169,  
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.8/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-C Block-Intermediate Area-01
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	25.12.2025
5.	Date of Sample Receipt	:	26.12.2025
6.	Sample Code	:	SE/4531
7.	Analysis Starting Date	:	26.12.2025
8.	Analysis Completion Date	:	30.12.2025
9.	Report Issue date	:	31.12.2025
10.	Latitude	:	16.31048
11.	Longitude	:	77.356252

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000030927F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	33
Stack Temperature (°C)	39
Velocity (m/s)	5.0
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m <sup>2</sup> )	0.0908

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m <sup>3</sup> /hr	1634.4	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm <sup>3</sup>	44.1	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm <sup>3</sup>	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm <sup>3</sup>	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm <sup>3</sup>	13.8	35

<b>INFERENCE</b>	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager

:- END OF REPORT:-



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com

MSVAL/QR/7.8/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-C Block-Intermediate Area-01
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	25.12.2025
5.	Date of Sample Receipt	:	26.12.2025
6.	Sample Code	:	11717
7.	Analysis Starting Date	:	26.12.2025
8.	Analysis Completion Date	:	30.12.2025
9.	Report Issue date	:	31.12.2025
10.	Latitude	:	16.31048
11.	Longitude	:	77.356252

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2024/6507

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	33
Stack Temperature (°C)	39
Velocity (m/s)	5.0
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m <sup>2</sup> )	0.0908

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.006	Shall not be more than 0.01

**INFERENCE** As per KSPCB Standards  
Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory


Hanumanthaiah P  
Technical Manager

∴ END OF REPORT ∴



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified

Annexure - 9



GPS Map

Chicksugur, Karnataka, India

33, Chicksugur, Karnataka 584134, India

Lat 16.31048° Long 77.356252°

25/12/2025 04:38 PM GMT +05:30

Google



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
C.M.C Ward No 18 & C.T.C W.No.16 T.S.No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03885, (O) : 08392-255169,  
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



MSVAL/QR/7.8/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG - Set 625KVA-1
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	25.12.2025
5.	Date of Sample Receipt	:	26.12.2025
6.	Sample Code	:	SE/4532
7.	Analysis Starting Date	:	26.12.2025
8.	Analysis Completion Date	:	30.12.2025
9.	Report Issue date	:	31.12.2025
10.	Latitude	:	16.309635
11.	Longitude	:	77.356762

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000030928F  
**GENERAL DETAILS**

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	30
Stack Temperature (°C)	44
Velocity (m/s)	5.7
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.1964

## RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm <sup>3</sup>	68.9	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm <sup>3</sup>	14.1	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm <sup>3</sup>	20.9	50

<b>INFERENCE</b>	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--

Analysed by

Authorized Signatory


Hanumanthaiah P  
Technical Manager

-: END OF REPORT:-



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified

Annexure-9



Chicksugur, Karnataka, India

8954+rc3, Chicksugur, Karnataka 584134, India

Lat 16.309635° Long 77.356762°

25/12/2025 10:06 AM GMT +05:30

Google



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255189,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.8/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG - Set 625KVA- II
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	25.12.2025
5.	Date of Sample Receipt	:	26.12.2025
6.	Sample Code	:	SE/4533
7.	Analysis Starting Date	:	26.12.2025
8.	Analysis Completion Date	:	30.12.2025
9.	Report Issue date	:	31.12.2025
10.	Latitude	:	16.309635
11.	Longitude	:	77.356762

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000030929F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	33
Stack Temperature (°C)	50
Velocity (m/s)	5.8
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.1964

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm <sup>3</sup>	72.9	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm <sup>3</sup>	14.5	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm <sup>3</sup>	26.0	50

<b>INFERENCE</b>	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager

-: END OF REPORT:-



Note: 1. The results listed only to the tested samples & applicable parameters.


2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified

Amesure-9





# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (D) : 08392-255169,

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC- 4071

MSVAL/QR/7.8/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG - Set 625KVA- III
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	25.12.2025
5.	Date of Sample Receipt	:	26.12.2025
6.	Sample Code	:	SE/4534
7.	Analysis Starting Date	:	26.12.2025
8.	Analysis Completion Date	:	30.12.2025
9.	Report Issue date	:	31.12.2025
10.	Latitude	:	16.309635
11.	Longitude	:	77.356762

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000030930F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	32
Stack Temperature (°C)	44
Velocity (m/s)	5.9
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.1964

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm <sup>3</sup>	50.2	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm <sup>3</sup>	19.0	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm <sup>3</sup>	26.5	50

**INFERENCE** As per KSPCB Standards  
Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory


Hanumanthaiah. P  
Technical Manager

:- END OF REPORT:-



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified

Annexure-9



Chicksugur, Karnataka, India

8954+rc3, Chicksugur, Karnataka 584134, India

Lat 16.309635° Long 77.356762°

25/12/2025 10:58 AM GMT +05:30

Google

GPS Map

Annexure - 9



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC-4071

MSVAL/QR/7.8/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG - Set 750 KVA-IV
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	25.12.2025
5.	Date of Sample Receipt	:	26.12.2025
6.	Sample Code	:	SE/4535
7.	Analysis Starting Date	:	26.12.2025
8.	Analysis Completion Date	:	30.12.2025
9.	Report Issue date	:	31.12.2025
10.	Latitude	:	16.309635
11.	Longitude	:	77.356762

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000030931F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	32
Stack Temperature (°C)	56
Velocity (m/s)	6.0
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.1964

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm <sup>3</sup>	69.9	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm <sup>3</sup>	18.6	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm <sup>3</sup>	26.1	50

<b>INFERENCE</b>	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--

Analysed by

Authorized Signatory


Hanumanthaiah P  
Technical Manager

-: END OF REPORT :-



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified

Annexure - 9



GPS Map

Chicksugur, Karnataka, India

8954+rc3, Chicksugur, Karnataka 584134, India

Lat 16.309635° Long 77.356762°

25/12/2025 10:06 AM GMT +05:30

Google



Annexure-9

# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC- 4071

MSVAL/QR/7.8/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Boiler - 10TPH & 6TPH
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	20.02.2026
5.	Date of Sample Receipt	:	21.02.2026
6.	Sample Code	:	SE/1250
7.	Analysis Starting Date	:	21.02.2026
8.	Analysis Completion Date	:	25.02.2026
9.	Report Issue date	:	26.02.2026
10.	Latitude	:	16.311643
11.	Longitude	:	77.358016

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC4071260000005524F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	33
Stack Temperature (°C)	124
Velocity (m/s)	8.0
Height (m)	30 mtr AGL
Diameter (m)	1.12
Cross sectional area (m <sup>2</sup> )	0.9856

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m <sup>3</sup> /hr	28385	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm <sup>3</sup>	72.8	150
Sulphur dioxide	IS-11255(Part-2) - 2019	PPM	BDL	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	PPM	18.3	50
Acid mist (HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm <sup>3</sup>	BDL	35
Carbon Monoxide as CO	IS 13270	PPM	44	<150
Carbon Dioxide as CO <sub>2</sub>	(Orsat Apparatus USEPA 3A:1989)	%	9.2	<12

BDL: Below Detection limit

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory

Hanumanthalah P  
Technical Manager



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified

Annexure - 9



 GPS Map Camera

Chicksugur, Karnataka, India 

100% Export Oriented Unit, Plot #33, Raichur Growth Centre,  
33a & 40 To 47, Chicksugur, Karnataka 584134, India

Lat 16.311643° Long 77.358016°

20/02/2026 12:33 PM GMT +05:30



Google



Annexure - 9

# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No.19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



MSVAL/QR/7.8/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-I Block
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	20.02.2026
5.	Date of Sample Receipt	:	21.02.2026
6.	Sample Code	:	SE/1251
7.	Analysis Starting Date	:	21.02.2026
8.	Analysis Completion Date	:	25.02.2026
9.	Report Issue date	:	26.02.2026
10.	Latitude	:	16.309862
11.	Longitude	:	77.356171

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000005525F

## GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	32
Stack Temperature (°C)	37
Velocity (m/s)	4.5
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m <sup>2</sup> )	0.06154

## RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m <sup>3</sup> /hr	996	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm <sup>3</sup>	55.1	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm <sup>3</sup>	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm <sup>3</sup>	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm <sup>3</sup>	16.3	35

## INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager

--: END OF REPORT:--



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified



Annexure - 9

# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255189,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

MSVAL/QR/7.8/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-I Block
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	20.02.2026
5.	Date of Sample Receipt	:	21.02.2026
6.	Sample Code	:	756
7.	Analysis Starting Date	:	21.02.2026
8.	Analysis Completion Date	:	25.02.2026
9.	Report Issue date	:	26.02.2026
10.	Latitude	:	16.309862
11.	Longitude	:	77.356171

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2026/733

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	32
Stack Temperature (°C)	37
Velocity (m/s)	4.5
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m <sup>2</sup> )	0.06154

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.005	Shall not be more than 0.01

**INFERENCE** As per KSPCB Standards  
Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory


Hannanthaiah P  
Technical Manager

:- END OF REPORT:-



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified

Annexure -9



GPS Map Camera

Chicksugur, Karnataka, India

8954+rc3, Chicksugur, Karnataka 584134, India

Lat 16.309862° Long 77.356171°

20/02/2026 02:55 PM GMT +05:30

Google



Annexure-9

# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakailu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (D) : 08392-255169,  
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.8/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber- E Block
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	20.02.2026
5.	Date of Sample Receipt	:	21.02.2026
6.	Sample Code	:	SE/1252
7.	Analysis Starting Date	:	21.02.2026
8.	Analysis Completion Date	:	25.02.2026
9.	Report Issue date	:	26.02.2026
10.	Latitude	:	16.310681
11.	Longitude	:	77.355509

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC4071260000005526F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	32
Stack Temperature (°C)	38
Velocity (m/s)	4.7
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m <sup>2</sup> )	0.066

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m <sup>3</sup> /hr	1116	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm <sup>3</sup>	47.4	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm <sup>3</sup>	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm <sup>3</sup>	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm <sup>3</sup>	8.6	35

### INFERENCE

As per KSPCB Standards  
Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager

END OF REPORT:-



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

MSVAL/QR/7.8/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber- E Block
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	20.02.2026
5.	Date of Sample Receipt	:	21.02.2026
6.	Sample Code	:	757
7.	Analysis Starting Date	:	21.02.2026
8.	Analysis Completion Date	:	25.02.2026
9.	Report Issue date	:	26.02.2026
10.	Latitude	:	16.310681
11.	Longitude	:	77.355509

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2026/734

## GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	32
Stack Temperature (°C)	38
Velocity (m/s)	4.7
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m <sup>2</sup> )	0.066

## RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.003	Shall not be more than 0.01


INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory


Hanumanthaiah P  
Technical Manager

:- END OF REPORT:-



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling Is not done by us unless otherwise specified

Annexure-9



GPS Map Camera

Chicksugur, Karnataka,  
India

34/p1, Chicksugur, Karnataka 584134, India

Lat 16.310681° Long 77.355509°

20/02/2026 05:48 PM GMT +05:30

Google



Annexure-a

# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,

E-mail : msvalbellary2016@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC-4071

MSVAL/QR/7.8/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-D Block
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	20.02.2026
5.	Date of Sample Receipt	:	21.02.2026
6.	Sample Code	:	SE/1253
7.	Analysis Starting Date	:	21.02.2026
8.	Analysis Completion Date	:	25.02.2026
9.	Report Issue date	:	26.02.2026
10.	Latitude	:	16.310734
11.	Longitude	:	77.355887

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC4071260000005527F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	31
Stack Temperature (°C)	36
Velocity (m/s)	4.4
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m <sup>2</sup> )	0.0907

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m <sup>3</sup> /hr	1436	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm <sup>3</sup>	43.1	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm <sup>3</sup>	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm <sup>3</sup>	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm <sup>3</sup>	6.2	35

INFERENCE As per KSPCB Standards  
Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthiah P  
Technical Manager

END OF REPORT:-



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08302-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

MSVAL/QR/7.8/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-D Block
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	20.02.2026
5.	Date of Sample Receipt	:	21.02.2026
6.	Sample Code	:	758
7.	Analysis Starting Date	:	21.02.2026
8.	Analysis Completion Date	:	25.02.2026
9.	Report Issue date	:	26.02.2026
10.	Latitude	:	16.310734
11.	Longitude	:	77.355887

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2026/735

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	31
Stack Temperature (°C)	36
Velocity (m/s)	4.4
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m <sup>2</sup> )	0.0907

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.003	Shall not be more than 0.01

<b>INFERENCE</b>	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--

Analysed by


Authorized Signatory

Hanumanthatah P  
Technical Manager



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified

Annexure-9



GPS Map Camera

Wadloor, Karnataka, India 

8964+cm9, Wadloor, Karnataka 584134, India

Lat 16.310734° Long 77.355887°

20/02/2026 04:54 PM GMT +05:30

Google

PHOTO COURTESY: SGPW - THE SGPW IN S



Annexure-9

# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015; ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC- 4071

MSVAL/QR/7.8/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-C Block
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	20.02.2026
5.	Date of Sample Receipt	:	21.02.2026
6.	Sample Code	:	SE/1254
7.	Analysis Starting Date	:	21.02.2026
8.	Analysis Completion Date	:	25.02.2026
9.	Report Issue date	:	26.02.2026
10.	Latitude	:	16.31065
11.	Longitude	:	77.356221

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC40712600000528F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	31
Stack Temperature (°C)	35
Velocity (m/s)	4.4
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m <sup>2</sup> )	0.0908

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m <sup>3</sup> /hr	1438	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm <sup>3</sup>	42.9	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm <sup>3</sup>	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm <sup>3</sup>	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm <sup>3</sup>	11.3	35

**INFERENCE** As per KSPCB Standards  
Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

*R*

Authorized Signatory

*H*  
Harananthaiyah P  
Technical Manager



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com

MSVAL/QR/7.8/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-C Block
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	20.02.2026
5.	Date of Sample Receipt	:	21.02.2026
6.	Sample Code	:	759
7.	Analysis Starting Date	:	21.02.2026
8.	Analysis Completion Date	:	25.02.2026
9.	Report Issue date	:	26.02.2026
10.	Latitude	:	16.31065
11.	Longitude	:	77.356221

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2026/736

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	31
Stack Temperature (°C)	35
Velocity (m/s)	4.4
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m <sup>2</sup> )	0.0908

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.008	Shall not be more than 0.01

### INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager

:- END OF REPORT:-



Note: 1. The results listed only to the tested samples & applicable parameters.


2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified

Annexure-9



Chicksugur, Karnataka,  
India

33, Chicksugur, Karnataka 584134, India

Lat 16.31065° Long 77.356221°

20/02/2026 03:41 PM GMT +05:30

Google



Annexure - 9

# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255189,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.8/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG - Set 625KVA- I
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	20.02.2026
5.	Date of Sample Receipt	:	21.02.2026
6.	Sample Code	:	SE/1255
7.	Analysis Starting Date	:	21.02.2026
8.	Analysis Completion Date	:	25.02.2026
9.	Report Issue date	:	26.02.2026
10.	Latitude	:	16.309605
11.	Longitude	:	77.356788

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000005529F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	33
Stack Temperature (°C)	65
Velocity (m/s)	5.7
Height (m)	6 mtr AGL
Diameter (m)	0.5
Gross sectional area (m <sup>2</sup> )	0.1965

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm <sup>3</sup>	70.67	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm <sup>3</sup>	18.5	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm <sup>3</sup>	22.1	50

### INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager

Note: 1. The results listed only to the tested samples &amp; applicable parameters.


2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part &amp; cannot be used as evidence in the court of law &amp; should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified

Annexure-9



GPS Map Camera

Chicksugur, Karnataka, India

8954+rc3, Chicksugur, Karnataka 584134, India  
Lat 16.309605° Long 77.356788°  
20/02/2026 10:56 AM GMT +05:30

Google



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255189,  
E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC- 4071

MSVAL/QR/7.8/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG - Set 625KVA- II
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	20.02.2026
5.	Date of Sample Receipt	:	21.02.2026
6.	Sample Code	:	SE/1256
7.	Analysis Starting Date	:	21.02.2026
8.	Analysis Completion Date	:	25.02.2026
9.	Report Issue date	:	26.02.2026
10.	Latitude	:	16.309628
11.	Longitude	:	77.356797

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000005530F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	33
Stack Temperature (°C)	62
Velocity (m/s)	5.6
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.1965

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm <sup>3</sup>	66.3	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm <sup>3</sup>	13.8	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm <sup>3</sup>	24.1	50

<b>INFERENCE</b>	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--

Analysed by

Authorized Signatory


Hanumanthaiah P  
Technical Manager

∴ END OF REPORT ∴



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified

Annexure-9



GPS Map Camera

Chicksugur, Karnataka, India

8954+rc3, Chicksugur, Karnataka 584134, India

Lat 16.309628° Long 77.356797°

20/02/2026 10:13 AM GMT +05:30

Google



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
 (Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
 Sanganakalku Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC-4071

MSVAL/QR/7.8/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG - Set 625KVA- III
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	20.02.2026
5.	Date of Sample Receipt	:	21.02.2026
6.	Sample Code	:	SE/1257
7.	Analysis Starting Date	:	21.02.2026
8.	Analysis Completion Date	:	25.02.2026
9.	Report Issue date	:	26.02.2026
10.	Latitude	:	16.309599
11.	Longitude	:	77.356982

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000005531F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	32
Stack Temperature (°C)	68
Velocity (m/s)	5.9
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.1965

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm <sup>3</sup>	52.8	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm <sup>3</sup>	22.6	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm <sup>3</sup>	27.1	50

<b>INFERENCE</b>	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--

Analysed by


Authorized Signatory

Hanumanthaiah. P  
Technical Manager



- Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Samples Will be disposed after the specified retention period.  
 3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
 5. Sampling is not done by us unless otherwise specified

Amecscye-9



GPS Map Camera

Chicksugur, Karnataka,  
India

59, Chicksugur, Karnataka 584134, India

Lat 16.309599° Long 77.356982°

20/02/2026 11:46 AM GMT +05:30

Google



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC-4071

MSVAL/QR/7.8/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG - Set 750 KVA-IV
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	20.02.2026
5.	Date of Sample Receipt	:	21.02.2026
6.	Sample Code	:	SE/1258
7.	Analysis Starting Date	:	21.02.2026
8.	Analysis Completion Date	:	25.02.2026
9.	Report Issue date	:	26.02.2026
10.	Latitude	:	16.309635
11.	Longitude	:	77.356762

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000005532F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	32
Stack Temperature (°C)	73
Velocity (m/s)	6.2
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.1964

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm <sup>3</sup>	74.3	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm <sup>3</sup>	23.6	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm <sup>3</sup>	28.1	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified



Annexure-9

# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.8/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Boiler - 10TPH & 6TPH
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	14.01.2026
5.	Date of Sample Receipt	:	15.01.2026
6.	Sample Code	:	SE/348
7.	Analysis Starting Date	:	15.01.2026
8.	Analysis Completion Date	:	22.01.2026
9.	Report Issue date	:	23.01.2026
10.	Latitude	:	16.311643
11.	Longitude	:	77.358016

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000001231F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	32
Stack Temperature (°C)	115
Velocity (m/s)	7.2
Height (m)	30 mtr AGL
Diameter (m)	1.12
Cross sectional area (m <sup>2</sup> )	0.9856

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m <sup>3</sup> /hr	29030.4	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm <sup>3</sup>	74.6	150
Sulphur dioxide	IS-11255(Part-2) - 2019	PPM	BDL	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	PPM	19.6	50
Acid mist(HCl Mist)	MSVAL/SQR/SE/002:2022	mg/Nm <sup>3</sup>	BDL	35
Carbon Monoxide as CO	IS 13270	PPM	45	<150
Carbon Dioxide as CO <sub>2</sub>	(Orsat Apparatus USEPA 3A:1989)	%	9.4	<12

BDL: Below Detection limit

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager



Note: 1. The results listed only to the tested samples & applicable parameters.


2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified

Annexure-9



 GPS Map Camera

Chicksugur, Karnataka, India 

100% Export Oriented Unit, Plot #33, Raichur Growth Centre,  
33a & 40 To 47, Chicksugur, Karnataka 584134, India

Lat 16.311643° Long 77.358016°

14/01/2026 1:37 PM GMT +05:30

Google



Annexure-a

# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC- 4071

MSVAL/QR/7.8/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-H Block
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	14.01.2026
5.	Date of Sample Receipt	:	15.01.2026
6.	Sample Code	:	SE/349
7.	Analysis Starting Date	:	15.01.2026
8.	Analysis Completion Date	:	22.01.2026
9.	Report Issue date	:	23.01.2026
10.	Latitude	:	16.310638
11.	Longitude	:	77.356205

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000001232F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	30
Stack Temperature (°C)	39
Velocity (m/s)	4.5
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m <sup>2</sup> )	0.06154

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m <sup>3</sup> /hr	4536	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm <sup>3</sup>	58.9	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm <sup>3</sup>	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm <sup>3</sup>	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm <sup>3</sup>	18.6	35

INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified.



Annexure-9

# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvballary2018@gmail.com, labmsv@gmail.com, Website : www.msvballary.com

MSVAL/QR/7.8/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-H Block
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	14.01.2026
5.	Date of Sample Receipt	:	15.01.2026
6.	Sample Code	:	129
7.	Analysis Starting Date	:	15.01.2026
8.	Analysis Completion Date	:	22.01.2026
9.	Report Issue date	:	23.01.2026
10.	Latitude	:	16.310638
11.	Longitude	:	77.356205

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2026/102

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	30
Stack Temperature (°C)	39
Velocity (m/s)	4.5
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m <sup>2</sup> )	0.06154

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.005	Shall not be more than 0.01

**INFERENCE** As per KSPCB Standards  
Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory


Hanumanthaiah P  
Technical Manager

∴ END OF REPORT ∴



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified

Annexure-9



GPS Map Camera

Chicksugur, Karnataka,  
India 

33, Chicksugur, Karnataka 584134, India

Lat 16.310638° Long 77.356205°

14/01/2026 03:58 PM GMT +05:30

Google



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



Annexure-9

MSVAL/QR/7.8/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber- AI Block
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	14.01.2026
5.	Date of Sample Receipt	:	15.01.2026
6.	Sample Code	:	SE/350
7.	Analysis Starting Date	:	15.01.2026
8.	Analysis Completion Date	:	22.01.2026
9.	Report Issue date	:	23.01.2026
10.	Latitude	:	16.310638
11.	Longitude	:	77.356205

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000001233F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	30
Stack Temperature (°C)	40
Velocity (m/s)	4.8
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m <sup>2</sup> )	0.066

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m <sup>3</sup> /hr	1140.48	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm <sup>3</sup>	49.6	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm <sup>3</sup>	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm <sup>3</sup>	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm <sup>3</sup>	9.3	35

**INFERENCE** As per KSPCB Standards  
Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager

:- END OF REPORT



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used In any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified



Annexure-9

# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,

E-mail : msvballary2018@gmail.com, labmsv@gmail.com, Website : www.msvballary.com

MSVAL/QR/7.8/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber- AI Block
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	14.01.2026
5.	Date of Sample Receipt	:	15.01.2026
6.	Sample Code	:	130
7.	Analysis Starting Date	:	15.01.2026
8.	Analysis Completion Date	:	22.01.2026
9.	Report Issue date	:	23.01.2026
10.	Latitude	:	16.310638
11.	Longitude	:	77.356205

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2026/103

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	30
Stack Temperature (°C)	40
Velocity (m/s)	4.8
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m <sup>2</sup> )	0.066

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.003	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory


Hanumanthaiah P  
Technical Manager

-: END OF REPORT:-



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified

Annexure-9



GPS Map Camera

Chicksugar, Karnataka,  
India 

33, Chicksugar, Karnataka 584134, India

Lat 16.310638° Long 77.356205°

14/01/2026 04:38 PM GMT +05:30

Google



Annexure-9

# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



MSVAL/QR/7.8/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-AJ Block
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	14.01.2026
5.	Date of Sample Receipt	:	15.01.2026
6.	Sample Code	:	SE/351
7.	Analysis Starting Date	:	15.01.2026
8.	Analysis Completion Date	:	22.01.2026
9.	Report Issue date	:	23.01.2026
10.	Latitude	:	16.310324
11.	Longitude	:	77.355502

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000001234F

## GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	31
Stack Temperature (°C)	41
Velocity (m/s)	5.0
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m <sup>2</sup> )	0.0907

## RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m <sup>3</sup> /hr	1632.6	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm <sup>3</sup>	40.2	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm <sup>3</sup>	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm <sup>3</sup>	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm <sup>3</sup>	6.9	35


**INFERENCE** As per KSPCB Standards  
Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthalah P  
Technical Manager

-: END OF REPORT :-



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified

Annexure-a



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

MSVAL/QR/7.8/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-AJ Block
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	14.01.2026
5.	Date of Sample Receipt	:	15.01.2026
6.	Sample Code	:	131
7.	Analysis Starting Date	:	15.01.2026
8.	Analysis Completion Date	:	22.01.2026
9.	Report Issue date	:	23.01.2026
10.	Latitude	:	16.310324
11.	Longitude	:	77.355502

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2026/104

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	31
Stack Temperature (°C)	41
Velocity (m/s)	5.0
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m <sup>2</sup> )	0.0907

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.003	Shall not be more than 0.01

<b>INFERENCE</b>	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager


:- END OF REPORT



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified

Annexure-9

2022.11



GPS Map Camera

Chicksugur, Karnataka, India

34/p1, Chicksugur, Karnataka 584134, India

Lat 16.310324° Long 77.355502°

14/01/2026 5:15 PM GMT +05:30

Google



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC- 4071

MSVAL/QR/7.8/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-C Block
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	14.01.2026
5.	Date of Sample Receipt	:	15.01.2026
6.	Sample Code	:	SE/352
7.	Analysis Starting Date	:	15.01.2026
8.	Analysis Completion Date	:	22.01.2026
9.	Report Issue date	:	23.01.2026
10.	Latitude	:	16.310638
11.	Longitude	:	77.356205

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC40712600001235F

## GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	30
Stack Temperature (°C)	38
Velocity (m/s)	4.7
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m <sup>2</sup> )	0.0908

## RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m <sup>3</sup> /hr	1536.33	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm <sup>3</sup>	41.2	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm <sup>3</sup>	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm <sup>3</sup>	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm <sup>3</sup>	10.6	35

**INFERENCE** As per KSPCB Standards  
Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified

Annexure-a



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

MSVAL/QR/7:8/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-C Block
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	14.01.2026
5.	Date of Sample Receipt	:	15.01.2026
6.	Sample Code	:	132
7.	Analysis Starting Date	:	15.01.2026
8.	Analysis Completion Date	:	22.01.2026
9.	Report Issue date	:	23.01.2026
10.	Latitude	:	16.310638
11.	Longitude	:	77.356205

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2026/105

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	30
Stack Temperature (°C)	38
Velocity (m/s)	4.7
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m <sup>2</sup> )	0.0908

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.008	Shall not be more than 0.01

<b>INFERENCE</b>	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--

Analysed by

Authorized Signatory


Hanumanthaiah P  
Technical Manager

END OF REPORT



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified

Annexure-a



GPS Map Camera

Chicksugur, Karnataka,  
India 

33, Chicksugur, Karnataka 584134, India

Lat 16.310638° Long 77.356205°

14/01/2026 03:02 PM GMT +05:30

Google



Annexure - 9

# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498-03895, (O) : 08392-255169,  
E-mail : msvballary2018@gmail.com, labmsv@gmail.com, Website : www.msvballary.com



MSVAL/QR/7.8/01

### ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG - Set 625KVA- I
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	14.01.2026
5.	Date of Sample Receipt	:	15.01.2026
6.	Sample Code	:	SE/353
7.	Analysis Starting Date	:	15.01.2026
8.	Analysis Completion Date	:	22.01.2026
9.	Report Issue date	:	23.01.2026
10.	Latitude	:	16.31165
11.	Longitude	:	77.358042

Discipline: Chemical    Group: Atmospheric Pollution    Sub Group: Stack Emission    ULR No: TC407126000001236F  
**GENERAL DETAILS**

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	31
Stack Temperature (°C)	63
Velocity (m/s)	5.8
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.1964

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm <sup>3</sup>	72.3	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm <sup>3</sup>	17.6	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm <sup>3</sup>	24.3	50

<b>INFERENCE</b>	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--

Analysed by

Authorized Signatory


Hanumanthaiah P  
Technical Manager

-: END OF REPORT



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified

Annexure - a



GPS Map Camera

### Chicksugur, Karnataka, India

100% Export Oriented Unit, Plot #33, Raichur  
Growth Centre, 33a & 40 To 47, Chicksugur,  
Karnataka 584134, India

Lat 16.31165° Long 77.358042°

14/01/2026 10:59 AM GMT +05:30

Google



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
 (Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08382-255169,  
 E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC- 4071

MSVAL/QR/7.8/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG - Set 625KVA- II
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	14.01.2026
5.	Date of Sample Receipt	:	15.01.2026
6.	Sample Code	:	SE/354
7.	Analysis Starting Date	:	15.01.2026
8.	Analysis Completion Date	:	22.01.2026
9.	Report Issue date	:	23.01.2026
10.	Latitude	:	16.31165
11.	Longitude	:	77.358042

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC40712600001237F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	31
Stack Temperature (°C)	66
Velocity (m/s)	5.9
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.1964

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm <sup>3</sup>	68.4	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm <sup>3</sup>	12.1	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm <sup>3</sup>	23.5	50

**INFERENCE** As per KSPCB Standards  
 Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by


Authorized Signatory

Hanumanthiah P  
 Technical Manager



- Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Samples Will be disposed after the specified retention period.  
 3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
 5. Sampling is not done by us unless otherwise specified

Annexure-a





Annexure-a

# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
C.M.C Ward No 18 & C.T.C W.No.16 T.S.No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
E-mail : msvballary2018@gmail.com, labmsv@gmail.com, Website : www.msvballary.com



TC- 4071

MSVAL/QR/7.8/01

### ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG - Set 625KVA- III
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	14.01.2026
5.	Date of Sample Receipt	:	15.01.2026
6.	Sample Code	:	SE/355
7.	Analysis Starting Date	:	15.01.2026
8.	Analysis Completion Date	:	22.01.2026
9.	Report Issue date	:	23.01.2026
10.	Latitude	:	16.31165
11.	Longitude	:	77.358042

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000001238F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	31
Stack Temperature (°C)	69
Velocity (m/s)	6.0
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.1964

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm <sup>3</sup>	54.6	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm <sup>3</sup>	24.8	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm <sup>3</sup>	29.3	50

<b>INFERENCE</b>	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified

Annexure-9



GPS Map Cas

Chicksugar, Karnataka, India

100% Export Oriented Unit, Plot #33, Raichur  
Growth Centre, 33a & 40 To 47, Chicksugar,  
Karnataka 584134, India

Lat 16.31165° Long 77.358042°

14/01/2026 11:44 AM GMT +05:30

Google



Annexure-9

# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
E-mail : msvballary2018@gmail.com, labmsv@gmail.com, Website : www.msvballary.com



MSVAL/QR/7.8/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG - Set 750 KVA-IV
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	14.01.2026
5.	Date of Sample Receipt	:	15.01.2026
6.	Sample Code	:	SE/356
7.	Analysis Starting Date	:	15.01.2026
8.	Analysis Completion Date	:	22.01.2026
9.	Report Issue date	:	23.01.2026
10.	Latitude	:	16.309635
11.	Longitude	:	77.356762

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC40712600001239F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	32
Stack Temperature (°C)	75
Velocity (m/s)	6.2
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.1964

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm <sup>3</sup>	73.1	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm <sup>3</sup>	22.6	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm <sup>3</sup>	29.5	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory

Hanumanthah P  
Technical Manager

:- END OF REPORT



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
C.M.C Ward No 18 & C.T,C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



Annexure - 9

MSVAL/QR/7.8/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Boiler - 10TPH & 6TPH
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	25.03.2026
5.	Date of Sample Receipt	:	26.03.2026
6.	Sample Code	:	SE/1984
7.	Analysis Starting Date	:	26.03.2026
8.	Analysis Completion Date	:	30.03.2026
9.	Report Issue date	:	31.03.2026
10.	Latitude	:	16.311643
11.	Longitude	:	77.358016

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000008515F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	32
Stack Temperature (°C)	120
Velocity (m/s)	8.5
Height (m)	30 mtr AGL
Diameter (m)	1.12
Cross sectional area (m <sup>2</sup> )	0.9856

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m <sup>3</sup> /hr	30159	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm <sup>3</sup>	74.6	150
Sulphur dioxide	IS-11255(Part-2) - 2019	PPM	BDL	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	PPM	19.5	50
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm <sup>3</sup>	BDL	35
Carbon Monoxide as CO	IS 13270	PPM	40	<150
Carbon Dioxide as CO <sub>2</sub>	(Orsat Apparatus USEPA 3A:1989)	%	9.2	<12

BDL: Below Detection limit

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory

Hanumanthiah P  
Technical Manager




- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified

Annexure-9



GPS Map Camera

**Chicksugur, Karnataka, India**   
100% Export Oriented Unit, Plot #33, Raichur Growth Centre,  
33a & 40 To 47, Chicksugur, Karnataka 584134, India  
Lat 16.311643° Long 77.358016°  
25/03/2026 12:37 PM GMT +05:30





# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03995, (0) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure-9

MSVAL/QR/7.8/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-AI Block -02
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	25.03.2026
5.	Date of Sample Receipt	:	26.03.2026
6.	Sample Code	:	927
7.	Analysis Starting Date	:	26.03.2026
8.	Analysis Completion Date	:	30.03.2026
9.	Report Issue date	:	31.03.2026
10.	Latitude	:	16.310638
11.	Longitude	:	77.356205

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2026/923

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	33
Stack Temperature (°C)	34
Velocity (m/s)	4.8
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m <sup>2</sup> )	0.06154

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.004	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Ballary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
 (Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
 C.M.C Ward No 18 & G.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.8/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-AI Block -02
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	25.03.2026
5.	Date of Sample Receipt	:	26.03.2026
6.	Sample Code	:	SE/1985
7.	Analysis Starting Date	:	26.03.2026
8.	Analysis Completion Date	:	30.03.2026
9.	Report Issue date	:	31.03.2026
10.	Latitude	:	16.310638
11.	Longitude	:	77.356205

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000008516F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	33
Stack Temperature (°C)	34
Velocity (m/s)	4.8
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m <sup>2</sup> )	0.06154

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m <sup>3</sup> /hr	1063	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm <sup>3</sup>	53.6	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm <sup>3</sup>	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm <sup>3</sup>	BDL	---
Acid mist (HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm <sup>3</sup>	14.8	35

<b>INFERENCE</b>	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--

Analysed by

Authorized Signatory

Hanurhanthaiah P  
Technical Manager

:- END OF REPORT :-



- Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Samples Will be disposed after the specified retention period.  
 3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
 5. Sampling is not done by us unless otherwise specified

Annexure-a



GPS Map Camera

Chicksugur, Karnataka,  
India

33, Chicksugur, Karnataka 584134, India  
Lat 16.310638° Long 77.356205°  
25/03/2026 2:48 PM GMT +05:30





Annexure-a

# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255168,  
E-mail : msvballary2018@gmail.com, labmsv@gmail.com, Website : www.msvballary.com



MSVAL/QR/7.8/01

### ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber- E Block -02
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	25.03.2026
5.	Date of Sample Receipt	:	26.03.2026
6.	Sample Code	:	SE/1986
7.	Analysis Starting Date	:	26.03.2026
8.	Analysis Completion Date	:	30.03.2026
9.	Report Issue date	:	31.03.2026
10.	Latitude	:	16.310829
11.	Longitude	:	77.355355

Discipline: Chemical    Group: Atmospheric Pollution    Sub Group: Stack Emission    ULR No: TC407126000008517F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	33
Stack Temperature (°C)	35
Velocity (m/s)	4.8
Height (m)	73 mtr AGL
Diameter (m)	0.29
Cross sectional area (m <sup>2</sup> )	0.066

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m <sup>3</sup> /hr	1140	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm <sup>3</sup>	45.1	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm <sup>3</sup>	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm <sup>3</sup>	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm <sup>3</sup>	9.5	35

<b>INFERENCE</b>	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager

-: END OF REPORT :-



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.18 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvballary2018@gmail.com, labmsv@gmail.com, Website : www.msvballary.com

MSVAL/QR/7.8/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber- E Block -02
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	25.03.2026
5.	Date of Sample Receipt	:	26.03.2026
6.	Sample Code	:	928
7.	Analysis Starting Date	:	26.03.2026
8.	Analysis Completion Date	:	30.03.2026
9.	Report Issue date	:	31.03.2026
10.	Latitude	:	16.310829
11.	Longitude	:	77.355355

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2026/924

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	33
Stack Temperature (°C)	35
Velocity (m/s)	4.8
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m <sup>2</sup> )	0.066

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.002	Shall not be more than 0.01

**INFERENCE** As per KSPCB Standards  
Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by


Authorized Signatory

Hanumanthaiah P  
Technical Manager



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified

Annexure-9



GPS Map Camera

Chicksugur, Karnataka, India

34/p1, Chicksugur, Karnataka 584134, India

Lat 16.310829° Long 77.355355°

25/03/2026 4:32 PM GMT +05:30

Google



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (D) : 08392-255169,  
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.8/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-H Block -02
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	25.03.2026
5.	Date of Sample Receipt	:	26.03.2026
6.	Sample Code	:	SE/1987
7.	Analysis Starting Date	:	26.03.2026
8.	Analysis Completion Date	:	30.03.2026
9.	Report Issue date	:	31.03.2026
10.	Latitude	:	16.309861
11.	Longitude	:	77.356215

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000008518F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	33
Stack Temperature (°C)	37
Velocity (m/s)	4.8
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m <sup>2</sup> )	0.0907

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m <sup>3</sup> /hr	1567	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm <sup>3</sup>	42.5	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm <sup>3</sup>	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm <sup>3</sup>	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm <sup>3</sup>	5.4	35

<b>INFERENCE</b>	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified

Annexure - 9



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvlabellary2018@gmail.com, labmsv@gmail.com, Website : www.msvlabellary.com

MSVAL/QR/7.9/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-H Block -02
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	25.03.2026
5.	Date of Sample Receipt	:	26.03.2026
6.	Sample Code	:	929
7.	Analysis Starting Date	:	26.03.2026
8.	Analysis Completion Date	:	30.03.2026
9.	Report Issue date	:	31.03.2026
10.	Latitude	:	16.309861
11.	Longitude	:	77.356215

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2026/925

## GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	33
Stack Temperature (°C)	37
Velocity (m/s)	4.8
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m <sup>2</sup> )	0.0907

## RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.002	Shall not be more than 0.01

<b>INFERENCE</b>	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--

Analysed by


Authorized Signatory

Hanumanthiah P  
Technical Manager



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified

Annexure-a



GPS Map Camera

Chicksugur, Karnataka, India

8954+rc3, Chicksugur, Karnataka 584134, India

Lat 16.309861° Long 77.356215°

25/03/2026 5:36 PM GMT +05:30

Google



Amesute - 9

# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



MSVAL/QR/7.8/01

### ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-C Block-01
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	25.03.2026
5.	Date of Sample Receipt	:	26.03.2026
6.	Sample Code	:	SE/1988
7.	Analysis Starting Date	:	26.03.2026
8.	Analysis Completion Date	:	30.03.2026
9.	Report Issue date	:	31.03.2026
10.	Latitude	:	16.31048
11.	Longitude	:	77.356252

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000008519F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	32
Stack Temperature (°C)	34
Velocity (m/s)	4.6
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m <sup>2</sup> )	0.0908

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m <sup>3</sup> /hr	1503	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm <sup>3</sup>	40.2	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm <sup>3</sup>	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm <sup>3</sup>	BDL	---
Acid mist(HCl Mist)	MSVAL/SQP/SE/002:2022	mg/Nm <sup>3</sup>	10.5	35

<b>INFERENCE</b>	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager

-: END OF REPORT



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

MSVAL/QR/7.8/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksngur village, Raichur.
2.	Stack ID	:	Scrubber-C Block-01
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	25.03.2026
5.	Date of Sample Receipt	:	26.03.2026
6.	Sample Code	:	930
7.	Analysis Starting Date	:	26.03.2026
8.	Analysis Completion Date	:	30.03.2026
9.	Report Issue date	:	31.03.2026
10.	Latitude	:	16.31048
11.	Longitude	:	77.356252

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2026/926

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	32
Stack Temperature (°C)	34
Velocity (m/s)	4.6
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m <sup>2</sup> )	0.0908

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.006	Shall not be more than 0.01

<b>INFERENCE</b>	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--

Analysed by

Authorized Signatory


Hanumanthaiah P  
Technical Manager

:- END OK REPORT



- Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Samples Will be disposed after the specified retention period.  
 3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
 5. Sampling is not done by us unless, otherwise specified

Annexure-9



GPS Map Camera

Chicksugur, Karnataka, India

33, Chicksugur, Karnataka 584134, India

Lat 16.31048° Long 77.356252°

25/03/2026 3:41 PM GMT +05:30

Google

Annexure - 9



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
 (Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.8/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG - Set 625KVA- I
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	25.03.2026
5.	Date of Sample Receipt	:	26.03.2026
6.	Sample Code	:	SE/1989
7.	Analysis Starting Date	:	26.03.2026
8.	Analysis Completion Date	:	30.03.2026
9.	Report Issue date	:	31.03.2026
10.	Latitude	:	16.309605
11.	Longitude	:	77.356788

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000008520F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	32
Stack Temperature (°C)	64
Velocity (m/s)	5.8
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.1965

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm <sup>3</sup>	71.5	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm <sup>3</sup>	16.2	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm <sup>3</sup>	20.3	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager

:- END OF REPORT -



- Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Samples Will be disposed after the specified retention period.  
 3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
 5. Sampling is not done by us unless otherwise specified

Annexure -9



GPS Map Camera

Chicksugur, Karnataka, India

8954+rc3, Chicksugur, Karnataka 584134, India

Lat 16.309605° Long 77.356788°

25/03/2026 10:52 AM GMT +05:30

Google



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 18 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC- 4071

MSVAL/QR/7.8/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG - Set 625KVA- II
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	25.03.2026
5.	Date of Sample Receipt	:	26.03.2026
6.	Sample Code	:	SE/1990
7.	Analysis Starting Date	:	26.03.2026
8.	Analysis Completion Date	:	30.03.2026
9.	Report Issue date	:	31.03.2026
10.	Latitude	:	16.309628
11.	Longitude	:	77.356797

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000008521F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	32
Stack Temperature (°C)	64
Velocity (m/s)	5.8
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.1965

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm <sup>3</sup>	64.1	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm <sup>3</sup>	11.8	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm <sup>3</sup>	23.5	50

**INFERENCE** As per KSPCB Standards  
Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory


Hanumanthaiiah P  
Technical Manager

:- END OF REPORT



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified

Annexure-9



GPS Map Camera

Chicksugur, Karnataka, India

8954+rc3, Chicksugur, Karnataka 584134, India

Lat 16.309628° Long 77.356797°

25/03/2026 10:18 AM GMT +05:30

Google



# Annexure-a MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC- 4071

MSVAL/QR/7.8/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG - Set 625KVA- III
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	25.03.2026
5.	Date of Sample Receipt	:	26.03.2026
6.	Sample Code	:	SE/1991
7.	Analysis Starting Date	:	26.03.2026
8.	Analysis Completion Date	:	30.03.2026
9.	Report Issue date	:	31.03.2026
10.	Latitude	:	16.31165
11.	Longitude	:	77.358042

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000008522F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	33
Stack Temperature (°C)	64
Velocity (m/s)	5.7
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.1965

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm <sup>3</sup>	52.8	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm <sup>3</sup>	20.1	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm <sup>3</sup>	25.4	50

**INFERENCE** As per KSPCB Standards  
Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory


Hanumanthaiah. P  
Technical Manager

-: END OF REPORT :-



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified

Annexure - 9



GPS Map Camera

Chicksugar, Karnataka, India

100% Export Oriented Unit, Plot #33, Raichur  
Growth Centre, 33a & 40 To 47, Chicksugar,  
Karnataka 584134, India

Lat 16.31165° Long 77.358042°

25/03/2026 11:43 AM GMT +05:30

Google



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,  
E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



MSVAL/QR/7.8/01

## ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG - Set 750 KVA-IV
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	25.03.2026
5.	Date of Sample Receipt	:	26.03.2026
6.	Sample Code	:	SE/1992
7.	Analysis Starting Date	:	26.03.2026
8.	Analysis Completion Date	:	30.03.2026
9.	Report Issue date	:	31.03.2026
10.	Latitude	:	16.309635
11.	Longitude	:	77.356762

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000008523F

## GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	33
Stack Temperature (°C)	70
Velocity (m/s)	6.8
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.1964

## RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm <sup>3</sup>	72.5	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm <sup>3</sup>	21.2	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm <sup>3</sup>	27.3	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory

Hanumanthalah P  
Technical Manager



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified



Annexure - 9

# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC- 4071

MSVAL/QR/7.8/1/Test Report

### ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2,  
Plot No. 33, 33A, 40-47, Raichur Industrial Growth  
Center, Chicksugur village, Raichur.
2. Stack ID : Boiler - 10TPH & 6TPH
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 29.11.2025
5. Date of Sample Receipt : 01.12.2025
6. Sample Code : SE/3935
7. Analysis Starting Date : 01.12.2025
8. Analysis Completion Date : 06.12.2025
9. Report Issue date : 08.12.2025
10. Latitude : 16.311643
11. Longitude : 77.358016

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

ULR No: TC40712500028626F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	30.2
Stack Temperature (°C)	134
Velocity (m/s)	7.8
Height (m)	30 mtr AGL
Diameter (m)	1.12
Cross sectional area (m <sup>2</sup> )	0.9856

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS 11255 Part-3	m <sup>3</sup> /hr	27675.6	---
Particulate Matter	IS 11255 Part-1	mg/Nm <sup>3</sup>	79.8	150
Sulphur dioxide	IS 11255 Part-2	PPM	BDL	100
Nitrogen dioxide	IS 11255 Part-7	PPM	30.2	50
Acid mist(HCl Mist)	MSVAL/SOP/USEPA/SE/002	mg/Nm <sup>3</sup>	BDL	35
Carbon Monoxide as CO	IS 13270	PPM	58	<150
Carbon Dioxide as CO <sub>2</sub>	(Orsat Apparatus USEPA 3A:1989)	%	10.1	<12

<b>INFERENCE</b>	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--

Analysed by

Authorized Signatory


Hanumanthaiah.P  
Technical Manager

\*\*\* End of Report \*\*\*



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified

Annexure-a





# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvballary2018@gmail.com, labmsv@gmail.com, Website : www.msvballary.com

MSVAL/QR/7.8/1/Test Report

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID : Scrubber-AI Block -Intermediate Area-SCR-03
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 29.11.2025
5. Date of Sample Receipt : 01.12.2025
6. Sample Code : SE/3936
7. Analysis Starting Date : 01.12.2025
8. Analysis Completion Date : 06.12.2025
9. Report Issue date : 08.12.2025
10. Latitude : 16.311643
11. Longitude : 77.358016

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

ULR No: TC407125000028627F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	30
Stack Temperature (°C)	49
Velocity (m/s)	5.2
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m <sup>2</sup> )	0.06154

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS 11255 Part-3	m <sup>3</sup> /hr	1152.0	---
Particulate Matter	IS 11255 Part-1	mg/Nm <sup>3</sup>	33.6	---
Sulphur dioxide	IS 11255 Part-2	mg/Nm <sup>3</sup>	BDL	---
Nitrogen dioxide	IS 11255 Part-7	mg/Nm <sup>3</sup>	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/USEPA/SE/002	mg/Nm <sup>3</sup>	18.9	35

<b>INFERENCE</b>	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--

Analysed by

Authorized Signatory

Hanumthaiah.P  
Technical Manager

\*\*\* End of Report\*\*\*



- Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Samples Will be disposed after the specified retention period.  
 3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
 5. Sampling is not done by us unless otherwise specified

Annexure-9



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC- 4071

MSVAL/QR/7.8/1/Test Report

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2,  
Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center,  
Chicksugur village, Raichur.
2. Stack ID : Scrubber-AI Block -Intermediate Area-SCR-03
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 29.11.2025
5. Date of Sample Receipt : 01.12.2025
6. Sample Code : 11656
7. Analysis Starting Date : 01.12.2025
8. Analysis Completion Date : 06.12.2025
9. Report Issue date : 08.12.2025
10. Latitude : 16.311643
11. Longitude : 77.358016

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

Test Report No: MSVAL/2025/5702

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	30
Stack Temperature (°C)	49
Velocity (m/s)	5.2
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m <sup>2</sup> )	0.06154

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.001	Shall not be more than 0.01

<b>INFERENCE</b>	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--

Analysed by

Authorized Signatory

  
Hanumanthaiah.P  
Technical Manager

\*\*\* End of Report \*\*\*



Note: 1. The results listed only to the tested samples & applicable parameters.


2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified

Annexure-a



GPS Map

Chicksugur, Karnataka, India

100% Export Oriented Unit, Plot #33, Raichur Growth Cell  
33a & 40 To 47, Chicksugur, Karnataka 584134, India

Lat 16.311643° Long 77.358016°

29/11/2025 02:52 PM GMT +05:30

Google



Annexure - 9

# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,  
E-mail : msvballary2018@gmail.com, labmsv@gmail.com, Website : www.msvballary.com



TC- 4071

MSVAL/QR/7.8/1/Test Report

### ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2,  
Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center,  
Chicksugur village, Raichur.
2. Stack ID : Scrubber- C Block -Intermediate Area-SCR-03
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 29.11.2025
5. Date of Sample Receipt : 01.12.2025
6. Sample Code : SE/3937
7. Analysis Starting Date : 01.12.2025
8. Analysis Completion Date : 06.12.2025
9. Report Issue date : 08.12.2025
10. Latitude : 16.311643
11. Longitude : 77.358016

Discipline: Chemical      Group: Atmospheric Pollution      Sub Group: Stack Emission      ULR No: TC407125000028628F

#### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	30
Stack Temperature (°C)	48
Velocity (m/s)	4.9
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m <sup>2</sup> )	0.066

#### RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS 11255 Part-3	m <sup>3</sup> /hr	1164.2	---
Particulate Matter	IS 11255 Part-1	mg/Nm <sup>3</sup>	36.4	---
Sulphur dioxide	IS 11255 Part-2	mg/Nm <sup>3</sup>	BDL	---
Nitrogen dioxide	IS 11255 Part-7	mg/Nm <sup>3</sup>	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/USEPA/SE/002	mg/Nm <sup>3</sup>	21.3	35

<b>INFERENCE</b>	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--

Analysed by

Authorized Signatory

Hanumanthaiah.P  
Technical Manager

\*\*\* End of Report\*\*\*



- Note: 1. The results listed only to the tested samples & applicable parameters  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
 (Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
 C.M.C Ward No 18 & C.T.C W.No.16 T.S.No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC-4071

MSVAL/QR/7.8/1/Test Report

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2,  
Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center,  
Chicksugur village, Raichur.
2. Stack ID : Scrubber- C Block -Intermediate Area-SCR-03
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 29.11.2025
5. Date of Sample Receipt : 01.12.2025
6. Sample Code : 11657
7. Analysis Starting Date : 01.12.2025
8. Analysis Completion Date : 06.12.2025
9. Report Issue date : 08.12.2025
10. Latitude : 16.311643
11. Longitude : 77.358016

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

Test Report No: MSVAL/2025/5703

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	30
Stack Temperature (°C)	48
Velocity (m/s)	4.9
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m <sup>2</sup> )	0.066

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.005	Shall not be more than 0.01

<b>INFERENCE</b>	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--

Analysed by

Authorized Signatory


 Hanumanthaiah.P  
 Technical Manager

\*\*\* End of Report \*\*\*



- Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Samples Will be disposed after the specified retention period.  
 3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
 5. Sampling is not done by us unless otherwise specified

Ahmed-9



GPS Map

Chicksuger, Karnataka, India 

100% Export Oriented Unit, Plot #33, Raichur Growth Ce

33a & 40 To 47, Chicksuger, Karnataka 584134, India

Lat 16.311643° Long 77.358016°

29/11/2025 04:55 PM GMT +05:30

Google



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.8/1/Test Report

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2,  
Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center,  
Chicksugur village, Raichur.
2. Stack ID : Scrubber-H Block -Intermediate Area-02
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 29.11.2025
5. Date of Sample Receipt : 01.12.2025
6. Sample Code : SE/3938
7. Analysis Starting Date : 01.12.2025
8. Analysis Completion Date : 06.12.2025
9. Report Issue date : 08.12.2025
10. Latitude : 16.311643
11. Longitude : 77.358016

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

ULR No: TC407125000028629F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	32
Stack Temperature (°C)	51
Velocity (m/s)	5.8
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m <sup>2</sup> )	0.0907

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS 11255 Part-3	m <sup>3</sup> /hr	1893.8	---
Particulate Matter	IS 11255 Part-1	mg/Nm <sup>3</sup>	39.6	---
Sulphur dioxide	IS 11255 Part-2	mg/Nm <sup>3</sup>	BDL	---
Nitrogen dioxide	IS 11255 Part-7	mg/Nm <sup>3</sup>	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/USEPA/SE/002	mg/Nm <sup>3</sup>	16.7	35

### INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

  
Hanumanthaiah.P  
Technical Manager

\*\*\* End of Report \*\*\*



- Note: 1. The results listed only to the tested samples & applicable parameters  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified



Annexure - 9

# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com

MSVAL/QR/7.8/1/Test Report

### ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2,  
Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center,  
Chicksugur village, Raichur.
2. Stack ID : Scrubber-H Block -Intermediate Area-02
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 29.11.2025
5. Date of Sample Receipt : 01.12.2025
6. Sample Code : 11658
7. Analysis Starting Date : 01.12.2025
8. Analysis Completion Date : 06.12.2025
9. Report Issue date : 08.12.2025
10. Latitude : 16.310555
11. Longitude : 77.355648

Discipline: Chemical      Group: Atmospheric Pollution      Sub Group: Stack Emission      Test Report No: MSVAL/2025/5704

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	32
Stack Temperature (°C)	51
Velocity (m/s)	5.8
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m <sup>2</sup> )	0.0907

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.003	Shall not be more than 0.01

<b>INFERENCE</b>	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--

Analysed by

Authorized Signatory


Hanumanthiah.P  
Technical Manager

\*\*\* End of Report\*\*\*



- Note:
1. The results listed only to the tested samples & applicable parameters.
  2. Samples Will be disposed after the specified retention period.
  3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
  4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
  5. Sampling is not done by us unless otherwise specified

Annexure - a



GPS Map

Chicksugar, Karnataka, India 

100% Export Oriented Unit, Plot #33, Raichur Growth Cell  
33a & 40 To 47, Chicksugar, Karnataka 584134, India  
Lat 16.311643° Long 77.358016°

Google

29/11/2025 03:50 PM GMT +05:30



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
 (Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
 Sanganakallu Road, KEB Circle, Bellary - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255168,  
 E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC- 4071

MSVAL/QR/7.8/1/Test Report

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2,  
Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center,  
Chicksugur village, Raichur.
2. Stack ID : Scrubber-G AJ Block-Intermediate Area-01
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 29.11.2025
5. Date of Sample Receipt : 01.12.2025
6. Sample Code : SE/3939
7. Analysis Starting Date : 01.12.2025
8. Analysis Completion Date : 06.12.2025
9. Report Issue date : 08.12.2025
10. Latitude : 16.311643
11. Longitude : 77.358016

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

ULR No: TC407125000028630F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	30
Stack Temperature (°C)	48
Velocity (m/s)	4.5
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m <sup>2</sup> )	0.0908

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS 11255 Part-3	m <sup>3</sup> /hr	1470.9	---
Particulate Matter	IS 11255 Part-1	mg/Nm <sup>3</sup>	39.6	---
Sulphur dioxide	IS 11255 Part-2	mg/Nm <sup>3</sup>	BDL	---
Nitrogen dioxide	IS 11255 Part-7	mg/Nm <sup>3</sup>	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/USEPA/SE/002	mg/Nm <sup>3</sup>	16.7	35

### INFERENCE

As per KSPCB Standards


Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah.P  
 Technical Manager

\*\*\* End of Report\*\*\*



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified



Annexure-9  
**MSV Analytical Laboratories**

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

MSVAL/QR/7.8/1/Test Report

**ANALYSIS REPORT FOR SOURCE EMISSION**

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID : Scrubber-G AJ Block-Intermediate Area-01
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 29.11.2025
5. Date of Sample Receipt : 01.12.2025
6. Sample Code : 11659
7. Analysis Starting Date : 01.12.2025
8. Analysis Completion Date : 06.12.2025
9. Report Issue date : 08.12.2025
10. Latitude : 16.311643
11. Longitude : 77.358016

Discipline: Chemical      Group: Atmospheric Pollution      Sub Group: Stack Emission      Test Report No: MSVAL/2025/5705

**GENERAL DETAILS**

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	30
Stack Temperature (°C)	48
Velocity (m/s)	4.5
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m <sup>2</sup> )	0.0908

**RESULTS**

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.002	Shall not be more than 0.01

<b>INFERENCE</b>	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--

Analysed by

Authorized Signatory


Hanumanthiah.P  
Technical Manager

\*\*\* End of Report\*\*\*



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified

Annexure-9



GPS Map

Chicksugur, Karnataka, India 

100% Export Oriented Unit, Plot #33, Raichur Growth Ce

33a & 40 To 47, Chicksugur, Karnataka 584134, India

Lat 16.311643° Long 77.358016°

29/11/2025 02:06 PM GMT +05:30

Google



Annexure-9

# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



MSVAL/QR/7.8/1/Test Report

### ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2,  
Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center,  
Chicksugur village, Raichur.
2. Stack ID : DG - Set 625KVA- I
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 29.11.2025
5. Date of Sample Receipt : 01.12.2025
6. Sample Code : SE/3940
7. Analysis Starting Date : 01.12.2025
8. Analysis Completion Date : 06.12.2025
9. Report Issue date : 08.12.2025
10. Latitude : 16.311643
11. Longitude : 77.358016

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

ULR No: TC407125000028631F

#### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	30
Stack Temperature (°C)	94
Velocity (m/s)	7.2
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.1964

#### RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS 11255 Part-1	mg/Nm <sup>3</sup>	48.7	150
Sulphur dioxide	IS 11255 Part-2	mg/Nm <sup>3</sup>	15.2	100
Nitrogen dioxide	IS 11255 Part-7	mg/Nm <sup>3</sup>	28.4	50

#### INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory


Hanumanthaiah.P  
Technical Manager

\*\*\* End of Report\*\*\*



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified

Annexure-a



A nmesure-9



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.8/1/Test Report

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2,  
Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center,  
Chicksugur village, Raichur.
2. Stack ID : DG - Set 625KVA- II
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 29.11.2025
5. Date of Sample Receipt : 01.12.2025
6. Sample Code : SE/3941
7. Analysis Starting Date : 01.12.2025
8. Analysis Completion Date : 06.12.2025
9. Report Issue date : 08.12.2025
10. Latitude : 16.311643
11. Longitude : 77.358016

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

ULR No: TC40712500028632F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	30
Stack Temperature (°C)	90
Velocity (m/s)	7.5
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.1964

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS 11255 Part-1	mg/Nm <sup>3</sup>	59.6	150
Sulphur dioxide	IS 11255 Part-2	mg/Nm <sup>3</sup>	20.2	100
Nitrogen dioxide	IS 11255 Part-7	mg/Nm <sup>3</sup>	31.6	50

<b>INFERENCE</b>	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--

Analysed by

Authorized Signatory


Hanumanthaiah.P  
Technical Manager

\*\*\* End of Report \*\*\*



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified

Annexure-a





# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
 (Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.8/1/Test Report

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2,  
Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center,  
Chicksugur village, Raichur.
2. Stack ID : DG - Set 625KVA- III
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 29.11.2025
5. Date of Sample Receipt : 01.12.2025
6. Sample Code : SE/3942
7. Analysis Starting Date : 01.12.2025
8. Analysis Completion Date : 06.12.2025
9. Report Issue date : 08.12.2025
10. Latitude : 16.311643
11. Longitude : 77.358016

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

ULR No: TC407125000028634F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	31
Stack Temperature (°C)	79
Velocity (m/s)	7.3
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.1964

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS 11255 Part-1	mg/Nm <sup>3</sup>	48.6	150
Sulphur dioxide	IS 11255 Part-2	mg/Nm <sup>3</sup>	19.1	100
Nitrogen dioxide	IS 11255 Part-7	mg/Nm <sup>3</sup>	28.6	50

### INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

  
Hanumanthaiah.P  
Technical Manager

\*\*\* End of Report\*\*\*



Note: 1. The results listed only to the tested samples & applicable parameters.


2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified

Amee Wani



GPS Map

### Chicksugar, Karnataka, India

100% Export Oriented Unit, Plot #33, Raichur Growth Ce  
33a & 40 To 47, Chicksugar, Karnataka 584134, India  
Lat 16.311643° Long 77.358016°  
29/11/2025 11:37 AM GMT +05:30

Google



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255189,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.8/1/Test Report

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2,  
Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center,  
Chicksugur village, Raichur.
2. Stack ID : DG - Set 750 KVA-IV
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 29.11.2025
5. Date of Sample Receipt : 01.12.2025
6. Sample Code : SE/3943
7. Analysis Starting Date : 01.12.2025
8. Analysis Completion Date : 06.12.2025
9. Report Issue date : 08.12.2025
10. Latitude : 16.311642
11. Longitude : 77.358015

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

ULR No: TC407125000028635F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	32
Stack Temperature (°C)	88
Velocity (m/s)	7.5
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.1964

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS 11255 Part-1	mg/Nm <sup>3</sup>	45.3	150
Sulphur dioxide	IS 11255 Part-2	mg/Nm <sup>3</sup>	12.9	100
Nitrogen dioxide	IS 11255 Part-7	mg/Nm <sup>3</sup>	21.6	50

### INFERENCE

As per KSPCB Standards

Report Status:- The analyzed value for above measured parameter is within the limits.

Analysed by

*[Signature]*

Authorized Signatory

*[Signature]*  
Hanumanthiah.P  
Technical Manager

\*\*\* End of Report \*\*\*



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified

Annexure-a



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
 (Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.8/1/Test Report

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2,  
Plot No. 33, 33A, 40-47, Raichur Industrial Growth  
Center, Chicksugar village, Raichur.
2. Stack ID : Boiler - 10TPH & 6TPH
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 28.10.2025
5. Date of Sample Receipt : 29.10.2025
6. Sample Code : SE/3225
7. Analysis Starting Date : 29.10.2025
8. Analysis Completion Date : 03.11.2025
9. Report Issue date : 03.11.2025
10. Latitude : 16.30986
11. Longitude : 77.357057

Discipline: Chemical      Group: Atmospheric Pollution      Sub Group: Stack Emission      ULR No: TC40712500024790F

### GENERAL DETAILS

Instrument Used for Sampling /	Sample collected with VSS_1
Ambient Temperature (°C)	30
Stack Temperature (°C)	128
Velocity (m/s)	8.2
Height (m)	30 intr AGL
Diameter (m)	1.12
Cross sectional area (m <sup>2</sup> )	0.9856

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS 11255 Part-3	m <sup>3</sup> /hr	29094.91	---
Particulate Matter	IS 11255 Part-1	mg/Nm <sup>3</sup>	73.6	150
Sulphur dioxide	IS 11255 Part-2	PPM	BDL	100
Nitrogen dioxide	IS 11255 Part-7	PPM	23.6	50
Acid mist(HCl Mist)	MSVAL/SOP/USEPA/SE/002	mg/Nm <sup>3</sup>	BDL	35
Carbon Monoxide as CO	IS 13270	PPM	52	<150
Carbon Dioxide as CO <sub>2</sub>	(Orsat Apparatus USEPA 3A:1989)	%	9.6	<12

INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory


Hanumanthaiah.P  
Technical Manager

\*\*\* End of Report \*\*\*



- Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Samples Will be disposed after the specified retention period.  
 3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
 5. Sampling is not done by us unless otherwise specified

Annexure-9



GPS Map Camera

Chicksugur, Karnataka, India

33, Chicksugur, Karnataka 584134, India

Lat 16.30986° Long 77.357057°

28/10/2025 12:01 AM GMT +05:30

Google

Anneexure - 9



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.8/1/Test Report

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2,  
Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center,  
Chicksugur village, Raichur.
2. Stack ID : Scrubber-AI Block -Intermediate Area-SCR-1
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 28.10.2025
5. Date of Sample Receipt : 29.10.2025
6. Sample Code : SE/3226
7. Analysis Starting Date : 29.10.2025
8. Analysis Completion Date : 03.11.2025
9. Report Issue date : 03.11.2025
10. Latitude : 16.310324
11. Longitude : 77.355502

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407125000024791F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	31
Stack Temperature (°C)	45
Velocity (m/s)	4.1
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m <sup>2</sup> )	0.06154

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS 11255 Part-3	m <sup>3</sup> /hr	908.3	---
Particulate Matter	IS 11255 Part-1	mg/Nm <sup>3</sup>	38.2	---
Sulphur dioxide	IS 11255 Part-2	mg/Nm <sup>3</sup>	BDL	---
Nitrogen dioxide	IS 11255 Part-7	mg/Nm <sup>3</sup>	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/USEPA/SE/002	mg/Nm <sup>3</sup>	15.5	35

### INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

*[Signature]*

Authorized Signatory

*[Signature]*  
Hanumanthaiah.P  
Technical Manager

\*\*\* End of report \*\*\*



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified



Attachment-9

# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com

MSVAL/QR/7.8/1/Test Report

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID : Scrubber-AI Block -Intermediate Area-SCR-1
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 28.10.2025
5. Date of Sample Receipt : 29.10.2025
6. Sample Code : 10206
7. Analysis Starting Date : 29.10.2025
8. Analysis Completion Date : 03.11.2025
9. Report Issue date : 03.11.2025
10. Latitude : 16.310324
11. Longitude : 77.355502

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

Test Report No: MSVAL/2025/4710

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	31
Stack Temperature (°C)	45
Velocity (m/s)	4.1
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m <sup>2</sup> )	0.06154

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.002	Shall not be more than 0.01

INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah.P  
Technical Manager

\*\*\* End of Report \*\*\*



Note: 1. The results listed only to the tested samples & applicable parameters.


2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified

Amocwe-a





# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC-4071

MSVAL/QR/7.8/1/Test Report

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2,  
Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center,  
Chicksugur village, Raichur.
2. Stack ID : Scrubber- C Block -Intermediate Area-SCR-1
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 28.10.2025
5. Date of Sample Receipt : 29.10.2025
6. Sample Code : SE/3227
7. Analysis Starting Date : 29.10.2025
8. Analysis Completion Date : 03.11.2025
9. Report Issue date : 03.11.2025
10. Latitude : 16.310614
11. Longitude : 77.356258

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

ULR No: TC407125000024792F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	32
Stack Temperature (°C)	42
Velocity (m/s)	4.2
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m <sup>2</sup> )	0.066

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS 11255 Part-3	m <sup>3</sup> /hr	997.9	---
Particulate Matter	IS 11255 Part-1	mg/Nm <sup>3</sup>	39.6	---
Sulphur dioxide	IS 11255 Part-2	mg/Nm <sup>3</sup>	BDL	---
Nitrogen dioxide	IS 11255 Part-7	mg/Nm <sup>3</sup>	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/USEPA/SE/002	mg/Nm <sup>3</sup>	18.5	35

### INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah.P  
Technical Manager

\*\*\* End of Report \*\*\*



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified



Annexure - 9

# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvballary2018@gmail.com, labmsv@gmail.com, Website : www.msvballary.com

MSVAL/QR/7.8/1/Test Report

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2,  
Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center,  
Chicksugur village, Raichur.
2. Stack ID : Scrubber- C Block -Intermediate Area-SCR-1
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 28.10.2025
5. Date of Sample Receipt : 29.10.2025
6. Sample Code : 10207
7. Analysis Starting Date : 29.10.2025
8. Analysis Completion Date : 03.11.2025
9. Report Issue date : 03.11.2025
10. Latitude : 16.310614
11. Longitude : 77.356258

Discipline: Chemical      Group: Atmospheric Pollution      Sub Group: Stack Emission      Test Report No: MSVAL/2025/4711

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	32
Stack Temperature (°C)	42
Velocity (m/s)	4.2
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m <sup>2</sup> )	0.066

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.005	Shall not be more than 0.01

**INFERENCE** As per KSPCB Standards  
Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory


Hanumanthaiah.P  
Technical Manager

\*\*\* End of Report \*\*\*




- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified

Amecuse-9



GPS Map Camera

Google

Chicksugur, Karnataka, India 

33, Chicksugur, Karnataka 584134, India

Lat 16.310614° Long 77.356258°

28/10/2025 02:52 PM GMT +05:30

Annexure-a



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.8/1/Test Report

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2,  
Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center,  
Chicksugur village, Raichur.
2. Stack ID : Scrubber-E Block -Intermediate Area-02
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 28.10.2025
5. Date of Sample Receipt : 29.10.2025
6. Sample Code : SE/3228
7. Analysis Starting Date : 29.10.2025
8. Analysis Completion Date : 03.11.2025
9. Report Issue date : 03.11.2025
10. Latitude : 16.310555
11. Longitude : 77.355648

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

ULR No: TC407125000024793F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	30
Stack Temperature (°C)	48
Velocity (m/s)	5.3
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m <sup>2</sup> )	0.0907

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS 11255 Part-3	m <sup>3</sup> /hr	1730.5	---
Particulate Matter	IS 11255 Part-1	mg/Nm <sup>3</sup>	33.4	---
Sulphur dioxide	IS 11255 Part-2	mg/Nm <sup>3</sup>	BDL	---
Nitrogen dioxide	IS 11255 Part-7	mg/Nm <sup>3</sup>	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/USEPA/SE/002	mg/Nm <sup>3</sup>	17.3	35

INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah.P  
Technical Manager

\*\*\* End of Report \*\*\*



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com

MSVAL/QR/7.8/1/Test Report

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2,  
Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center,  
Chicksugur village, Raichur.
2. Stack ID : Scrubber-E Block -Intermediate Area-02
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 28.10.2025
5. Date of Sample Receipt : 29.10.2025
6. Sample Code : 10208
7. Analysis Starting Date : 29.10.2025
8. Analysis Completion Date : 03.11.2025
9. Report Issue date : 03.11.2025
10. Latitude : 16.310555
11. Longitude : 77.355648

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

Test Report No: MSVAL/2025/4712

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	30
Stack Temperature (°C)	48
Velocity (m/s)	5.3
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m <sup>2</sup> )	0.0907

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.003	Shall not be more than 0.01

**INFERENCE** As per KSPCB Standards  
Report Status: - The analyzed value for above measured parameter is within the limits.

Analyse d by

Authorized Signatory

Hanumanthaiah.P  
Technical Manager

\*\*\* End of Report \*\*\*



Note: 1. The results listed only to the tested samples & applicable parameters.


2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing


4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified

Ahmedkure-a



GPS Map Camera

Chicksugur, Karnataka, India 

34/p1, Chicksugur, Karnataka 584134, India

Lat 16.310555° Long 77.355648°

28/10/2025 02:13 PM GMT +05:30

Google



Annexure 9

# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 895/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03885, (0) : 08392-255169,  
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



MSVAL/QR/7.8/1/Test Report

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2,  
Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center,  
Chicksugur village, Raichur.
2. Stack ID : Scrubber-G AJ Block-Intermediate Area-01
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 28.10.2025
5. Date of Sample Receipt : 29.10.2025
6. Sample Code : SE/3229
7. Analysis Starting Date : 29.10.2025
8. Analysis Completion Date : 03.11.2025
9. Report Issue date : 03.11.2025
10. Latitude : 16.310324
11. Longitude : 77.355502

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

ULR No: TC407125000024794F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	32
Stack Temperature (°C)	43
Velocity (m/s)	3.9
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m <sup>2</sup> )	0.0908

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS 11255 Part-3	m <sup>3</sup> /hr	1274.8	---
Particulate Matter	IS 11255 Part-1	mg/Nm <sup>3</sup>	36.6	---
Sulphur dioxide	IS 11255 Part-2	mg/Nm <sup>3</sup>	BDL	---
Nitrogen dioxide	IS 11255 Part-7	mg/Nm <sup>3</sup>	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/USEPA/SE/002	mg/Nm <sup>3</sup>	14.8	35

<b>INFERENCE</b>	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--

Analysed by

Authorized Signatory

Hanumanthaiah.P  
Technical Manager

\*\*\* End of Report \*\*\*



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified



Annexure-9

# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com

MSVAL/QR/7.8/1/Test Report

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID : Scrubber-G AJ Block-Intermediate Area-01
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 28.10.2025
5. Date of Sample Receipt : 29.10.2025
6. Sample Code : 10209
7. Analysis Starting Date : 29.10.2025
8. Analysis Completion Date : 03.11.2025
9. Report Issue date : 03.11.2025
10. Latitude : 16.310324
11. Longitude : 77.355502

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

Test Report No: MSVAL/2025/4713

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	32
Stack Temperature (°C)	43
Velocity (m/s)	3.9
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m <sup>2</sup> )	0.0908

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.003	Shall not be more than 0.01

**INFERENCE** As per KSPCB Standards  
Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory


Hanumanthaiah.P  
Technical Manager

\*\*\* End of Report \*\*\*



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified

Annexure-9





# Amexuse-9 MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



MSVAL/QR/7.8/1/Test Report

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2,  
Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center,  
Chicksugur village, Raichur.
2. Stack ID : DG - Set 625KVA- I
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 28.10.2025
5. Date of Sample Receipt : 29.10.2025
6. Sample Code : SE/3230
7. Analysis Starting Date : 29.10.2025
8. Analysis Completion Date : 03.11.2025
9. Report Issue date : 03.11.2025
10. Latitude : 16.311655
11. Longitude : 77.35954

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

ULR No: TC40712500024795F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	32
Stack Temperature (°C)	89
Velocity (m/s)	6.3
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.1964

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS 11255 Part-1	mg/Nm <sup>3</sup>	55.8	150
Sulphur dioxide	IS 11255 Part-2	mg/Nm <sup>3</sup>	18.3	100
Nitrogen dioxide	IS 11255 Part-7	mg/Nm <sup>3</sup>	24.6	50

<b>INFERENCE</b>	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--

Analysed by

Authorized Signatory


Hanumanthaiah.P  
Technical Manager

\*\*\* End of Report \*\*\*



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified

Annexure-9





Ammecuse-9

# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.8/1/Test Report

### ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2,  
Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center,  
Chicksugur village, Raichur.
2. Stack ID : DG - Set 625KVA- II
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 28.10.2025
5. Date of Sample Receipt : 29.10.2025
6. Sample Code : SE/3231
7. Analysis Starting Date : 29.10.2025
8. Analysis Completion Date : 03.11.2025
9. Report Issue date : 03.11.2025
10. Latitude : 16.309643
11. Longitude : 77.35679

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

ULR No: TC407125000024796F

#### GENERAL DETAILS /

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	32
Stack Temperature (°C)	84
Velocity (m/s)	6.2
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.1964

#### RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS 11255 Part-1	mg/Nm <sup>3</sup>	65.5	150
Sulphur dioxide	IS 11255 Part-2	mg/Nm <sup>3</sup>	18.6	100
Nitrogen dioxide	IS 11255 Part-7	mg/Nm <sup>3</sup>	29.4	50

<b>INFERENCE</b>	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--

Analysed by

Authorized Signatory


Hanumanthaiah.P  
Technical Manager

\*\*\* End of Report \*\*\*



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified

Annexure-9





Anneexure -9

# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC-4071

MSVAL/QR/7.8/1/Test Report

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2,  
Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center,  
Chicksugur village, Raichur.
2. Stack ID : DG - Set 625KVA- III
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 28.10.2025
5. Date of Sample Receipt : 29.10.2025
6. Sample Code : SE/3232
7. Analysis Starting Date : 29.10.2025
8. Analysis Completion Date : 03.11.2025
9. Report Issue date : 03.11.2025
10. Latitude : 16.309515
11. Longitude : 77.356962

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

ULR No: TC407125000024797F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	30
Stack Temperature (°C)	74
Velocity (m/s)	6.5
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.1964

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS 11255 Part-1	mg/Nm <sup>3</sup>	53.2	150
Sulphur dioxide	IS 11255 Part-2	mg/Nm <sup>3</sup>	17.2	100
Nitrogen dioxide	IS 11255 Part-7	mg/Nm <sup>3</sup>	24.3	50

<b>INFERENCE</b>	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--

Analysed by

Authorized Signatory

Hanumanthaiah.P  
Technical Manager

\*\*\* End of Report \*\*\*



Note: 1. The results listed only to the tested samples & applicable parameters.


2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified

Annexure-9



GPS Map Camera

Chicksugur, Karnataka, India 

59, Chicksugur, Karnataka 584134, India

Lat 16.309515° Long 77.356962°

28/10/2025 11:39 AM GMT +05:30

Google



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,  
E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC- 4071

MSVAL/QR/7.8/1/Test Report

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2,  
Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center,  
Chicksugur village, Raichur.
2. Stack ID : DG - Set 750 KVA-IV
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 28.10.2025
5. Date of Sample Receipt : 29.10.2025
6. Sample Code : SE/3233
7. Analysis Starting Date : 29.10.2025
8. Analysis Completion Date : 03.11.2025
9. Report Issue date : 03.11.2025
10. Latitude : 16.311642
11. Longitude : 77.358015

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

ULR No: TC407125000024798F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	30
Stack Temperature (°C)	82
Velocity (m/s)	6.9
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.1964

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS 11255 Part-1	mg/Nm <sup>3</sup>	48.3	150
Sulphur dioxide	IS 11255 Part-2	mg/Nm <sup>3</sup>	15.5	100
Nitrogen dioxide	IS 11255 Part-7	mg/Nm <sup>3</sup>	19.2	50

### INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

  
Hanumanthiah.P  
Technical Manager

\*\*\* End of Report \*\*\*



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified

S.No.	Date	Time Slot	Avg Flow (m <sup>3</sup> /hr)
24	11-03-2026	12:00 - 13:00	11.252172
25	11-03-2026	13:00 - 14:00	7.413093
26	11-03-2026	14:00 - 15:00	8.423715
27	11-03-2026	15:00 - 16:00	11.383048
28	11-03-2026	16:00 - 17:00	8.176603
29	11-03-2026	17:00 - 18:00	7.900776
30	11-03-2026	18:00 - 19:00	7.953126
31	11-03-2026	19:00 - 20:00	7.976140
32	11-03-2026	20:00 - 21:00	7.969111
33	11-03-2026	21:00 - 22:00	7.991301
34	11-03-2026	22:00 - 23:00	7.857144
35	11-03-2026	23:00 - 00:00	11.164499
36	12-03-2026	00:00 - 01:00	11.948677
37	12-03-2026	01:00 - 02:00	11.741741
38	12-03-2026	02:00 - 03:00	11.412646
39	12-03-2026	03:00 - 04:00	11.322559
40	12-03-2026	04:00 - 05:00	8.619250
41	12-03-2026	05:00 - 06:00	7.740191
42	12-03-2026	06:00 - 07:00	10.690822
43	12-03-2026	07:00 - 08:00	8.569018
44	12-03-2026	08:00 - 09:00	3.992042
45	12-03-2026	09:00 - 10:00	4.521795
46	12-03-2026	10:00 - 11:00	6.547562
47	12-03-2026	11:00 - 12:00	9.186358
48	12-03-2026	12:00 - 13:00	5.210359
49	12-03-2026	13:00 - 14:00	5.249679
50	12-03-2026	14:00 - 15:00	8.872256
51	12-03-2026	15:00 - 16:00	11.354863
52	12-03-2026	16:00 - 17:00	12.194930
53	12-03-2026	17:00 - 18:00	10.763070
54	12-03-2026	18:00 - 19:00	7.988009

Annexure-10

# March Flow Summary - 1 Hour Average

Only hourly average summary is shown. Raw records are not included.

Device ID	wox25120001	Industry	SHILPA PHARMA UNIT 2 (RO OUTLET)
Data Period	03-03-2026 15:00 to 01-04-2026 00:00	Aggregation	1 hour average of flow (m <sup>3</sup> /hr)
Total Hourly Points	509	Source Rows	30,105 cleaned March rows

S.No.	Date	Time Slot	Avg Flow (m <sup>3</sup> /hr)
1	03-03-2026	15:00 - 16:00	0.011421
2	03-03-2026	16:00 - 17:00	0.011463
3	03-03-2026	17:00 - 18:00	5.038800
4	10-03-2026	16:00 - 17:00	7.572724
5	10-03-2026	17:00 - 18:00	9.172583
6	10-03-2026	18:00 - 19:00	8.069536
7	10-03-2026	19:00 - 20:00	9.675372
8	10-03-2026	20:00 - 21:00	12.255348
9	10-03-2026	21:00 - 22:00	7.710249
10	10-03-2026	22:00 - 23:00	10.273044
11	10-03-2026	23:00 - 00:00	8.549486
12	11-03-2026	00:00 - 01:00	9.775922
13	11-03-2026	01:00 - 02:00	10.068450
14	11-03-2026	02:00 - 03:00	7.856866
15	11-03-2026	03:00 - 04:00	7.897385
16	11-03-2026	04:00 - 05:00	7.049367
17	11-03-2026	05:00 - 06:00	10.119728
18	11-03-2026	06:00 - 07:00	10.539836
19	11-03-2026	07:00 - 08:00	10.618500
20	11-03-2026	08:00 - 09:00	10.995602
21	11-03-2026	09:00 - 10:00	8.653387
22	11-03-2026	10:00 - 11:00	9.805140
23	11-03-2026	11:00 - 12:00	11.803898

Annexure-10

S.No.	Date	Time Slot	Avg Flow (m <sup>3</sup> /hr)
55	12-03-2026	19:00 - 20:00	7.705473
56	12-03-2026	20:00 - 21:00	8.425413
57	12-03-2026	21:00 - 22:00	8.435548
58	12-03-2026	22:00 - 23:00	7.426025
59	12-03-2026	23:00 - 00:00	8.632821
60	13-03-2026	00:00 - 01:00	8.665399
61	13-03-2026	01:00 - 02:00	8.689207
62	13-03-2026	02:00 - 03:00	8.693960
63	13-03-2026	03:00 - 04:00	7.227468
64	13-03-2026	04:00 - 05:00	3.376529
65	13-03-2026	05:00 - 06:00	9.072099
66	13-03-2026	06:00 - 07:00	11.213103
67	13-03-2026	07:00 - 08:00	12.447998
68	13-03-2026	08:00 - 09:00	10.403705
69	13-03-2026	09:00 - 10:00	12.389901
70	13-03-2026	10:00 - 11:00	12.595950
71	13-03-2026	11:00 - 12:00	10.638573
72	13-03-2026	12:00 - 13:00	10.563877
73	13-03-2026	13:00 - 14:00	10.594440
74	13-03-2026	14:00 - 15:00	10.513797
75	13-03-2026	15:00 - 16:00	11.286154
76	13-03-2026	16:00 - 17:00	11.868192
77	13-03-2026	17:00 - 18:00	12.386251
78	13-03-2026	18:00 - 19:00	8.388334
79	13-03-2026	19:00 - 20:00	7.571939
80	13-03-2026	20:00 - 21:00	7.576717
81	13-03-2026	21:00 - 22:00	7.585008
82	13-03-2026	22:00 - 23:00	6.956188
83	13-03-2026	23:00 - 00:00	4.141389
84	14-03-2026	00:00 - 01:00	4.163944
85	14-03-2026	01:00 - 02:00	7.014338

Annexure-1A

S.No.	Date	Time Slot	Avg Flow (m <sup>3</sup> /hr)
86	14-03-2026	02:00 - 03:00	7.377611
87	14-03-2026	03:00 - 04:00	5.172585
88	14-03-2026	04:00 - 05:00	4.686360
89	14-03-2026	05:00 - 06:00	7.390804
90	14-03-2026	06:00 - 07:00	11.418675
91	14-03-2026	07:00 - 08:00	11.378779
92	14-03-2026	08:00 - 09:00	8.663650
93	14-03-2026	09:00 - 10:00	8.253705
94	14-03-2026	10:00 - 11:00	8.062353
95	14-03-2026	11:00 - 12:00	7.496524
96	14-03-2026	12:00 - 13:00	7.548757
97	14-03-2026	13:00 - 14:00	7.529460
98	14-03-2026	14:00 - 15:00	8.592072
99	14-03-2026	15:00 - 16:00	9.809385
100	14-03-2026	16:00 - 17:00	9.908168
101	14-03-2026	17:00 - 18:00	7.518953
102	14-03-2026	18:00 - 19:00	7.304077
103	14-03-2026	19:00 - 20:00	7.321300
104	14-03-2026	20:00 - 21:00	7.483510
105	14-03-2026	21:00 - 22:00	7.530135
106	14-03-2026	22:00 - 23:00	7.944397
107	14-03-2026	23:00 - 00:00	7.726504
108	15-03-2026	00:00 - 01:00	7.355791
109	15-03-2026	01:00 - 02:00	7.161140
110	15-03-2026	02:00 - 03:00	7.900881
111	15-03-2026	03:00 - 04:00	9.627657
112	15-03-2026	04:00 - 05:00	5.312878
113	15-03-2026	05:00 - 06:00	5.300257
114	15-03-2026	06:00 - 07:00	12.910446
115	15-03-2026	07:00 - 08:00	8.984881
116	15-03-2026	08:00 - 09:00	9.460214

Annexure-10

S.No.	Date	Time Slot	Avg Flow (m <sup>3</sup> /hr)
117	15-03-2026	09:00 - 10:00	8.545486
118	15-03-2026	10:00 - 11:00	7.019606
119	15-03-2026	11:00 - 12:00	6.968299
120	15-03-2026	12:00 - 13:00	7.049914
121	15-03-2026	13:00 - 14:00	8.361312
122	15-03-2026	14:00 - 15:00	9.695504
123	15-03-2026	15:00 - 16:00	7.371320
124	15-03-2026	16:00 - 17:00	7.758281
125	15-03-2026	17:00 - 18:00	7.726210
126	15-03-2026	18:00 - 19:00	8.731569
127	15-03-2026	19:00 - 20:00	6.647852
128	15-03-2026	20:00 - 21:00	3.575783
129	15-03-2026	21:00 - 22:00	6.162338
130	15-03-2026	22:00 - 23:00	7.258503
131	15-03-2026	23:00 - 00:00	7.327023
132	16-03-2026	00:00 - 01:00	7.346354
133	16-03-2026	01:00 - 02:00	7.360280
134	16-03-2026	02:00 - 03:00	7.394772
135	16-03-2026	03:00 - 04:00	6.212332
136	16-03-2026	04:00 - 05:00	6.078035
137	16-03-2026	05:00 - 06:00	7.387109
138	16-03-2026	06:00 - 07:00	7.429769
139	16-03-2026	07:00 - 08:00	9.341976
140	16-03-2026	08:00 - 09:00	11.761946
141	16-03-2026	09:00 - 10:00	11.923699
142	16-03-2026	10:00 - 11:00	8.591560
143	16-03-2026	11:00 - 12:00	5.628383
144	16-03-2026	12:00 - 13:00	1.826511
145	16-03-2026	13:00 - 14:00	10.609577
146	16-03-2026	14:00 - 15:00	7.637671
147	16-03-2026	15:00 - 16:00	11.491322

Annexure-10

S.No.	Date	Time Slot	Avg Flow (m <sup>3</sup> /hr)
148	16-03-2026	16:00 - 17:00	11.656766
149	16-03-2026	17:00 - 18:00	1.736333
150	16-03-2026	18:00 - 19:00	10.319994
151	16-03-2026	19:00 - 20:00	10.161986
152	16-03-2026	20:00 - 21:00	9.565941
153	16-03-2026	21:00 - 22:00	8.013120
154	16-03-2026	22:00 - 23:00	8.162474
155	16-03-2026	23:00 - 00:00	8.000241
156	17-03-2026	00:00 - 01:00	7.493114
157	17-03-2026	01:00 - 02:00	7.487588
158	17-03-2026	02:00 - 03:00	7.488255
159	17-03-2026	03:00 - 04:00	7.481298
160	17-03-2026	04:00 - 05:00	7.486600
161	17-03-2026	05:00 - 06:00	7.485607
162	17-03-2026	06:00 - 07:00	9.677999
163	17-03-2026	07:00 - 08:00	3.890998
164	17-03-2026	08:00 - 09:00	5.274056
165	17-03-2026	09:00 - 10:00	10.711352
166	17-03-2026	10:00 - 11:00	10.065519
167	17-03-2026	11:00 - 12:00	4.882789
168	17-03-2026	12:00 - 13:00	6.098592
169	17-03-2026	13:00 - 14:00	6.556758
170	17-03-2026	14:00 - 15:00	7.105842
171	17-03-2026	15:00 - 16:00	4.434472
172	17-03-2026	16:00 - 17:00	2.055339
173	17-03-2026	17:00 - 18:00	3.992355
174	17-03-2026	18:00 - 19:00	3.992440
175	17-03-2026	19:00 - 20:00	3.992494
176	17-03-2026	20:00 - 21:00	3.992539
177	17-03-2026	21:00 - 22:00	9.349822
178	17-03-2026	22:00 - 23:00	7.537344

Appendix-10

S.No.	Date	Time Slot	Avg Flow (m <sup>3</sup> /hr)
179	17-03-2026	23:00 - 00:00	9.296884
180	18-03-2026	00:00 - 01:00	7.709201
181	18-03-2026	01:00 - 02:00	10.139735
182	18-03-2026	02:00 - 03:00	7.286992
183	18-03-2026	03:00 - 04:00	7.293382
184	18-03-2026	04:00 - 05:00	7.441873
185	18-03-2026	05:00 - 06:00	7.902160
186	18-03-2026	06:00 - 07:00	10.898024
187	18-03-2026	07:00 - 08:00	10.583542
188	18-03-2026	08:00 - 09:00	10.771026
189	18-03-2026	09:00 - 10:00	8.143693
190	18-03-2026	10:00 - 11:00	8.965300
191	18-03-2026	11:00 - 12:00	8.193488
192	18-03-2026	12:00 - 13:00	8.737489
193	18-03-2026	13:00 - 14:00	8.560183
194	18-03-2026	14:00 - 15:00	7.885299
195	18-03-2026	15:00 - 16:00	5.932863
196	18-03-2026	16:00 - 17:00	7.799036
197	18-03-2026	17:00 - 18:00	5.994005
198	18-03-2026	18:00 - 19:00	7.053528
199	18-03-2026	19:00 - 20:00	8.801435
200	18-03-2026	20:00 - 21:00	10.601643
201	18-03-2026	21:00 - 22:00	8.167590
202	18-03-2026	22:00 - 23:00	8.588964
203	18-03-2026	23:00 - 00:00	8.611586
204	19-03-2026	00:00 - 01:00	8.550629
205	19-03-2026	01:00 - 02:00	8.591463
206	19-03-2026	02:00 - 03:00	8.581975
207	19-03-2026	03:00 - 04:00	8.775485
208	19-03-2026	04:00 - 05:00	9.042277
209	19-03-2026	05:00 - 06:00	8.991755

Annexure-10

S.No.	Date	Time Slot	Avg Flow (m <sup>3</sup> /hr)
210	19-03-2026	06:00 - 07:00	11.540467
211	19-03-2026	07:00 - 08:00	10.128215
212	19-03-2026	08:00 - 09:00	7.426275
213	19-03-2026	09:00 - 10:00	5.870424
214	19-03-2026	10:00 - 11:00	2.745248
215	19-03-2026	11:00 - 12:00	2.737565
216	19-03-2026	12:00 - 13:00	4.960149
217	19-03-2026	13:00 - 14:00	0.518718
218	19-03-2026	14:00 - 15:00	2.583958
219	19-03-2026	15:00 - 16:00	1.731102
220	19-03-2026	16:00 - 17:00	10.332461
221	19-03-2026	17:00 - 18:00	10.809392
222	19-03-2026	18:00 - 19:00	10.530583
223	19-03-2026	19:00 - 20:00	10.349819
224	19-03-2026	20:00 - 21:00	7.398508
225	19-03-2026	21:00 - 22:00	7.378359
226	19-03-2026	22:00 - 23:00	6.422169
227	19-03-2026	23:00 - 00:00	3.992605
228	20-03-2026	00:00 - 01:00	3.992334
229	20-03-2026	01:00 - 02:00	3.992577
230	20-03-2026	02:00 - 03:00	3.992585
231	20-03-2026	03:00 - 04:00	6.617038
232	20-03-2026	04:00 - 05:00	7.681567
233	20-03-2026	05:00 - 06:00	7.670149
234	20-03-2026	06:00 - 07:00	10.461914
235	20-03-2026	07:00 - 08:00	12.310807
236	20-03-2026	08:00 - 09:00	10.464166
237	20-03-2026	09:00 - 10:00	10.717715
238	20-03-2026	10:00 - 11:00	10.633581
239	20-03-2026	11:00 - 12:00	10.300403
240	20-03-2026	12:00 - 13:00	7.371519

Annexure-10

S.No.	Date	Time Slot	Avg Flow (m <sup>3</sup> /hr)
241	20-03-2026	13:00 - 14:00	8.450229
242	20-03-2026	14:00 - 15:00	11.150053
243	20-03-2026	15:00 - 16:00	9.327529
244	20-03-2026	16:00 - 17:00	10.331066
245	20-03-2026	17:00 - 18:00	7.115913
246	20-03-2026	18:00 - 19:00	6.892268
247	20-03-2026	19:00 - 20:00	7.489242
248	20-03-2026	20:00 - 21:00	7.537365
249	20-03-2026	21:00 - 22:00	7.530830
250	20-03-2026	22:00 - 23:00	6.937252
251	20-03-2026	23:00 - 00:00	3.935738
252	21-03-2026	00:00 - 01:00	2.980565
253	21-03-2026	01:00 - 02:00	5.500467
254	21-03-2026	02:00 - 03:00	6.638917
255	21-03-2026	03:00 - 04:00	6.685821
256	21-03-2026	04:00 - 05:00	6.724117
257	21-03-2026	05:00 - 06:00	6.756937
258	21-03-2026	06:00 - 07:00	10.573654
259	21-03-2026	07:00 - 08:00	12.365830
260	21-03-2026	08:00 - 09:00	11.678830
261	21-03-2026	09:00 - 10:00	11.454446
262	21-03-2026	10:00 - 11:00	11.052646
263	21-03-2026	11:00 - 12:00	9.266577
264	21-03-2026	12:00 - 13:00	7.407269
265	21-03-2026	13:00 - 14:00	7.566147
266	21-03-2026	14:00 - 15:00	8.047206
267	21-03-2026	15:00 - 16:00	11.034446
268	21-03-2026	16:00 - 17:00	11.599055
269	21-03-2026	17:00 - 18:00	9.706809
270	21-03-2026	18:00 - 19:00	7.361638
271	21-03-2026	19:00 - 20:00	5.707040

Annexure - 10

S.No.	Date	Time Slot	Avg Flow (m <sup>3</sup> /hr)
272	21-03-2026	20:00 - 21:00	0.658462
273	21-03-2026	21:00 - 22:00	3.590245
274	21-03-2026	22:00 - 23:00	12.454276
275	21-03-2026	23:00 - 00:00	7.891922
276	22-03-2026	00:00 - 01:00	7.711914
277	22-03-2026	01:00 - 02:00	7.677333
278	22-03-2026	02:00 - 03:00	2.759048
279	22-03-2026	03:00 - 04:00	2.766997
280	22-03-2026	04:00 - 05:00	2.768514
281	22-03-2026	05:00 - 06:00	3.877582
282	22-03-2026	06:00 - 07:00	10.138788
283	22-03-2026	07:00 - 08:00	11.553590
284	22-03-2026	08:00 - 09:00	4.890929
285	22-03-2026	09:00 - 10:00	6.922551
286	22-03-2026	10:00 - 11:00	10.659003
287	22-03-2026	11:00 - 12:00	7.609627
288	22-03-2026	12:00 - 13:00	7.486629
289	22-03-2026	13:00 - 14:00	7.510268
290	22-03-2026	14:00 - 15:00	10.277932
291	22-03-2026	15:00 - 16:00	9.616919
292	22-03-2026	16:00 - 17:00	7.482390
293	22-03-2026	17:00 - 18:00	10.043403
294	22-03-2026	18:00 - 19:00	10.504826
295	22-03-2026	19:00 - 20:00	8.108378
296	22-03-2026	20:00 - 21:00	7.267660
297	22-03-2026	21:00 - 22:00	7.589363
298	22-03-2026	22:00 - 23:00	7.646614
299	22-03-2026	23:00 - 00:00	7.917450
300	23-03-2026	00:00 - 01:00	7.926100
301	23-03-2026	01:00 - 02:00	7.926309
302	23-03-2026	02:00 - 03:00	7.922823

Annexure-10

S.No.	Date	Time Slot	Avg Flow (m <sup>3</sup> /hr)
303	23-03-2026	03:00 - 04:00	7.298623
304	23-03-2026	04:00 - 05:00	7.284965
305	23-03-2026	11:00 - 12:00	9.121538
306	23-03-2026	12:00 - 13:00	9.125645
307	23-03-2026	13:00 - 14:00	9.135390
308	23-03-2026	14:00 - 15:00	10.537632
309	23-03-2026	15:00 - 16:00	11.408201
310	23-03-2026	16:00 - 17:00	11.384705
311	23-03-2026	17:00 - 18:00	11.191446
312	23-03-2026	18:00 - 19:00	8.735670
313	23-03-2026	19:00 - 20:00	8.398816
314	23-03-2026	20:00 - 21:00	9.027971
315	23-03-2026	21:00 - 22:00	7.160714
316	23-03-2026	22:00 - 23:00	7.042657
317	23-03-2026	23:00 - 00:00	7.168279
318	24-03-2026	00:00 - 01:00	7.156512
319	24-03-2026	01:00 - 02:00	6.022131
320	24-03-2026	02:00 - 03:00	2.286510
321	24-03-2026	03:00 - 04:00	2.274350
322	24-03-2026	04:00 - 05:00	3.139227
323	24-03-2026	05:00 - 06:00	3.049796
324	24-03-2026	06:00 - 07:00	6.805737
325	24-03-2026	07:00 - 08:00	9.401371
326	24-03-2026	08:00 - 09:00	11.742137
327	24-03-2026	09:00 - 10:00	7.977135
328	24-03-2026	10:00 - 11:00	8.213851
329	24-03-2026	11:00 - 12:00	3.968656
330	24-03-2026	12:00 - 13:00	3.524132
331	24-03-2026	13:00 - 14:00	3.993069
332	24-03-2026	14:00 - 15:00	5.128463
333	24-03-2026	15:00 - 16:00	11.075393

Annexure - 10

S.No.	Date	Time Slot	Avg Flow (m <sup>3</sup> /hr)
334	24-03-2026	16:00 - 17:00	9.023236
335	24-03-2026	17:00 - 18:00	10.836252
336	24-03-2026	18:00 - 19:00	10.663546
337	24-03-2026	19:00 - 20:00	8.136664
338	24-03-2026	20:00 - 21:00	3.860384
339	24-03-2026	21:00 - 22:00	0.192498
340	24-03-2026	22:00 - 23:00	2.594389
341	24-03-2026	23:00 - 00:00	3.992537
342	25-03-2026	00:00 - 01:00	3.992414
343	25-03-2026	01:00 - 02:00	3.992463
344	25-03-2026	02:00 - 03:00	4.087174
345	25-03-2026	03:00 - 04:00	4.454632
346	25-03-2026	04:00 - 05:00	3.992257
347	25-03-2026	05:00 - 06:00	4.140965
348	25-03-2026	06:00 - 07:00	11.040894
349	25-03-2026	07:00 - 08:00	11.604767
350	25-03-2026	08:00 - 09:00	10.748445
351	25-03-2026	09:00 - 10:00	5.980047
352	25-03-2026	10:00 - 11:00	8.200180
353	25-03-2026	11:00 - 12:00	6.916471
354	25-03-2026	12:00 - 13:00	7.914820
355	25-03-2026	13:00 - 14:00	7.887287
356	25-03-2026	14:00 - 15:00	11.216043
357	25-03-2026	15:00 - 16:00	11.787804
358	25-03-2026	16:00 - 17:00	11.839120
359	25-03-2026	17:00 - 18:00	9.829525
360	25-03-2026	18:00 - 19:00	7.790930
361	25-03-2026	19:00 - 20:00	7.783817
362	25-03-2026	20:00 - 21:00	7.778904
363	25-03-2026	21:00 - 22:00	7.769525
364	25-03-2026	22:00 - 23:00	7.770440

Ammeuse-10

S.No.	Date	Time Slot	Avg Flow (m <sup>3</sup> /hr)
365	25-03-2026	23:00 - 00:00	7.363623
366	26-03-2026	00:00 - 01:00	10.136780
367	26-03-2026	01:00 - 02:00	11.479941
368	26-03-2026	02:00 - 03:00	7.367233
369	26-03-2026	03:00 - 04:00	7.369056
370	26-03-2026	04:00 - 05:00	7.374910
371	26-03-2026	05:00 - 06:00	7.357709
372	26-03-2026	06:00 - 07:00	8.554860
373	26-03-2026	07:00 - 08:00	12.075338
374	26-03-2026	08:00 - 09:00	9.729436
375	26-03-2026	09:00 - 10:00	7.182356
376	26-03-2026	10:00 - 11:00	5.325967
377	26-03-2026	11:00 - 12:00	0.380243
378	26-03-2026	12:00 - 13:00	6.610226
379	26-03-2026	13:00 - 14:00	11.182630
380	26-03-2026	14:00 - 15:00	9.062329
381	26-03-2026	15:00 - 16:00	8.374909
382	26-03-2026	16:00 - 17:00	8.828378
383	26-03-2026	17:00 - 18:00	8.382928
384	26-03-2026	18:00 - 19:00	7.365223
385	26-03-2026	19:00 - 20:00	7.046759
386	26-03-2026	20:00 - 21:00	7.382002
387	26-03-2026	21:00 - 22:00	7.268899
388	26-03-2026	22:00 - 23:00	7.521233
389	26-03-2026	23:00 - 00:00	7.633958
390	27-03-2026	00:00 - 01:00	7.651241
391	27-03-2026	01:00 - 02:00	7.652089
392	27-03-2026	02:00 - 03:00	7.641565
393	27-03-2026	03:00 - 04:00	7.537347
394	27-03-2026	04:00 - 05:00	7.850962
395	27-03-2026	05:00 - 06:00	9.303251

Annexure-10

S.No.	Date	Time Slot	Avg Flow (m <sup>3</sup> /hr)
396	27-03-2026	06:00 - 07:00	10.411973
397	27-03-2026	07:00 - 08:00	9.725205
398	27-03-2026	08:00 - 09:00	7.251064
399	27-03-2026	09:00 - 10:00	7.211004
400	27-03-2026	10:00 - 11:00	7.280014
401	27-03-2026	11:00 - 12:00	8.244557
402	27-03-2026	12:00 - 13:00	7.294300
403	27-03-2026	13:00 - 14:00	9.421419
404	27-03-2026	14:00 - 15:00	9.710110
405	27-03-2026	15:00 - 16:00	11.771368
406	27-03-2026	16:00 - 17:00	8.680477
407	27-03-2026	17:00 - 18:00	7.251409
408	27-03-2026	18:00 - 19:00	7.292730
409	27-03-2026	19:00 - 20:00	7.263685
410	27-03-2026	20:00 - 21:00	7.482858
411	27-03-2026	21:00 - 22:00	7.795509
412	27-03-2026	22:00 - 23:00	8.365584
413	27-03-2026	23:00 - 00:00	9.643266
414	28-03-2026	00:00 - 01:00	11.529022
415	28-03-2026	01:00 - 02:00	10.155418
416	28-03-2026	02:00 - 03:00	9.751779
417	28-03-2026	03:00 - 04:00	9.735686
418	28-03-2026	04:00 - 05:00	9.607058
419	28-03-2026	05:00 - 06:00	9.747691
420	28-03-2026	06:00 - 07:00	10.982471
421	28-03-2026	07:00 - 08:00	11.928774
422	28-03-2026	08:00 - 09:00	9.300356
423	28-03-2026	09:00 - 10:00	8.333708
424	28-03-2026	10:00 - 11:00	7.783599
425	28-03-2026	11:00 - 12:00	6.561519
426	28-03-2026	12:00 - 13:00	4.299404

Annexure-10

S.No.	Date	Time Slot	Avg Flow (m <sup>3</sup> /hr)
427	28-03-2026	13:00 - 14:00	4.338954
428	28-03-2026	14:00 - 15:00	4.461922
429	28-03-2026	15:00 - 16:00	7.205412
430	28-03-2026	16:00 - 17:00	7.343265
431	28-03-2026	17:00 - 18:00	7.367485
432	28-03-2026	18:00 - 19:00	6.929629
433	28-03-2026	19:00 - 20:00	10.833077
434	28-03-2026	20:00 - 21:00	6.725685
435	28-03-2026	21:00 - 22:00	6.850338
436	28-03-2026	22:00 - 23:00	9.328996
437	28-03-2026	23:00 - 00:00	11.451832
438	29-03-2026	00:00 - 01:00	11.421488
439	29-03-2026	01:00 - 02:00	11.408223
440	29-03-2026	02:00 - 03:00	11.629898
441	29-03-2026	03:00 - 04:00	10.992148
442	29-03-2026	04:00 - 05:00	10.717942
443	29-03-2026	05:00 - 06:00	8.275464
444	29-03-2026	06:00 - 07:00	8.415441
445	29-03-2026	07:00 - 08:00	7.406185
446	29-03-2026	08:00 - 09:00	8.211557
447	29-03-2026	09:00 - 10:00	5.555883
448	29-03-2026	10:00 - 11:00	0.904363
449	29-03-2026	11:00 - 12:00	7.139672
450	29-03-2026	12:00 - 13:00	7.303725
451	29-03-2026	13:00 - 14:00	9.405593
452	29-03-2026	14:00 - 15:00	11.079825
453	29-03-2026	15:00 - 16:00	7.644112
454	29-03-2026	16:00 - 17:00	4.118486
455	29-03-2026	17:00 - 18:00	5.626043
456	29-03-2026	18:00 - 19:00	3.992724
457	29-03-2026	19:00 - 20:00	7.295909

Annexure-10

S.No.	Date	Time Slot	Avg Flow (m <sup>3</sup> /hr)
458	29-03-2026	20:00 - 21:00	11.307343
459	29-03-2026	21:00 - 22:00	8.335441
460	29-03-2026	22:00 - 23:00	7.937289
461	29-03-2026	23:00 - 00:00	8.005059
462	30-03-2026	00:00 - 01:00	0.937986
463	30-03-2026	01:00 - 02:00	0.691671
464	30-03-2026	02:00 - 03:00	6.566566
465	30-03-2026	03:00 - 04:00	7.644865
466	30-03-2026	04:00 - 05:00	7.332889
467	30-03-2026	05:00 - 06:00	7.324485
468	30-03-2026	06:00 - 07:00	8.280386
469	30-03-2026	07:00 - 08:00	11.660700
470	30-03-2026	08:00 - 09:00	5.549115
471	30-03-2026	09:00 - 10:00	2.949690
472	30-03-2026	10:00 - 11:00	4.557005
473	30-03-2026	11:00 - 12:00	10.243287
474	30-03-2026	12:00 - 13:00	8.636305
475	30-03-2026	13:00 - 14:00	8.130837
476	30-03-2026	14:00 - 15:00	8.498389
477	30-03-2026	15:00 - 16:00	5.325885
478	30-03-2026	16:00 - 17:00	2.106433
479	30-03-2026	17:00 - 18:00	11.356118
480	30-03-2026	18:00 - 19:00	8.925416
481	30-03-2026	19:00 - 20:00	2.705345
482	30-03-2026	20:00 - 21:00	9.494177
483	30-03-2026	21:00 - 22:00	9.223675
484	30-03-2026	22:00 - 23:00	8.079186
485	30-03-2026	23:00 - 00:00	7.171052
486	31-03-2026	00:00 - 01:00	7.179098
487	31-03-2026	01:00 - 02:00	7.014079
488	31-03-2026	02:00 - 03:00	7.287446

Annexure - 10

S.No.	Date	Time Slot	Avg Flow (m <sup>3</sup> /hr)
489	31-03-2026	03:00 - 04:00	3.467305
490	31-03-2026	04:00 - 05:00	1.140725
491	31-03-2026	05:00 - 06:00	5.533795
492	31-03-2026	06:00 - 07:00	8.182602
493	31-03-2026	07:00 - 08:00	8.781169
494	31-03-2026	08:00 - 09:00	8.752941
495	31-03-2026	09:00 - 10:00	7.347127
496	31-03-2026	10:00 - 11:00	6.281534
497	31-03-2026	11:00 - 12:00	5.713350
498	31-03-2026	12:00 - 13:00	5.926421
499	31-03-2026	13:00 - 14:00	5.992910
500	31-03-2026	14:00 - 15:00	6.820115
501	31-03-2026	15:00 - 16:00	9.945914
502	31-03-2026	16:00 - 17:00	9.736190
503	31-03-2026	17:00 - 18:00	7.122119
504	31-03-2026	18:00 - 19:00	7.172902
505	31-03-2026	19:00 - 20:00	7.077415
506	31-03-2026	20:00 - 21:00	7.115538
507	31-03-2026	21:00 - 22:00	3.471797
508	31-03-2026	22:00 - 23:00	5.218341
509	31-03-2026	23:00 - 00:00	3.991884

Annexure-10

## FORM 10

[See rule 19 (1)]

## MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma lifesciences ltd Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District  Telephone:9845745068 E-Mail:sharath@vbsilpa.com		
Sender's authorisation No	28295		
Manifest Document No	HW/28295/2025-26/0000229		
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Transporter's registration No: 23836		
Type of vehicle	Tanker		
Transporter's registration No	23836		
Vehicle registration No.	KA 01 AP 3329		
Receiver's name and mailing address (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Receiver's authorisation No: 23836		
Receiver's authorisation No.	23836		
Waste description	Waste Category	Physical form	Qty(MT)
	28.6. Spent solvents	Liquid	25.51
Total quantity : No. of Containers	25.51 MT		
Physical form			
Special handling Instructions and additional information	USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,		
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.		
Name and stamp: Signature:	MONTH-DAY-YEAR:12-09-2025		
Transporter acknowledgement of receipt of Wastes			
Name and stamp: Signature:	MONTH-DAY-YEAR		
Receiver's certification for receipt of hazardous and other waste			
Name and stamp: Signature:	MONTH-DAY-YEAR		


Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - II

FORM 10


[See rule 19 (1)]

## MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma lifesciences ltd Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District  Telephone:9845745068 E-Mail:sharath@vbsilpa.com														
Sender's authorisation No	28295														
Manifest Document No	HW/28295/2025-26/0000230														
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M 19 Baikampady Indl Area Phone:9845515328 e-mailzahidroadlines:2005@gmail.com Transporter's registration No: 83125														
Type of vehicle	Truck														
Transporter's registration No	83125														
Vehicle registration No.	KA 19 AD 7429														
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No. 158 to 164, KAIDB Kadachu Industrial Area; Village ,Kadachur;Tehsil & District Yadgir; Karnataka-585221 Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 80996														
Receiver's authorisation No.	80996														
Waste description	<table border="1"> <thead> <tr> <th>Waste Category</th> <th>Physical form</th> <th>Qty(MT)</th> </tr> </thead> <tbody> <tr> <td>35.3.Chemical Sludge From Waste Water Treatment</td> <td>Semi-Solid</td> <td>12.71</td> </tr> <tr> <td>28.1.Process Residue and wastes</td> <td>Slurry</td> <td>2.38</td> </tr> <tr> <td>20.3.Distillation Residues</td> <td>Slurry</td> <td>2.96</td> </tr> </tbody> </table>			Waste Category	Physical form	Qty(MT)	35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	12.71	28.1.Process Residue and wastes	Slurry	2.38	20.3.Distillation Residues	Slurry	2.96
Waste Category	Physical form	Qty(MT)													
35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	12.71													
28.1.Process Residue and wastes	Slurry	2.38													
20.3.Distillation Residues	Slurry	2.96													
Total quantity: No. of Containers	18.05 MT														
Physical form															
Special handling instructions and additional information	USE PPE WHILE LOADING AND UNLOADING . ANY SPILLAGE WASH WITH PLENTY OF WATER . ANY FIRE USE DCP OR CO2														
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.														
Name and stamp: Signature:															
Transporter acknowledgement of receipt of Wastes	MONTH-DAY-YEAR:12-09-2025														
Name and stamp: Signature:	MONTH-DAY-YEAR														
Receiver's certification for receipt of hazardous and other waste															
Name and stamp: Signature:	MONTH-DAY-YEAR														

Annexure - 1 A

FORM 10  
[See rule 19 (1)]  
**MANIFEST FOR HAZARDOUS AND OTHER WASTE**

Sender's name and mailing address (including Phone No. and e-mail)	Shiipa pharma lifesciences ltd Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District  Telephone:9845745068 E-Mail:sharath@vbshiipa.com														
Sender's authorisation No	28295														
Manifest Document No	HW/28295/2025-26/0000231														
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M 19 Baikampady Indi Area Phone:9845515328 e-mail:zahidroadlines2005@gmail.com Transporter's registration No: 83125														
Type of vehicle	Truck														
Transporter's registration No	83125														
Vehicle registration No.	KA 16 C 0694														
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No. 158 to 164, KAIDB Kadachu Industrial Area; Village ,Kadachur,Tehsil & District Yadgir; Karnataka-585221 Phone:7339464597 e-mail:lab@motherearthenviron.com Receiver's authorisation No.: 80996														
Receiver's authorisation No.	80996														
Waste description	<table border="1"> <thead> <tr> <th>Waste Category</th> <th>Physical form</th> <th>Qty(MT)</th> </tr> </thead> <tbody> <tr> <td>35.3.Chemical Sludge From Waste Water Treatment</td> <td>Semi-Solid</td> <td>14.87</td> </tr> <tr> <td>28.2.Spent catalyst</td> <td>Slurry</td> <td>1.4</td> </tr> <tr> <td>28.3.Spent carbon</td> <td>Solid</td> <td>0.86</td> </tr> </tbody> </table>			Waste Category	Physical form	Qty(MT)	35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	14.87	28.2.Spent catalyst	Slurry	1.4	28.3.Spent carbon	Solid	0.86
Waste Category	Physical form	Qty(MT)													
35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	14.87													
28.2.Spent catalyst	Slurry	1.4													
28.3.Spent carbon	Solid	0.86													
Total quantity : No. of Containers	17.13 MT														
Physical form															
Special handling instructions and additional information	USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER.														
Sender's Certificate															
Name and stamp: Signature:	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.														
Transporter acknowledgement of receipt	MONTH-DAY-YEAR:12-09-2025														
Name and stamp: Signature:	MONTH-DAY-YEAR														
Receiver's certification for receipt of hazardous and other waste															
Name and stamp: Signature:	MONTH-DAY-YEAR														

Annexure-11

12/22/25, 4:28 PM

HW

FORM 10  
[See rule 19 (1)]  
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (Including Phone No. and e-mail)	Shilpa pharma lifesciences ltd Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Takuk District  Telephone:9845745068 E-Mail:sharath@vbsilpa.com		
Sender's authorisation No	28295		
Manifest Document No	HW/28295/2025-26/0000232		
Transporter's name and address: (Including Phone No. and e-mail)	ZAHID ROADLINES M 19 Baikampady Indl Area Phone:9845515328 e-mailzahidroadlines2005@gmail.com Transporter's registration No: 83125		
Type of vehicle	Truck		
Transporter's registration No	83125		
Vehicle registration No.	KA 19 AE 8021		
Receiver's name and mailing address (Including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No. 158 to 164, KAIDB Kadachu Industrial Area; Village _Kadachur;Tehsil & District Yadgir; Karnataka-585221 Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 80996		
Receiver's authorisation No.	80996		
Waste description	Waste Category	Physical form	Qty(MT)
	35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	25.66
Total quantity : No. of Containers	25.66 MT		
Physical form			
Special handling instructions and additional information	USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,		
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.		
Name and stamp: Signature:	MONTH-DAY-YEAR:12-22-2025		
Transporter acknowledgement of receipt of wastes			
Name and stamp: Signature:	MONTH-DAY-YEAR		
Receiver's certification for receipt of hazardous and other waste			
Name and stamp: Signature:	MONTH-DAY-YEAR		



Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Amexuse-11

HW

AM

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address  
(including Phone No. and e-mail)

Shilpa pharma lifesciences ltd  
Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District

Telephone:9845745068  
E-Mail:sharath@vbsilpa.com

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000243

Transporter's name and address:  
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM  
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D)  
562112  
Phone:9845831069  
e-mailpanchamukipharmachem@gmail.com  
Transporter's registration No: 23836

Type of vehicle

Tanker

Transporter's registration No

23836

Vehicle registration No.

KA 01 AP 3329

Receiver's name and mailing address  
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM  
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D)  
562112  
Phone:9845831069  
e-mailpanchamukipharmachem@gmail.com  
Receiver's authorisation No.: 23836

Receiver's authorisation No.

23836

Waste description

Waste Category	Physical form	Qty(MT)
28.6. Spent solvents	Liquid	26.36

Total quantity :  
No. of Containers

26.36 MT

Physical form

Special handling instructions (for additional information)

USE PPE , WHILE LOADING & UNLOADING

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

Name and stamp: Signature:

MONTH-DAY-YEAR:02-27-2026

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR



Copy 1 (White) : To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure-11

HW

FORM 10  
 [See rule 19 (1)]  
**MANIFEST FOR HAZARDOUS AND OTHER WASTE**

<b>Sender's name and shipping address (including Phone and e-mail)</b>	Shilpa pharma lifesciences ltd Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District  Telephone:9845745068 E-Mail:sharath@vbshilpa.com						
<b>Sender's authorisation No.</b>	28295						
<b>Manifest Document</b>	HW/28295/2025-26/0000242						
<b>Transporter's name and address: (including Phone and e-mail)</b>	ZAHID ROADLINES M 19 Baikampady Indl Area Phone:9845515328 e-mailzahidroadlines2005@gmail.com Transporter's registration No: 83125						
<b>Type of vehicle</b>	Truck						
<b>Transporter's registration No.</b>	83125						
<b>Vehicle registration No.</b>	KA 01 AH 7908						
<b>Receiver's name and shipping address (including Phone and e-mail)</b>	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No. 158 to 164, KAIDB Kadechu Industrial Area; Village _Kadechur,Tehsil & District Yadgir; Karnataka-585221 Phone:7338464597 e-mail:lab@motherearthenviron.com Receiver's authorisation No.: 80996						
<b>Receiver's authorisation No.</b>	80996						
<b>Waste description</b>	<table border="1"> <thead> <tr> <th>Waste Category</th> <th>Physical form</th> <th>Qty(MT)</th> </tr> </thead> <tbody> <tr> <td>35.3.Chemical Sludge From Waste Water Treatment</td> <td>Semi-Solid</td> <td>26.8</td> </tr> </tbody> </table>	Waste Category	Physical form	Qty(MT)	35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	26.8
Waste Category	Physical form	Qty(MT)					
35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	26.8					
<b>Total quantity: No. of Containers</b>	26.8 MT						
<b>Physical form</b>							
<b>Special handling</b>	USE PPE WHILE LOADING AND UNLOADING -ANY SPILLAGE WASH WITH PLENTY OF WATER						
<b>Sender's Certificate</b>	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.						
<b>Name and stamp of Sender</b>	MONTH-DAY-YEAR:02-23-2026						
<b>Transporter acknowledgment of receipt of Wastes</b>							
<b>Name and stamp of Transporter</b>	MONTH-DAY-YEAR						
<b>Receiver's certificate of receipt of hazardous and other waste</b>							
<b>Name and stamp of Receiver</b>	MONTH-DAY-YEAR						



Annexure-11

## FORM 10

[See rule 19 (1)]

## MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address  
(Including Phone No. and e-mail)

Shilpa pharma lifesciences ltd  
Plot no.33,33A,40to47, Industrial Growth Centre Chicksugur, Raichur Taluk District  
Telephone:9845745068  
E-Mail:sharath@vbsilpa.com

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000238

Transporter's name and address:  
(Including Phone No. and e-mail)

ZAHID ROADLINES  
M 19 Baikampady Indl Area  
Phone:9845515328  
e-mail:zahidroadlines2005@gmail.com  
Transporter's registration No: 83125

Type of vehicle

Truck

Transporter's registration No

83125

Vehicle registration No.

KA 19 AB 0560

Receiver's name and mailing address  
(Including Phone No. and e-mail)

Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited)  
Plot No. 15B to 164, KAIDB Kadechu Industrial Area; Village \_Kadechur;Tehsil & District Yadgir; Karnataka-585221  
Phone:7338464597  
e-mail:lab@motherearthenviron.com  
Receiver's authorisation No.: 80996

Receiver's authorisation No.

80996

Waste description

Waste Category	Physical form	Qty(MT)
35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	21.85

Total quantity :  
No. of Containers

21.85 MT

Physical form

Special handling instructions and additional information

USE PPE WHILE LOADING AND UNLOADING -ANY SPILLAGE WASH WITH PLENTY OF WATER

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

Name and stamp: Signature

MONTH-DAY-YEAR:02-06-2026

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

Annexure-11


12/02/2026, 17:25

HW

FORM 10

[See rule 19 (1)]

## MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma lifesciences ltd Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District  Telephone:9845745068 E-Mail:sharath@vbsilpa.com							
Sender's authorisation No	28295							
Manifest Document No	HW/28295/2025-26/0000240							
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M 19 Baikampady Indi Area Phone:9845515328 e-mailzahidroadlines2005@gmail.com Transporter's registration No: 83125							
Type of vehicle	Truck							
Transporter's registration No	83125							
Vehicle registration No.	KA 19 AD 6834							
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No. 158 to 164, KAIDB Kadechu Industrial Area; Village _Kadechur;Tehsil & District Yadgir; Karnataka-585221 Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 80996							
Receiver's authorisation No.	80996							
Waste description	<table border="1"> <thead> <tr> <th>Waste Category</th> <th>Physical form</th> <th>Qty(MT)</th> </tr> </thead> <tbody> <tr> <td>35.3.Chemical Sludge From Waste Water Treatment</td> <td>Semi-Solid</td> <td>22.32</td> </tr> </tbody> </table>		Waste Category	Physical form	Qty(MT)	35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	22.32
Waste Category	Physical form	Qty(MT)						
35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	22.32						
Total quantity : No. of Containers	22.32 MT							
Physical form								
Special handling Instructions and additional information	USE PPE WHILE LOADING AND UNLOADING -ANY SPILLAGE WASH WITH PLENTY OF WATER							
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.							
Name and stamp: Signature:								
Transporter acknowledgement of receipt of wastes	MONTH-DAY-YEAR:02-12-2026							
Name and stamp: Signature:	MONTH-DAY-YEAR							
Receiver's certification for receipt of hazardous and other waste								
Name and stamp: Signature:	MONTH-DAY-YEAR							

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

## FORM 10

[See rule 19 (1)]

## MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma lifesciences ltd Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District  Telephone:9845745068 E-Mail:sharath@vbsilpa.com								
Sender's authorisation No	28295								
Manifest Document No	HW/28295/2025-26/000024								
Transporter's name and address: (including Phone No. and e-mail)	HAJIRA ENTERPRISES 324 t 2nd Phase harohalli industrial area Phone:9986250505 e-mailsyedmoosa@hotmail.com Transporter's registration No: 22794								
Type of vehicle	Truck								
Transporter's registration No	22794								
Vehicle registration No.	KA51D5620								
Receiver's name and mailing address (including Phone No. and e-mail)	HAJIRA ENTERPRISES 324 t 2nd Phase harohalli industrial area Phone:9986250505 e-mailsyedmoosa@hotmail.com Receiver's authorisation No: 22794								
Receiver's authorisation No.	22794								
Waste description	<table border="1"> <thead> <tr> <th>Waste Category</th> <th>Physical form</th> <th>Qty(MT)</th> </tr> </thead> <tbody> <tr> <td>33.1.Empty barrels/containers/liners contaminated with hazardous chemicals /wastes</td> <td>Solid</td> <td>12.213</td> </tr> </tbody> </table>			Waste Category	Physical form	Qty(MT)	33.1.Empty barrels/containers/liners contaminated with hazardous chemicals /wastes	Solid	12.213
Waste Category	Physical form	Qty(MT)							
33.1.Empty barrels/containers/liners contaminated with hazardous chemicals /wastes	Solid	12.213							
Total quantity : No. of Containers	12.213 MT								
Physical form									
Special handling instructions and additional information	USE PPE , WHILE LOADING & UNLOADING								
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorized, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.								
Name and stamp: Signature:									
Transporter acknowledgement of receipt of Wastes	MONTH-DAY-YEAR:02-14-2026								
Name and stamp: Signature:	MONTH-DAY-YEAR								
Receiver's certification for receipt of hazardous and other waste									
Name and stamp: Signature:	MONTH-DAY-YEAR								

Copy 1 (HWR) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.


Annexure-1A

12/02/2026, 14:27

HW

FORM 10  
[See rule 19 (1)]  
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma lifesciences ltd Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District  Telephone:9845745068 E-Mail:sharath@vbsilpa.com		
Sender's authorisation No	28295		
Manifest Document No	HW/28295/2025-26/0000239		
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Transporter's registration No: 23836		
Type of vehicle	Tanker		
Transporter's registration No	23836		
Vehicle registration No.	KA 57 AL 8736		
Receiver's name and mailing address (Including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Receiver's authorisation No.: 23836		
Receiver's authorisation No.	23836		
Waste description	Waste Category	Physical form	Qty(MT)
	28.6. Spent solvents	Liquid	24.16
Total quantity : No. of Containers	24.16 MT		
Physical form			
Special handling instructions and additional information	USE PPE WHILE LOADING AND UNLOADING -ANY SPILLAGE WASH WITH PLENTY OF WATER		
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.		
Name and stamp: Signature	MONTH-DAY-YEAR:02-12-2026		
Transporter's acknowledgement of receipt			
Name and stamp: Signature	MONTH-DAY-YEAR		
Receiver's acknowledgement of receipt of hazardous and other waste			
Name and stamp: Signature:	MONTH-DAY-YEAR		



1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure-1A

HW

12/26, 4:33 PM

FORM 10

[See rule 19 (1)]

## MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma lifesciences ltd Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District  Telephone:9845745068 E-Mail:sharath@vbsilpa.com		
Sender's authorisation No	28295		
Manifest Document No	HW/28295/2025-26/0000235		
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Transporter's registration No: 23836		
Type of vehicle	Tanker		
Transporter's registration No	23836		
Vehicle registration No.	KA 01 AP 3329		
Receiver's name and mailing address (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Receiver's authorisation No: 23836		
Receiver's authorisation No.	23836		
Waste description	Waste Category	Physical form	Qty.(MT)
	28.6. Spent solvents	Liquid	24.35
Total quantity: No. of Containers	24.35 MT		
Physical form			
Special handling instructions and additional information	USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,		
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.		
Name and stamp: Signature:	MONTH-DAY-YEAR:01-12-2026		
Transporter acknowledgement of receipt of Wastes			
Name and stamp: Signature:	MONTH-DAY-YEAR		
Receiver's certification for receipt of hazardous and other waste			
Name and stamp: Signature:	MONTH-DAY-YEAR		

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure-11

23/01/2026, 11:17

HWW

FORM 10

[See rule 19 (1)]

## MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma lifesciences ltd Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District  Telephone:9845745068 E-Mail:sharath@vshilpa.com		
Sender's authorisation No	28295		
Manifest Document No	HW/28295/2025-26/0000237		
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Transporter's registration No: 23836		
Type of vehicle	Tanker		
Transporter's registration No	23836		
Vehicle registration No.	KA 01 AP 3329		
Receiver's name and mailing address (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Receiver's authorisation No.: 23836		
Receiver's authorisation No.	23836		
Waste description	Waste Category	Physical form	Qty(MT)
	28.6. Spent solvents	Liquid	26.23
Total quantity: No. of Containers	26.23 MT		
Physical form			
Special handling instructions and additional information	USE PPE WHILE LOADING AND UNLOADING -ANY SPILLAGE WASH WITH PLENTY OF WATER		
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorized, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.		
Name and stamp: Signature:	MONTH-DAY-YEAR:01-23-2026		
Transporter acknowledgement of receipt of Wastes			
Name and stamp: Signature:	MONTH-DAY-YEAR		
Receiver's certification for receipt of hazardous and other waste			
Name and stamp: Signature:	MONTH-DAY-YEAR		

Copy 1 (H/W) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure-11

HWW

FORM 10  
[See rule 19 (1)]  
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address including Phone No. and e-mail)	Shilpa pharma Lifesciences ltd Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District Telephone:9845745068 E-Mail:sharath@vshilpa.com		
Sender's authorisation No	28295		
Manifest Document No	HW/28295/2025-26/0000234		
Transporter's name and address: including Phone No. and e-mail)	ZAHID ROADLINES M 19 Baikampady Indl Area Phone:9845515328 e-mail:zahidroadlines2005@gmail.com Transporter's registration No: 83125		
Type of vehicle	Truck		
Transporter's registration No	83125		
Vehicle registration No.	KA 01 AH 7908		
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No. 158 to 164, KAIDB Kadachu Industrial Area; Village _Kadachur;Tehsil & District Yadgir; Karnataka-585221 Phong:7338464597 e-mail:lab@motherearthenviro.com Receiver's authorisation No.: 80996		
Receiver's authorisation No.	80996		
Waste description	Waste Category	Physical form	Qty(MT)
	35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	19.83
Total quantity : No. of Containers	19.83 MT		
Physical form			
Special handling instructions and additional information	USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,		
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.		
Name and stamp: Signature:	MONTH-DAY-YEAR:01-12-2026		
Transporter acknowledgement of receipt of hazardous wastes			
Name and stamp: Signature:	MONTH-DAY-YEAR		
Receiver's certification for receipt of hazardous and other waste			
Name and stamp: Signature:	MONTH-DAY-YEAR		



Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure-HW

FORM 10  
[See rule 19 (1)]  
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma lifesciences ltd Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District  Telephone:9845745068 E-Mail:sherath@vshilpa.com		
Sender's authorisation No	28295		
Manifest Document No	HW/28295/2025-26/0000236		
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M 19 Baikampady Indl Area Phone:9845515328 e-mail:zahidroadlines2005@gmail.com Transporter's registration No: 83125		
Type of vehicle	Truck		
Transporter's registration No	83125		
Vehicle registration No.	KA 19 AD 7429		
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyena Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No. 158 to 164, KAIDB Kadechu Industrial Area; Village _Kadechur;Tehsil & District Yadgir; Karnataka-585221 Phone:7338464597 e-mail:lab@motherearthenviro.com Receiver's authorisation No.: 80996		
Receiver's authorisation No.	80996		
Waste description	Waste Category	Physical form	Qty(MT)
	35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	21.31
Total quantity: No. of Containers	21.31 MT		
Physical form			
Special handling instructions and additional information:	USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,		
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.		
Name and stamp: Signature:	MONTH-DAY-YEAR:01-19-2026		
Transporter acknowledgement of receipt of waste			
Name and stamp: Signature:	MONTH-DAY-YEAR		
Receiver's certification for receipt of hazardous and other waste			
Name and stamp: Signature:	MONTH-DAY-YEAR		

Annexure - II

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa Pharma Biosciences Ltd Plot no. 333A, 40to47, Industrial Growth Centre, Chicksugur, Raichur Taluk District Telephone: 845745058 E-mail: shilpa@svbshilpa.com		
Sender's authorization No.	28288		
Manifest Document No.	HM/28288/2828-26/0000333		
Transporter's name and address (including Phone No. and e-mail)	ZAHID ROADLINES H 18 Bellampady Indl Area Phone: 9845116328 e-mail: zahidroadlines2005@gmail.com Transporter's registration No: 63124		
Type of vehicle	Truck		
Transporter's registration No.	63124		
Vehicle registration No.	KA 19 AE 2125		
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly Ma Mother Earth Enviro Tech Private Limited) Plot No. 186 to 164, KAIDB Kadachu Industrial Area, Village - Kadachu, Tehsil & District Yalgudi, Karnataka-585221 Phone: 333444597 E-mail: kmp@motherearthenviro.com Receiver's authorization No: 80286		
Receiver's authorization No.	80286		
Waste description	Waste Category	Physical form	Qty (MT)
	25.1. Chemical Sludge From Waste Water Treatment	Semi-Solid	26.43
Total quantity: No. of Containers	26-43 MT		
Physical form			
Special handling instructions and additional information	USE PPE, WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER.		
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorized, packed, marked, and labeled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.		
Name and stamp: Signature	MONTH-DAY-YEAR: 01-05-2026		
Transporter acknowledgement of receipt of waste			
Name and stamp: Signature	MONTH-DAY-YEAR		
Receiver's certification for receipt of hazardous and other waste			
Name and stamp: Signature	MONTH-DAY-YEAR		





Amexwe-11

FORM - 10  
[See Rule 19(1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

1

1.	Sender's Name and Mailing Address (Including Phone No. and e-mail)	Anilpa Pharma Lifesciences Limited. 100 % EOU, Unit-2 Plot No. 30,31,32,35, 36, 39,33,33A & 40-47 Raichur Industrial Growth Center, Wadloor Road, GUR-584 134 Raichur District, Karnataka, India						
2.	Sender's Authorisation No. :	28295						
3.	Manifest Documentation :	HW/28295/25-26/001						
4.	Transporter's Name and Address : (including Phone No. and e-mail)	M-TECH PETROLEUMS PLANT No. 192(F) KIADG, VASANTH NARASAPURA 2 <sup>nd</sup> PHASE KORA HOBLI ROAD No 19 TUMKUR-572106						
5.	Type of Vehicle :	Truck <input type="checkbox"/>	Tanker <input type="checkbox"/>	Special Vehicle <input checked="" type="checkbox"/>				
6.	Transporter's Registration No. :	S2142						
7.	Vehicle Registration No. :	KA 05 AS 0513						
8.	Receiver's name and mailing address (including Phone No. and e-mail) :	M-TECH PETROLEUMS PLANT No. 192(F) KIADG, VASANTH NARASAPURA 2 <sup>nd</sup> PHASE KORA HOBLI ROAD No 19 TUMKUR-572106						
9.	Receiver's authorisation No. :	S2142						
10.	Waste Description :	S-1 USED OIL - SPENT OIL						
11.	Total Quantity Waste	1.625		in m3 or Tone				
	No. of Containers	8 Containers.						
12.	Physical Form	-	-	-	✓	-	-	-
		Solid	Semi Solid	Sludge	Oily	Tarry	Slurry	Liquid
13.	Special Handling Instructions and Additional Information	USE PPE'S while loading & unloading						
14.	Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorized, packed, marked, and Labeled, and in all respects in proper condition for transport by road according to applicable national government regulations.						
			03	04	2026			
			Name and Stamp	Signature	Month	Day	Year	
15.	Transporter's Acknowledgement of Receipt of Waster							
			03	04	2026			
			Name and Stamp	Signature	Month	Day	Year	
16.	Receiver's Certification of Receipt of Hazardous and other Waste							
			Name and Stamp	Signature	Month	Day	Year	

of Environment in our life

HW  
**Annexure - I I**


**FORM 10**  
[See rule 19 (1)]  
**MANIFEST FOR HAZARDOUS AND OTHER WASTE**

<b>Sender's name and mailing address including Phone No. and e-mail</b>	Shilpa pharma Lifesciences ltd Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District  Telephone:9845745068 E-Mail:sharath@vbsilpa.com								
<b>Sender's authorisation No</b>	28295								
<b>Manifest Document No</b>	HW/28295/2025-26/0000248								
<b>Transporter's name and address including Phone No. and e-mail</b>	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Transporter's registration No: 23836								
<b>Type of vehicle</b>	Tanker								
<b>Transporter's registration No</b>	23836								
<b>Vehicle registration No.</b>	KA 01 AP 3329								
<b>Receiver's name and mailing address including Phone No. and e-mail</b>	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Receiver's authorisation No.: 23836								
<b>Receiver's authorisation No.</b>	23836								
<b>Waste description</b>	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 50%;">Waste Category</th> <th style="width: 25%;">Physical form</th> <th style="width: 25%;">Qty(MT)</th> </tr> </thead> <tbody> <tr> <td>28.6. Spent solvents</td> <td>Liquid</td> <td>26.52</td> </tr> </tbody> </table>			Waste Category	Physical form	Qty(MT)	28.6. Spent solvents	Liquid	26.52
Waste Category	Physical form	Qty(MT)							
28.6. Spent solvents	Liquid	26.52							
<b>Total quantity : No. of Containers</b>	26.52 MT								
<b>Physical form</b>									
<b>Special handling instructions and additional information</b>	USE PPE WHILE LOADING AND UNLOADING -ANY SPILLAGE WASH WITH PLENTY OF WATER								
<b>Sender's Certificate</b>	 <p>I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.</p>								
<b>Name and stamp: Signature:</b>	MONTH-DAY-YEAR:03-27-2026								
<b>Transporter acknowledgement of receipt of Wastes</b>									
<b>Name and stamp: Signature:</b>	MONTH-DAY-YEAR								
<b>Receiver's certification for receipt of hazardous and other waste</b>									
<b>Name and stamp: Signature:</b>	MONTH-DAY-YEAR								

1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure-12

FORM 10  
[See rule 19 (1)]  
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma lifesciences ltd Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District Telephone:9845745068 E-Mail:sharath@vbsilpa.com								
Sender's authorisation No	28295								
Manifest Document No	HW/28295/2025-26/0000247								
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M 19 Baikampady Indl Area Phone:9845515328 e-mail:zahidroadlines2005@gmail.com Transporter's registration No: 83125								
Type of vehicle	Truck								
Transporter's registration No	83125								
Vehicle registration No.	KA 01 AH 7908								
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No. 158 to 164, KAIDB Kadechu Industrial Area; Village _Kadechur,Tehsil & District Yadgir; Karnataka-585221 Phone:7338464597 e-mail:lab@motherearthenviron.com Receiver's authorisation No.: 80996								
Receiver's authorisation No.	80996								
Waste description	<table border="1"> <thead> <tr> <th>Waste Category</th> <th>Physical form</th> <th>Qty(MT)</th> </tr> </thead> <tbody> <tr> <td>353.Chemical Sludge From Waste Water Treatment</td> <td>Semi-Solid</td> <td>28.93</td> </tr> </tbody> </table>			Waste Category	Physical form	Qty(MT)	353.Chemical Sludge From Waste Water Treatment	Semi-Solid	28.93
Waste Category	Physical form	Qty(MT)							
353.Chemical Sludge From Waste Water Treatment	Semi-Solid	28.93							
Total quantity : No. of Containers	28.93 MT								
Physical form									
Special handling instructions and additional information	Use Ppe while loading and unloading								
Sender's Certificate	<p>I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.</p> <p>MONTH-DAY-YEAR:03-23-2026</p>								
Name and stamp: Signatory									
Transporter acknowledgement of receipt of Wastes									
Name and stamp: Signature:	MONTH-DAY-YEAR								
Receiver's certification for receipt of hazardous and other waste									
Name and stamp: Signature:	MONTH-DAY-YEAR								

[HW-10] - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure-11

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE


Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma lifesciences ltd Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District  Telephone:9845745068 E-Mail:sherath@vbsilpa.com														
Sender's authorisation No	28295														
Manifest Document No	HW/28295/2025-26/0000244														
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M 19 Baikampady Indl Area Phone:9845515328 e-mailzahidroelines2005@gmail.com Transporter's registration No: 83125														
Type of vehicle	Truck														
Transporter's registration No	83125														
Vehicle registration No.	KA 19 AE 2135														
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No. 158 to 164, KAIDB Kadechu Industrial Area; Village _Kadechur;Tehsil & District Yadgir; Karnataka-585221 Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 80996														
Receiver's authorisation No.	80996														
Waste description	<table border="1"> <thead> <tr> <th>Waste Category</th> <th>Physical form</th> <th>Qty(MT)</th> </tr> </thead> <tbody> <tr> <td>35.3.Chemical Sludge From Waste Water Treatment</td> <td>Semi-Solid</td> <td>18.72</td> </tr> <tr> <td>20.3.Distillation Residues</td> <td>Slurry</td> <td>4.25</td> </tr> <tr> <td>28.2.Spent catalyst</td> <td>Solid</td> <td>2.57</td> </tr> </tbody> </table>			Waste Category	Physical form	Qty(MT)	35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	18.72	20.3.Distillation Residues	Slurry	4.25	28.2.Spent catalyst	Solid	2.57
Waste Category	Physical form	Qty(MT)													
35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	18.72													
20.3.Distillation Residues	Slurry	4.25													
28.2.Spent catalyst	Solid	2.57													
Total quantity: No. of Containers	25.54 MT														
Physical form															
Special handling instructions and additional information	USE PPE , WHILE LOADING & UNLOADING and any spillage wash with plenty of water														
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.														
Name and stamp: Signature:	MONTH-DAY-YEAR:03-03-2026														
Transporter acknowledgement of receipt of hazardous wastes															
Name and stamp: Signature:	MONTH-DAY-YEAR														
Receiver's certification for receipt of hazardous and other waste															
Name and stamp: Signature:	MONTH-DAY-YEAR														



Annexure-2A

FORM 10  
[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma lifesciences ltd Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District  Telephone:9845745088 E-Mail:sherath@vbsilpa.com														
Sender's authorisation No	28295														
Manifest Document No	HW/28295/2025-26/0000245														
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M 19 Baikampady Indl Area Phone:9845515328 e-mail:zahidroadlines2005@gmail.com Transporter's registration No: 83125														
Type of vehicle	Truck														
Transporter's registration No	83125														
Vehicle registration No.	KA 19 AB 2495														
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No. 158 to 164, KAIDB Kadachu Industrial Area; Village _Kadachur;Tehsil & District Yadgir; Karnataka-585221 Phone:7338464597 e-mail:lab@motherearthenviron.com Receiver's authorisation No.: 80996														
Receiver's authorisation No.	80996														
Waste description	<table border="1"> <thead> <tr> <th>Waste Category</th> <th>Physical form</th> <th>Qty(MT)</th> </tr> </thead> <tbody> <tr> <td>28.5.Date-expired products</td> <td>Solid</td> <td>0.862</td> </tr> <tr> <td>28.1.Process Residue and wastes</td> <td>Slurry</td> <td>1.8</td> </tr> <tr> <td>35.3.Chemical Sludge From Waste Water Treatment</td> <td>Semi-Solid</td> <td>19.135</td> </tr> </tbody> </table>			Waste Category	Physical form	Qty(MT)	28.5.Date-expired products	Solid	0.862	28.1.Process Residue and wastes	Slurry	1.8	35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	19.135
Waste Category	Physical form	Qty(MT)													
28.5.Date-expired products	Solid	0.862													
28.1.Process Residue and wastes	Slurry	1.8													
35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	19.135													
Waste quantity: No. of Containers	21.8 MT														
Physical form															
Special handling instructions and additional information	USE PPE , WHILE LOADING & UNLOADING and any spillage wash with plenty of water .														
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.														
Signature and stamp:	 MONTH-DAY-YEAR:03-12-2026														
Transporter acknowledgement															
Signature and stamp:	MONTH-DAY-YEAR														
Receiver's certification for receipt of hazardous and other waste															
Signature and stamp:	MONTH-DAY-YEAR														

Annexure-11

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (Including Phone No. and e-mail)	Shilpa pharma lifesciences ltd Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District  Telephone:9845745068 E-Mail:sharath@vbsilpa.com		
Sender's authorisation No	28295		
Manifest Document No	HW/28295/2025-26/0800249		
Transporter's name and address: (Including Phone No. and e-mail)	ZAHID ROADLINES M 19 Baikampady Indl Area Phone:9845515328 e-mail:zahidroadlines2005@gmail.com Transporter's registration No: 83125		
Type of vehicle	Truck		
Transporter's registration No	83125		
Vehicle registration No.	KA 19 AD 7429		
Receiver's name and mailing address (Including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No. 158 to 164, KAIDB Kadachu Industrial Area; Village _Kadachur;Tehsil & District Yadgir; Karnataka-585221 Phone:7338464597 e-mail:lab@motherearthenviron.com Receiver's authorisation No.: 80996		
Receiver's authorisation No.	80996		
Waste description	Waste Category	Physical form	Qty(MT)
	35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	23.53
Total quantity : No. of Containers	23.53 MT		
Physical form			
Special handling instructions and additional information	USE PPE , WHILE LOADING & UNLOADING and any spillage wash with plenty of water		
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.		
Name and stamp: Signature:	MONTH-DAY-YEAR:03-27-2026		
Transporter acknowledgement of receipt of wastes			
Name and stamp: Signature:	MONTH-DAY-YEAR		
Receiver's certificate of receipt of hazardous and other waste			
Name and stamp: Signature:	MONTH-DAY-YEAR		



**ZAHID ROADLINES**  
1st Floor, Barival Chambers  
Baikampady, MANGALORE - 575 011

Copy 1 (WHN) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure-11

FORM 10  
[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma Lifesciences Ltd Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District  Telephone:9848745068 E-Mail:sharath@vbsilpa.com		
Sender's authorisation No	28295		
Manifest Document No	HW/28295/2025-26/0000245		
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M 19 Baikampady Indl Area Phone:9845515328 e-mail:zahidroadlines2005@gmail.com Transporter's registration No: 83125		
Type of vehicle	Truck		
Transporter's registration No	83125		
Vehicle registration No.	KA 19 AB 2495		
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No. 158 to 164, KAIDB Kadechu Industrial Area; Village _Kadechur;Tehsil & District Yadgir; Karnataka-585221 Phone:7338464597 e-mail:lab@motherearthenvirom.com Receiver's authorisation No.: 80996		
Receiver's authorisation No.	80996		
Waste description	Waste Category	Physical form	Qty(MT)
	28.5.Date-expired products	Solid	0.862
	28.1.Process Residue and wastes	Slurry	1.8
	35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	19.138
Total quantity: No. of Containers	21.8 MT		
Physical form			
Special handling instructions and additional information	USE PPE , WHILE LOADING & UNLOADING and any spillage wash with plenty of water .		
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.		
Name and stamp: Signature:	MONTH-DAY-YEAR:03-12-2026		
Transporter acknowledgement of receipt of waste			
Name and stamp: Signature:	MONTH-DAY-YEAR		
Receiver's certification for receipt of hazardous and other waste			
Name and stamp: Signature:	MONTH-DAY-YEAR		



Nilraj - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure -01

FORM 10  
[See rule 19 (1)]  
**MANIFEST FOR HAZARDOUS AND OTHER WASTE**

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma lifesciences ltd Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District  Telephone:9845745068 E-Mail:sharath@vbsilpa.com		
Sender's authorisation No	28295		
Manifest Document No	HW/28295/2025-26/0000246		
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M 19 Baikampady Indl Area Phone:9845515328 e-mail:zahidroadlines2005@gmail.com Transporter's registration No: 83125		
Type of vehicle	Truck		
Transporter's registration No	83125		
Vehicle registration No.	KA 19 AF 1922		
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No. 158 to 164, KAIDB Kadechu Industrial Area; Village _Kadechur;Tehsil & District Yadgir; Karnataka-585221 Phone:7338464597 e-mail:lab@mnotherearthenvirom.com Receiver's authorisation No.: 80996		
Receiver's authorisation No.	80996		
Waste description	Waste Category		Physical form
	35.3.Chemical Sludge From Waste Water Treatment		Semi-Solid
		Qty(MT)	8.95
Total quantity : No. of Containers	8.95 MT		
Physical form			
Special handling instructions and additional information	USE PPE , WHILE LOADING & UNLOADING and any spillage wash with plenty of water .		
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorized, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.		
Name and stamp: Signature:	MONTH-DAY-YEAR:03-14-2026		
Transporter acknowledgement of receipt	ZAHID ROADLINES		
Name and stamp: Signature:	MONTH-DAY-YEAR		
Receiver's certification for receipt of hazardous and other waste			
Name and stamp: Signature:	MONTH-DAY-YEAR		



[NOTE] - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure -11

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address  
(Including Phone No. and e-mail)

Shilpa pharma lifesciences ltd  
Plot no.33,33A,40to47, Industrial Growth Centre , Chickugur, Raichur Taluk District

Telephone:9845745068  
E-Mail:sharath@vshilpa.com

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000224

Transporter's name and address:  
(Including Phone No. and e-mail)

ZAHID ROADLINES  
M 19 Baikampedy Indl Area  
Phone:9845515328  
e-mail:zahidroadlines2005@gmail.com  
Transporter's registration No: 83125

Type of vehicle

Truck

Transporter's registration No

83125

Vehicle registration No.

KA 19 AB 2394

Receiver's name and mailing address  
(Including Phone No. and e-mail)

Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited)  
Plot No. 158 to 164, KAIDB Kadechu Industrial Area; Village \_Kadechur; Tehsil & District Yadgir; Karnataka-585221  
Phone:7338464597  
e-mail:lab@motherearthenviron.com  
Receiver's authorisation No.: 80996

Receiver's authorisation No.

80996

Waste description

Waste Category	Physical form	Qty(MT)
35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	24.49

Total quantity :  
No. of Containers

24.49 MT

Physical form

Special handling instructions and additional information

USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

Name and stamp: Signature:



MONTH-DAY-YEAR:11-17-2025

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:

MONTH-DAY-YEAR


Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

Annexure -11

FORM 10  
[See rule 19 (1)]  
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma lifesciences ltd Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District  Telephone:9845745068 E-Mail:sharath@vshilpa.com		
Sender's authorisation No	28295		
Manifest Document No	HW/28295/2025-26/0000219		
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M 19 Baikampady Indl Area Phone:9845515328 e-mailzahidroadlines2005@gmail.com Transporter's registration No: 83125		
Type of vehicle	Truck		
Transporter's registration No	83125		
Vehicle registration No.	KA 19 AD 6834		
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No. 158 to 164, KAIDB Kadachu Industrial Area; Village _Kadachur;Tehsil & District Yadgir; Karnataka-585221 Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 80996		
Receiver's authorisation No.	80996		
Waste description	Waste Category	Physical form	Qty(MT)
	35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	27.41
Total quantity : No. of Containers	27.41 MT		
Physical form			
Special handling instructions and additional information	USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,		
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.		
Name and stamp: Signature:	 MONTH-DAY-YEAR:11-03-2025		
Transporter acknowledgement of receipt of Wastes			
Name and stamp: Signature:	MONTH-DAY-YEAR		
Receiver's certification for receipt of hazardous and other waste			
Name and stamp: Signature:	MONTH-DAY-YEAR		

Annexure-11

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address  
(including Phone No. and e-mail)

Shilpa pharma lifesciences ltd  
Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District  
Telephone:9845745068  
E-Mail:sharath@vbsilpa.com

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000220

Transporter's name and address:  
(including Phone No. and e-mail)

ZAHID ROADLINES  
M 19 Balkampady Indl Area  
Phone:9845515328  
e-mail:zahidroadlines2005@gmail.com  
Transporter's registration No: 83125

Type of vehicle

Truck

Transporter's registration No

83125

Vehicle registration No.

KA 01 AK 9431

Receiver's name and mailing address  
(including Phone No. and e-mail)

Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited)  
Plot No. 15B to 164, KAIDB Kadachu Industrial Area; Village \_Kadachur; Tehsil & District Yadgir; Karnataka-585221  
Phone:7338464597  
e-mail:lab@motherearthenviron.com  
Receiver's authorisation No.: 80996

Receiver's authorisation No.

80996

Waste description

Waste Category	Physical form	Qty(MT)
20.3.Distillation Residues	Slurry	3.27
28.2.Spent catalyst	Semi-Solid	2.36
35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	18.95

Total quantity:  
No. of Containers

24.58 MT

Physical form

Special handling instructions and additional information

USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

Name and stamp: Signature:



MONTH-DAY-YEAR:11-11-2025

Transporter acknowledgement of receipt of Waste:

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

Ahh excuse - 11

FORM 10  
[See rule 19 (1)]  
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address  
(including Phone No. and e-mail)

Shilpa pharma Lifesciences Ltd  
Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District  
Telephone:9845745068  
E-Mail:sherath@vbsilpa.com

Sender's authorisation No

28295

Manifest Document No

HW/ 28295/ 2025-26 / 0000225

Transporter's name and address:  
(including Phone No. and e-mail)

ZAHID ROADLINES  
M 19 Baikampady Indl Area  
Phone:9845515328  
e-mailzahidroadlines2005@gmail.com  
Transporter's registration No: 83125

Type of vehicle

Truck

Transporter's registration No

83125

Vehicle registration No.

KA 19 AB 0560

Receiver's name and mailing address  
(including Phone No. and e-mail)

Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother  
Earth Environ Tech Private Limited)  
Plot No. 158 to 164, KAIDB Kadachu Industrial Area; Village \_Kadachur:Tehsil & District  
Yadgir; Karnataka-585221  
Phone: 7338464597  
e-mail:lab@motherearthenviron.com  
Receiver's authorisation No.: 80996

Receiver's authorisation No.

80996

Waste description

Waste Category	Physical form	Qty(MT)
35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	17.62

Total quantity :  
No. of Containers

17.62 MT

Physical form

Special handling instructions and additional information

Use pep while loading and unloading ,any spillage wash with plenty of water

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

Name and stamp: Signature:

MONTH-DAY-YEAR: 11 -21 -2025

Transporter acknowledgement of receipt of Wastes


Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste.

Name and stamp: Signature:

MONTH-DAY-YEAR



11/22/25

Annexure-11

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address  
(including Phone No. and e-mail)

Shilpa pharma lifesciences ltd  
Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District

Telephone:9845745068  
E-Mail:sharath@vshilpa.com

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000228

Transporter's name and address:  
(including Phone No. and e-mail)

ZAHID ROADLINES  
M 19 Baikampady Indl Area  
Phone:9845515328  
e-mailzahidroadlines2005@gmail.com  
Transporter's registration No: 83125

Type of vehicle

Truck

Transporter's registration No

83125

Vehicle registration No.

KA 19 AE 8021

Receiver's name and mailing address  
(including Phone No. and e-mail)

Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited)  
Plot No. 158 to 164, KAIDB Kadechu Industrial Area; Village \_Kadechur;Tehsil & District Yadgir; Karnataka-585221  
Phone:7338464597  
e-maillab@motherearthenviron.com  
Receiver's authorisation No: 80996

Receiver's authorisation No.

80996

Waste description

Waste Category	Physical form	Qty(MT)
35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	29.11

Total quantity :  
No. of Containers

29.11 MT

Physical form

Special handling instructions and additional information

USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

Name and stamp: Signature:

MONTH-DAY-YEAR:11-29-2025

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR



*Amexuk-11*

FORM 10

[See rule.19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma lifesciences ltd Plot no.33,33A,40to47, Industrial Growth Centre , Chickasgur, Raichur Taluk District		
	Telephone:9845745068 E-Mail:sharath@vshilpa.com		
Sender's authorisation No	28295		
Manifest Document No	HW/28295/2025-26/0000227		
Transporter's name and address: (Including Phone No. and e-mail)	HAJIRA ENTERPRISES 324 t 2nd Phase harohalli industrial area Phone:9986250505 e-mailsyedmoosa@hotmail.com Transporter's registration No: 22794		
Type of vehicle	Truck		
Transporter's registration No	22794		
Vehicle registration No.	KASIAA0523		
Receiver's name and mailing address (including Phone No. and e-mail)	HAJIRA ENTERPRISES 324 t 2nd Phase harohalli industrial area Phone:9986250505 e-mailsyedmoosa@hotmail.com Receiver's authorisation No.: 22794		
Receiver's authorisation No.	22794		
Waste description	Waste Category	Physical form	Qty(MT)
	33.1.Empty barrels/containers/liners contaminated with hazardous chemicals /wastes	Solid	12.25
Total quantity : No. of Containers	12.25 MT		
Physical form			
Special handling instructions and additional information	USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,		
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.		
Name and stamp: Signatu	MONTH-DAY-YEAR:11-25-2025		
Transporter acknowledgement of Receipt of Wastes			
Name and stamp: Signature:	MONTH-DAY-YEAR		
Receiver's certification for receipt of hazardous and other waste			
Name and stamp: Signature:	MONTH-DAY-YEAR		



Copy 2 (Yellow) - To be retained by the sender after taking signature on it from the transporter and the rest of the five signed copies to be carried by the transporter

## FORM 10

[See rule 19 (1)]

## MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma lifesciences ltd Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District  Telephone:9845745068 E-Mail:sharath@vbshilpa.com		
Sender's authorisation No	28295		
Manifest Document No	HW/28295/2025-26/0000221		
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Transporter's registration No: 23836		
Type of vehicle	Tanker		
Transporter's registration No	23836		
Vehicle registration No.	KA 01 AP 3329		
Receiver's name and mailing address (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Receiver's authorisation No: 23836		
Receiver's authorisation No.	23836		
Waste description	Waste Category	Physical form	Qty(MT)
	28.6. Spent solvents	Liquid	25.08
Total quantity : No. of Containers	25.06 MT		
Physical form			
Special handling instructions and additional information	USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER.		
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.		
Name and stamp: Signature:	MONTH-DAY-YEAR:11-12-2025		
Transporter acknowledgement of receipt of Hazardous Waste			
Name and stamp: Signature:	MONTH-DAY-YEAR		
Receiver's certification for receipt of hazardous and other waste			
Name and stamp: Signature:	MONTH-DAY-YEAR		

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - 1A

## FORM 10

[See rule 19 (1)]

## MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma lflsciences ltd Plot no.33,33A,40to47, Industrial Growth Centre . Chicksugur, Raichur Taluk District  Telephone:9845745068 E-Mail:sharath@vbsilpa.com		
Sender's authorisation No	28295		
Manifest Document No	HW/28295/2025-26/0000222		
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Transporter's registration No: 23836		
Type of vehicle	Truck		
Transporter's registration No	23836		
Vehicle registration No.	KA05AP3683		
Receiver's name and mailing address (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Receiver's authorisation No.: 23836		
Receiver's authorisation No.	23836		
Waste description	Waste Category	Physical form	Qty(MT)
	28.6. Spent solvents	Liquid	14.076
Total quantity: No. of Containers	14,076 MT		
Physical form			
Special handling instructions and additional information	USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,		
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.		
Name and stamp: Signature:	MONTH-DAY-YEAR:11-12-2025		
Transporter acknowledgement of receipt of wastes			
Name and stamp: Signature:	MONTH-DAY-YEAR		
Receiver's certification for receipt of hazardous and other waste			
Name and stamp: Signature:	MONTH-DAY-YEAR		

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Ametek-11

FORM 10

[See rule 19 (1)]

## MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma lifesciences ltd Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District  Telephone:9845745068 E-Mail:sharath@vbsilpa.com		
Sender's authorisation No	28295		
Manifest Document No	HW/28295/2025-26/0000223		
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Transporter's registration No: 23836		
Type of vehicle	Truck		
Transporter's registration No	23836		
Vehicle registration No.	KA 05 AK 2581		
Receiver's name and mailing address (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Receiver's authorisation No: 23836		
Receiver's authorisation No.	23836		
Waste description	Waste Category	Physical form	Qty(MT)
	28.6. Spent solvents	Liquid	10.5
Total quantity : No. of Containers	10.5 MT		
Physical form			
Special handling instructions and additional information	USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,		
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.		
Name and stamp: Signature:	MONTH-DAY-YEAR:11-12-2025		
Transporter acknowledgement of receipt of wastes			
Name and stamp: Signature:	MONTH-DAY-YEAR		
Receiver's certification for receipt of hazardous and other waste			
Name and stamp: Signature:	MONTH-DAY-YEAR		

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure-1A

FORM 10

[See rule 19 (1)]

## MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (Including Phone No. and e-mail)	Shilpa pharma lifesciences ltd Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District  Telephone:9845745068 E-Mail:sharath@vbsilpa.com		
Sender's authorisation No	28295		
Manifest Document No	HW/28295/2025-26/0000226		
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Transporter's registration No: 23836		
Type of vehicle	Tanker		
Transporter's registration No	23836		
Vehicle registration No.	KA 01 AP 3329		
Receiver's name and mailing address (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Receiver's authorisation No: 23836		
Receiver's authorisation No.	23836		
Waste description	Waste Category	Physical form	Qty(MT)
	28.6. Spant solvents	Liquid	28.42
Total quantity : No. of Containers	28.42 MT		
Physical form			
Special handling instructions and additional information	USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,		
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.		
Name and stamp: Signature	MONTH-DAY-YEAR:11-25-2025		
Transporter acknowledgement Name and stamp: Signature	MONTH-DAY-YEAR		
Receiver's certification for receipt of hazardous and other waste Name and stamp: Signature:	MONTH-DAY-YEAR		

Copy 2 (Yellow) - To be retained by the sender after taking signature on it from the transporter and the rest of the five signed copies to be carried by the transporter

Annexure - A1

10/02/26, 7:07 PM

HWW

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address  
(Including Phone No. and e-mail)

Shilpa pharma lifesciences ltd  
Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District  
Telephone:9845745068  
E-Mail:sherath@vbshilpa.com

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000275

Transporter's name and address:  
(Including Phone No. and e-mail)

ZAHID ROADLINES  
M 19 Baikampady Indl Area  
Phone:9845515328  
e-mailzahidroadlines2005@gmail.com  
Transporter's registration No: 83125

Type of vehicle

Truck

Transporter's registration No

83125

Vehicle registration No.

KA 37B 1476

Receiver's name and mailing address  
(including Phone No. and e-mail)

Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited)  
Plot No. 158 to 164, KAIDB Kadachur Industrial Area; Village \_Kadachur;Tehsil & District Yadgir; Karnataka-585221  
Phone:7338464597  
e-maillab@motherearthenviron.com  
Receiver's authorisation No.: 80996

Receiver's authorisation No.

80996

Waste description

Waste Category	Physical form	Qty(MT)
35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	31.16

Total quantity:  
No. of Containers

31.16 MT

Physical form

Special handling instructions and additional information

USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorized, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

Name and stamp: Signature:

MONTH-DAY-YEAR:10-08-2025

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

1) Notice - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies

Annexure-11

## FORM 10

[See rule 19 (1)]

## MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address  
(including Phone No. and e-mail)Shilpa pharma Lifesciences Ltd  
Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk DistrictTelephone:9845745068  
E-Mail:sharath@vshilpa.com

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000216

Transporter's name and address:  
(including Phone No. and e-mail)ZAHID ROADLINES  
M 19 Baikampady Indl Area  
Phone:9845515328  
e-mail:zahidroadlines2005@gmail.com  
Transporter's registration No: 83125

Type of vehicle

Truck

Transporter's registration No

83125

Vehicle registration No.

KA 19 AB 2394

Receiver's name and mailing address  
(including Phone No. and e-mail)Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother  
Earth Environ Tech Private Limited)  
Plot No. 158 to 164, KAIDB Kadechu Industrial Area; Village \_Kadechur, Tehsil & District  
Yadgir; Karnataka-585221  
Phone:7338464597  
e-mail:lab@motherearthenvirom.com  
Receiver's authorisation No.: 80996

Receiver's authorisation No.

80996

Waste description

Waste Category	Physical form	Qty(MT)
35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	22.68

Total quantity:  
No. of Containers

22.68 MT

Physical form

Special handling instructions and additional information

USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY  
OF WATER,

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately  
described above by proper shipping name and are categorised, packed, marked,  
and labelled, and are in all respects in proper conditions for transport by road  
according to applicable national government regulations.

Name and stamp: Signature:

MONTH-DAY-YEAR:10-13-2025

Transporter acknowledgment of receipt of Wastes

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR



Annexure-AA

FORM 10  
[See rule 19 (1)]  
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address  
(including Phone No. and e-mail)

Shilpa pharma lifesciences ltd  
Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District  
Telephone:9845745068  
E-Mail:sharath@vshilpa.com

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000214

Transporter's name and address:  
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM  
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D)  
562112  
Phone:9845831069  
e-mailpanchamukipharmachem@gmail.com  
Transporter's registration No: 23836

Type of vehicle

Tanker

Transporter's registration No

23836

Vehicle registration No.

KA 01 AP 3329

Receiver's name and mailing address  
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM  
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D)  
562112  
Phone:9845831069  
e-mailpanchamukipharmachem@gmail.com  
Receiver's authorisation No.: 23836

Receiver's authorisation No.

23836

Waste description

Waste Category	Physical form	Qty(MT)
28.6. Spent solvents	Liquid	26.59

Total quantity :  
No. of Containers

26.59 MT

Physical form

Special handling instructions and additional information

USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

Name and stamp: Signature:

MONTH-DAY-YEAR:10-07-2025

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

(1) (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies

Answer-11

**Form 10**

[See rule 19 (1)]

**MANIFEST FOR HAZARDOUS AND OTHER WASTE  
M/s. SVD ECO SERVICES**

1	Sender's name and mailing address (including Phone No. And e-mail):	Plot No. 179, KIADB, Kolhar Industrial Area Raichur District, Karnataka State, India Wadloor Road, Bangalore 560 134
2	Sender's authorisation No.:	32-5854
3	Manifest Document No.:	
4	Transporter's name and address: (including Phone No. And e-mail):	M/S. S.V. S. NIGER Private Ltd Rajmangal, block 5, SRP, Bangalore 560010
5	Type of vehicle:	(Truck/Tanker/Special Vehicle)
6	Transporter's registration No.:	PCB/WMC-2/105/HWM/2023-24
7	Vehicle registration No.:	TG-08 T-7116
8	Receiver's name and mailing address (including Phone No. And e-mail):	M/s. SVD ECO SERVICES Plot No. 179, KIADB, Kolhar Industrial Area Bidar-Karnataka-585402
9	Receiver's authorisation No. :	Aw348260
10	Waste description:	Organic Residue Waste.
11	Total quantity : No. Of Containers:	30.890 m <sup>3</sup> or MT 01 Nos.
12	Physical form:	(Solid/Semi-Solid/Sludge/Oily/Tarry/Slurry/Liquid)
13	Special handling instructions and additional information:	Use PPE's while Loading and unloading.
14	Sender's Certificate:	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.
	Name and Stamp: Signature:	Month Day Year 10 16 2025
15	Transporter acknowledge of receipt of Wastes	
	Name and stamp: Signature:	Month Day Year 10 16 2025
16	Receiver's certification for receipt of hazardous and other waste	
	Name and stamp: Signature:	Month Day Year

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.  
 Copy 2 (Yellow) - To be retained by the sender after taking signature on it from the transporter and the rest of the five signed copies to be carried by the transporter  
 Copy 3 (Pink) - To be retained by the receiver (actual user or treatment storage and disposal facility operator) after receiving the waste and the remaining four copies are to be duly signed by the receiver.  
 Copy 4 (Orange) - To be handed over to the transporter by the receiver after accepting waste.  
 Copy 5 (Green) - To be sent by the receiver to the State Pollution Control Board  
 Copy 6 (Blue) - To be sent by the receiver to the sender.  
 Copy 7 (Grey) - To be sent by the receiver to the State Pollution Control Board of the sender in case the sender is in another State





Annexure-11

HWW

FORM 10  
[See rule 19 (1)]  
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address  
(including Phone No. and e-mail)

Shilpa pharma lifesciences ltd  
Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District

Telephone:9845745068  
E-Mail:sharath@vbsilpa.com

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000217

Transporter's name and address:  
(including Phone No. and e-mail)

S J Enterprises  
#64, 13th Main, Raghavendra Block, Srinagar, Bangalore  
Phone:9866116789  
e-mailsjenterprises3939@gmail.com  
Transporter's registration No: 278461

Type of vehicle

Tanker

Transporter's registration No

278461

Vehicle registration No.

TS 08 UL 9339

Receiver's name and mailing address  
(including Phone No. and e-mail)

M/s. SVD Eco Services  
Plot NO 179, Bellur Main Road, Kolar Industrial Area, Bidar  
Phone:9740544465  
e-mailsvdecoservices@gmail.com  
Receiver's authorisation No: 251558

Receiver's authorisation No.

251558

Waste description

Waste Category	Physical form	Qty(MT)
1.4 Organic Residues	Liquid	28.92

Total quantity:  
No. of Containers

28.92 MT

Physical form

Special handling instructions and additional information

USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

Name and stamp: Signature

MONTH-DAY-YEAR:10-17-2025

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste


Name and stamp: Signature:

MONTH-DAY-YEAR



# Environment management Cell

## Annexure-13





# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
 (Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
 C.M.C Ward No 18 & C.T.C W.No.18 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,  
 E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC- 4071

MSVAL/QR/7.8/01

## AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	25.12.2025
5.	Report Issue Date	:	31.12.2025
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407124000030933F

S.No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Maximum In dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	DG Set Area	At 07:00 AM	74.2	72.6	73.4	75
2		At 08:00 AM	69.5	65.2	67.4	
3		At 09:00 AM	65.9	60.1	63.0	
4		At 10:00 AM	74.2	70.5	72.4	
5		At 11:00 AM	72.6	70.2	71.4	
6		At 12:00 PM	69.1	65.2	67.2	
7		At 01:00 PM	65.2	60.9	63.1	
8		At 02:00 PM	69.4	65.9	67.7	
9		At 03:00 PM	65.2	63.2	64.2	
10		At 04:00 PM	58.9	55.1	57.0	
11		At 05:00 PM	71.2	70.9	71.1	
12		At 06:00 PM	69.1	66.3	67.7	
13		At 07:00 PM	65.9	63.9	64.9	
14		At 08:00 PM	70.2	69.2	69.7	
15		At 09:00 PM	73.6	65.2	69.4	
16		At 10:00 PM	59.4	55.1	57.3	
17		At 11:00 PM	66.9	60.9	63.9	
18		At 12:00 AM	65.6	60.1	62.9	70
19		At 01:00 AM	56.4	54.9	55.7	
20		At 02:00 AM	58.1	52.9	55.5	
21		At 03:00 AM	48.6	44.3	46.5	
22		At 04:00 AM	50.2	49.2	49.7	
23		At 05:00 AM	48.9	40.9	44.9	
24		At 06:00 AM	56.4	52.6	54.5	

**INFERENCE** As per KSPCB Standards  
 Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P  
 Technical Manager

:- END OF REPORT:-



- Note: 1. The results listed only to the tested samples & applicable parameters.  
 2. Samples Will be disposed after the specified retention period.  
 3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
 5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Bellari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.8/01

## AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	25.12.2025
5.	Report Issue Date	:	31.12.2025
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407124000030934F

S.No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	Production Area	At 07:00 AM	62.8	60.5	61.7	75
2		At 08:00 AM	69.4	65.7	67.6	
3		At 09:00 AM	60.5	59.4	60.0	
4		At 10:00 AM	69.4	62.8	66.1	
5		At 11:00 AM	71.8	63.9	67.9	
6		At 12:00 PM	62.9	60.1	61.5	
7		At 01:00 PM	74.8	71.5	73.2	
8		At 02:00 PM	65.9	62.9	64.4	
9		At 03:00 PM	66.9	60.8	63.9	
10		At 04:00 PM	74.2	72.5	73.4	
11		At 05:00 PM	69.1	65.9	67.5	
12		At 06:00 PM	72.8	70.2	71.5	
13		At 07:00 PM	70.8	65.9	68.4	
14		At 08:00 PM	69.1	66.4	67.8	
15		At 09:00 PM	65.2	60.1	62.7	
16		At 10:00 PM	66.8	65.5	66.2	
17		At 11:00 PM	65.8	63.9	64.9	
18		At 12:00 AM	69.4	66.2	67.8	
19		At 01:00 AM	56.8	52.9	54.9	70
20		At 02:00 AM	66.3	64.3	65.3	
21		At 03:00 AM	58.8	46.9	52.9	
22		At 04:00 AM	54.2	50.2	52.2	
23		At 05:00 AM	60.2	56.4	58.3	
24		At 06:00 AM	59.9	48.9	54.4	

**INFERENCE** As per KSPCB Standards  
Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager

:- END OF REPORT:-



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



MSVAL/QR/7.8/01

## AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	25.12.2025
5.	Report Issue Date	:	31.12.2025
6.	Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407124000030935F

S.No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	Near Main Gate	At 07:00 AM	56.1	50.6	53.4	75
2		At 08:00 AM	66.8	62.5	64.7	
3		At 09:00 AM	60.5	59.4	60.0	
4		At 10:00 AM	60.1	55.1	57.6	
5		At 11:00 AM	56.8	52.6	54.7	
6		At 12:00 PM	60.2	59.4	59.8	
7		At 01:00 PM	66.9	65.2	66.1	
8		At 02:00 PM	72.5	70.5	71.5	
9		At 03:00 PM	65.9	62.4	64.2	
10		At 04:00 PM	66.9	63.4	65.2	
11		At 05:00 PM	72.3	70.1	71.2	
12		At 06:00 PM	69.1	65.2	67.2	
13		At 07:00 PM	70.8	69.4	70.1	
14		At 08:00 PM	72.5	70.1	71.3	
15		At 09:00 PM	71.9	69.4	70.7	
16		At 10:00 PM	69.1	65.6	67.4	
17		At 11:00 PM	70.6	69.4	70.0	
18		At 12:00 AM	74.1	71.5	72.8	70
19		At 01:00 AM	60.2	56.9	58.6	
20		At 02:00 AM	65.9	60.1	63.0	
21		At 03:00 AM	50.5	49.5	50.0	
22		At 04:00 AM	50.1	49.6	49.9	
23		At 05:00 AM	46.9	41.5	44.2	
24		At 06:00 AM	66.2	56.9	61.6	

**INFERENCE** As per KSPCB Standards  
Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager

∴ END OF REPORT ∴



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



MSVAL/QR/7.8/01

## AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	25.12.2025
5.	Report Issue Date	:	31.12.2025
6.	Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407124000030936F

S.No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	Near Administration Office	At 07:00 AM	52.6	50.2	51.4	75
2		At 08:00 AM	56.8	54.6	55.7	
3		At 09:00 AM	58.9	52.8	55.9	
4		At 10:00 AM	65.9	62.9	64.4	
5		At 11:00 AM	71.8	70.5	71.2	
6		At 12:00 PM	65.9	62.5	64.2	
7		At 01:00 PM	74.6	70.6	72.6	
8		At 02:00 PM	72.6	69.1	70.9	
9		At 03:00 PM	65.9	64.6	65.3	
10		At 04:00 PM	69.4	65.6	67.5	
11		At 05:00 PM	65.9	60.1	63.0	
12		At 06:00 PM	54.5	52.5	53.5	
13		At 07:00 PM	60.5	59.4	60.0	
14		At 08:00 PM	56.9	52.6	54.8	
15		At 09:00 PM	60.8	56.4	58.6	
16		At 10:00 PM	56.9	50.2	53.6	
17		At 11:00 PM	59.7	56.4	58.1	
18		At 12:00 AM	69	60.4	64.7	70
19		At 01:00 AM	56.9	55.1	56.0	
20		At 02:00 AM	63.9	60.2	62.1	
21		At 03:00 AM	64.6	62.8	63.7	
22		At 04:00 AM	55.1	50.5	52.8	
23		At 05:00 AM	50.2	49.5	49.9	
24		At 06:00 AM	56.9	52.8	54.9	

**INFERENCE** As per KSPCB Standards  
Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager

:- END OF REPORT:-



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.8/01

## AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	20.02.2026
5.	Report Issue Date	:	26.02.2026
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000005534F

S.No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	DG Set Area	At 07:00 AM	62.5	59.4	61.0	75
2		At 08:00 AM	60.3	58.2	59.3	
3		At 09:00 AM	70.2	67.1	68.7	
4		At 10:00 AM	61.8	56.4	59.1	
5		At 11:00 AM	62.3	55.3	58.8	
6		At 12:00 PM	70.3	68.5	69.4	
7		At 01:00 PM	68.5	67.1	67.8	
8		At 02:00 PM	61.5	59.2	60.4	
9		At 03:00 PM	66.5	60.3	63.4	
10		At 04:00 PM	72.5	69.4	71.0	
11		At 05:00 PM	60.8	56.3	58.6	
12		At 06:00 PM	70.3	68.5	69.4	
13		At 07:00 PM	68.5	67.1	67.8	
14		At 08:00 PM	61.5	59.2	60.4	
15		At 09:00 PM	66.5	60.3	63.4	
16		At 10:00 PM	72.5	69.4	71.0	
17		At 11:00 PM	59.2	53.1	56.2	70
18		At 12:00 AM	62.5	58.1	60.3	
19		At 01:00 AM	63.5	59.2	61.4	
20		At 02:00 AM	62.5	55.2	58.9	
21		At 03:00 AM	69.4	60.5	65.0	
22		At 04:00 AM	60.3	59.4	59.9	
23		At 05:00 AM	58.4	55.3	56.9	
24		At 06:00 AM	56.8	53.4	55.1	

**INFERENCE** As per KSPCB Standards  
Report Status :- The Noise level for the all locations is within the limits .

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager

:- END OF REPORT:-



- Note: 1. The results listed only to the tested samples & applicable parameters  
2. Samples Will be disposed after the specified retention period  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified

Annexure-4



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (D) : 08392-255169,  
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.8/01

## AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	20.02.2026
5.	Report Issue Date	:	26.02.2026
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC4071260000005535F

S.No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	Production Area	At 07:00 AM	74.2	72.3	73.3	75
2		At 08:00 AM	75.2	70.6	72.9	
3		At 09:00 AM	70.6	68.4	69.5	
4		At 10:00 AM	72.8	65.2	69.0	
5		At 11:00 AM	69.8	65.4	67.6	
6		At 12:00 PM	66.3	63.2	64.8	
7		At 01:00 PM	67.2	64.1	65.7	
8		At 02:00 PM	65.1	56.3	60.7	
9		At 03:00 PM	69.3	63.1	66.2	
10		At 04:00 PM	67.8	60.2	64.0	
11		At 05:00 PM	60.5	58.4	59.5	
12		At 06:00 PM	70.3	61.8	66.1	
13		At 07:00 PM	68.5	65.1	66.8	
14		At 08:00 PM	67.9	58.3	63.1	
15		At 09:00 PM	70.6	63.4	67.0	
16		At 10:00 PM	56.2	53.1	54.7	
17		At 11:00 PM	55.3	52.6	54.0	
18		At 12:00 AM	52.8	49.3	51.1	70
19		At 01:00 AM	51.9	49.4	50.7	
20		At 02:00 AM	60.3	55.6	58.0	
21		At 03:00 AM	67.3	64.7	66.0	
22		At 04:00 AM	62.8	59.3	61.1	
23		At 05:00 AM	65.2	61.5	63.4	
24		At 06:00 AM	66.3	63.2	64.8	

**INFERENCE** As per KSPCB Standards  
Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager

-: END OF REPORT:-



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified





# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.8/01

## AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	20.02.2026
5.	Report Issue Date	:	26.02.2026
6.	Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000005537F

S.No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	Near Administration Office	At 07:00 AM	64.2	60.2	63.8	75
2		At 08:00 AM	65.3	61.2	61.8	
3		At 09:00 AM	66.2	60.3	59.3	
4		At 10:00 AM	68.1	57.2	67.4	
5		At 11:00 AM	65.3	56.4	66.5	
6		At 12:00 PM	64.2	58.3	61.5	
7		At 01:00 PM	61.2	54.1	59.8	
8		At 02:00 PM	65.3	59.1	60.9	
9		At 03:00 PM	60.2	56.2	66	
10		At 04:00 PM	61.3	58.3	64.8	
11		At 05:00 PM	65.6	57.1	68.2	
12		At 06:00 PM	65.4	54.2	66.1	
13		At 07:00 PM	65.7	55.8	65	
14		At 08:00 PM	65.2	56.1	63.5	
15		At 09:00 PM	65.3	58.3	66.8	
16		At 10:00 PM	66.8	60.2	64.7	
17		At 11:00 PM	55.3	50.2	63.9	
18		At 12:00 AM	54.3	50.6	61.4	
19		At 01:00 AM	52.8	49.3	57.1	
20		At 02:00 AM	55.6	48.4	58.3	
21		At 03:00 AM	55.1	46.2	55.4	
22		At 04:00 AM	54.3	50.3	52.4	
23		At 05:00 AM	53.1	48.4	51.8	
24		At 06:00 AM	52.8	47.6	49.8	

**INFERENCE** As per KSPCB Standards  
Report Status :- The Noise level for the all locations is within the limits

Analysed by

*(Signature)*

Authorized Signatory

Hanumanthalah P  
Technical Manager

:- END OF REPORT:-



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
 (Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
 E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



MSVAL/QR/7.8/01

## AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	14.01.2026
5.	Report Issue Date	:	23.01.2026
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000001241F

S.No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	DG Set Area	At 07:00 AM	72.1	70.3	71.2	75
2		At 08:00 AM	74.3	72.1	73.2	
3		At 09:00 AM	68.9	66.5	67.7	
4		At 10:00 AM	66.5	62.4	64.5	
5		At 11:00 AM	64.3	61.8	63.1	
6		At 12:00 PM	63.2	59.2	61.2	
7		At 01:00 PM	65.4	60.9	63.2	
8		At 02:00 PM	67.9	64.2	66.1	
9		At 03:00 PM	73.9	70.9	72.4	
10		At 04:00 PM	69.2	63.8	66.5	
11		At 05:00 PM	63.8	59.4	61.6	
12		At 06:00 PM	70.2	67.2	68.7	
13		At 07:00 PM	71.6	68.2	69.9	
14		At 08:00 PM	66.3	63.2	64.8	
15		At 09:00 PM	64.2	61.5	62.9	
16		At 10:00 PM	69.8	64.2	67.0	
17		At 11:00 PM	58.9	55.7	57.3	
18		At 12:00 AM	67.9	63.2	65.6	
19		At 01:00 AM	63.4	60.9	62.2	
20		At 02:00 AM	61.7	57.4	59.6	
21		At 03:00 AM	60.9	57.2	59.1	
22		At 04:00 AM	58.7	55.3	57.0	
23		At 05:00 AM	57.4	53.7	55.6	
24		At 06:00 AM	55.6	52.1	53.9	

**INFERENCE**

As per KSPCB Standards

Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthiah P  
Technical Manager

:- END OF REPORT:-

Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
C.M.C Ward No 18 & C.T.C W.No.16 T.S.No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



MSVAL/QR/7.8/01

## AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	14.01.2026
5.	Report Issue Date	:	23.01.2026
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC40712600001242F

S.No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. In dB(A) Leq	
1	Production Area	At 07:00 AM	73.6	70.1	71.9	75
2		At 08:00 AM	74.8	72.4	73.6	
3		At 09:00 AM	71.2	67.8	69.5	
4		At 10:00 AM	72.4	69.2	70.8	
5		At 11:00 AM	69.8	65.4	67.6	
6		At 12:00 PM	67.5	63.2	65.4	
7		At 01:00 PM	65.3	62.8	64.1	
8		At 02:00 PM	64.8	59.6	62.2	
9		At 03:00 PM	68.1	64.5	66.3	
10		At 04:00 PM	66.3	63.2	64.8	
11		At 05:00 PM	62.3	60.9	61.6	
12		At 06:00 PM	63.7	61.8	62.8	
13		At 07:00 PM	67.9	64.2	66.1	
14		At 08:00 PM	61.8	56.3	59.1	
15		At 09:00 PM	73.4	70.4	71.9	
16		At 10:00 PM	58.9	52.3	55.6	
17		At 11:00 PM	56.4	54.5	55.5	
18		At 12:00 AM	54.7	51.8	53.3	70
19		At 01:00 AM	62.3	60.8	61.6	
20		At 02:00 AM	64.7	62.8	63.8	
21		At 03:00 AM	68.7	64.7	66.7	
22		At 04:00 AM	64.2	61.1	62.7	
23		At 05:00 AM	66.9	63.7	65.3	
24		At 06:00 AM	68.5	64.2	66.4	

**INFERENCE** As per KSPCB Standards  
Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthalah P  
Technical Manager



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC- 4071

MSVAL/QR/7.8/01

## AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	14.01.2026
5.	Report Issue Date	:	23.01.2026
6.	Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000001243F

S.No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	Near Main Gate	At 07:00 AM	58.7	54.8	56.8	75
2		At 08:00 AM	68.9	65.4	67.2	
3		At 09:00 AM	63.4	61.2	62.3	
4		At 10:00 AM	62.8	60.7	61.8	
5		At 11:00 AM	64.7	62.7	63.7	
6		At 12:00 PM	63.9	59.8	61.9	
7		At 01:00 PM	66.7	63.4	65.1	
8		At 02:00 PM	69.8	67.8	68.8	
9		At 03:00 PM	70.2	68.9	69.6	
10		At 04:00 PM	72.4	70.4	71.4	
11		At 05:00 PM	73.8	71.3	72.6	
12		At 06:00 PM	68.9	66.5	67.7	
13		At 07:00 PM	67.2	65.1	66.2	
14		At 08:00 PM	65.4	63.7	64.6	
15		At 09:00 PM	58.7	55.4	57.1	
16		At 10:00 PM	56.3	52.9	54.6	
17		At 11:00 PM	54.7	51.8	53.3	
18		At 12:00 AM	68.9	65.7	67.3	70
19		At 01:00 AM	65.7	63.1	64.4	
20		At 02:00 AM	64.3	62.7	63.5	
21		At 03:00 AM	62.2	60.8	61.5	
22		At 04:00 AM	60.9	58.7	59.8	
23		At 05:00 AM	67.2	65.9	66.6	
24		At 06:00 AM	66.3	62.7	64.5	

**INFERENCE**

As per KSPCB Standards

Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified



Annexure-14

# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC- 4071

MSVAL/QR/7.8/01

## AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	14.01.2026
5.	Report Issue Date	:	23.01.2026
6.	Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000001244F

S.No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	Near Administration Office	At 07:00 AM	65.3	62.3	63.8	75
2		At 08:00 AM	63.4	60.1	61.8	
3		At 09:00 AM	60.8	57.8	59.3	
4		At 10:00 AM	69.3	65.4	67.4	
5		At 11:00 AM	67.5	65.4	66.5	
6		At 12:00 PM	62.3	60.7	61.5	
7		At 01:00 PM	61.7	57.8	59.8	
8		At 02:00 PM	62.9	58.9	60.9	
9		At 03:00 PM	67.8	64.2	66.0	
10		At 04:00 PM	66.8	62.8	64.8	
11		At 05:00 PM	69.7	66.7	68.2	
12		At 06:00 PM	67.4	64.8	66.1	
13		At 07:00 PM	66.3	63.7	65.0	
14		At 08:00 PM	64.9	62.1	63.5	
15		At 09:00 PM	68.2	65.4	66.8	
16		At 10:00 PM	65.5	63.8	64.7	
17		At 11:00 PM	64.2	63.5	63.9	
18		At 12:00 AM	62.3	60.4	61.4	70
19		At 01:00 AM	58.9	55.3	57.1	
20		At 02:00 AM	59.7	56.9	58.3	
21		At 03:00 AM	57.4	53.4	55.4	
22		At 04:00 AM	53.1	51.7	52.4	
23		At 05:00 AM	52.7	50.9	51.8	
24		At 06:00 AM	50.8	48.7	49.8	

**INFERENCE** As per KSPCB Standards  
Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager

Note: 1. The results listed only to the tested samples &amp; applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part &amp; cannot be used as evidence in the court of law &amp; should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified



Annexure-14

# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor).  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
E-mail : msvballary2018@gmail.com, labmsv@gmail.com, Website : www.msvballary.com



MSVAL/QR/7.8/01

## AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	25.03.2026
5.	Report Issue Date	:	31.03.2026
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000008525F

S.No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	DG Set Area	At 07:00 AM	63.5	59.5	61.5	75
2		At 08:00 AM	66.3	62.4	64.4	
3		At 09:00 AM	63.5	58.3	60.9	
4		At 10:00 AM	65.4	55.2	60.3	
5		At 11:00 AM	61.2	52.3	56.8	
6		At 12:00 PM	63.8	56.4	60.1	
7		At 01:00 PM	62.3	53.2	57.8	
8		At 02:00 PM	64.1	58.1	61.1	
9		At 03:00 PM	61.3	57.2	59.3	
10		At 04:00 PM	62.3	56.2	59.3	
11		At 05:00 PM	64.3	56.2	60.3	
12		At 06:00 PM	67.4	56.3	61.9	
13		At 07:00 PM	66.8	57.1	62.0	
14		At 08:00 PM	64.2	58.3	61.3	
15		At 09:00 PM	66.3	57.2	61.8	
16		At 10:00 PM	62.5	57.4	60.0	
17		At 11:00 PM	54.3	51.2	52.8	70
18		At 12:00 AM	52.6	48.2	50.4	
19		At 01:00 AM	60.3	47.2	53.8	
20		At 02:00 AM	54.2	47.5	50.9	
21		At 03:00 AM	56.2	45.2	50.7	
22		At 04:00 AM	52.8	48.3	50.6	
23		At 05:00 AM	51.6	47.3	49.5	
24		At 06:00 AM	50.6	45.7	48.2	

**INFERENCE** As per KSPCB Standards  
Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager

- END OF REPORT -



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
C.M.C Ward No 18 & C.T.C W.No.16 T.S.No. 895/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC-4071

MSVAL/QR/7.8/01

## AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	25.03.2026
5.	Report Issue Date	:	31.03.2026
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC40712600008526F

S.No	Sample Location	Time Frequency	Results			Permissible limits In dB(A) Leq
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	Production Area	At 07:00 AM	73.5	70.5	72.0	75
2		At 08:00 AM	74.1	71.4	72.8	
3		At 09:00 AM	68.5	65.3	66.9	
4		At 10:00 AM	70.3	66.4	68.4	
5		At 11:00 AM	68.5	63.8	66.2	
6		At 12:00 PM	65.4	62.1	63.8	
7		At 01:00 PM	65.3	63.6	64.5	
8		At 02:00 PM	64.3	60.5	62.4	
9		At 03:00 PM	68.3	62.4	65.4	
10		At 04:00 PM	66.4	60.2	63.3	
11		At 05:00 PM	61.8	58.4	60.1	
12		At 06:00 PM	66.3	61.8	64.1	
13		At 07:00 PM	69.4	64.8	67.1	
14		At 08:00 PM	65.4	56.1	60.8	
15		At 09:00 PM	68.2	62.5	65.4	
16		At 10:00 PM	54.7	52.8	53.8	
17		At 11:00 PM	54.3	51.6	53.0	
18		At 12:00 AM	55.8	50.5	53.2	
19		At 01:00 AM	52.3	49.5	50.9	
20		At 02:00 AM	58.5	55.6	57.1	
21		At 03:00 AM	65.1	63.5	64.3	70
22		At 04:00 AM	60.3	57.4	58.9	
23		At 05:00 AM	64.3	62.3	63.3	
24		At 06:00 AM	64.2	60.7	62.5	

**INFERENCE** As per KSPCB Standards  
Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager

- END OF REPORT -



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255168,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC-4071

MSVAL/QR/7.8/01

## AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	25.03.2026
5.	Report Issue Date	:	31.03.2026
6.	Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC40712600008527F

S.No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. In dB(A) Leq	
1	Near Main Gate	At 07:00 AM	68.5	66.3	67.4	75
2		At 08:00 AM	69.3	65.3	67.3	
3		At 09:00 AM	70.2	66.7	68.5	
4		At 10:00 AM	71.6	63.8	67.7	
5		At 11:00 AM	72.5	66.2	69.4	
6		At 12:00 PM	70.5	61.7	66.1	
7		At 01:00 PM	68.3	60.9	64.6	
8		At 02:00 PM	67.6	63.7	65.7	
9		At 03:00 PM	66.2	60.2	63.2	
10		At 04:00 PM	66.3	64.1	65.2	
11		At 05:00 PM	65.1	61.2	63.2	
12		At 06:00 PM	64.2	63.7	64.0	
13		At 07:00 PM	65.1	63.5	64.3	
14		At 08:00 PM	64.3	61.2	62.8	
15		At 09:00 PM	71.2	68.3	69.8	
16		At 10:00 PM	65.2	56.2	60.7	
17		At 11:00 PM	64.3	54.3	59.3	
18		At 12:00 AM	63.5	52.8	58.2	
19		At 01:00 AM	62.8	51.6	57.2	
20		At 02:00 AM	60.1	56.3	58.2	
21		At 03:00 AM	59.4	53.8	56.6	
22		At 04:00 AM	58.5	51.4	55.0	
23		At 05:00 AM	60.7	56.8	58.8	
24		At 06:00 AM	58.2	51.2	54.7	

INFERENCE

As per KSPCB Standards.

Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager

-: END OF REPORT :



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
C.M.C Ward No 18 & C.T.C W.No.18 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC-4071

MSVAL/QR/7.8/01

## AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	25.03.2026
5.	Report Issue Date	:	31.03.2026
6.	Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000008528F

S.No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	Near Administration Office	At 07:00 AM	68.5	66.3	67.4	75
2		At 08:00 AM	69.3	65.3	67.3	
3		At 09:00 AM	70.2	66.7	68.5	
4		At 10:00 AM	71.6	63.8	67.7	
5		At 11:00 AM	72.5	66.2	69.4	
6		At 12:00 PM	70.5	61.7	66.1	
7		At 01:00 PM	68.3	60.9	64.6	
8		At 02:00 PM	67.6	63.7	65.7	
9		At 03:00 PM	66.2	60.2	63.2	
10		At 04:00 PM	66.3	64.1	65.2	
11		At 05:00 PM	65.1	61.2	63.2	
12		At 06:00 PM	64.2	63.7	64.0	
13		At 07:00 PM	65.1	63.5	64.3	
14		At 08:00 PM	64.3	61.2	62.8	
15		At 09:00 PM	71.2	68.3	69.8	
16		At 10:00 PM	65.2	56.2	60.7	
17		At 11:00 PM	64.3	54.3	59.3	70
18		At 12:00 AM	63.5	52.8	58.2	
19		At 01:00 AM	62.8	51.6	57.2	
20		At 02:00 AM	60.1	56.3	58.2	
21		At 03:00 AM	59.4	53.8	56.6	
22		At 04:00 AM	58.5	51.4	55.0	
23		At 05:00 AM	60.7	56.8	58.8	
24		At 06:00 AM	58.2	51.2	54.7	

**INFERENCE** As per KSPCB Standards  
Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or In part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 895/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.8/1/Test Report

## AMBIENT NOISE LEVEL MONITORING REPORT

1. Name of the industry : M/S. Shilpa Pharma Life Sciences Limited unit-2,  
Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center,  
Chicksugur village, Raichur.
2. Sample Collected By : MSV Analytical Laboratories, Bellary
3. Particulars of Sample Collected : Noise meter
4. Date of Monitoring : 29.11.2025
5. Report Issue Date : 08.12.2025
6. Method Adopted : IS 9989

Discipline: Chemical      Group: Atmospheric Pollution      Sub Group: Ambient Noise      ULR No: TC407125000028637F

S. No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	DG Set Area	At 06:00 AM	72.5	65.7	69.1	75
2		At 07:00 AM	68.7	63.2	66.0	
3		At 08:00 AM	68.6	62.2	65.4	
4		At 09:00 AM	71.2	65.6	68.4	
5		At 10:00 AM	73.6	70.1	71.9	
6		At 11:00 AM	74.1	65.7	69.9	
7		At 12:00 PM	64.2	62.2	63.2	
8		At 01:00 PM	68.7	63.2	66.0	
9		At 02:00 PM	70.1	64.5	67.3	
10		At 03:00 PM	69.8	66.9	68.4	
11		At 04:00 PM	71.2	64.2	67.7	
12		At 05:00 PM	65.6	59.6	62.6	
13		At 06:00 PM	67.3	62.2	64.8	
14		At 07:00 PM	64.3	60.1	62.2	
15		At 08:00 PM	62.8	58.7	60.8	
16		At 09:00 PM	67.3	58.6	63.0	
17		At 10:00 PM	63.2	55.7	59.5	
18		At 11:00 PM	59.6	52.2	55.9	
19		At 12:00 AM	58.7	56.6	57.7	
20		At 01:00 AM	62.2	54.2	58.2	
21		At 02:00 AM	57.6	53.2	55.4	
22		At 03:00 AM	63.4	54.6	59.0	
23		At 04:00 AM	64.2	58.7	61.5	
24		At 05:00 AM	58.6	52.2	55.4	70

**INFERENCE** As per KSPCB Standards  
Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah.P  
Technical Manager

\*\*\* End of Report \*\*\*



- Note: 1. The results listed only to the tested samples & applicable parameters  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC- 4071

MSVAL/QR/7.8/1/Test Report

## AMBIENT NOISE LEVEL MONITORING REPORT

1. Name of the industry : M/S. Shilpa Pharma Life Sciences Limited unit-2,  
Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center,  
Chicksugur village, Raichur.
2. Sample Collected By : MSV Analytical Laboratories, Bellary
3. Particulars of Sample Collected : Noise meter
4. Date of Monitoring : 29.11.2025
5. Report Issue Date : 01.12.2025
6. Method Adopted : IS 9989

Discipline: Chemical      Group: Atmospheric Pollution      Sub Group: Ambient Noise      ULR No: TC407125000028638F

S. No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	Production Area	At 06:00 AM	69.3	63.2	66.3	75
2		At 07:00 AM	65.7	60.1	62.9	
3		At 08:00 AM	71.5	65.6	68.6	
4		At 09:00 AM	73.6	68.7	71.2	
5		At 10:00 AM	65.8	62.2	64.0	
6		At 11:00 AM	67.4	63.1	65.3	
7		At 12:00 PM	71.2	65.6	68.4	
8		At 01:00 PM	69.4	63.2	66.3	
9		At 02:00 PM	72.6	62.2	67.4	
10		At 03:00 PM	73.4	70.1	71.8	
11		At 04:00 PM	68.8	63.6	66.2	
12		At 05:00 PM	67.4	62.2	64.8	
13		At 06:00 PM	65.8	59.6	62.7	
14		At 07:00 PM	71.4	67.4	69.4	
15		At 08:00 PM	65.3	61.5	63.4	
16		At 09:00 PM	66.9	59.6	63.3	
17		At 10:00 PM	63.2	58.7	61.0	70
18		At 11:00 PM	64.2	60.1	62.2	
19		At 12:00 AM	58.6	52.2	55.4	
20		At 01:00 AM	64.1	60.1	62.1	
21		At 02:00 AM	62.2	56.6	59.4	
22		At 03:00 AM	59.6	53.2	56.4	
23		At 04:00 AM	64.1	60.1	62.1	
24		At 05:00 AM	62.2	58.7	60.5	

**INFERENCE** As per KSPCB Standards  
Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah.P  
Technical Manager

\*\*\* End of Report \*\*\*



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 18 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.8/1/Test Report

## AMBIENT NOISE LEVEL MONITORING REPORT

1. Name of the Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2,  
Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center,  
Chicksugur village, Raichur.
2. Sample Collected By : MSV Analytical Laboratories, Bellary
3. Particulars of Sample Collected : Noise meter
4. Date of Monitoring : 28.10.2025
5. Report Issue Date : 03.11.2025
6. Method Adopted : IS 9989: 2020

Discipline: Chemical      Group: Atmospheric Pollution      Sub Group: Ambient Noise      ULR No: TC407125000028639F

S. No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	Near Main Gate	At 06:00 AM	74.1	71.2	72.7	75
2		At 07:00 AM	72.6	67.6	70.1	
3		At 08:00 AM	73.2	70.1	71.7	
4		At 09:00 AM	69.8	63.2	66.5	
5		At 10:00 AM	71.5	65.8	68.7	
6		At 11:00 AM	72.2	67.4	69.8	
7		At 12:00 PM	71.9	65.6	68.8	
8		At 01:00 PM	68.8	63.2	66.0	
9		At 02:00 PM	67.3	62.2	64.8	
10		At 03:00 PM	70.2	66.9	68.6	
11		At 04:00 PM	69.6	62.4	66.0	
12		At 05:00 PM	73.2	68.7	71.0	
13		At 06:00 PM	74.1	68.9	71.5	
14		At 07:00 PM	69.7	63.2	66.5	
15		At 08:00 PM	72.2	65.6	68.9	
16		At 09:00 PM	74.1	71.8	73.0	
17		At 10:00 PM	63.4	58.6	61.0	70
18		At 11:00 PM	68.7	53.2	61.0	
19		At 12:00 AM	67.3	54.7	61.0	
20		At 01:00 AM	62.2	56.6	59.4	
21		At 02:00 AM	59.6	52.2	55.9	
22		At 03:00 AM	64.1	60.1	62.1	
23		At 04:00 AM	63.2	59.8	61.5	
24		At 05:00 AM	65.7	62.2	64.0	

**INFERENCE** As per KSPCB Standards  
Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah.P  
Technical Manager

\*\*\* End of Report \*\*\*



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified.



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.8/1/Test Report

## AMBIENT NOISE LEVEL MONITORING REPORT

1. Name of the Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2,  
Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center,  
Chicksugur village, Raichur.
2. Sample Collected By : MSV Analytical Laboratories, Bellary
3. Particulars of Sample Collected : Noise meter
4. Date of Monitoring : 28.10.2025
5. Report Issue Date : 03.11.2025
6. Method Adopted : IS 9989: 2020

Discipline: Chemical      Group: Atmospheric Pollution      Sub Group: Ambient Noise      ULR No: TC40712500028640F

S. No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	Near Administration Office	At 06:00 AM	65.6	62.2	63.9	75
2		At 07:00 AM	68.7	63.6	66.2	
3		At 08:00 AM	70.1	68.7	69.4	
4		At 09:00 AM	65.9	65.6	65.8	
5		At 10:00 AM	68.7	63.2	66.0	
6		At 11:00 AM	71.6	65.7	68.7	
7		At 12:00 PM	65.9	62.2	64.1	
8		At 01:00 PM	63.8	59.6	61.7	
9		At 02:00 PM	67.2	62.2	64.7	
10		At 03:00 PM	71.6	65.7	68.7	
11		At 04:00 PM	73.6	70.1	71.9	
12		At 05:00 PM	68.7	63.2	66.0	
13		At 06:00 PM	67.6	62.2	64.9	
14		At 07:00 PM	66.9	61.6	64.3	
15		At 08:00 PM	68.2	62.2	65.2	
16		At 09:00 PM	69.4	63.7	66.6	
17		At 10:00 PM	69.1	63.7	66.4	
18		At 11:00 PM	65.3	61.4	63.4	70
19		At 12:00 AM	65.3	62.2	63.8	
20		At 01:00 AM	68.9	63.8	66.4	
21		At 02:00 AM	65.2	61.4	63.3	
22		At 03:00 AM	59.6	54.6	57.1	
23		At 04:00 AM	63.2	58.7	61.0	
24		At 05:00 AM	58.7	53.2	56.0	

**INFERENCE** As per KSPCB Standards  
Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah.P  
Technical Manager

\*\*\* End of Report \*\*\*



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified



Annexure-14  
**MSV Analytical Laboratories**

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,  
E-mail : msvballary2018@gmail.com, labmsv@gmail.com, Website : www.msvballary.com



TC-4071

MSVAL/QR/7.8/1/Test Report

**AMBIENT NOISE LEVEL MONITORING REPORT**

1. Name of the Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2,  
Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center,  
Chicksugur village, Raichur.
2. Sample Collected By : MSV Analytical Laboratories, Bellary
3. Particulars of Sample Collected : Noise meter
4. Date of Monitoring : 28.10.2025
5. Report Issue Date : 03.11.2025
6. Method Adopted : IS 9989

Discipline: Chemical      Group: Atmospheric Pollution      Sub Group: Ambient Noise      ULR No: TC407125000024801F

S. No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	DG Set Area	At 06:00 AM	74.2	71.3	72.8	75
2		At 07:00 AM	73.9	70.6	72.3	
3		At 08:00 AM	69.5	66.9	68.2	
4		At 09:00 AM	60.5	59.4	60.0	
5		At 10:00 AM	60.9	58.1	59.5	
6		At 11:00 AM	74.2	70.2	72.2	
7		At 12:00 PM	73.6	70.6	72.1	
8		At 01:00 PM	74	72.6	73.3	
9		At 02:00 PM	69.5	66.9	68.2	
10		At 03:00 PM	65.5	62.5	64.0	
11		At 04:00 PM	69.5	65.6	67.6	
12		At 05:00 PM	72.3	70.2	71.3	
13		At 06:00 PM	71.9	69.2	70.6	
14		At 07:00 PM	66.9	65.2	66.1	
15		At 08:00 PM	72.2	70.2	71.2	
16		At 09:00 PM	70.6	69.2	69.9	
17		At 10:00 PM	65.2	58.1	61.7	70
18		At 11:00 PM	69.2	66.2	67.7	
19		At 12:00 AM	65	62.2	63.6	
20		At 01:00 AM	58.9	55	57.0	
21		At 02:00 AM	62.4	60.1	61.3	
22		At 03:00 AM	65.9	64.9	65.4	
23		At 04:00 AM	66.1	65.2	65.7	
24		At 05:00 AM	60.6	59.5	60.1	

<b>INFERENCE</b>	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits
------------------	---

Analysed by

Authorized Signatory

Hanumanthaiah.P  
Technical Manager

\*\*\* End of Report \*\*\*



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,  
E-mail : msvballary2018@gmail.com, labmsv@gmail.com, Website : www.msvballary.com



TC-4071

MSVAL/QR/7.8/1/Test Report

## AMBIENT NOISE LEVEL MONITORING REPORT

1. Name of the industry : M/S. Shilpa Pharma Life Sciences Limited unit-2,  
Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center,  
Chicksugur village, Raichur.
2. Sample Collected By : MSV Analytical Laboratories, Bellary
3. Particulars of Sample Collected : Noise meter
4. Date of Monitoring : 28.10.2025
5. Report Issue Date : 03.11.2025
6. Method Adopted : IS 9989

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Ambient Noise

ULR No: TC407125000024802F

S. No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	Production Area	At 06:00 AM	62.2	60.2	65.1	75
2		At 07:00 AM	70.8	69.5	71.8	
3		At 08:00 AM	74.6	72	71.4	
4		At 09:00 AM	68.2	65.2	63.9	
5		At 10:00 AM	65.5	63.5	68.3	
6		At 11:00 AM	70.2	68.8	71.1	
7		At 12:00 PM	69.4	66.5	66.7	
8		At 01:00 PM	66.8	65.1	64	
9		At 02:00 PM	74.2	72.2	71.7	
10		At 03:00 PM	69.8	66.9	67.6	
11		At 04:00 PM	60.5	59.9	61	
12		At 05:00 PM	65.8	64.5	63.5	
13		At 06:00 PM	74.1	72.2	63.3	
14		At 07:00 PM	69.5	68.8	59	
15		At 08:00 PM	59.8	55.5	56.6	
16		At 09:00 PM	73.3	72.2	69.9	
17		At 10:00 PM	69.5	66.6	57.9	
18		At 11:00 PM	54.6	55.8	54	
19		At 12:00 AM	69.5	66.6	63.9	
20		At 01:00 AM	65.2	64.2	63.1	
21		At 02:00 AM	68	67.1	62.3	
22		At 03:00 AM	65.5	64.2	64.5	
23		At 04:00 AM	67.7	66	67	
24		At 05:00 AM	61	58.2	59.7	70

**INFERENCE** As per KSPCB Standards  
Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

  
Hanumanthaiah.P  
Technical Manager

\*\*\* End of Report \*\*\*



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Samples Will be disposed after the specified retention period.  
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing  
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.  
5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.8/1/Test Report

## AMBIENT NOISE LEVEL MONITORING REPORT

1. Name of the industry : M/S. Shilpa Pharma Life Sciences Limited unit-2,  
Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center,  
Chicksugur village, Raichur.
2. Sample Collected By : MSV Analytical Laboratories, Bellary
3. Particulars of Sample Collected : Noise meter
4. Date of Monitoring : 28.10.2025
5. Report Issue Date : 03.11.2025
6. Method Adopted : IS 9989: 2020

Discipline: Chemical      Group: Atmospheric Pollution      Sub Group: Ambient Noise      ULR No: TC407125000024803F

S. No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	Near Main Gate	At 06:00 AM	74.2	73.2	71.7	75
2		At 07:00 AM	73.6	70.2	68.1	
3		At 08:00 AM	72.2	71.2	69.3	
4		At 09:00 AM	69.5	65.5	65.5	
5		At 10:00 AM	66.2	64.2	61.9	
6		At 11:00 AM	70.8	69.2	70.3	
7		At 12:00 PM	65.9	62.5	67.5	
8		At 01:00 PM	72.2	70.2	73.2	
9		At 02:00 PM	69.2	65.4	66.2	
10		At 03:00 PM	65.8	62.3	65.2	
11		At 04:00 PM	72.5	70.8	71.8	
12		At 05:00 PM	69.5	66.2	68.6	
13		At 06:00 PM	74.2	71.2	69.3	
14		At 07:00 PM	65.9	62.3	67.8	
15		At 08:00 PM	66.9	62.9	60.4	
16		At 09:00 PM	74.2	71.2	70.4	
17		At 10:00 PM	69.6	65.5	65.1	
18		At 11:00 PM	63.3	62.2	61.3	
19		At 12:00 AM	65.2	64.9	65.9	
20		At 01:00 AM	65.9	64.6	68.4	
21		At 02:00 AM	69.2	65.5	67.6	
22		At 03:00 AM	60.2	59.2	62.4	
23		At 04:00 AM	66.2	62.5	68.2	
24		At 05:00 AM	60.5	59.4	61.6	70

**INFERENCE** As per KSPCB Standards  
Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah.P  
Technical Manager

\*\*\* End of Report \*\*\*



- Note:
1. The results listed only to the tested samples & applicable parameters.
  2. Samples Will be disposed after the specified retention period.
  3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
  4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
  5. Sampling is not done by us unless otherwise specified



Annexure-14

# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No ; Mob : 94498 03895, (D) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.8/1/Test Report

## AMBIENT NOISE LEVEL MONITORING REPORT

- Name of the industry : M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
- Sample Collected By : MSV Analytical Laboratories, Bellary
- Particulars of Sample Collected : Noise meter
- Date of Monitoring : 28.10.2025
- Report Issue Date : 03.11.2025
- Method Adopted : IS 9989: 2020

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Ambient Noise

ULR No: TC407125000024804F

S. No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	Near Administration Office	At 06:00 AM	64.8	60.1	62.4	75
2		At 07:00 AM	66.7	64.9	65.8	
3		At 08:00 AM	68.1	65.2	66.6	
4		At 09:00 AM	65.9	63.4	64.6	
5		At 10:00 AM	64.0	61.5	62.7	
6		At 11:00 AM	67.2	65.2	66.2	
7		At 12:00 PM	65.3	61.9	63.6	
8		At 01:00 PM	66.5	63.6	65.0	
9		At 02:00 PM	69.7	65.2	67.4	
10		At 03:00 PM	68.0	64.9	66.4	
11		At 04:00 PM	67.2	64.2	65.7	
12		At 05:00 PM	65.3	63.6	64.4	
13		At 06:00 PM	59.3	56.1	57.7	
14		At 07:00 PM	56.2	54.8	55.5	
15		At 08:00 PM	57.8	55.2	56.5	
16		At 09:00 PM	55.6	53.4	54.5	
17		At 10:00 PM	57.4	54.1	55.7	
18		At 11:00 PM	58.1	56.6	57.3	
19		At 12:00 AM	56.0	53.5	54.7	
20		At 01:00 AM	58.2	54.1	56.1	70
21		At 02:00 AM	57.4	53.2	55.3	
22		At 03:00 AM	56.3	53.6	54.9	
23		At 04:00 AM	58.2	54.8	56.5	
24		At 05:00 AM	59.1	56.2	57.6	

INFERENCE

As per KSPCB Standards

Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah.P  
Technical Manager

\*\*\* End of Report \*\*\*



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified

## Annexure-15

### Shilpa Pharma Lifesciences Ltd Unit-2

<b>Corporate Environment Responsibility</b>		
<b>Sl.No</b>	<b>Particulars</b>	<b>Amount</b>
1	Corporate Environment Responsibility Trees Plantation	2898394
2	Donation to Govt Hospital Children Raichur	1851285
3	Donation to Govt Hospital Children Devadurga	2883993
4	Donation to RO Plant @ Rims Raichur	240000
5	Tractor Purchase Green Raichur for water Trees Plantation	890210
6	Health Expenses Diagnostics	1837500
7	Women Empowerment	150000
8	Donation to Arogya Chintana Charitable Trust	1000000
9	Oxygen Cylinder	1416000
10	Education	3900000
11	Toilets Construction Raichur	1313312
	<b>Total</b>	<b>18380694</b>

<b>Sl.No</b>	<b>Particulars</b>	<b>Amount</b>
1	Sport Promotion	451000
2	Raichur City Tennis	350000
3	Animal Welfare Expenses	500000
4	Environment Expenses	1194642
5	Covid-2019 ( Food and Grocery Distributions)	1150000
6	Education Promotion Expenses	1500000
7	Covid -2019 Oxygen Concentrator	1900013
8	Claning Aam Talab Raichur	603365
	<b>Total</b>	<b>7649020</b>

# Annexure-15

## SHILPA PHARMA LIFESCIENCES LIMITED

Registered Office: #12-6-214/A-1, Hyderabad Road, Raichur - 584 135, Karnataka, India  
Tel: +91-8532-238704;  
Email: info@vbshilpa.com  
CIN: U24100KA2020PLC134081

### Supported for Karnataka state Badminton Championship



## Annexure-15

### SHILPA PHARMA LIFESCIENCES LIMITED

Registered Office: #12-6-214/A-1, Hyderabad  
Road, Raichur – 584 135, Karnataka, India  
Tel: +91-8532-238704;  
Email: info@vbsilpa.com  
CIN: U24100KA2020PLC134081



## Annexure-15

### SHILPA PHARMA LIFESCIENCES LIMITED

**Registered Office:** #12-6-214/A-1, Hyderabad  
Road, Raichur - 584 135, Karnataka, India  
Tel: +91-8532-238704;  
Email: info@vbshilpa.com  
CIN: U24100KA2020PLC134081

#### Raichur City Tennis Fixed the flood Lights for Player playing



## Annexure-15

### SHILPA PHARMA LIFESCIENCES LIMITED

Registered Office: #12-6-214/A-1, Hyderabad  
Road, Raichur - 584 135, Karnataka, India  
Tel: +91-8532-238704;  
Email: info@vbshilpa.com  
CIN: U24100KA2020PLC134081

#### Animal welfare activity



## Annexure-15

### SHILPA PHARMA LIFESCIENCES LIMITED

Registered Office: #12-6-214/A-1, Hyderabad Road, Raichur – 584 135, Karnataka, India  
Tel: +91-8532-238704;  
Email: info@vbshilpa.com  
CIN: U24100KA2020PLC134081

#### Environment Activities



## Annexure-15

### SHILPA PHARMA LIFESCIENCES LIMITED

Registered Office: #12-6-214/A-1, Hyderabad  
Road, Raichur - 584 135, Karnataka, India  
Tel: +91-8532-238704;  
Email: info@vbsilpa.com  
CIN: U24100KA2020PLC134081



**SHILPA PHARMA LIFESCIENCES LIMITED**

**Annexure-15**

**Registered Office:** #12-6-214/A-1, Hyderabad Road, Raichur – 584 135, Karnataka, India  
**Tel:** +91-8532-238704;  
**Email:** info@vbsilpa.com  
**CIN:** U24100KA2020PLC134081

**Plants maintaining Photos**



## Annexure-15

### SHILPA PHARMA LIFESCIENCES LIMITED

**Registered Office:** #12-6-214/A-1, Hyderabad  
Road, Raichur – 584 135, Karnataka, India  
**Tel:** +91-8532-238704;  
**Email:** info@vbshilpa.com  
**CIN:** U24100KA2020PLC134081



## Annexure-15

### SHILPA PHARMA LIFESCIENCES LIMITED

Registered Office: #12-6-214/A-1, Hyderabad  
Road, Raichur - 584 135, Karnataka, India  
Tel: +91-8532-238704;  
Email: info@vbsilpa.com  
CIN: U24100KA2020PLC134081

#### COVID-19 FOOD AND GROCERY AND OXGEN CONCNETRATOR DISTRIBUTION



## Annexure-15

### SHILPA PHARMA LIFESCIENCES LIMITED

Registered Office: #12-6-214/A-1, Hyderabad  
Road, Raichur – 584 135, Karnataka, India  
Tel: +91-8532-238704;  
Email: info@vbsilpa.com  
CIN: U24100KA2020PLC134081



## Annexure-15

### SHILPA PHARMA LIFESCIENCES LIMITED

**Registered Office:** #12-6-214/A-1, Hyderabad Road, Raichur - 584 135, Karnataka, India  
**Tel:** +91-8532-238704;  
**Email:** info@vbsilpa.com  
**CIN:** U24100KA2020PLC134081



## Annexure-15

### SHILPA PHARMA LIFESCIENCES LIMITED

Registered Office: #12-6-214/A-1, Hyderabad  
Road, Raichur - 584 135, Karnataka, India  
Tel: +91-8532-238704;  
Email: info@vbsilpa.com  
CIN: U24100KA2020PLC134081

#### Education Activities and Promotion



## Annexure-15

### SHILPA PHARMA LIFESCIENCES LIMITED

**Registered Office:** #12-6-214/A-1, Hyderabad Road, Raichur - 584 135, Karnataka, India  
**Tel:** +91-8532-238704;  
**Email:** info@vbshilpa.com  
**CIN:** U24100KA2020PLC134081



# Annexure-15

## SHILPA PHARMA LIFESCIENCES LIMITED

Registered Office: #12-6-214/A-1, Hyderabad Road, Raichur - 584 135, Karnataka, India  
Tel: +91-8532-238704;  
Email: info@vbsilpa.com  
CIN: U24100KA2020PLC134081



**SHILPA PHARMA LIFESCIENCES LIMITED**

**Annexure-15**

**Registered Office:** #12-6-214/A-1, Hyderabad Road, Raichur - 584 135, Karnataka, India  
**Tel:** +91-8532-238704;  
**Email:** info@vbshilpa.com  
**CIN:** U24100KA2020PLC134081

**Aam Talab Water pond desilting work**



## Annexure -XVI

Additional measures/investment proposal for environmental protection including abatement of pollution.

1.	Proposed New laboratory equipment and chemicals ETP	: Rs 5.00 Lacs
2.	Proposed development work for effluent water Treatment	: Rs 50.00 Lacs
3.	Proposed cost of power for ETP	: Rs 180.00 Lacs
4.	Proposed cost of man power for ETP	: Rs 230.00 Lacs
5.	Proposed cleaning for ETP Tanks	: Rs 5.0 Lacs
6.	Proposed cost of chemicals for pretreatment and cleaning	: Rs 205.0 Lacs
7.	Analysis of water and air pollution Parameters at outside lab	: Rs 6.0 Lacs
8.	Proposed steam cost of MEE & Stripper	: Rs. 198.00 Lacs
9.	Proposed maintenance cost of ETP	: Rs 50.6 Lacs
10.	Proposed to Disposal cost of Hazardous Waste	: Rs 57.88 Lacs
11.	Proposed to Disposal cost of CETP	: Rs 604.8 Lacs
12.	Proposed to Disposal cost of Biomedical Waste	: Rs 2.4 Lacs
<b>Total proposed cost (April-25-March-26)</b>		<b>: Rs 1594.68 Lac</b>

Annexure -17



Innovating for  
affordable healthcare

**Shilpa Medicare Limited**

(Unit-2: 100% Export Oriented Unit)

Plot No: 33, 33A & 40-47, Raichur Industrial Growth Centre,  
Chicksugur-584 134, Raichur District, Karnataka State, India.

CIN: L85110KA1987PLC008739

SML/UNIT-1/EHS/38/20-2021

Date: 20.01.2021

To  
The President,  
Chicksugur Grama Panchayath,  
Chicksugur,  
Raichur Taluk & District,  
Karnataka -584 134.

Respected Sir,

Sub : Regarding Submission of Environmental Clearance copy of Shilpa Medicare  
limited (Unit-2)  
Ref : EC NoF.No.IA-J-11011-301-2020-IA-II(T) dated 05-01-2021

We are pleased to inform your kind office that M/S Shilpa Medicare Ltd, Unit-2, Plot No: 30, 31,32 and 35-39 and 35-39,33,33A and 40-47, Industrial Growth center, Wadloor Road, Chicksugur, Raichur, Karnataka have been granted Environmental Clearance (EC) for Expansion and Modification of the Active Pharmaceutical Ingredients (API's) Manufacturing Unit with R&D Activity by Ministry of Environment, Forest & Climate Change, Government of India. The copy of the EC is attached here with.

Kindly acknowledge the receipt of the same.

Yours faithfully,

For Shilpa Medicare Limited, Unit-2

Authorized Signatory.



Annexure-18

o/c

# Shilpa Pharma Lifesciences Limited

(Unit-2: 100% Export Oriented Unit)

Plot No: 33, 33A & 40-47, Raichur Industrial Growth Centre,  
Chicksugur-584 134, Raichur District, Karnataka State, India,

CIN No. U24100KA2020PLC134081

SPL/100%EOU/EHS/063/2024-25

Date: 20.05.2024

To,  
Office of the Regional Office  
Karnataka State Pollution Control Board,  
Building at Shed No. C-03,  
KSSIDC Industrial Estate, 3<sup>rd</sup> Cross,  
Hydrabad Road, Raichur - 584 102.

Respected Sir,

## Sub:Submission of Environmental Statement Form-V-reg

With reference to the above subject, please find enclosed herewith environmental statement form-V for the financial year ending 31<sup>st</sup> March 2024 in duplicate.

### List of Annexures:-

- |                    |  |
|--------------------|--|
| 1. Annexure - I    | Process Water consumption of Batch wise of Product copy.   |
| 2. Annexure - II   | Raw material consumption details.  |
| 3. Annexure - III  | Treated Water Analysis Reports.  |
| 4. Annexure - IV   | Environment monitoring of ambient air Quality and stacks Analysis Reports.                             |
| 5. Annexure - V    | Hazardous Waste Disposal Quantities copy.  |
| 6. Annexure - VI   | Category wise Hazardous Waste disposing methods.   |
| 7. Annexure - VII  | Impact of pollution control measures on conservation of natural resources copy.                        |
| 8. Annexure - VIII | Additional measures/investment proposal for environmental protection including abatement of pollution. |
| 9. Annexure - IX   | Solvent Recovery System.   |
| 10. Annexure - X   | Environment Management System Certificate - ISO 14000:2015.  |

Kindly acknowledge the receipt of the same and do the needful.

Thanking you,

Yours faithfully,

For Shilpa Pharma Lifesciences Limited 100% EOU.



Page 1 of 2



ಕಲಬುರ್ಗಿ ವಿಭಾಗ ಮಟ್ಟದ ಸಂಕಲ್ಪ ಸಮಾಲೋಚನೆ ಕಮಿಟಿ ಅಧ್ಯಕ್ಷ ಡಿ.ಕೆ.ಕಿವುಮಾರ್ ಚಾಲನೆ 'ಸಂಘಟನೆಯ ಜತೆ ಹೋರಾಟ ನಡೆಸಿ'

ಪ್ರಜಾವಾಣಿ ವಾರ್ತೆ
ಕಲಬುರ್ಗಿ: ಕಲಬುರ್ಗಿ ಪ್ರಾಂತ್ಯ 2021ರ ಸಂಕಲ್ಪ ಕಾರ್ಯ ಕೋಶದ ಅಧ್ಯಕ್ಷರಾಗಿ ನೇಮಕಗೊಂಡ ಮಂಗಳವಾರ ಮೈಸೂರಿನಲ್ಲಿ ನಡೆದ ಸಂಕಲ್ಪ ಸಮಾಲೋಚನೆಯಲ್ಲಿ ಕಲಬುರ್ಗಿ ವಿಭಾಗ ಮಟ್ಟದ ಸಂಕಲ್ಪ ಸಮಾಲೋಚನಾ ಕಮಿಟಿಯ ಅಧ್ಯಕ್ಷ ಡಿ.ಕೆ.ಕಿವುಮಾರ್ ಚಾಲನೆ ಸಂಕಲ್ಪ ಸಮಾಲೋಚನೆಯನ್ನು ಉದ್ಘಾಟಿಸಿ ಮಾತನಾಡಿದರು.
ಸಂಕಲ್ಪ ಸಮಾಲೋಚನೆಯಲ್ಲಿ ಕಲಬುರ್ಗಿ ವಿಭಾಗ ಮಟ್ಟದ ಸಂಕಲ್ಪ ಸಮಾಲೋಚನಾ ಕಮಿಟಿಯ ಅಧ್ಯಕ್ಷ ಡಿ.ಕೆ.ಕಿವುಮಾರ್ ಚಾಲನೆ ಮಾತನಾಡಿದರು.
ಸಂಕಲ್ಪ ಸಮಾಲೋಚನೆಯಲ್ಲಿ ಕಲಬುರ್ಗಿ ವಿಭಾಗ ಮಟ್ಟದ ಸಂಕಲ್ಪ ಸಮಾಲೋಚನಾ ಕಮಿಟಿಯ ಅಧ್ಯಕ್ಷ ಡಿ.ಕೆ.ಕಿವುಮಾರ್ ಚಾಲನೆ ಮಾತನಾಡಿದರು.



ಕಲಬುರ್ಗಿಯಲ್ಲಿ ಕಲಬುರ್ಗಿ ವಿಭಾಗ ಮಟ್ಟದ ಸಂಕಲ್ಪ ಸಮಾಲೋಚನೆಯನ್ನು ಉದ್ಘಾಟಿಸಿ ಮಾತನಾಡಿದ ಡಿ.ಕೆ.ಕಿವುಮಾರ್ ಚಾಲನೆ.

ಮಕ್ಕಳ ಅಭಿವೃದ್ಧಿ, ಮೂವರ ಸಾವು 'ಅಂಗವಿಕಲರು ಸ್ವಾವಲಂಬಿಗಳಾಗಿ'

ಮಕ್ಕಳ ಅಭಿವೃದ್ಧಿ ಮತ್ತು ಮೂವರ ಸಾವು ಸ್ವಾವಲಂಬಿಗಳಾಗಿ.
ಮಕ್ಕಳ ಅಭಿವೃದ್ಧಿ ಮತ್ತು ಮೂವರ ಸಾವು ಸ್ವಾವಲಂಬಿಗಳಾಗಿ.
ಮಕ್ಕಳ ಅಭಿವೃದ್ಧಿ ಮತ್ತು ಮೂವರ ಸಾವು ಸ್ವಾವಲಂಬಿಗಳಾಗಿ.



ಮಕ್ಕಳ ಅಭಿವೃದ್ಧಿ ಮತ್ತು ಮೂವರ ಸಾವು ಸ್ವಾವಲಂಬಿಗಳಾಗಿ.

Advertisement for SHILPA MEDICARE LTD 100% EOU UNIT-II, including contact details and environmental clearance information.

Advertisement for SHILPA MEDICARE LTD UNIT-I, including contact details and environmental clearance information.

28ಕ್ಕೆ ಕಲಬುರ್ಗಿ ವಲಯ ಪ್ರಾಥಮಿಕ ಸುತ್ತಿನ ಸ್ಪರ್ಧೆ



'ಪ್ರಜಾವಾಣಿ' ಕ್ರೀಡಾ ಸ್ಪರ್ಧೆ ಮನೆಯಿಂದಲೇ ಪಾಲ್ಗೊಳ್ಳಿ

ಪ್ರಜಾವಾಣಿ ವಾರ್ತೆ
ಕಲಬುರ್ಗಿ: ದಿನಾಂಕ 19/01/2021 ರಂದು ಕಲಬುರ್ಗಿ ವಲಯ ಪ್ರಾಥಮಿಕ ಸುತ್ತಿನ ಸ್ಪರ್ಧೆ.
ಪ್ರಜಾವಾಣಿ ವಾರ್ತೆ
ಕಲಬುರ್ಗಿ: ದಿನಾಂಕ 19/01/2021 ರಂದು ಕಲಬುರ್ಗಿ ವಲಯ ಪ್ರಾಥಮಿಕ ಸುತ್ತಿನ ಸ್ಪರ್ಧೆ.

'ಮಕ್ಕಳ ಅಭಿವೃದ್ಧಿ ಗ್ರಾಮ ಸಭೆ'



ಗ್ರಾ.ಪಂ ಚುನಾವಣೆ: ಗೌರವ ಧನ ವಿತರಣೆಗೆ ಆಗ್ರಹ

ಮಕ್ಕಳ ಅಭಿವೃದ್ಧಿ ಗ್ರಾಮ ಸಭೆ.
ಗೌರವ ಧನ ವಿತರಣೆಗೆ ಆಗ್ರಹ.
ಮಕ್ಕಳ ಅಭಿವೃದ್ಧಿ ಗ್ರಾಮ ಸಭೆ.

Advertisement for SHILPA MEDICARE LTD 100% EOU UNIT-II, including contact details and environmental clearance information.

Advertisement for SHILPA MEDICARE LTD UNIT-I, including contact details and environmental clearance information.

ದೇವಗಿರಿ: ಮಕ್ಕಳ ಹಕ್ಕುಗಳ ಗ್ರಾಮ ಸಭೆ 'ಹಾರುಬಾದಿ ನಿಯಂತ್ರಣ ಕ್ರಮ ವಹಿಸಿ'

ದೇವಗಿರಿ: ಮಕ್ಕಳ ಹಕ್ಕುಗಳ ಗ್ರಾಮ ಸಭೆ.
'ಹಾರುಬಾದಿ ನಿಯಂತ್ರಣ ಕ್ರಮ ವಹಿಸಿ'.
ದೇವಗಿರಿ: ಮಕ್ಕಳ ಹಕ್ಕುಗಳ ಗ್ರಾಮ ಸಭೆ.



ದೇವಗಿರಿಯಲ್ಲಿ ಮಕ್ಕಳ ಹಕ್ಕುಗಳ ಗ್ರಾಮ ಸಭೆ ನಡೆಯಿತು.



## Annexure-21

**By Speed Post/Online**

F. No. IA-J-11011/301/2020-IA-II(I)

**Government of India**  
**Ministry of Environment, Forest & Climate Change**  
Impact Assessment Division  
\*\*\*

Indira Paryavaran Bhawan,  
Vayu Wing, 3<sup>rd</sup> Floor, Aliganj,  
Jor Bagh Road, New Delhi-110 003

**Dated: 30<sup>th</sup> September, 2021**

To,

**M/s Shilpa Medicare Limited,**  
Raichur Industrial Growth Center,  
Wadloor Road, Chicksugur,  
Raichur District, Karnataka

**Email: [ch.madhav@vbshilpa.com](mailto:ch.madhav@vbshilpa.com)**

**Sub.: Expansion and modification of Active pharmaceutical ingredients (APIs) manufacturing industry with R&D activity by M/s Shilpa Medicare Limited, 100% Export Oriented Unit (EOU), located at Unit II, Plot No 30, 31, 32 & 35-39, 33, 33A & 40-47, Raichur Industrial Growth Center, Wadloor Road, Chicksugur, Raichur District, Karnataka-Amendment in Environment Clearance regarding.**

Sir,

This refers to your online proposal No. IA/KA/IND2/207308/2021 dated 1<sup>st</sup> April, 2021 for amendment in the environmental clearance to the above mentioned project.

2. The Ministry of Environment, Forest and Climate Change has considered the above proposal for amendment in the environmental clearance granted by the Ministry vide letter dated 05<sup>th</sup> January 2021 for the project of expansion and modification of the Active Pharmaceutical Ingredients (APIs) manufacturing industry with R&D activity in the existing industry located at Unit II, Plot No: 30, 31, 32 & 35-39, 33, 33A & 40-47, Raichur Industrial Growth Centre, Wadloor Road, Chicksugur, Raichur District, Karnataka in favour of M/s Shilpa Medicare Limited.

3. The project proponent has requested for amendment in the EC with the details are as under.

## Annexure-21

S. No.	Para of EC	Details as per the EC	To be revised/ read as	Justification / reasons																																												
1.	Page 6, Sl. no. 7	<p>There are no National parks, wildlife sanctuaries, Biosphere Reserves, Tiger/ Elephant Reserves, Wildlife Corridors etc. within 10 km distance from the project site. River/water body river Krishna, Marched Kere, Machalapur Lake are at a distance of 7.7 km, 6.5 km &amp; 7.84 km respectively in North, South West &amp; South West direction respectively. Total water requirement is 625.667 m<sup>3</sup>/day of which fresh water requirement of 293.114 m<sup>3</sup>/day will be met from KIADB</p>	<p>There are no National parks, wildlife sanctuaries, Biosphere Reserves, Tiger/ Elephant Reserves, Wildlife Corridors etc. within 10 km distance from the project site. River/water body river Krishna, Marched Kere, Machalapur Lake are at a distance of 7.7 km, 6.5 km &amp; 7.84 km respectively in North, South West &amp; South West direction respectively. Total water requirement is 625.667 m<sup>3</sup>/day of which fresh water requirement of 293.114 m<sup>3</sup>/day will be met from KIADB sourced from River Krishna. The total effluent generation from unit II after expansion and industrial effluents from Unit I will be treated in ETP of Unit II. Effluent quantities generated is in the table below:</p> <table border="1" style="width: 100%; border-collapse: collapse; margin-top: 10px;"> <thead> <tr> <th style="width: 50%;">Effluent from SML Unit</th> <th style="width: 15%;">Wastewater Generated (in KLD)</th> <th style="width: 15%;">Treated Effluent Reused (in KLD)</th> <th style="width: 20%;">Utilization / Reused At</th> </tr> </thead> <tbody> <tr> <td><b>Unit I*:</b></td> <td></td> <td style="text-align: center;">40.93</td> <td style="text-align: center;">SML Unit I</td> </tr> <tr> <td>a) HTDS Effluent</td> <td style="text-align: center;">61.5</td> <td style="text-align: center;">20.57</td> <td style="text-align: center;">SML Unit II</td> </tr> <tr> <td>b) Cooling Tower Bleed</td> <td style="text-align: center;">8.04</td> <td style="text-align: center;">8.04</td> <td style="text-align: center;">SML Unit II</td> </tr> <tr> <td><b>Unit II:</b></td> <td></td> <td></td> <td></td> </tr> <tr> <td>a) HTDS Effluent = 80.539 KLD</td> <td></td> <td></td> <td></td> </tr> <tr> <td>b) LTDS Effluent = 123.704 KLD</td> <td></td> <td></td> <td></td> </tr> <tr> <td>c) Cooling Tower Bleed = 29.5 KLD</td> <td style="text-align: center;">308.743</td> <td style="text-align: center;">308.743</td> <td style="text-align: center;">SML Unit II</td> </tr> <tr> <td>d) DM regenerate = 45 KLD</td> <td></td> <td></td> <td></td> </tr> <tr> <td>e) Domestic Sewage = 30 KLD**</td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td style="text-align: center;"><b>378.283</b></td> <td style="text-align: center;"><b>378.283</b></td> <td></td> </tr> </tbody> </table> <p>* - Industrial effluent from Unit I will be treated</p>	Effluent from SML Unit	Wastewater Generated (in KLD)	Treated Effluent Reused (in KLD)	Utilization / Reused At	<b>Unit I*:</b>		40.93	SML Unit I	a) HTDS Effluent	61.5	20.57	SML Unit II	b) Cooling Tower Bleed	8.04	8.04	SML Unit II	<b>Unit II:</b>				a) HTDS Effluent = 80.539 KLD				b) LTDS Effluent = 123.704 KLD				c) Cooling Tower Bleed = 29.5 KLD	308.743	308.743	SML Unit II	d) DM regenerate = 45 KLD				e) Domestic Sewage = 30 KLD**					<b>378.283</b>	<b>378.283</b>		<p>The quantities of effluent generation are not mentioned. Hence, it is requested to include the quantities.</p>
Effluent from SML Unit	Wastewater Generated (in KLD)	Treated Effluent Reused (in KLD)	Utilization / Reused At																																													
<b>Unit I*:</b>		40.93	SML Unit I																																													
a) HTDS Effluent	61.5	20.57	SML Unit II																																													
b) Cooling Tower Bleed	8.04	8.04	SML Unit II																																													
<b>Unit II:</b>																																																
a) HTDS Effluent = 80.539 KLD																																																
b) LTDS Effluent = 123.704 KLD																																																
c) Cooling Tower Bleed = 29.5 KLD	308.743	308.743	SML Unit II																																													
d) DM regenerate = 45 KLD																																																
e) Domestic Sewage = 30 KLD**																																																
	<b>378.283</b>	<b>378.283</b>																																														

## Annexure-21

		<p>sourced from River Krishna. The total effluent generation from unit II after expansion and HTDS effluent from Unit I will be treated in ETP of Unit II. Treatment facility has/will be as mentioned in the EMP report.</p>	<p>in ETP of Unit II.                  ** - Domestic sewage of Unit II will be treated along with LTDS effluent in SML Unit II.                  Treatment facility has/will be developed as mentioned in the EMP report.</p>																																			
2.	Page 7, Sl. no. 9	<p>Existing unit has 1x10 TPH &amp; 1x6 TPH rice husk/coal/briquette fired boilers. Additionally, 1x16 TPH Risk husk/coal/briquette fired boiler will be installed. Electrostatic precipitator with a stack of height of 30m AGL will be installed for controlling the particulate emissions within the statutory</p>	<p>The emission sources, the fuel and the APC measures are as under:</p> <table border="1" style="width: 100%; border-collapse: collapse; margin-top: 10px;"> <thead> <tr> <th style="width: 5%;">S. No.</th> <th style="width: 10%;">Source</th> <th style="width: 10%;">Capacity</th> <th style="width: 15%;">Fuel Used</th> <th style="width: 10%;">APC equipment</th> <th style="width: 10%;">Stack Height</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">1</td> <td style="text-align: center;">Boiler</td> <td style="text-align: center;">10 TPH</td> <td style="text-align: center;">Rice husk / Coal / Briquette</td> <td style="text-align: center;">Bag Filter</td> <td style="text-align: center;">Common Stack of 30 m AGL</td> </tr> <tr> <td style="text-align: center;">2</td> <td style="text-align: center;">Boiler</td> <td style="text-align: center;">6 TPH</td> <td style="text-align: center;">Rice husk / Coal / Briquette</td> <td style="text-align: center;">ESP</td> <td style="text-align: center;">New stack of 30 m AGL</td> </tr> <tr> <td style="text-align: center;">3</td> <td style="text-align: center;">Boiler - New</td> <td style="text-align: center;">16 TPH</td> <td style="text-align: center;">Rice husk / Coal / Briquette</td> <td style="text-align: center;">ESP</td> <td style="text-align: center;">New stack of 30 m AGL</td> </tr> <tr> <td style="text-align: center;">4</td> <td style="text-align: center;">Thermic Fluid Heater</td> <td style="text-align: center;">6 Lakh kcal</td> <td rowspan="2" style="text-align: center;">Furnace oil</td> <td rowspan="2" style="text-align: center;">Chimney</td> <td style="text-align: center;">Common chimney of 30 m AGL</td> </tr> <tr> <td style="text-align: center;">5</td> <td style="text-align: center;">Thermic</td> <td style="text-align: center;">8 Lakh</td> <td style="text-align: center;">Common chimney of 30 m AGL</td> </tr> </tbody> </table>	S. No.	Source	Capacity	Fuel Used	APC equipment	Stack Height	1	Boiler	10 TPH	Rice husk / Coal / Briquette	Bag Filter	Common Stack of 30 m AGL	2	Boiler	6 TPH	Rice husk / Coal / Briquette	ESP	New stack of 30 m AGL	3	Boiler - New	16 TPH	Rice husk / Coal / Briquette	ESP	New stack of 30 m AGL	4	Thermic Fluid Heater	6 Lakh kcal	Furnace oil	Chimney	Common chimney of 30 m AGL	5	Thermic	8 Lakh	Common chimney of 30 m AGL	<p>The existing and the proposed Thermic Fluid Heater are not indicated in the Sl.no.9 of the EC.</p> <p>In the EMP, a common chimney of 30 m AGL was proposed for all the thermic fluid heaters. Now, during implementation, a separate stack of 30 m AGL is proposed for the new thermic fluid</p>
S. No.	Source	Capacity	Fuel Used	APC equipment	Stack Height																																	
1	Boiler	10 TPH	Rice husk / Coal / Briquette	Bag Filter	Common Stack of 30 m AGL																																	
2	Boiler	6 TPH	Rice husk / Coal / Briquette	ESP	New stack of 30 m AGL																																	
3	Boiler - New	16 TPH	Rice husk / Coal / Briquette	ESP	New stack of 30 m AGL																																	
4	Thermic Fluid Heater	6 Lakh kcal	Furnace oil	Chimney	Common chimney of 30 m AGL																																	
5	Thermic	8 Lakh			Common chimney of 30 m AGL																																	

*(Handwritten signature)*

## Annexure-21

		limit of 115 mg/Nm <sup>3</sup> for the proposed boilers.		Fluid Heater (new)	kcal				heater of 12 Lakh kcal.
			6	Thermic Fluid Heater (new)	12 Lakh kcal	Furnace oil	Chimney	New chimney of 30 m AGL	
Particulate emissions shall be within the statutory limit of 115 mg/Nm <sup>3</sup> for the boilers.									

4. The proposal was appraised by the **Expert Appraisal Committee (Industry-3 Sector)** in the Ministry in its 16<sup>th</sup> meeting held during 1-2 September, 2021. The EAC, after detailed deliberations, recommended the amendment in EC as proposed by the project proponent. Based on recommendations of the EAC, the Ministry of Environment, Forest and Climate Change hereby accords approval to the proposed amendments in the environmental clearance dated 05<sup>th</sup> January 2021 as stated in para 3 above, for the project **Expansion and modification of Active pharmaceutical ingredients (APIs) manufacturing industry with R&D activity by M/s Shilpa Medicare Limited, 100% Export Oriented Unit (EOU), located at Unit II, Plot No 30, 31, 32 & 35-39, 33, 33A & 40-47, Raichur Industrial Growth Center, Wadloor Road, Chicksugur, Raichur District, Karnataka.**

5. All other terms and conditions stipulated in the environmental clearance dated 05<sup>th</sup> January 2021 shall remain unchanged.

6. This issues with approval of the competent authority.

*R.*  
30/09/2021

**(Dr. R. B. Lal)**  
**Scientist 'E'/Additional Director**  
Tele-fax: 011-24695362  
Email-rb.lal@nic.in

(डा. आर. बी. लाल)  
(Dr. R. B. LAL)  
वैज्ञानिक 'E'/Scientist 'E'  
पर्यावरण, वन एवं जलवायु परिवर्तन विभाग  
Min. of Environment, Forest and Climate Change  
भारत सरकार, नई दिल्ली  
Govt. of India, New Delhi


**Copy to: -**

1. Additional Chief Secretary (FEE) Forest, Environment and Ecology Department, Karnataka Government Secretariat, Room No. 447, 4th Floor, Gate No. 2, M. S. Building, Bengaluru-560001

## Annexure-21

2. The Deputy DGF (C), MoEF&CC Regional Office (SZ), KendriyaSadan, 4th Floor, E&F Wings, 17th Main Road, Koramangala II Block, Bangalore - 34
3. The Secretary, Department of Forest, Environment & Ecology, Government of Karnataka, Room No. 708, Gate 2, Multi Storey Building, Dr. Ambedkar Veedhi, Bangalore - 1
4. The Member Secretary, Central Pollution Control Board, Parivesh Bhawan, East Arjun Nagar, Delhi - 32
5. The Member Secretary, Karnataka State Pollution Control Board, ParisaraBhavan, #49, 4th& 5th Floor, Church Street, Bangalore -1
6. The District Collector, District Raichur, Karnataka
7. Guard File/Monitoring File/Website/Record File/Parivesh Portal

(Dr. R. B. Lal)  
Scientist 'E'/Additional Director





F. No.IA-J-11011/301/2020-IA-II(I)  
Government of India  
Ministry of Environment, Forest and Climate Change  
Impact Assessment Division  
\*\*\*

Speed Post/Online

Annexure-21

Indira ParyavaranBhavan,  
Vayu Wing, 3<sup>rd</sup> Floor, Aliganj,  
JorBagh Road, New Delhi-110 003

Dated: 5<sup>th</sup> January 2021

To,

**M/s Shilpa Medicare Limited (Unit-II),**  
Industrial Growth Center, Wadloor Road,  
Chicksugur, Raichur,  
Karnataka

Email: [ch.madhav@vbsilpa.com](mailto:ch.madhav@vbsilpa.com)

**Sub: Expansion and Modification of the Active Pharmaceutical Ingredients (API's Manufacturing Unit with R&D Activity by M/s Shilpa Medicare Limited, 100% EOU, Unit-II, located at Plot 30, 31, 32 and 35-39, 33, 33A and 40-47, Raichur Industrial Growth Center, Wadloor Road, Chicksugur, Raichur, Karnataka - Environmental Clearance regarding.**

Sir,

This has reference to your online proposal No.[IA/KA/IND2/176934/2020 dated 23<sup>rd</sup> November, 2020 for environmental clearance to the above mentioned project.

2. The Ministry of Environment, Forest and Climate Change has examined the proposal for environmental clearance to the project for Expansion and Modification of the Active Pharmaceutical Ingredients (API's Manufacturing Unit with R&D Activity by M/s Shilpa Medicare Limited, 100% EOU, Unit-II, located at Plot 30, 31, 32 and 35-39, 33, 33A and 40-47, Raichur Industrial Growth Center, Wadloor Road, Chicksugur, Raichur, Karnataka.

3. The project/activities are covered under Category 'B2' of item 5 (f) 'Synthetic, Organic Chemicals Industry' of the Environment Impact Assessment (EIA) Notification, 2006, as amendment on 27-03-2020. Due to applicability of general condition (interstate boundary within 5 km), the project requires appraisal at central level by the sectoral Expert Appraisal Committee (EAC) in the Ministry.

4. The details of products and capacity are as under:-

**1) PRODUCTS**

Sl. No.	Name of the proposed Products	Proposed to be Manufactured Quantity in TPA
1	Anastrozole	0.1
2	Gemcitabine HCl	1
3	Bicalutamide	0.5

*EC for M/s Shilpa Medicare Limited (Unit-II).*

## Annexure-21

4	Ursodeoxycholic Acid	80
5	BendamustineHCl	0.2
6	Bortzomib	0.005
7	Capacitabine	80
8	Imatinibmesylate	5
9	Lenalidomide	0.5
10	Letrozole	0.05
11	Pemetrexed disodium	1
12	Decitabine	25
13	Cytrabine	0.05
14	Cabazitaxel	0.01
15	Cloferabine	0.01
16	MelphalanHCl	0.025
17	Tenfoviridisoproxilfumarate	300
18	ErlotonibHCl	2
19	Dimethyl fumarate	6
20	Busulfan	0.05
21	Zoledranic Acid	0.005
22	Tranexamic Acid	250
23	Sunitinib Malate	3
24	SorafenibTosylate	3
25	Praziquantel	50
<b>Total</b>		<b>807.505</b>
26	Custom Synthesis	5 TPA

### 2) BY-PRODUCTS

Sl. No	Name of the Product	By Products	By Products generated Qty in TPA	Remarks
1	Ursodeoxycholic acid	Potassium acetate	192.78	Sold
		Cholic Acid	520.30	Recovered & Reused
		Caustic potash lye	230.64	Sold
		Caustic lye	192.78	Both Sold & Reused
2	Capacitabine	Tin Salt	224.45	Sold
		Sodium acetate	93.12	Sold / TSDF
3	Lenalidomide	Raney-Ni	1	Both Sold & Reused
4	MelphalanHCl	Palladium Carbon	0.048	Recovered & reused / Sold
5	Busulfan	Triethylamine Hydrochloride	0.4	Sent to Co-Processing / Sold

## Annexure-21

6	Tranexamic acid	Tin oxide + 1,4-dicyanocyclohexane	42.84	Sent to Co-Processing / Sold
		Raney-Ni	26.88	Sold
		Caustic Lye solution	932.4	Recovered & Reused

### 3) THE LIST OF FINAL PRODCUTS AND ITS CORRESPONDING INTERMEDIATES

Sl. No	Name of the Product	Production capacity, Quantity in TPA	Name of the Intermediates	Intermediates Quantity (in TPA)
1	Anastrozole	0.1	Intermediate-1 : a-a-a,a-Tetramethyl-5-(1H-methylbromide)-1,3-benzenediacetonitrile	0.4
			Intermediate-2: a-a-a,a-Tetramethyl-5-(1H-1,2,4-triazol-1-yl-methyl)-1,3-benzenediacetonitrile hydrochloride	0.225
2	Gemcitabine HCl	1	Intermediate-1: Crude Gemcitabine	1.683
			Intermediate-2: Crude Gemcitabine HCL	1.1385
3	Bicalutamide	0.5	Intermediate-1: N-[4-cyano-3-(tri fluoromethyl)phenyl]-3-[4-fluoro phenyl thio]-2-hydroxy-2-methyl propanomide.	0.6
4	Ursodeoxycholic acid	80	Intermediate-1: Methylcholonate	190.592
			Intermediate-2: 3a, 7a-diacetyl, 12a-hydroxy-methyl cholanate	190.4
			Intermediate-3: 3a, 7a-diacetyl-12-keto-methyl cholanate	167.616
			Intermediate-4: 3a, 7a-dihydroxy-5b-Cholanic acid	167.616
			Intermediate-5: 3a, hydroxy-7-keto-Cholanic acid	106.656
5	BendamustineHCl	0.2	Intermediate-1: 4-{5-[Bis-(2-hydroxy-ethyl) amino]-1-methyl-1H-benzoimidazole-2-yl} butyric acid ethyl ester	0.85
6	Bortezomib	0.005	Intermediate-1: Isobutyl boronic acid n-Heptane, 1N HCL Sat. sodium bicarbonate methanol, ethyl acetate	0.0055
7	Capecitabine	80	Intermediate-1: (2,3-di-O-acetyl-5 deoxy-5	81

## Annexure-21

			flurocytidine)	
			Intermediate-2: 5'- Deoxi-5- Fluoro- N-( Pentyloxy) Carbonyl Cytidine-2',3'- Diacetate	89.1
8	Imatinibmesylate	5	Intermediate-1: N-(4-methyl-3-yl)pyrimidin-2- yl)amino)phenyl)-4-((4- methylpiperazin-1- yl)methyl)benzamide,	5
9	Lenalidomide	0.5	Intermediate-1: 3-(4-Nitro-1-oxo-1,3-dihydro-isoindol-2- yl)-piperidine-2,6-dione	0.45
10	Letrozole	0.05	Intermediate-1: 4-[1-(1,2,4-Triazolyl)methyl] benzonitrile	0.15
11	Pemetrexed disodium	1	Intermediate-1: Diethyl-2-(4-(2-(2-amino-4-Oxo-4,7- dihydro-3H-pyrrolo[2,3-d]pyrimidin- 5yl)benzamido)pentanediate	0.561
			Intermediate-2: Pemetrexed di acid	0.42
12	Decitabine	25	Intermediate-1: 1- methyl-2-deoxy ribose	0.152
			Intermediate-2: 1-Methoxy-3,5-di-O-acetyl-2-deoxy ribose	0.204
			Intermediate-3: 1-(3,5-di-O-acetyl-2- deoxy-D-ribofuranosyl)-5-zacytosine	0.1
			Intermediate-4: Decitabine Crude	0.02
13	Cytarabine	0.05	Intermediate-1: CyclocytidineHCl	0.06
14	Cabazitaxel	0.01	Intermediate-1: 4 $\alpha$ -Acetoxy-2 $\alpha$ -benzoyloxy-5 $\beta$ , 20- epoxy-1 $\beta$ , hydroxyl-7 $\beta$ , 10 $\beta$ -dimethoxy- 9-oxo-11-taxene-13 $\alpha$ -yl (2R,4S,5R)-3- tert-butoxycarbonyl-2-(4- methoxyphenyl)-4phenyl-1,3- oxazolidine-5-carboxylate	0.0125
			Intermediate-2 : (2 $\alpha$ ,5 $\beta$ ,7 $\beta$ ,10 $\beta$ ,13 $\alpha$ )-4-acetoxy-13- (((2R,3S)-3((tertbutoxycarbonyl) amino]-2-hydroxy-3- phenylpropanoyl]oxy)-1-hydroxy-7,10- dimethoxy-9oxo-5,20-epoxytax-11-en- 2-yl benzoate – propan-2-one	0.0185
15	Clofarabine	0.01	Intermediate-1: 2-Deoxy-1- $\alpha$ -bromo-2- $\beta$ -fluoro-3,5-di-O-benzoyl-D- ribofuranose	0.04301
			Intermediate-2: 2-Chloro-6-butyrylamido Purine	0.03289
16	MelphalanHCl	0.025	Intermediate-1: N-Phthaloyl-p-amino-L- Phenylalanine	0.53376

## Annexure-21

			Intermediate-2: Methyl-N-Phthaloyl-p-amino-L-Phenylalanine	0.36
			Intermediate-3: Methyl-N-Phthaloyl-p-bis-(2-hydroxyethyl)-amino-L-phenylalanine	0.26208
			Intermediate-4: Methyl-N-Phthaloyl-p-bis-(2-chloroethyl)-amino-L-phenylalanine	0.26208
17	Tenfoviridisoproxilfumarate	300	Intermediate-1: (R) -9(2-phosphoniylmethoxypropyl)adenine	196.285
18	ErlotinibHCl	2	Intermediate-1: 4,5-bis(2-methoxyethoxy)-2-aminobenzonitrile	2.72
			Intermediate-2: N-(4,5-bis(2 methoxyethoxy)-2-cynophenyl)-N-N-dimethyl farmamidine	2.56
			Intermediate-3: 6,7-Bis-(2-methoxyethoxy)-N-((3-ethynylphenyl)-quinazolin-4-amine	2.72
19	Dimethyl Fumarate	6	Intermediate-1: Dimethyl Fumarate crude	14.6664
20	Busulfan	0.05	Intermediate-1: Butane-1,4-diyl dimethanesulfonate	0.1695
21	Zoledronic Acid	0.005	Intermediate-1: Imidazol-1yl-acetic acid methyl ester	0.01032
			Intermediate-2: Imidazol-1yl-acetic acid	0.00848
			Intermediate-3: (1-hydroxy-2-imdazol-1-phosphonoethyl)-phosphoric acid	0.00508
22	Tranexamic Acid	250	Intermediate-1: Methyl 4-cyano cyclohexane carboxylate	520.8
			Intermediate-2: Trans-Cis Mixture of Tranexamic Acid as Tranxamic acid	856.8
			Intermediate-3: Trans-Cis Mixture of Tranexamic Acid enriched trans to 80% in caustic Soda as TXA	856.8
			Intermediate-4: Tranexamic Acid- Crude caustic Soda -0.6%	856.8
			Intermediate-5: Tranexamic Acid in water	856.8
			Intermediate-6: Tranexamic Acid -95to97% in water	856.8
			Intermediate-7: Tranexamic Acid -98to99% in water	672

## Annexure-21

23	Sunitinib Maleate	3	Intermediate-1: N-(2-(diethyl amino)ethyl)-5-formyl-2,4-dimethyl-1H-pyrrole-3-carboxamide	2.592
			Intermediate-2: Sunitinib crude	2.7
24	Sorefenib Tosylate	3	Intermediate-1: 4-(4-Aminophenoxy)-N-methyl Picolinamide.	2.85
			Intermediate-2: 4-(4-Aminophenoxy)-N-methyl Picolinamide. (Crude)	2.925
25	Praziquantel	50	Intermediate-1 : Praziquantel crude	80.4

5. M/s SML obtained Environmental Clearance from MoEF& CC for bulk drug unit vide EC letter no: F. No. J-11011/71/2007-IA II (I) dated 12th March, 2008 for manufacture of 13 Nos. of products with a capacity of 126.8 TPA. Further, SML obtained Environmental Clearance from SEIAA, Karnataka for expansion and modification of the APIs & Intermediates manufacturing with R & D activity vide EC letter no: SEIAA 50 IND 2016 dated 28th April, 2017 for manufacture of 35 Nos. of products with a capacity of 422.415 TPA. The corrigendum to EC (letter no: SEIAA 50 IND 2016) from SEIAA, Karnataka dated 15.03.2018 was obtained to include list of intermediates for products in EC. The MoEF& CC, Regional Office, Bangalore has visited the industry on 06.10.2020 and Certified Compliance Report (CCR) was issued vide letter dated 19.10.2020. The EAC deliberated the compliance status and report in order.

6. Existing land area is 84,336 m<sup>2</sup>, additional 54,727 m<sup>2</sup> land will be used for proposed expansion. Industry has already developed greenbelt in an area of 33.13% i.e., 46,072.56 m<sup>2</sup> out of total area of the project. The estimated project cost is Rs.353.2238 crores including existing investment of Rs.252.2238 crores. Total capital cost earmarked towards environmental pollution control measures is Rs.19.8066 crores and the Recurring cost (operation and maintenance) will be about Rs.5.5653 crores per annum after proposed expansion. Total employment will be 1150 persons as direct after expansion. Industry proposes to allocate Rs.75.75 Lakhs towards Corporate Environment Responsibility.

7. There are no National parks, wildlife sanctuaries, Biosphere Reserves, Tiger/Elephant Reserves, Wildlife Corridors etc. within 10 km distance from the project site. River/water body river Krishna, marched Kere, Machalapur Lake are at a distance of 7.7 km, 6.5 km & 7.84 km respectively in North, South West & South West direction respectively. Total water requirement is 625.667 m<sup>3</sup>/day of which fresh water requirement of 293.114 m<sup>3</sup>/day will be met from KIADB sourced from River Krishna. The total effluent generation from unit II after expansion and HTDS effluent from Unit I will be treated in ETP of Unit II. Treatment facility has/will be developed as mentioned in the EMP report.

8. Power requirement after expansion will be 5000 kVA including existing 1800 kVA and will be met from Gulbarga Electricity Supply Company, Karnataka State power distribution corporation limited (GESCOM). Existing unit has 4 DG sets of 3 x 625 kVA & 1 x 750 kVA Capacity, additionally 5DG sets of 2 x 1500 kVA, 1 x 750 kVA & 2 x 625 kVA are proposed to be added. They are used as standby during power failure. Stack height 6 m ARL will be provided as per CPCB norms to each of the proposed DG sets.

## Annexure-21

9. Existing unit has 1x10 TPH & 1x6 THP Rice husk/coal/briquette fired boilers. Additionally, 1x16 TPH Rice husk/coal/briquette fired boiler will be installed. Electrostatic precipitator with a stack of height of 30m AGL will be installed for controlling the particulate emissions within the statutory limit of 115 mg/Nm<sup>3</sup> for the proposed boilers.

10. **Details of Process emissions generation and its management:**

Stack attached	Capacity and Numbers	Fuel type & Quantity	Stack height	Air Pollution control measures	Predicted emissions
<b>Existing</b>					
Process emissions	-	-	3 m ARL	Acidic Fume scrubbers: 15 Nos	Acid Mist, VOCs & odour

11. **Details of Solid waste & Hazardous waste generation and its management:**

Hazardous waste	Category	Quantity in TPA	Mode of disposal
		After Expansion	
Used Oil (in KL)	5.1	5	Authorized recycler
Distillation Residues	20.3	25	Authorized recycler / co-processing
Process residue and Wastes	28.1	227.363	Incineration / co-processing
Spent Catalyst	28.2	0	-
Spent carbon	28.3	27.052	Incineration / co-processing
Date Expired Products	28.5	3	Incineration / co-processing
Spent Solvent	26.4	986.545	Authorized recycler
Empty barrels / containers / liners contaminated with hazardous chemicals	33.1	12000 Nos.	Authorized recycler
ETP Sludge	35.3	1500	To TSDF
MEE/ATFD Salts	35.3	1510	To TSDF
Boiler Ash	-	13,800	Brick manufacturer

12. Public hearing is not required since the proposed project falls under category B2, the proposed project is located in industrial area. It was informed that no litigation is pending against the proposal.

13. The industry has provided scrubbing systems in the process area to neutralize the fugitive emissions and GPS system is installed for effluent movement from Unit I & Unit II. The records are downloaded & submitted to KSPCB, the same will be followed. Further, the wastes generated are packed in closed containers, bags & stored in the covered shed, on the impervious concrete floor.

14. The proposal was considered by the EAC (Industry-3) in its 2<sup>nd</sup> meeting held during 8-9 December, 2020. The project proponent and their consultant M/s. Samrakshan, made a detailed presentation through Video Conferencing (VC) and have presented the PFR/EMP report. The EAC, constituted under the provision of the EIA Notification, 2006 and comprising of Experts Members/domain experts in various fields, have examined the proposal submitted

## Annexure-21

by the Project Proponent in desired form along with PFR & EMP report prepared and submitted by the Consultant accredited by the QCI/ NABET on behalf of the Project Proponent.

The EAC noted that the Project Proponent has given undertaking that the data and information given in the application and enclosures are true to the best of his knowledge and belief and no information has been suppressed in the PFR & EMP report. If any part of data/information submitted is found to be false/ misleading at any stage, the project will be rejected and Environmental Clearance given, if any, will be revoked at the risk and cost of the project proponent. The Committee noted that the PFR/EMP report reflects the present environmental concerns and the projected scenario for all the environmental components. The committee deliberated the action plan and budget allocation for green belt development, mitigation measure towards Air, Water, Noise and Soil pollution.

The EAC has deliberated the proposal and has made due diligence in the process as notified under the provisions of the EIA Notification, 2006, as amended from time to time and accordingly made the recommendations to the proposal. The Experts Members of the EAC have found the proposal in order and have **recommended** for grant of environmental clearance.

15. The environmental clearance granted to the project/activity is strictly under the provisions of the EIA Notification 2006 and its amendments. It does not tantamount/construe to approvals/consent/ permissions etc. required to be obtained or standards/conditions to be followed under any other Acts/ Rules/ Subordinate legislations, etc., as may be applicable to the project. The project proponent shall obtain necessary permission as mandated under the Water (Prevention and Control of Pollution) Act, 1974 and the Air (Prevention and Control of Pollution) Act, 1981, as applicable from time to time, from the State Pollution Control Board, prior to construction & operation of the project.

16. Based on the proposal submitted by the project proponent and recommendations of the EAC (Industry-3), Ministry of Environment, Forest and Climate Change hereby accords environmental clearance to the project for **Expansion and Modification of the Active Pharmaceutical Ingredients (API's Manufacturing Unit with R&D Activity by M/s Shilpa Medicare Limited, 100% EOU, Unit-II, located at Plot 30, 31, 32 and 35-39, 33, 33A and 40-47, Raichur Industrial Growth Center, Wadloor Road, Chicksugur, Raichur, Karnataka**, under the provisions of the EIA Notification, 2006, and the amendments therein, subject to compliance of the terms and conditions as under:-

### **A. Specific Condition**

- (i). The Unit shall install waste water flow meter at the outlet of Unit – I and inlet of Unit- II, and keep record of waste water flow from Unit-I to Unit- II. The monitoring report shall be submitted to the SPCB/MoEFCC Regional office.
- (ii). The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented.
- (iii). Fugitive emissions shall be controlled at 99.98% with effective chillers. Volatile organic compounds (VOCs)/Fugitive emissions shall be controlled at 99.997% with effective chillers/modern technology. Regular VOCs monitoring should be carried out.

## Annexure-21

- (iv). As already committed by the project proponent, Zero Liquid Discharge shall be ensured and no waste/treated water shall be discharged outside the premises. Treated effluent shall be reused in the process/utilities. Treated Industrial effluent shall not be used for gardening/greenbelt development/horticulture.
- (v). Occupational health centre for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection.
- (vi). The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire-fighting system shall be as per the norms.
- (vii). Training shall be imparted to all employees on safety and health aspects of chemicals handling. Safety and visual reality training shall be provided to employees.
- (viii). Total fresh water requirement shall not exceed 293.114 m<sup>3</sup>/day, proposed to be met from KIADB sourced from River Krishna. Prior permission in this regard shall be obtained from the concerned regulatory authority.
- (ix). Storm water from the roof top shall be channelized through pipes to the storage tank constructed for harvesting of rain water in the premises and harvested water shall be used for various industrial processes in the unit. No recharge shall be permitted within the premises. Process effluent/ any wastewater shall not be allowed to mix with storm water.
- (x). Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For ZLD, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.
- (i). Solvent management shall be carried out as follows: (a) Reactor shall be connected to chilled water condenser system. (b) Reactor and solvent handling pump shall have mechanical seals to prevent leakages. (c) Solvents shall be stored in a separate space specified with all safety measures. (d) Proper earthing shall be provided in all the electrical equipment wherever solvent handling is done. (e) Entire plant shall be flame proof. The solvent storage tanks shall be provided with breather valve to prevent losses. (f) All the solvent storage tanks shall be connected with vent condensers with chilled water circulation.
- (ii). Process organic residue and spent carbon, if any, shall be sent to Cement other suitable industries for its incinerations. ETP sludge, process inorganic & evaporation salt shall be disposed of to the TSDF.
- (iii). The company shall undertake waste minimization measures as below (a) Metering and control of quantities of active ingredients to minimize waste; (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. (c) Use of automated filling to minimize spillage. (d) Use of Close Feed system into batch reactors. (e) Venting equipment through vapour recovery system. (f) Use of high pressure hoses for equipment clearing to reduce wastewater generation.

## Annexure-21

- (iv). The green belt of at least 5-10 m width shall be developed in nearly 33% of the total project area, mainly along the plant periphery. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department. Records of tree canopy shall be monitored through remote sensing map.
- (v). The activities and the action plan proposed by the project proponent to address the socio-economic issues in the study area, shall be completed as per the schedule presented before the Committee and as described in the EMP report in letter and spirit. All the commitments made shall be satisfactorily implemented. Preference shall be given to local villagers for employment in the unit. Preference shall be given to local villagers for employment in the unit.
- (vi). A separate Environmental Management Cell (having qualified person with Environmental Science/Environmental Engineering/specialization in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.

### **B. General Condition:**

- (i) No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SEIAA, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SEIAA, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
- (ii) The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment.
- (iii) The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).
- (iv) The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. CER activities shall be undertaken by involving local villages and administration and shall be implemented. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.
- (v) The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.
- (vi) A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO,

## Annexure-21

if any, from whom suggestions/ representations, if any, were received while processing the proposal.

- (vii) The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.
- (viii) The environmental statement for each financial year ending 31<sup>st</sup> March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail.
- (ix) The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry and at <https://parivesh.nic.in/>. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.
- (x) The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.
- (xi) This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.

17. The Ministry reserves the right to stipulate additional conditions, if found necessary at subsequent stages and the project proponent shall implement all the said conditions in a time bound manner. The Ministry may revoke or suspend the environmental clearance, if implementation of any of the above conditions is not found satisfactory.

18. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.

19. Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

## Annexure-21

20. The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 read with subsequent amendments therein.

21. This issues with the approval of the competent authority.

05/01/2021  
(Dr. R. B. Lal)

**Scientist 'E'/Additional Director**  
**Email: rb.lal@nic.in**  
**Tele-fax: +91-11-24695362**

(डा. आर. बी. लाल)

(Dr. R. B. LAL)

वैज्ञानिक 'ई'/Scientist 'E'

पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय  
Min. of Environment, Forest and Climate Change  
भारत सरकार, नई दिल्ली  
Govt. of India, New Delhi

### Copy to: -

1. Additional Chief Secretary (FEE) Forest, Environment and Ecology Department, Karnataka Government Secretariat, Room No. 447, 4th Floor, Gate No. 2, M. S. Building, Bengaluru-560001
2. The Deputy DGF (C), MoEF&CC Regional Office (SZ), KendriyaSadan, 4<sup>th</sup> Floor, E&F Wings, 17<sup>th</sup> Main Road, Koramangala II Block, Bangalore - 34
3. The Secretary, Department of Forest, Environment & Ecology, Government of Karnataka, Room No. 708, Gate 2, Multi Storey Building, Dr.AmbedkarVeedhi, Bangalore - 1
4. The Member Secretary, Central Pollution Control Board, Parivesh Bhawan, East Arjun Nagar, Delhi - 32
5. The Member Secretary, Karnataka State Pollution Control Board, ParisaraBhavan, #49, 4<sup>th</sup>& 5<sup>th</sup> Floor, Church Street, Bangalore -1
6. The District Collector, District Raichur, Karnataka
7. Guard File/Monitoring File/Website/Record File/Parivesh Portal

(Dr. R. B. Lal)

**Scientist 'E'/Additional Director**

**File No. IA-J-11011/301/2020-IA-II(I)**  
**Government of India**  
**Ministry of Environment, Forest and Climate Change**  
**(Impact Assessment Division)**

**Annexure-21**

Indira Paryavaran Bhawan  
Agni Wing, Jor Bagh Road,  
New Delhi -110003

Dated 20<sup>th</sup> June, 2022

To

**M/s Shilpa Pharma Lifesciences Limited**  
Plot no. 214/A1, Hyderabad Raichur Road,  
District- Raichur, Karnataka  
E-mail: [naidu@vbshilpa.com](mailto:naidu@vbshilpa.com)


**Sub.: Expansion and modification of Active pharmaceutical ingredients (APIs) manufacturing industry with R&D activity by M/s Shilpa Medicare Limited, 100% Export Oriented Unit (EOU), located at Unit 11, Plot No 30, 31, 32 & 35-39, 33, 33A & 40-47, Raichur Industrial Growth Center, Wadloor Road, Chicksugur, Raichur District, Karnataka - *Transfer of EC from M/s. Shilpa Medicare Limited to M/s Shilpa Pharma Lifesciences Limited***

Sir,

This has reference to your online proposal **IA/KA/IND3/266768/2022** dated 3<sup>rd</sup> May, 2022 regarding transfer of Environmental Clearance (EC) from M/s Shilpa Medicare Limited to M/s Shilpa Pharma Lifesciences Limited to the above project.

2. The Ministry granted EC no. IA-J-11011/301/2020-IA-II(I) dated 5.1.2021 and an amendment in EC dated 30.9.2021 to the above project.
3. M/s Shilpa Medicare Limited submitted its No objection for transfer of EC and M/s Shilpa Pharma Lifesciences Limited submitted its undertaking for compliance of terms and conditions of the above EC (as amended).
4. In view of the above, as per the relevant provisions of the EIA Notification, 2006 (as amended), the above mentioned EC (as amended) is hereby transferred from M/s Shilpa Medicare Limited to M/s Shilpa Pharma Lifesciences Limited on the same terms and conditions under which prior environmental clearance was granted, and for the same validity period.

This issues with approval of the competent authority.

  
(Dr. Motipalli Ramesh)  
Scientist 'E'  
Tel. 011-20819249  
Email: [ramesh.motipalli@nic.in](mailto:ramesh.motipalli@nic.in)

**Copy to: -**

1. The Deputy DGF (C), MoEF&CC Regional Office (SZ), Kendriya Sadan, 4<sup>th</sup> Floor, E&F Wings, 17<sup>th</sup> Main Road, Koramangala II Block, Bangalore – 34

## Annexure-21

2. The Secretary, Department of Forest, Environment & Ecology, Government of Karnataka, Room No. 708, Gate 2, Multi Storey Building, Dr. Ambedkar Veedhi, Bangalore – 1
3. The Member Secretary, Central Pollution Control Board, Parivesh Bhawan, East Arjun Nagar, Delhi – 32
4. The Member Secretary, Karnataka State Pollution Control Board, ParisaraBhavan, #49, 4<sup>th</sup>& 5<sup>th</sup> Floor, Church Street, Bangalore -1
5. The District Collector, District Raichur, Karnataka
6. Guard File/Monitoring File/Website/Record File

*Ramesh*

(Dr. Motipalli Ramesh)  
Scientist 'E'

Tel. 011-20819249

Email: ramesh.motipalli@nic.in