

Your (Half Yearly Compliance Report) has been Submitted with following details

Proposal No	EC NO.SEIAA 50IND-2016
Compliance ID	1228950727
Compliance Number(For Tracking)	EC/M/COMPLIANCE/1228950727/2026
Reporting Year	2026
Reporting Period	01 Jun(01 Oct - 31 Mar)
Submission Date	25-05-2026
RO/SRO Name	Shri S Senthil Kumar
RO/SRO Email	jk083.ifs@nic.in
State	KARNATAKA
RO/SRO Office Address	Integrated Regional Offices, Bengaluru

Note:- SMS and E-Mail has been sent to Shri S Senthil Kumar, KARNATAKA with Notification to Project Proponent.



Outlook

Half yearly EC compliance report for the term October -2025 to March-2026

From EHS <ehs@shilpapharma.com>**Date** Thu 21/05/2026 15:28**To** Env Section Regional Office Bangalore <rosz.bng-mefcc@gov.in>**Cc** R Elangovan <r.elangovan@shilpapharma.com>; K.Sharath Reddy <sharath@shilpapharma.com>

1 attachment (32 MB)

EC No. SEIAA 50 IND 2016 dated 28.04.2017-1.pdf;

To

The Additional Principal Chief Conservator of Forests,
Regional Office, Ministry of Environment and Forests (SZ),
Kendriya Sadan, 4th Floor, E&F Wing, 17th Main Road,
II nd Block, Koramangala, Bangalore-560034.

Respected Sir / Madam,

Sub : Submission of EC Six Months Compliance status report **October 2025 to March 2026** Reg

Ref : 1. EC No: SEIAA 50 IND 2016 dated 28.04.2017 and
2. Corrigendum No: SEIAA 50 IND 2016 dated 15.03.2018
3. Corrigendum No: SEIAA 50 IND 2016 dated 16.06.2020
4. Corrigendum No: SEIAA 50 IND 2016 dated 31.01.2022
5. EC Transfer No: SEIAA 50 IND 2016 dated 29.06.2022

With Reference to the letter in ref. no-5 advising to correctly format the EC compliance report by tabulating the specific & General Conditions We are pleased to submit the corrected half yearly compliance report for the term **October -2025 to March-2026. Along with the attachments for your kind perusal**

Project Name : "Shilpa Pharma Lifesciences Ltd. Unit II"- bulk drugs, APIs & intermediates manufacturing industry with R&D at Shilpa Medicare Ltd 100% EOU, Plot no 30,31,32 and 35-39,33, 33A, 40 to 47, Raichur Growth Centre, Chiksugur, Raichur-584134.

Environment Clearance: EC was obtained from Expert Appraisal Committee (EAC), MoEF & CC, vide letter no. EC No: SEIAA 50 IND 2016 Dated: 28.04.2017. subsequently Corrigendum were issued as per the above references.

The following are attached as annexures: -

1. Ambient Air Quality Reports attached as Annexure No-1.
2. Ground water Test Reports attached as Annexure No-2.
3. Pictures of Acoustic enclosures are enclosed as Annexure No-3.
4. Stack Monitoring of DG sets attached as Annexure No-4.
5. Fugitive emissions scrubber stack Monitoring Reports attached as Annexure No-5.

6. VOC Reports attached as Annexure No-6.
7. Hazardous waste authorization copy attached as Annexure No-7.
8. Scrubbing system, Multi cyclone system details are attached as Annexure No-8.
9. Solvent recovery system details are enclosed as Annexure No-9..
10. Boiler emission test reports are enclosed as Annexure No-10.
11. Manifests are attached as Annexure No-11
12. Fire Hydrant Photographs attached as Annexure No-12.
13. Training Records are attached as Annexure No-13.
14. Medical reports are attached as Annexure No-14.
15. Green Belt Photographs are attached as Annexure No-15.
16. Peso License for Diesel and furnace oil Copy attached as Annexure No-16.
17. Peso License for solvents Copy attached as Annexure No-17.
18. Noise Reports are attached as Annexure No-18.
19. Advertised newspaper copies are enclosed as Annexure No-19
20. Ec are attached as Annexure No-20

Kindly acknowledge the receipt of the document and e-mail.

Thanks & Regards,
Vijay Kumar N
Environment, Health & Safety
Mob No 8884683004
Shilpa Pharma LifeSciences Limited, Unit-2
Raichur Industrial growth Center, Chicksugur-584134

ofc

Shilpa Pharma Lifesciences Limited

(Unit-2: 100% Export Oriented Unit)

Plot No: 33, 33A & 40-47, Raichur Industrial Growth Centre,
Chicksugur-584 134, Raichur District, Karnataka State, India.

CIN No. U24100KA2020PLC134081

SPL/100%EOU/EHS/012/2026-27

Date: 19.05.2026

To

The Additional Principal Chief Conservator of Forests,
Regional Office, Ministry of Environment and Forests (SZ),
Kendriya Sadan, 4th Floor, E&F Wing, 17th Main Road,
II nd Block, Koramangala, Bangalore-560034.

Respected Sir / Madam,

Sub : Submission of EC Six Months Compliance status report **October 2025 to March 2026** Reg

Ref : 1. EC No: SEIAA 50 IND 2016 dated 28.04.2017 and
2. Corrigendum No: SEIAA 50 IND 2016 dated 15.03.2018
3. Corrigendum No: SEIAA 50 IND 2016 dated 16.06.2020
4. Corrigendum No: SEIAA 50 IND 2016 dated 31.01.2022
5. EC Transfer No: SEIAA 50 IND 2016 dated 29.06.2022


With Reference to the letter in ref. no-5 advising to correctly format the EC compliance report by tabulating the specific & General Conditions We are pleased to submit the corrected half yearly compliance report for the term **October -2025 to March-2026. Along with the attachments for your kind perusal**

Project Name : "Shilpa Pharma Lifesciences Ltd. Unit II"- bulk drugs, APIs & intermediates manufacturing industry with R&D at Shilpa Medicare Ltd 100% EOU, Plot no 30,31,32 and35-39,33, 33A, 40 to 47, Raichur Growth Centre, Chiksugur,Raichur-584134.

Environment Clearance: EC was obtained from Expert Appraisal Committee (EAC), MoEF & CC, vide letter no. EC No: SEIAA 50 IND 2016 Dated: 28.04.2017.subsequently Corrigendum were issued as per the above references.

The following are attached as annexures: -

1. Ambient Air Quality Reports attached as Annexure No-1.
2. Ground water Test Reports attached as Annexure No-2.
3. Pictures of Acoustic enclosures are enclosed.as Annexure No-3.
4. Stack Monitoring of DG sets attached as Annexure No-4.
5. Fugitive emissions scrubber stack Monitoring Reports attached as Annexure No-5.
6. VOC Reports attached as Annexure No-6.
7. Hazardous waste authorization copy attached as Annexure No-7.
8. Scrubbing system, Multi cyclone system details are attached as Annexure No-8.
9. Solvent recovery system details are enclosed as Annexure No-9..
10. Boiler emission test reports are enclosed as Annexure No-10.
11. Manifests are attached as Annexure No-11
12. Fire Hydrant Photographs attached as Annexure No-12.
13. Training Records are attached as Annexure No-13.



Shilpa Pharma Lifesciences Limited

(Unit-2: 100% Export Oriented Unit)

Plot No: 33, 33A & 40-47, Raichur Industrial Growth Centre,
Chicksugur-584 134, Raichur District, Karnataka State, India.


CIN No. U24100KA2020PLC134081

14. Medical reports are attached as Annexure No-14.
15. Green Belt Photographs are attached as Annexure No-15.
16. Peso License for Diesel and furnace oil Copy attached as Annexure No-16.
17. Peso License for solvents Copy attached as Annexure No-17.
18. Noise Reports are attached as Annexure No-18.
19. Advertised newspaper copies are enclosed as Annexure No-19
20. Ec are attached as Annexure No-20

Kindly acknowledge the receipt of the document and e-mail.
Thanking you,

Yours faithfully

For SHILPA PHARMA LIFESCIENCES LTD, 100% EOU



1. Office of the Regional Office, Karnataka State Pollution Control Board, Building st Shed No.C-03
KSSIDC Industrial Estate, 3rd Cross, Hyderabad Road, Raichur – 584102 (✓)
2. The Member secretary, Karnataka state pollution control board, Parisara Bhavan, #49,4th & 5th Floor,
Church Street, Bengaluru, Karnataka 560001. (By Mail)
3. Principal Chief Conservator of Forests (HoFF), Karnataka Forest Department, Govt. of Karnataka,
Aranya Bhawan, 18th Cross, Malleshwaram, Bangalore, (Karnataka) – 560 003 (By Mail)

SHILPA PHARMA LIFESCIENCES LIMITED, 100% EOU
EC Conditions Wise Compliance Status Report
(From October 2025 - March 2026)

EC No. SEIAA 50 IND 2016 dated 28.04.2017

Corrigendum Dtd 15-03-2018

Ec Corrigendum Dtd-16-06-2020

EC Corrigendum Dtd 30-01-2022

Part-A/Specific Conditions

S. no	Condition	Status	
1.	National Emissions standards for organic chemicals manufacturing industry issued by the ministry vide G.S.R 608(E) dated 21 st July 2010 and amended time to time shall be followed by the unit.	all the emissions are within the prescribed limits prescribed national emissions standards reports attached annexures	Complied. Ambient Air Quality Reports attached as Annexure No-1
2.	The total effluent generation shall not be exceed 201 KLD. Domestic sewage and the industrial effluent such as low TDS effluent shall be treated in ETP of capacity 130.5 KLD followed by RO and High TDS Effluent shall be treated in solvent stripper followed by MEE of 100 KLD and ATFD. The MEE condensate treated with low TDS effluent.	Effluent generation not exceeded 201 KLD. Domestic sewage and Low TDS effluent is treaded in ETP (Biological treatment plant) followed by RO. HTDS effluent treated in stripper followed by Multiple Effect Evaporation System & ATFD. MEE Condensate treated with Low TDS Effluent/Currently HTDS effluent is being sent to CETP as per corrigendum issued on dtd 30-01-2022	Complied.
3.	Effluent Treatment plant shall ensure to prevent to ground water contamination due to leakage from unlined tanks.	All the tanks are Impervious.	Complied. Ground water Test Reports attached as Annexure No-2
4.	Total water requirement from KIADB water supply shall not exceed 214.6 KLD and prior permission shall be obtained from the concerned Authority. No ground water shall be used.	Not exceeded 214.6 KLD & Not using Ground water, Water supplied by KIDAB	Complied.
5.	The process emissions from the boiler shall be dispersed through stack of adequate height as per CPCB / KSPCB standard. The gaseous emissions from the DG set shall be dispersed through stack height as per CPCB standards shall be provided. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution.	The gaseous emissions dispersed through Boiler stack and the height of the stack/Chimney provided as per CPCB/KSPCB standards. The Gaseous emissions dispersed through DG set stack and the height of the stack provided as per CPCB/KSPCB standards. And Provided Acoustic enclosure to the DG sets to mitigate the noise pollution.	Complied. Pictures of Acoustic enclosures are enclosed as Annexure no-3 Stack Monitoring of DG sets attached as Annexure No-4

SHILPA PHARMA LIFESCIENCES LIMITED, 100% EOU
EC Conditions Wise Compliance Status Report
(From October 2025 - March 2026)

S. no	Condition	Status	
6.	Ambient air quality data shall be collected as per NAAQS standards notified by the ministry vide G.S.R. No. 826(E) dated 16 th September, 2009. The levels of PM ₁₀ , PM _{2.5} , NO _x , CO, VOC and HCL shall be monitored in the ambient air and emission from the stack and displayed at a convenient location near the main gate of the company and at important public place. The company shall upload the result of monitored data on its website and shall update the same periodically. It shall simultaneously be sent to the regional office of MoEF – Bangalore, SEIAA- Karnataka, the respective zonal office of CPCB and the KSPCB.	The location of Ambient air quality monitoring stations and reports are submitted to the KSPCB every month. Ambient Air Monitoring is : 2No's locations Ambient air & Emissions from stack are monitored every month and reports are being submitted to KSPCB, Regional office of MOEF & CPCB, Bangalore and uploaded in the company website.	Complied. Fugitive emissions scrubber stack Monitoring Reports attached aa Annexure no-5 VOC Reports attached As Annexure No-6 .
7.	The company shall upload the status of compliance of the stipulated environmental clearance conditions, including results of monitored data on its website and shall update the same periodically. It shall simultaneously be sent to the Regional office of MoEF – Bangalore, SEIAA- Karnataka, the respective zonal office of CPCB and the KSPCB. The level of PM ₁₀ , PM _{2.5} , SO ₂ , NO _x , CO and VOC (ambient levels) and emission from the stacks shall be monitored and displayed at a convenient location near the main gate of the company and at important public places.	The Six months compliance report uploaded in the company website & submitted to regional office MoEF, CPCB & KSPCB.	Complied.
8.	The company shall obtain authorization for collection, storage and disposal of hazardous waste under the Hazardous and other wastes (management and Tran's boundary movement) rules, 2016 for management of hazardous waste and prior permission from KSPCB shall be obtained for disposal of solid / hazardous waste to the TSDF. The concerned company shall undertake measures for firefighting facilities in case of emergency.	Hazardous Waste Authorization is obtained and firefighting facilities are provided.	Complied. Hazardous waste authorization copy attached as Annexure-7
9.	In plant control measures for checking fugitive emission from all the vulnerable sources shall be provided. Fugitive emission shall be controlled by providing closed handling & conveyance of chemicals/materials, multi cyclone separator and water sprinkling system. Dust suppression system including water sprinkling system shall be provided at loading	To Control the fugitive emissions all the operations are handled in closed condition. Further the fugitive chemical reaction is controlled by using scrubbers with suitable neutralizing liquid. The emissions are monitored by checking VOC periodically. Multicyclone filters and dust filters used for Boilers.	Complied. Scrubbing system, Multi cyclone system details are attached as Annexure-8

SHILPA PHARMA LIFESCIENCES LIMITED, 100% EOU
EC Conditions Wise Compliance Status Report
(From October 2025 - March 2026)

S. no	Condition	Status
	and unloading areas to control dust emissions. Fugitive emission in the work zone environment, product, raw material storage area etc. shall be regularly monitored. The emissions shall conform to the limits stipulated by the KSPCB.	Automatic water sprinkling system is arranged at Ammonia addition station in case of any leakages.
10.	Hazardous chemicals shall be stored in tanks in tank farms, drums, carboys etc. Flame arresters shall be provided on tank farm. Solvent transfer shall be by pump.	Hazardous chemicals are stored in tanks in tank farm, drums, carboys etc. flame arresters provided on Existing tank farm and Solvents are transferred by using pumps. Complied.
11.	The company shall undertake following waste minimization measures:- a. Metering and control of quantities of active ingredients to minimize waste. b. Reuse of by-products from the process as raw materials or as raw material substitutes in other process. c. Use of automated filling to minimize spillage. d. Use of close feed system in to batch reactors. e. Venting equipment through vapor recovery system. f. Use of high pressure hoses for equipment cleaning to reduce waste water generation.	a. All the materials are issued to the Production by weighing the same. b. Wherever applicable the solvent and by-products are reused in the process. c. All the liquid material dispensing through pumps to minimize the spillages. d. We are using close feed system batch reactors. e. Condensers are provided and primary condenser circulated through cooling tower water and vent is connected to sub condenser and sub condenser circulated with chilled water. f. We are using high pressure pump for equipment cleaning to reduce waste water generation. Complied.
12.	For control of fugitive emission following steps shall be followed: a. Closed handling system shall be provided for chemicals. b. Reflux condenser shall provide over reactor. c. System of leak detection and repair of pumps/pipeline based on preventive maintenance. d. The acids shall be taken from storage tanks to reactor through closed pipeline. Storage tanks shall be vented through trap receiver and condenser operated on chilled water. e. Cathodic protection shall be provided to the underground solvent storage tanks.	a. We have Provided closed handling system for chemicals b. Provided Reflux condenser over the reactors. c. Preventive maintenance is in place for all pumps/pipe lines, equipment's to prevent and rectify the leakages. d. We are taking acids from storage tanks to reactor through closed pipelines. And storage tanks vented through trap receiver and condenser operated with chilled water. e. We have above the ground solvent storage tanks, cathodic protection is not applicable. Complied.
13.	Solvent management shall be as follows: a. Solvent used in the process shall be completely recovered and reused.	a. Solvent used in the process and are completely recovered and reused. Complied. Solvent recovery system details are

SHILPA PHARMA LIFESCIENCES LIMITED, 100% EOU
EC Conditions Wise Compliance Status Report
(From October 2025 - March 2026)

S. no	Condition	Status	
	<p>b. Efforts are to be made to recover inorganic salts.</p> <p>c. Reactor shall be connected to chilled brine condenser system.</p> <p>d. Reactor and solvent handling pump shall have mechanical seals to prevent leakages.</p> <p>e. The condenser shall be provided with sufficient HTA and residence time so as to achieve more than 90% recovery.</p> <p>f. Solvent shall be stored in a separate space specified with all safety measures.</p> <p>g. Proper earthing shall be provided in all the electrical equipment wherever solvent handling is done.</p> <p>h. Entire plant shall be flame proof. The solvent storage tanks shall be provided with breather valve to prevent losses.</p> <p>i. Fugitive emission in the work zone environment, product, raw materials storage area etc, shall be regularly monitored. The emission shall conform to the limits imposed by KSPCB.</p>	<p>b. Wherever possible inorganic salts are recovered and all the mixed inorganic salts are isolated in ATFD.</p> <p>c. Reactors are connected to chilled water condenser system.</p> <p>d. We provided the mechanical seals to all Reactors and solvent handling pumps for prevent leakages.</p> <p>e. All the condensers are provided sufficient HTA and residence time to achieve more than 90% recovery.</p> <p>f. We have separate solvent storage yard for liquid raw materials with all safety measures.</p> <p>g. We are provided earthing for all solvent handling and storage equipment's. Earth interlock system provided for solvent tank yard.</p> <p>h. All the process plant areas are provided with Flame Proof fittings.</p> <p>i. We have controlled fugitive mission by using of Scrubber system for process, multi cyclone separator. And every month monitoring by external agency by Approved by KSPCB/MoEF/ NABL</p>	enclosed as -Annexure-9
14.	No effluent shall be discharged outside the factory premises and "zero" discharge concept shall adopt.	We have Zero liquid discharge plant Comprising of Stripper, MEE & ATFD, Biological treatment plant followed by RO plant and all the water is recycled and no effluent is discharged out the factory premises.	Complied.
15.	Multi-cyclone followed by bag filter shall be provided to the boiler to control particulate emission within 100mg/Nm ³ . The gaseous emission shall be dispersed through stack of adequate height as per CPCB/KSPCB guidelines.	We provided Multi-cyclone followed by bag filter to control the boiler particulate emission. The particulate emission is within the range. The gaseous emissions are dispersed through stack of adequate height as per CPCB/ KSPCB guidelines.	Boiler emission test reports are enclosed as Annexure-10.
16.	Two stage chilled water / caustic scrubber shall be provided to process vent to control HCL. Two stage scrubbers with caustic lye media solution shall be provided to process vent to control SO ₂ . The scrubbing media shall be sent to effluent treatment plant (ETP) for treatment. Efficiency of scrubber shall be monitored regularly and maintained properly. At no time, the emission levels shall go beyond the prescribed standards.	We have provided packed column scrubber to process vent for control HCL. SO ₂ is not generated in our process. The scrubbing effluent sent to the ETP plant. The efficiency of the scrubbers are monitored regularly and maintained properly. All precautions are taken to control emissions with in the prescribed standards.	Complied,

SHILPA PHARMA LIFESCIENCES LIMITED, 100% EOU
EC Conditions Wise Compliance Status Report
(From October 2025 - March 2026)

S. no	Condition	Status	
17.	As proposed process residue, spent carbon and distillation residue shall be sent to co-processing in cement industries, inorganic salt from process, salt from MEE system, ETP sludge shall be sent to TSDF/Co-processing industries, waste oil from DG set & boiler, discarded containers/liners/barrels, e-waste, spent catalyst, shall be handed over to KSPCB authorized recyclers/ re-processors, spent solvent shall be distilled in house/ send to re-processors for reuse or recover. .	We are disposing all wastes to Co-Processing/TSDF and spent solvents to authorized recyclers as per KSPCB HW Authorization. Manifesto reports Copy attached	Complied. Manifest are attached as Annexure- No11
18.	Boiler ash shall be stored separately as per CPCB guidelines so that it shall not adversely affect the air quickly, becoming air borne by wind or water regime during rainy season by flowing along with the storm water. Direct exposure of workers to fly ash & dust shall be avoided.	Boiler Husk ash stored in a separate contained area to avoid air borne contamination and water regime during rainy season. We spray the boiler blow down water on ash to avoid the fly of ash & dust.	Complied.
19.	During transfer of material, spillages shall be avoided and garland drain be constructed to avoid mixing of accidental spillages with domestic waste and storm drains.	Storm water drains are separately provided/ constructed and effluent, accidental spillages do not mix in the domestic waste and storm drains.	Complied.
20.	The company shall harvest surface as well as rainwater from the rooftops of the buildings and storm water drains to recharge the ground water and use the same water for the various activities of the project to conserve fresh water.	Roof top and Surface runoff of rain water is harvested in a tank it is reused .	Complied.
21.	The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Firefighting system shall be as per the OISD 117 norms.	Fire protection system of possible fire hazards is provided by various types of fire hydrant system with foam, Manual call point and also arranged portable fire extinguishers and fire balls.	Complied. Fire Hydrant Photographs attached as Annexure -12
22.	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre- employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.	We are conducting safety training's to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations undertaken to all employees on regular basis. Training records & medical test reports sample copy attached	Complied. Training Records are attached as Annexure -13
23.	Usage of PPEs by all employees/workers shall be ensured.	Noted and being practiced.	Complied.
24.	Occupational health surveillance of the workers shall done on a regular basis and records maintained as per the factories act.	Occupational Health surveillance is done on regular basis records are maintained as per factories act.	Complied. Medical Reports are attached as Annexure 14

SHILPA PHARMA LIFESCIENCES LIMITED, 100% EOU
EC Conditions Wise Compliance Status Report
(From October 2025 - March 2026)

S. no	Condition	Status	
25.	Green belt shall be developed in at least 33% of area with suitable species of the plants as per the CPCB guidelines to mitigate the effects of fugitive emission selection of plant species shall be as per the CPCB guidelines.	Green belt developed in 33% of our area.Green belt photo copy attached	Complied. Green Belt Photographs are attached as Annexure-15
26.	The adequate financial provisions shall be made in the budget of the project for implementation of the above suggested environmental safeguards. Fund so earmarked shall not be diverted for any other purposes.	All the suggestions are implemented without any restriction of the Budget. Funds allocated will not be used for any other purpose.	Complied.
27.	The company shall comply with the recommendations made in the EIA/EMP/risk assessment report. Risk assessment shall be included in the safety manual.	We are complied with the EIA/EMP/Risk assessment recommendations and risk assessment was included in the safety manual.	Complied.
28.	Provision shall be made for the housing for construction labor within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile sewage treatment plant, safe drinking water, medical health care, crèche etc. the housing may be in the form of temporary structure to be removed after the completion of the project. All the construction wastes shall be managed so that there is no impact on the surrounding environment.	All the constructed workers are the Local origin, Hence not stayd at the site.	Complied.
29.	The coal to be stored in coal stockyard on impervious layer in a covered shed and along the boundary garland canal to be provided leading to a exit pond/ tank to arrest coal dust run-off and to allow settling of coal fines. The coal fines to be removed periodically.	Rise Husk is stored in a shed contained manner and dust run-off will not be there in this area.	Complied.
30.	Bromination to be avoided using liquid Bromine. Explore other alternative brominating reagents such s Poly N-Bromosuccinimide, Cetyltrimethyl ammonium tribromide, tertiary butyl ammonium bromide and Tetrabutyl Ammonium tribromide.	Direct Bromine will not be used.	Complied.
31.	Recovers lithium salts from the effluents wherever lithium compounds are used in the reactions.	Lithium salt in water will be sent to Manufacturer	Complied.
32.	Treatment of recalcitrant to be documented and kept at all times.	Noted. Not Applicable	Complied.
33.	Adopts good management practices (GMP) & green chemistry.	We have adopted GMP & green chemistry.	Complied.
34.	Storage facilities for the fuel shall be made in the plant area in consultation with department of explosives, Nagpur. Disaster management shall be prepared plan to meet any eventuality	Diesel and furnace oil storage is provided and approved by Department of Explosives, Nagpur. Disaster management plan is prepared in case of any emergency	Complied and being followed.; Peso License Copy attached as

SHILPA PHARMA LIFESCIENCES LIMITED, 100% EOU
EC Conditions Wise Compliance Status Report
(From October 2025 - March 2026)

S. no	Condition	Status	
	in case of an accident taking place due to storage of fuel.	handling.	Annexure- No-16
35.	The project authorities also shall earmark at least 2.5% of the total cost of the project towards the corporate social responsibility and item-wise details along with time bound action plan shall be prepared and submitted to the authority.	Funds for CSR Activities are allocated Spent 17.0 Crores towards Social responsibility activities	Complied.
36.	The project proponent shall use husk as fuel for the boilers.	We are using husk as a fuel for the boiler.	Complied.
37.	The project proponent shall store fresh solvents, recovered solvent as per the PESO norms and shall not be stored in plastic bags.	We are storing fresh solvents, recovered solvents as per the PESO norm. We are not storing the solvents in plastic bags.	Complied. PESO License For solvents Copy Attached As Annexure No- 17
38.	The industry shall not operate without a functional effluent treatment plant as per the order of the Hon'ble supreme court dated February 22, 2017 in W.P. No.375 of 2012	Complete Effluent treatment plant is in operation.	Complied.

General Conditions

1.	The project authorities shall strictly adhere to the stipulations made by the Karnataka state pollution control board (KSPCB).	We are strictly adhering to the stipulations made by the Karnataka state pollution control board (KSPCB).	Complied. Monthly monitoring reports ,Manifesto copy are attached
2.	At no time, the emission shall exceed the prescribed limits. In the event of failure of any pollution control system adopted by the unit, the unit shall be immediately put out of operation and shall not be restarted until the desired efficiency has been achieved	At no time Emissions are not exceeded the prescribed limits. In case of Failure of the ETP the production will be stopped and restart after the rectification.	Complied
3.	No further expansion or modifications in the plant shall be carried out without prior approval of the SEIAA/ministry of environment and forests as the case may be. In case of deviations or alterations in the project proposal from those submitted to this authority for clearance, afresh reference shall be made to the authority to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	No further expansion or modification will carried out without prior approval from MOEF/SEIAA.	Complied.
4.	The gaseous emission (PM ₁₀ , PM _{2.5} , SO ₂ , NO _x , CO, VOC) and particulate matter along with RSPM levels from various process units shall conform to the standard prescribed by the concerned authorities from time to time. At no time, the emission levels shall go beyond the stipulated	The gaseous emissions (SO ₂ , NO _x , CO, VOC and HC) and particulate matter along with RSPM levels from various process units are be within standards prescribed limits. All the emissions levels are	Complied. Boiler emissions, voc, ambient air attached in Earlier Points

SHILPA PHARMA LIFESCIENCES LIMITED, 100% EOU
EC Conditions Wise Compliance Status Report
(From October 2025 - March 2026)

S. no	Condition	Status	
	standards. In the event of failure of pollution control system(s) adopted by the unit, the respective unit shall not be restarted until the control measures are rectified to achieve the desired efficiency. Stack monitoring for PM ₁₀ , PM _{2.5} , SO ₂ , NO _x , CO, VOC shall be carried.	maintained within the stipulated standards. In case of Failure of the ETP the production will stop and restart after the rectification.	
5.	The project authorities shall strictly comply with the rules and regulations under manufacture, storage and import of hazardous chemicals Rules, 1989 as amended in October 1994 and January 2000. All authorization of hazardous chemical shall be as per the MVA, 1989. Authorization from the KSPCB shall be obtained for collation, treatment, storage, and disposal of hazardous wastes.	Yes complying. The company has obtained HW Authorization from KSPCB.	Complied.
6.	The project authorities must strictly comply with the rules and regulations with regard to handling and disposal of hazardous wastes in accordance with the hazardous and other waste (management and Transboundary movement) rules, 2016. Authorization from the KSPCB must be obtained for collection /treatment/ storage/ disposal of hazardous waste.	The Company is disposing the Hazardous waste as described in the HW Authorization issued by KSPCB.	Complied.
7.	Application of solar energy should be incorporated for illumination of common areas, lighting for gardens and street lighting in addition to provision for solar waste heating. A hybrid system or fully solar system for lighting and heating should be provided. Details in this regard should be submitted to the SEIAA.	Solar energy is used for illumination of common areas, lighting for gardens and street lighting.	Complied
8.	The overall noise levels in and around the plant area shall be kept well within the standards (85 dBA) by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under environment (protection) act, rules, 1989 viz. 75 dBA(day time) and 70 dBA (night time).	The DG sets are provided with acoustic enclosure. The ambient noise levels are maintained in the plant premises within the prescribed standards prescribed under environment (Protection) Act,1986 rules,1989 rules viz.75dBa(day time) and 70 DBA (night time) . Noise level reports attached	Complied. Noise Reports are attached As Annexure No-18
9.	The project proponent shall also comply with all the environmental protection measures and safeguards as per the information provided.	We comply with all the Environment protection measures and safe guards as per the information provided.	Complied.
10.	The implementation of the project vis-à-vis environmental action plans shall be monitored by MoEF, Regional office at Bangalore / KSPCB / CPCB and department of environment & Ecology,	We are complying and submit the Six monthly compliance status	Complied.

SHILPA PHARMA LIFESCIENCES LIMITED, 100% EOU
EC Conditions Wise Compliance Status Report
(From October 2025 - March 2026)

S. no	Condition	Status
	Bangalore. A six monthly compliance status report shall be submitted to monitoring agencies.	reports to be MoEF and all monitoring agencies.
11.	The project proponent shall inform the public that the project has been accorded environmental clearance by the SEIAA and copies of the clearance letter are available with the KSPCB and may also be seen at website of the authority at http://www.seiaa.karnataka.gov.in http://environmentclearance.nic.in/ this shall be advertised within seven days from the date of issue of the clearance letter, at least in to local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same be forwarded to the MoEF regional office at Bangalore/ KSPCB/ CPCB and the department of environment & ecology, Bangalore/ kalaburgi.	We Have inform the public that the project has been according environmental clearance by the SEIAA and copies of the clearance letter are available with the KSPCB and may also seen at website of the authority at http://www.seiaa.karnataka.gov.in http://environmentclearance.nic.in/ This EC clearance details advertised in two newspapers. Parjavani kanada local newspaper and Deccan Herald English news paper dated 31.05.2017.
12.	The project authorities shall inform the MoEF Regional office at Bangalore /KSPCB /CPCB and the Department of Ecology and Environmental, Bangalore, Kalaburgi the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	The project financial closure is done 31 st march 2019
13.	The SEIAA, Karnataka may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	Accepted.
14.	The SEIAA, Karnataka reserves the right to stipulate additional conditions, if found necessary. The company in a time bound manner will implement these conditions.	Accepted.
15.	The above condition will be enforced, inter-alia under the provision of the water (prevention & control of pollution) Act, 1981, the environment (protection) Act, 1986 hazardous and other wastes (management and transboundary movement) Rules, 2016 and the public liability insurance Act, 1991 along with their amendments and rules.	Noted.
16.	The issue of environment clearance doesn't confer any right to the project proponent to operate / run the project without obtaining statutory clearance / sanctions from all other concerned authorities.	Noted,
17.	Concealing factual data or submission of false/ fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provision of Environmental (protection) Act, 1986.	Noted,

Complied.
Advertised
newspaper copies
are enclosed as
Annexure No-19

Complied

SHILPA PHARMA LIFESCIENCES LIMITED, 100% EOU
EC Conditions Wise Compliance Status Report
(From October 2025 - March 2026)

S. no	Condition	Status	
18.	Any appeal against this Environmental clearance shall lie with the national green tribunal, if preferred, within a period of 30 days as prescribed under section 16 of the national green tribunal Act, 2010.	Noted,	
19.	Officials from the department of Environment and Ecology, Bangalore/ regional office of MoEF, Bangalore who used be monitoring the implementation of Environmental safeguards should be given full cooperation, facilities and documents/ data by the project proponents during their inspection. A complete set of all the documents submitted to MoEF/ SEIAA should be forwarded to the APCCF, regional office of MoEF, Bangalore / Department of Ecology and Environment, Bangalore / Kalaburgi / Department Regional officer, KSPCB Bangalore.	We will cooperate with inspection monitoring authority and provide all the data during their inspection. A complete set of documents will be submitted/ provided to regional office of MoEF, Bangalore / Department of Ecology and Environment, Bangalore / Kalaburgi / Department Regional officer, KSPCB Bangalore.	Complied,
20.	In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this authority.	Noted	
21.	The authority reserves the right to add additional safeguard measures subsequently , if found necessary , and to take action including revoking of the environment clearance under the provision of the Environment (protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner	Accepted	
22.	All other statutory clearance such as the approvals for storage of diesel from chief controller of explosives, Fire Department, Civil aviation Department, Forest Conservation Act,1980 and Wildlife (Protection) Act, 1972 etc. shall be obtained, as applicable by project proponents from the competent authorities.	Applicable statutory clearances will be obtained as required by statute.	Complied.
23.	These stipulations would be enforced among other under the provision of water (prevention and control of pollution) Act, 1974, the air (prevention and control of pollution) act, 1981, the Environment (Protection) act, 1986 the public liability (Insurance) Act, 1991 and EIA Notification, 2006.	Noted.	
24.	Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it is found that construction of the project has been started without obtaining environmental clearance.	Noted.	

SHILPA PHARMA LIFESCIENCES LIMITED, 100% EOU
EC Conditions Wise Compliance Status Report
(From October 2025 - March 2026)

Annexure-I to Environment Clearance letter No. SEIAA 47 IND 2016 dated 28-04-2017

Sr No.	Name of Products for Manufacture	Capacity in TPA	Status
1	Ambroxol Hcl	10	Noted. Products are manufactured with in the permitted capacity as per EC. Complied
2	Anastrozole	0.1	
3	Gemcitabine Hcl	0.1	
4	Paclitaxel	0.1	
5	Temozolomide	0.1	
6	Bicalutamide	0.5	
7	Docetaxel Trihydrate	0.1	
8	3A7B DihydroxyCholonic Acid	60	
9	Bendamustine Hcl	0.2	
10	Bortezomib	0.005	
11	Capecitabine	60	
12	Imatinib	5	
13	Lenalidomide	0.5	
14	Letrozole	0.05	
15	Pemetrexed disodium	0.25	
16	Decitabine	0.01	
17	Cytarabine	0.05	
18	Cabazitaxel	0.01	
19	Acebrophylline	10	
20	Clofarabine	0.01	
21	Melphalan	0.025	
22	Cyclophosphamide	1	
23	Tenfovir	50	
24	Pemetrexed dipotassium	0.25	
25	Erlotinib	2	
26	Emtricitabine	1	
27	Dimethyl Fumarate	12	
28	Elvitegravir	1	
29	Cobicistat	100	
30	Busulfan	0.05	
31	Zoledronic	0.005	
32	Tranexamicacid	100	
33	Sunitinib Maleate	3	
34	Sorefenib Tosylate	3	
35	Abiraterone acetate	2	

SHILPA PHARMA LIFESCIENCES LIMITED, 100% EOU
EC Conditions Wise Compliance Status Report
(From October 2025 - March 2026)

CORRIGENDUM (1st) Order No: SEIAA 50 IND 2016 Dated 15-03-2020

S. no	Condition	Status	
1.	Bromination to be avoided using liquid Bromine. Explore other alternative brominating reagents such s Poly N-Bromosuccinimide, Cetyltrimethyl ammonium tribromide, tertiary butyl ammonium bromide and Tetrabutyl Ammonium tribromide.	Direct Bromine will not be used.	Noted.
2.	Annexure-I Shall be replaced with ANNEXURE-I (R) enclosed to this corrigendum. Rest of the contents and the conditions of the Environmental Clearance letter No.SEIAA 50 IND 2016 dated28-04-2017 remains unchanged.	Noted.	

CORRIGENDUM (2nd) Order No: SEIAA 50 IND 2016 Dated 16-06-2020

S. no	Condition	Status
3.	Para 4 (Page 2) of the Environmental Clearance letter No. SEIAA 50 IND 2016 dated 28-04-2017 and the corrigendum dated 15.03.2018 issued to M/s. Shilpa Medicare Limited, 100% export oriented Unit-II Plot No:33, 33A & 44 to 47 Raichur Industrial Growth Centre Wadloor Road, Chicksugur, Raichur District-584134 for expansion & modification of Active Pharmaceutical Ingredients (APIs) & Intermediates manufacturing unit at Plot No. 33, 33A and 44 to 47 of Raichur Industrial Growth Centre, Wadloor Road, Chicksugur, Raichur District shall be corrected and read as follows:	Noted.
4.	"4. It is, inter-alia, noted that M/s.Shilpa Pharma Lifesciences Ltd Formly known as Shilpa Medicare Limited have proposed for manufacture of Active Pharmaceutical Ingredient (APIs) & Intermediates manufa cturing of total capacity 422.415 TPA listed in ANNEXURE-I(R) and the byproducts listed in ANNEXURE-II(R), The total plot area is 84,984 Sqm(21 Acres), out of which 19,459 Sqm area is for Ground Coverage area, 30,927.5 Sqm area is for Built up area, 9,458.94 Sqm is for Hard paved area, 26,322 Sqm area is for green belt and 32,433.16 Sqm is unused area. Total water consumption is 577.5 KLD (214.6 KLD from KIADB and 362.9 KLD from recycled & condensate water), out of which 30 KLD for domestic purpose, 532.5 KLD for industrial purpose and 15 KLD for green belt. Power requirement is 1800 KVA. 3 number DG set of 625 KVA will be installed for emergency power back-up with existing DG Set of 1 No X 750 KVA. It is proposed to install 1 No X 6 Lakh Kcal of Furnace oil fired Thermic fluid heater and existing capacity of 1 No. X6	Noted.

SHILPA PHARMA LIFESCIENCES LIMITED, 100% EOU
EC Conditions Wise Compliance Status Report
(From October 2025 - March 2026)

S. no	Condition	Status
	TPH & 1 No X 10 TPH Coal/Husk fired steam boiler. The Total cost of the project is Rs.6040 Lakhs.”	
5.	Rest of the contents and the conditions of the Environmental Clearance letter No. SEIAA 50 IND 2016 dated 28-04-2017 and the corrigendum dated 15.03.2018 remains unchanged.	Noted.

Corrigendum SEIAA 50 IND 2016 Dated Dtd 30-01-2022

Sl.no	Description	Status
1	The specific condition no-02 at page no-3 shall be corrected & Read as follows The total Effluent Generation shall not exceed 201 KLD. The effluent will be treated within the factory Premises with an option of sending the Industrial effluent to Common effluent treatment plant	Complied

Thanking you,

For SHILPA PHARMA LIFESCIENCES LIMITED, 100% EOU





MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S.No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

Annexure-1

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	25.12.2025
7.	Date of Sample Receipt	:	26.12.2025
8.	Analysis Starting Date	:	26.12.2025
9.	Analysis Completion Date	:	30.12.2025
10.	Report Issue Date	:	31.12.2025
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.311619
13.	Longitude	:	77.35805

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407124000030921F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			AAQ/6261	AAQ/6262	AAQ/6263			
1	Particulate Matter (Size less than 10 µm) PM ₁₀	IS-5182(Part-23):2017	74.5	72.6	69.4	µg/m ³	72.2	100
2	Particulate Matter (Size less than 2.5 µm) or PM _{2.5}	IS-5182(Part-24):2019	26.8	28.1	25.4	µg/m ³	26.8	60
3	Sulphur Dioxide as SO ₂	IS-5182(Part-2):2017	17.2	14.5	12.5	µg/m ³	14.7	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6):2017	30.8	28.9	23.3	µg/m ³	27.7	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.58	0.52	0.50	mg/m ³	0.53	2

INFERENCE

As per NAAQS Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

:- END OF REPORT:-



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Ana...-1

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	25.12.2025
7.	Date of Sample Receipt	:	26.12.2025
8.	Analysis Starting Date	:	26.12.2025
9.	Analysis Completion Date	:	30.12.2025
10.	Report Issue Date	:	31.12.2025
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.311619
13.	Longitude	:	77.35805

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air Test Report No: MSVAL/2024/6502

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
6	Carbon Dioxide as CO ₂	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H ₂ S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/m ²	BDL	--

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits
-----------	---

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

:- END OF REPORT :-



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Assessment-1



GPS Map C

Chicksugur, Karnataka, India

24, Chicksugur, Karnataka 584134, India

Lat 16.311622° Long 77.358007°

28/06/2025 09:36 AM GMT +05:30



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03885, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

Annex-1

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	25.12.2025
7.	Date of Sample Receipt	:	26.12.2025
8.	Analysis Starting Date	:	26.12.2025
9.	Analysis Completion Date	:	30.12.2025
10.	Report Issue Date	:	31.12.2025
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.311619
13.	Longitude	:	77.35805

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407124000030922F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Toleranc e limits
			1	2	3			
			AAQ/6264	AAQ/6265	AAQ/6266			
1	Particulate Matter (Size less than 10 µm)PM ₁₀	IS-5182(Part-23):2017	82.6	78.4	70.6	µg/m ³	77.2	100
2	Particulate Matter (Size less than 2.5 µm) or	IS-5182(Part-24):2019	32.4	30.1	26.4	µg/m ³	29.6	60
3	Sulphur Dioxide as SO ₂	IS-5182(Part-2):2017	18.1	17.9	15.4	µg/m ³	17.1	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6):2017	30.9	29.4	26.8	µg/m ³	29.0	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.56	0.54	0.52	mg/m ³	0.54	2

INFERENCE

As per NAAQS Standards
Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

END OF REPORT



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Form No - 1

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D.
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	25.12.2025
7.	Date of Sample Receipt	:	26.12.2025
8.	Analysis Starting Date	:	26.12.2025
9.	Analysis Completion Date	:	30.12.2025
10.	Report Issue Date	:	31.12.2025
11.	Sampling Protocol	:	IS 5182 : Part 14
12.	Latitude	:	16.311619
13.	Longitude	:	77.35805

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air Test Report No: MSVAL/2024/6503

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance Limits
			1	2	3			
			11713	11713	11713			
6	Carbon Dioxide as CO ₂	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H ₂ S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m ²	BDL	--

INFERENCE

As per NAAQS Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

END OF REPORT



Note: 1. The results listed only to the tested samples & applicable parameters.


2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified

Annexure - 1



Google

GPS Map

Chicksugar, Karnataka, India

100% Export Oriented Unit, Plot #33, Raichur Growth Cell
33a & 40 To 47, Chicksugar, Karnataka 584134, India
Lat 16.311619° Long 77.35805°
25/12/2025 09:42 AM GMT +05:30



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (D) : 08392-255169,
E-mail : msvabellary2018@gmail.com, labmsv@gmail.com, Website : www.msvabellary.com



Annexure-1

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	14.01.2026
7.	Date of Sample Receipt	:	15.01.2026
8.	Analysis Starting Date	:	15.01.2026
9.	Analysis Completion Date	:	22.01.2026
10.	Report Issue Date	:	23.01.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.311619
13.	Longitude	:	77.35805

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407126000001229F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance Limits
			1	2	3			
			284	285	286			
1	Particulate Matter (Size less than 10 µm) PM ₁₀	IS-5182(Part-23):2017	78.7	74.2	71.5	µg/m ³	74.8	100
2	Particulate Matter (Size less than 2.5 µm) or PM _{2.5}	IS-5182(Part-24):2019	29.6	24.5	21.6	µg/m ³	25.2	60
3	Sulphur Dioxide as SO ₂	IS-5182(Part-2):2017	21.3	18.9	15.5	µg/m ³	18.6	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6):2017	34.8	32.4	28.9	µg/m ³	32.0	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.62	0.48	0.42	mg/m ³	0.51	2

INFERENCE

As per NAAQS Standards
Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

Hanumanthiah P
Technical Manager

:- END OF REPORT :-



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com

Annexure-1

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	14.01.2026
7.	Date of Sample Receipt	:	15.01.2026
8.	Analysis Starting Date	:	15.01.2026
9.	Analysis Completion Date	:	22.01.2026
10.	Report Issue Date	:	23.01.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.31165
13.	Longitude	:	77.358042

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: MSVAL/2026/100

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			123	124	125			
6	Carbon Dioxide as CO ₂	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H ₂ S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/m ³	BDL	--

INFERENCE

As per NAAQS Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

:- END OF REPORT:-



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annex-1





MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & G.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255168,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

Annexure - 1

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	14.01.2026
7.	Date of Sample Receipt	:	15.01.2026
8.	Analysis Starting Date	:	15.01.2026
9.	Analysis Completion Date	:	22.01.2026
10.	Report Issue Date	:	23.01.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.311619
13.	Longitude	:	77.35805

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407126000001230F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			287	288	289			
1	Particulate Matter (Size less than 10 µm) PM ₁₀	IS-5182(Part-23):2017	79.6	75.9	72.3	µg/m ³	75.9	100
2	Particulate Matter (Size less than 2.5 µm) or PM _{2.5}	IS-5182(Part-24):2019	29.5	26.7	23.6	µg/m ³	26.6	60
3	Sulphur Dioxide as SO ₂	IS-5182(Part-2):2017	21.3	15.4	12.1	µg/m ³	16.3	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6):2017	27.8	25.3	22.8	µg/m ³	25.3	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.52	0.49	0.44	mg/m ³	0.48	2

INFERENCE

As per NAAQS Standards
Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

:- END OF REPORT:-



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakalu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Amoexur-1

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	14.01.2026
7.	Date of Sample Receipt	:	15.01.2026
8.	Analysis Starting Date	:	15.01.2026
9.	Analysis Completion Date	:	22.01.2026
10.	Report Issue Date	:	23.01.2026
11.	Sampling Protocol	:	IS 5182 : Part 14
12.	Latitude	:	16.310578
13.	Longitude	:	77.356036

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: MSVAL/2026/101

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			126	127	128			
6	Carbon Dioxide as CO ₂	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H ₂ S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m ²	BDL	--

INFERENCE

As per NAAQS Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory


Hanumanthaiah P
Technical Manager

:- END OF REPORT :-



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Аннук-1



GPS Map Camera



Chicksugur, Karnataka,
India 

33, Chicksugur, Karnataka 584134, India
Lat 16.310578° Long 77.356036°
14/01/2026 09:49 AM GMT +05:30



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



Annex-1

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	14.01.2026
7.	Date of Sample Receipt	:	15.01.2026
8.	Analysis Starting Date	:	15.01.2026
9.	Analysis Completion Date	:	22.01.2026
10.	Report Issue Date	:	23.01.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.311619
13.	Longitude	:	77.35805

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC40712600001229F

S.No	Parameter	Protocols	Shift wise results			Units	Result In Avg.	Tolerance limits
			1	2	3			
			284	285	286			
1	Particulate Matter (Size less than 10 µm)PM ₁₀	IS-5182(Part-23):2017	78.7	74.2	71.5	µg/m ³	74.8	100
2	Particulate Matter (Size less than 2.5 µm) or PM _{2.5}	IS-5182(Part-24):2019	29.6	24.5	21.6	µg/m ³	25.2	60
3	Sulphur Dioxide as SO ₂	IS-5182(Part-2):2017	21.3	18.9	15.5	µg/m ³	18.6	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6):2017	34.8	32.4	28.9	µg/m ³	32.0	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.62	0.48	0.42	mg/m ³	0.51	2

INFERENCE

As per NAAQS Standards.
Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

:- END OF REPORT :-



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakali Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com

Annex-1

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	14.01.2026
7.	Date of Sample Receipt	:	15.01.2026
8.	Analysis Starting Date	:	15.01.2026
9.	Analysis Completion Date	:	22.01.2026
10.	Report Issue Date	:	23.01.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.31165
13.	Longitude	:	77.358042

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: MSVAL/2026/100

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			123	124	125			
6	Carbon Dioxide as CO ₂	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H ₂ S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/m ²	BDL	--

INFERENCE

As per NAAQS Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

Hanumanthalah P
Technical Manager

:- END OF REPORT:-



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure - 1



GPS Map Ca

Chicksugur, Karnataka, India
100% Export Oriented Unit, Plot #33, Raichur
Growth Centre, 33a & 40 To 47, Chicksugur,
Karnataka 584134, India
Lat 16.31165° Long 77.358042°
14/01/2026 09:25 AM GMT +05:30



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

Annexure-1

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	14.01.2026
7.	Date of Sample Receipt	:	15.01.2026
8.	Analysis Starting Date	:	15.01.2026
9.	Analysis Completion Date	:	22.01.2026
10.	Report Issue Date	:	23.01.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.311619
13.	Longitude	:	77.35805

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC40712600001230F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			287	288	289			
1	Particulate Matter (Size less than 10 µm) PM ₁₀	IS-5182(Part-23):2017	79.6	75.9	72.3	µg/m ³	75.9	100
2	Particulate Matter (Size less than 2.5 µm) or PM _{2.5}	IS-5182(Part-24):2019	29.5	26.7	23.6	µg/m ³	26.6	60
3	Sulphur Dioxide as SO ₂	IS-5182(Part-2):2017	21.3	15.4	12.1	µg/m ³	16.3	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6):2017	27.8	25.3	22.8	µg/m ³	25.3	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.52	0.49	0.44	mg/m ³	0.48	2

INFERENCE

As per NAAQS Standards
Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

:- END OF REPORT:-



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annex-1

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	14.01.2026
7.	Date of Sample Receipt	:	15.01.2026
8.	Analysis Starting Date	:	15.01.2026
9.	Analysis Completion Date	:	22.01.2026
10.	Report Issue Date	:	23.01.2026
11.	Sampling Protocol	:	IS 5182 : Part 14
12.	Latitude	:	16.310578
13.	Longitude	:	77.356036

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: MSVAL/2026/101

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			126	127	128			
6	Carbon Dioxide as CO ₂	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H ₂ S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m ²	BDL	--

INFERENCE

As per NAAQS Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory


Hanumanthalah P
Technical Manager

:- END OF REPORT:-




- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure - 1



GPS Map Camera



Chicksugur, Karnataka,
India 

33, Chicksugur, Karnataka 584134, India

Lat 16.310578° Long 77.356036°

14/01/2026 09:49 AM GMT +05:30



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC-4071

Annexure - 1

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	25.03.2026
7.	Date of Sample Receipt	:	26.03.2026
8.	Analysis Starting Date	:	26.03.2026
9.	Analysis Completion Date	:	30.03.2026
10.	Report Issue Date	:	31.03.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.31161
13.	Longitude	:	77.357983

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC40712600008513F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			AAAQ/2247	AAAQ/2248	AAAQ/2249			
1	Particulate Matter (Size less than 10 µm)PM ₁₀	IS-5182(Part-23):2017	81.2	74.3	71.5	µg/m ³	75.7	100
2	Particulate Matter (Size less than 2.5 µm) or	IS-5182(Part-24):2019	30.2	25.1	22.4	µg/m ³	25.9	60
3	Sulphur Dioxide as SO ₂	IS-5182(Part-2):2017	23.1	19.5	16.2	µg/m ³	19.6	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6):2017	34.2	32.6	27.5	µg/m ³	31.4	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.62	0.51	0.42	mg/m ³	0.52	2

INFERENCE

As per NAAQS Standards
Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by



Authorized Signatory

Hanumanthaiah P
Technical Manager

- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure - 1

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	25.03.2026
7.	Date of Sample Receipt	:	26.03.2026
8.	Analysis Starting Date	:	26.03.2026
9.	Analysis Completion Date	:	30.03.2026
10.	Report Issue Date	:	31.03.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.31161
13.	Longitude	:	77.357983

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air Test Report No: MSVAL/2026/921

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			921	922	923			
6	Carbon Dioxide as CO ₂	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H ₂ S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/m ²	BDL	--

INFERENCE

As per NAAQS Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by



Authorized Signatory

Hanumanthiah P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified

Anonure-1



GPS Map Camera



Wadloor, Karnataka, India

Shilpa Pharma Lifesciences Limited (a Subsidiary Of Shilpa Medicare Limited, Formerly Shilpa Corporate Holdings), plot # 33, 33a & 40 To 47 Raichur Growth Centre, Chicksugur Village Raichur 584134 Karnataka-indiarachur Industrial Growth Centre, Chicksugur 584 134, Wadloor, Karnataka 584134, India
Lat 16.31161° Long 77.357983°
25/03/2026 09:32 AM GMT +05:30



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
 (Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

Annexure -1

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	25.03.2026
7.	Date of Sample Receipt	:	26.03.2026
8.	Analysis Starting Date	:	26.03.2026
9.	Analysis Completion Date	:	30.03.2026
10.	Report Issue Date	:	31.03.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.310578
13.	Longitude	:	77.356036

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC40712600008514F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			AAAQ/2250	AAAQ/2251	AAAQ/2252			
1	Particulate Matter (Size less than 10 µm) PM ₁₀	IS-5182(Part-23):2017	75.2	73.6	69.2	µg/m ³	72.7	100
2	Particulate Matter (Size less than 2.5 µm) or	IS-5182(Part-24):2019	27.5	24.3	20.8	µg/m ³	24.2	60
3	Sulphur Dioxide as SO ₂	IS-5182(Part-2):2017	23.6	18.4	14.6	µg/m ³	18.9	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6):2017	27.1	25.2	21.5	µg/m ³	24.6	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.59	0.53	0.41	mg/m ³	0.51	2

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits
------------------	---

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END



- Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Samples Will be disposed after the specified retention period.
 3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
 5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 895/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com

Annex-1

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL.
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	25.03.2026
7.	Date of Sample Receipt	:	26.03.2026
8.	Analysis Starting Date	:	26.03.2026
9.	Analysis Completion Date	:	30.03.2026
10.	Report Issue Date	:	31.03.2026
11.	Sampling Protocol	:	IS 5182 : Part 14
12.	Latitude	:	16.310725
13.	Longitude	:	77.356129

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air Test Report No: MSVAL/2026/922

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			924	925	926			
6	Carbon Dioxide as CO ₂	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H ₂ S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m ³	BDL	--

INFERENCE

As per NAAQS Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

:- END



Note: 1. The results listed only to the tested samples & applicable parameters.


2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified

Annex-1



GPS Map Camera

Chicksugur, Karnataka,
India

33, Chicksugur, Karnataka 584134, India
Lat 16.310578° Long 77.356036°
25/03/2026 9:40 AM GMT +05:30



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC-4071

Amnureti

MSVAL/QR/7.8/1/Test Report

ANALYSIS REPORT OF AMBIENT AIR QUALITY

- Name and Address of Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
- Name of the location : Near Main Gate
- Sample Collected By : MSV Analytical Laboratories, Bellary.
- Particulars of the sampling Equipments : Sample collected with RDS, FPS & CO Meter.
- Duration of Monitoring : 24 Hours
- Date of Monitoring : 29.11.2025
- Date of Sample Receipt : 01.12.2025
- Analysis Starting Date : 01.12.2025
- Analysis Completion Date : 06.12.2025
- Report Issue Date : 08.12.2025
- Sampling Protocol : IS 5182:Part 14
- Latitude : 16.311643
- Longitude : 77.358016

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Ambient Air

ULR No: TC407125000028624F

S. No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			AAQ/5498	AAQ/5489	AAQ/5490			
1	Particulate Matter (Size less than 10 μm) PM ₁₀	IS 5182 Part-23	88.3	82.2	76.6	$\mu\text{g} / \text{m}^3$	82.4	100
2	Particulate Matter (Size less than 2.5 μm) or PM _{2.5}	IS 5182 Part 24	43.2	36.6	32.5	$\mu\text{g} / \text{m}^3$	37.4	60
3	Sulphur Dioxide as SO ₂	IS 5182 Part-2	18.2	15.2	14.2	$\mu\text{g} / \text{m}^3$	15.9	80
4	Nitrogen Dioxide as NO ₂	IS 5182 Part-6	23.6	20.1	18.7	$\mu\text{g} / \text{m}^3$	20.8	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.98	0.82	0.67	mg / m^3	0.82	2

INFERENCE

As per NAAQS Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

Hanumanthiah.P
Technical Manager

*** End of Report ***



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com

Annexure-1

MSVAL/QR/7.8/1/Test Report

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1. Name and Address of Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Name of the location : Near Main Gate
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sampling Equipments : Sample collected with RDS, FPS & CO Meter.
5. Duration of Monitoring : 24 Hours
6. Date of Monitoring : 29.11.2025
7. Date of Sample Receipt : 01.12.2025
8. Analysis Starting Date : 01.12.2025
9. Analysis Completion Date : 06.12.2025
10. Report Issue Date : 08.12.2025
11. Sampling Protocol : IS 5182:Part 14
12. Latitude : 16.311643
13. Longitude : 77.358016

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Ambient Air

Test Report No: MSVAL/2025/5700

S. No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			11650	11651	11652			
6	Carbon Dioxide as CO ₂	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H ₂ S	IS-5182 Part-7	BDL	BDL	BDL	µg/m ²	BDL	--

INFERENCE

As per NAAQS Standards, BDL - Below Detectable Limit
Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

Hanumanthiah.P
Technical Manager

*** End of Report ***



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

ಆಯುಧ



GPS Map



Google

Chicksugar, Karnataka, India 

100% Export Oriented Unit, Plot #33, Raichur Growth Ce

33a & 40 To 47, Chicksugar, Karnataka 584134, India

Lat 16.311643° Long 77.358016°

29/11/2025 09:20 AM GMT +05:30



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (D) : 08392-255169,
E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



Ammeur-1

MSVAL/QR/7.B/1/Test Report

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1. Name and Address of Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Name of the location : Near Production Block Between C&D
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sampling Equipments : Sample collected with RDS, FPS & CO Meter.
5. Duration of Monitoring : 24 Hours
6. Date of Monitoring : 29.11.2025
7. Date of Sample Receipt : 01.12.2025
8. Analysis Starting Date : 01.12.2025
9. Analysis Completion Date : 06.12.2025
10. Report Issue Date : 08.12.2025
11. Sampling Protocol : IS 5182:Part 14
12. Latitude : 16.3111643
13. Longitude : 77.358016

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Ambient Air

ULR No: TC40712500028625F

S. No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			AAQ/5491	AAQ/5492	AAQ/5493			
1	Particulate Matter (Size less than 10 µm) PM ₁₀	IS 5182 Part-23	65.2	58.7	53.6	µg / m ³	59.2	100
2	Particulate Matter (Size less than 2.5 µm) or PM _{2.5}	IS 5182 Part 24	31.5	28.7	19.2	µg / m ³	26.5	60
3	Sulphur Dioxide as SO ₂	IS 5182 Part-2	11.2	8.9	7.6	µg / m ³	9.2	80
4	Nitrogen Dioxide as NO ₂	IS 5182 Part-6	18.2	15.6	13.2	µg / m ³	15.7	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.52	0.43	0.27	mg / m ³	0.41	2

INFERENCE

As per NAAQS Standards
Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

Hanumanthaiah.P
Technical Manager

*** End of Report***



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com

Annexure - 1

MSVAL/QR/7.8/1/Test Report

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1. Name and Address of Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Name of the location : Near Production Block Between C&D
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sampling Equipments : Sample collected with RDS, FPS & CO Meter.
5. Duration of Monitoring : 24 Hours
6. Date of Monitoring : 29.11.2025
7. Date of Sample Receipt : 01.12.2025
8. Analysis Starting Date : 01.12.2025
9. Analysis Completion Date : 06.12.2025
10. Report Issue Date : 08.12.2025
11. Sampling Protocol : IS 5182 : Part 14
12. Latitude : 16.3111643
13. Longitude : 77.358016

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Ambient Air

Test Report No: MSVAL/2025/5701

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			11653	11654	11655			
6	Carbon Dioxide as CO ₂	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H ₂ S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/m ²	BDL	--

INFERENCE

As per NAAQS Standards, BDL - Below Detectable Limit
Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory


Hanumanthaiah.P
Technical Manager

*** End of Report ***




- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annex-1



GPS Map

Chicksugur, Karnataka, India 
100% Export Oriented Unit, Plot #33, Raichur Growth Ce
33a & 40 To 47, Chicksugur, Karnataka 584134, India
Lat 16.311643° Long 77.358016°
29/11/2025 09:47 AM GMT +05:30



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



Annexure-1

MSVAL/QR/7.8/1/Test Report

ANALYSIS REPORT OF AMBIENT AIR QUALITY

- Name and Address of Industry** : M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
- Name of the location** : Near Main Gate
- Sample Collected By** : MSV Analytical Laboratories, Bellary.
- Particulars of the sampling Equipments** : Sample collected with RDS, FPS & CO Meter.
- Duration of Monitoring** : 24 Hours
- Date of Monitoring** : 28.10.2025
- Date of Sample Receipt** : 29.10.2025
- Analysis Starting Date** : 29.10.2025
- Analysis Completion Date** : 03.11.2025
- Report Issue Date** : 03.11.2025
- Sampling Protocol** : IS 5182:Part 14
- Latitude** : 16.310147
- Longitude** : 77.357666

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Ambient Air

ULR No: TC407125000024788F

S. No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			4348	4349	4350			
1	Particulate Matter (Size less than 10 µm)PM ₁₀	IS 5182 Part-23	80.1	75.8	68.0	µg / m ³	74.6	100
2	Particulate Matter (Size less than 2.5 µm) or PM _{2.5}	IS 5182 Part 24	28.0	26.2	22.6	µg / m ³	25.6	60
3	Sulphur Dioxide as SO ₂	IS 5182 Part-2	16.5	14.8	12.1	µg / m ³	14.5	80
4	Nitrogen Dioxide as NO ₂	IS 5182 Part-6	22.6	20.1	18.8	µg / m ³	20.5	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.38	0.34	0.29	mg / m ³	0.34	2

INFERENCE

As per NAAQS Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

Hanumanthaiah.P
Technical Manager

*** End of Report ***



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com

ANALYSIS REPORT

MSVAL/QR/7.8/1/Test Report

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1. Name and Address of Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Name of the location : Near Main Gate
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sampling Equipments : Sample collected with RDS, FPS & CO Meter.
5. Duration of Monitoring : 24 Hours
6. Date of Monitoring : 28.10.2025
7. Date of Sample Receipt : 29.10.2025
8. Analysis Starting Date : 29.10.2025
9. Analysis Completion Date : 03.11.2025
10. Report Issue Date : 03.11.2025
11. Sampling Protocol : IS 5182:Part 14
12. Latitude : 16.310147
13. Longitude : 77.357666

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Ambient Air

Test Report No: MSVAL/2025/4708

S. No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			10200	10201	10202			
6	Carbon Dioxide as CO ₂	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H ₂ S	IS-5182 Part-7	BDL	BDL	BDL	µg/ m ²	BDL	--

INFERENCE	As per NAAQS Standards, BDL - Below Detectable Limit Report Status :- The analyzed values for above measured parameter are within the limits
-----------	---

Analysed by

Authorized Signatory


Hanumanthaiah.P
Technical Manager

*** End of Report ***



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Ahalya - 1



GPS Map Camera

Chicksugur, Karnataka, India

30, Chicksugur, Karnataka 584134, India

Lat 16.310147° Long 77.357666°

28/10/2025 09:28 AM GMT +05:30

Google



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC- 4071

Annex-1

MSVAL/QR/7.8/1/Test Report

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1. Name and Address of Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Name of the location : Near Production Block Between C&D
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sampling Equipments : Sample collected with RDS, FPS & CO Meter.
5. Duration of Monitoring : 24 Hours
6. Date of Monitoring : 28.10.2025
7. Date of Sample Receipt : 29.10.2025
8. Analysis Starting Date : 29.10.2025
9. Analysis Completion Date : 03.11.2025
10. Report Issue Date : 03.11.2025
11. Sampling Protocol : IS 5182:Part 14
12. Latitude : 16.310555
13. Longitude : 77.35602

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Ambient Air

ULR No: TC407125000024789F

S. No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			4351	4352	4353			
1	Particulate Matter (Size less than 10 µm) PM ₁₀	IS 5182 Part-23	68.1	65.6	60.4	µg / m ³	64.7	100
2	Particulate Matter (Size less than 2.5 µm) or PM _{2.5}	IS 5182 Part 24	26.3	24.6	20.1	µg / m ³	23.7	60
3	Sulphur Dioxide as SO ₂	IS 5182 Part-2	14.0	12.1	10.8	µg / m ³	12.3	80
4	Nitrogen Dioxide as NO ₂	IS 5182 Part-6	22.4	20.5	16.1	µg / m ³	19.7	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.34	0.30	0.28	mg / m ³	0.31	2

INFERENCE

As per NAAQS Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

Hanumanthaiah.P
Technical Manager

*** End of Report ***



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03885, (O) : 08392-255169,

E-mail : msvballary2018@gmail.com, labmsv@gmail.com, Website : www.msvballary.com

Annexure - 1

MSVAL/QR/7.8/1/Test Report

ANALYSIS REPORT OF AMBIENT AIR QUALITY

- Name and Address of Industry** : M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
- Name of the location** : Near Production Block Between C&D
- Sample Collected By** : MSV Analytical Laboratories, Bellary.
- Particulars of the sampling Equipments** : Sample collected with RDS, FPS & CO Meter.
- Duration of Monitoring** : 24 Hours
- Date of Monitoring** : 28.10.2025
- Date of Sample Receipt** : 29.10.2025
- Analysis Starting Date** : 29.10.2025
- Analysis Completion Date** : 03.11.2025
- Report Issue Date** : 03.11.2025
- Sampling Protocol** : IS 5182 : Part 14
- Latitude** : 16.310555
- Longitude** : 77.35602

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Ambient Air

Test Report No: MSVAL/2025/4709

S. No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			10203	10204	10205			
6	Carbon Dioxide as CO ₂	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H ₂ S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/m ²	BDL	--

INFERENCE	As per NAAQS Standards, BDL - Below Detectable Limit Report Status :- The analyzed values for above measured parameter are within the limits
------------------	---

Analyse d by

Authorized Signatory


Hanumanthaiah.P
Technical Manager

*** End of Report ***



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure - 1





MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.18 T.S.No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC- 4071

Anne White - 2

MSVAL/W/RF/01/00

ANALYSIS REPORT OF WATER QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Marked as	:	Bore Well Water
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Sample quantity	:	Pet Bottle, 2 Liter.
5.	Sample Description/condition	:	Water/Good
6.	Date of Sample Collection	:	25.12.2025
7.	Date of sample receipt	:	26.12.2025
8.	Sample Code	:	W/2867
9.	Analysis Starting Date	:	26.12.2025
10.	Analysis Completion Date	:	30.12.2025
11.	Report Issue Date	:	31.12.2025

Discipline: Chemical Group: Water Sub Group: Ground Water ULR No: TC407124000030939F

S.No	Parameters	Protocol	Unit	Result	IS 10500-2018	
					Acceptable limit	Permissible Limit
Physical Parameters						
1	Colour	IS : 3025 (Part-4)	Hazen	<5	5	15
2	Odour	IS : 3025 (Part-5)	---	Agreeable	Agreeable	Agreeable
3	pH	IS : 3025 (Part-11)	---	7.19	6.5 - 8.5	No Relaxation
4	Taste	IS : 3025 (Part-8)	--	Agreeable	Agreeable	Agreeable
5	Turbidity	IS : 3025 (Part-10)	NTU	0.2	1	5
6	Total Dissolved Solids	IS : 3025 (Part-16)	mg/l	690	500	2000
Chemical Parameters						
7	Total Alkalinity as CaCO ₃	IS : 3025 (Part-23)	mg/l	176.8	200	600
8	Total Hardness as CaCO ₃	IS : 3025 (Part-21)	mg/l	202	200	600
9	Calcium as Ca	IS : 3025 (Part-40)	mg/l	48.6	75	200
10	Magnesium as Mg	IS : 3025 (Part-46)	mg/l	19.5	30	100
11	Sulphate as SO ₄	IS : 3025 (Part-24)	mg/l	58	200	400
12	Chloride as Cl	IS : 3025 (Part-32)	mg/l	164.7	250	1000
13	Nitrate as NO ₃	IS : 3025 (Part-34)	mg/l	3.6	45	No Relaxation
14	Iron as Fe	IS : 3025 (Part-53)	mg/l	0.08	0.3	No Relaxation
15	Fluoride as F	IS : 3025 (Part-60)	mg/l	0.7	1.0	1.5

INFERENCE	IS 10500 - 2018 standards Report Status: - The above parameters are within the Limits.
------------------	---

Analysed by

Authorized Signatory

Hanumanthaiah.P
Technical Manager

END OF REPORT



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC- 4071

Annexur-2

MSVAL/MB/W/RF/01/00

ANALYSIS REPORT FOR WATER IN MICROBIOLOGY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Marked as	:	Bore Well Water
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Sample quantity	:	Sterilized Bottle, 250 ml
5.	Sample Description/condition	:	Water/Good
6.	Date of Sample Collection	:	25.12.2025
7.	Date of sample receipt	:	26.12.2025
8.	Sample Code	:	MB/W/2813
9.	Analysis Starting Date	:	26.12.2025
10.	Analysis Completion Date	:	30.12.2025
11.	Report Issue Date	:	31.12.2025

Discipline: Biological Group: Water Sub Group: Ground Water ULR No: TC407124000030940F

RESULTS

Parameters	Protocol	Unit	Result	Acceptable limit As per 10500 : 2018
Total Coli form Bacteria	IS 15185:2016	/100ml	Absent	Shall not be
Escherichia-Coli	IS 15185:2016	/100ml	Absent	detectable in 100ml

INFERENCE The test result meets the bacteriological specification of IS 10500:2018.

Analyzed by

Authorized Signatory

Ms. Renukamma
Quality Manager

END OF REPORT



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure-3
DG Set Acoustic Enclosure



Annexure-3
DG Set Acoustic Enclosure





MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255189,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



Assembly

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG - Set 625KVA- 1
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	25.12.2025
5.	Date of Sample Receipt	:	26.12.2025
6.	Sample Code	:	SE/4532
7.	Analysis Starting Date	:	26.12.2025
8.	Analysis Completion Date	:	30.12.2025
9.	Report Issue date	:	31.12.2025
10.	Latitude	:	16.309635
11.	Longitude	:	77.356762

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000030928F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	30
Stack Temperature (°C)	44
Velocity (m/s)	5.7
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	68.9	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	14.1	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	20.9	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--

Analysed by

Authorized Signatory


Hanumanthaiah P
Technical Manager

-: END OF REPORT:-



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

ಚಿಕ್ಕಸುಗರ್-4



Chicksugur, Karnataka, India

8954+rc3, Chicksugur, Karnataka 584134, India

Lat 16.309635° Long 77.356762°

25/12/2025 10:06 AM GMT +05:30

Google

GPS Map



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



Annexure - 4

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG - Set 625KVA- II
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	25.12.2025
5.	Date of Sample Receipt	:	26.12.2025
6.	Sample Code	:	SE/4533
7.	Analysis Starting Date	:	26.12.2025
8.	Analysis Completion Date	:	30.12.2025
9.	Report Issue date	:	31.12.2025
10.	Latitude	:	16.309635
11.	Longitude	:	77.356762

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000030929F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	33
Stack Temperature (°C)	50
Velocity (m/s)	5.8
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	72.9	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	14.5	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	26.0	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--

Analysed by

CA

Authorized Signatory


Hanumanthaiah P
Technical Manager

-: END OF REPORT:-



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Антенна-4



GPS Map

Chicksugur, Karnataka, India

8954+rc3, Chicksugur, Karnataka 584134, India

Lat 16.309635° Long 77.356762°

25/12/2025 11:50 AM GMT +05:30

Google



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (D) : 08392-255169,

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC- 4071

Annexure-6

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG - Set 625KVA- III
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	25.12.2025
5.	Date of Sample Receipt	:	26.12.2025
6.	Sample Code	:	SE/4534
7.	Analysis Starting Date	:	26.12.2025
8.	Analysis Completion Date	:	30.12.2025
9.	Report Issue date	:	31.12.2025
10.	Latitude	:	16.309635
11.	Longitude	:	77.356762

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000030930F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	32
Stack Temperature (°C)	44
Velocity (m/s)	5.9
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	50.2	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	19.0	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	26.5	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--

Analysed by

Authorized Signatory

Hanumanthaiah. P
Hanumanthaiah. P
Technical Manager

-: END OF REPORT:-



Note: 1. The results listed only to the tested samples & applicable parameters.


2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified

Ameyur - 4



GPS Map

Chicksugur, Karnataka, India

8954+rc3, Chicksugur, Karnataka 584134, India

Lat 16.309635° Long 77.356762°

25/12/2025 10:58 AM GMT +05:30

Google



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.18, T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC- 4071

Handwritten signature

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG - Set 750 KVA-IV
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	25.12.2025
5.	Date of Sample Receipt	:	26.12.2025
6.	Sample Code	:	SE/4535
7.	Analysis Starting Date	:	26.12.2025
8.	Analysis Completion Date	:	30.12.2025
9.	Report Issue date	:	31.12.2025
10.	Latitude	:	16.309635
11.	Longitude	:	77.356762

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000030931F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	32
Stack Temperature (°C)	56
Velocity (m/s)	6.0
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	69.9	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	18.6	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	26.1	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Handwritten signature

Authorized Signatory


Handwritten signature
Hanumanthaiah P
Technical Manager

- END OF REPORT -



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Атомик-4



GPS Map

Chicksugur, Karnataka, India

8954+rc3, Chicksugur, Karnataka 584134, India

Lat 16.309635° Long 77.356762°

25/12/2025 10:06 AM GMT +05:30

Google



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

Annex-4

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG - Set 625KVA- I
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	20.02.2026
5.	Date of Sample Receipt	:	21.02.2026
6.	Sample Code	:	SE/1255
7.	Analysis Starting Date	:	21.02.2026
8.	Analysis Completion Date	:	25.02.2026
9.	Report Issue date	:	26.02.2026
10.	Latitude	:	16.309605
11.	Longitude	:	77.356788

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000005529F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	33
Stack Temperature (°C)	65
Velocity (m/s)	5.7
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.1965

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	70.6	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	18.5	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	22.1	50

INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthiah P
Technical Manager



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified

Агрегат - 4



GPS Map Camera

Chicksugur, Karnataka, India

8954+rc3, Chicksugur, Karnataka 584134, India

Lat 16.309605° Long 77.356788°

20/02/2026 10:56 AM GMT +05:30

Google



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakalku Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC- 4071

Annexure-4

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG - Set 625KVA- II
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	20.02.2026
5.	Date of Sample Receipt	:	21.02.2026
6.	Sample Code	:	SE/1256
7.	Analysis Starting Date	:	21.02.2026
8.	Analysis Completion Date	:	25.02.2026
9.	Report Issue date	:	26.02.2026
10.	Latitude	:	16.309628
11.	Longitude	:	77.356797

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000005530F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	33
Stack Temperature (°C)	62
Velocity (m/s)	5.6
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.1965

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	66.3	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	13.8	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	24.1	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--

Analysed by

Authorized Signatory


Hanumanthiah P
Technical Manager

END OF REPORT



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

887 нехук-4



GPS Map Camera

Chicksugur, Karnataka, India

8954+rc3, Chicksugur, Karnataka 584134, India

Lat 16.309628° Long 77.356797°

20/02/2026 10:13 AM GMT +05:30

Google



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



Annexure-4

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG - Set 625KVA- III
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	20.02.2026
5.	Date of Sample Receipt	:	21.02.2026
6.	Sample Code	:	SE/1257
7.	Analysis Starting Date	:	21.02.2026
8.	Analysis Completion Date	:	25.02.2026
9.	Report Issue date	:	26.02.2026
10.	Latitude	:	16.309599
11.	Longitude	:	77.356982

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000005531F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	32
Stack Temperature (°C)	68
Velocity (m/s)	5.9
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.1965

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	52.8	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	22.6	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	27.1	50

INFERENCE As per KSPCB Standards
Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah. P
Technical Manager

END OF REPORT



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure-4



GPS Map Camera

Chicksugur, Karnataka,
India

59, Chicksugur, Karnataka 584134, India

Lat 16.309599° Long 77.356982°

20/02/2026 11:46 AM GMT +05:30

Google



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC- 4071

Annexure - 4

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG - Set 750 KVA-IV
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	20.02.2026
5.	Date of Sample Receipt	:	21.02.2026
6.	Sample Code	:	SE/1258
7.	Analysis Starting Date	:	21.02.2026
8.	Analysis Completion Date	:	25.02.2026
9.	Report Issue date	:	26.02.2026
10.	Latitude	:	16.309635
11.	Longitude	:	77.356762

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC4071260000005532F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	32
Stack Temperature (°C)	73
Velocity (m/s)	6.2
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.1964

RESULTS


Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	74.3	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	23.6	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	28.1	50

INFERENCE As per KSPCB Standards
Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellari - 583103 Contact No : Mob : 94498-03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



Annexure-4

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG - Set 625KVA- I
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	14.01.2026
5.	Date of Sample Receipt	:	15.01.2026
6.	Sample Code	:	SE/353
7.	Analysis Starting Date	:	15.01.2026
8.	Analysis Completion Date	:	22.01.2026
9.	Report Issue date	:	23.01.2026
10.	Latitude	:	16.31165
11.	Longitude	:	77.358042

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000001236F
GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	31
Stack Temperature (°C)	63
Velocity (m/s)	5.8
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	72.34	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	17.6	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	24.3	50

INFERENCE As per KSPCB Standards
Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory


Hanumanthaiah P
Technical Manager

- END OF REPORT -



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure -4



GPS Map Camera

Chicksugur, Karnataka, India

100% Export Oriented Unit, Plot #33, Raichur
Growth Centre, 33a & 40 To 47, Chicksugur,
Karnataka 584134, India

Lat 16.31165° Long 77.358042°

14/01/2026 10:59 AM GMT +05:30

Google



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



Annexure-4

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG - Set 625KVA- II
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	14.01.2026
5.	Date of Sample Receipt	:	15.01.2026
6.	Sample Code	:	SE/354
7.	Analysis Starting Date	:	15.01.2026
8.	Analysis Completion Date	:	22.01.2026
9.	Report Issue date	:	23.01.2026
10.	Latitude	:	16.31165
11.	Longitude	:	77.358042

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000001237F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	31
Stack Temperature (°C)	66
Velocity (m/s)	5.9
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	68.4	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	12.1	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	23.5	50

INFERENCE As per KSPCB Standards
Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by


Authorized Signatory

Hanumanthaiah P
Technical Manager



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure-4



Chicksugur, Karnataka, India

100% Export Oriented Unit, Plot #33, Raichur
Growth Centre, 33a & 40 To 47, Chicksugur,
Karnataka 584134, India

Lat 16.31165° Long 77.358042°

14/01/2026 10:10 AM GMT +05:30

Google

GPS Map C



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 895/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



Annex-4

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG - Set 625KVA- III
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	14.01.2026
5.	Date of Sample Receipt	:	15.01.2026
6.	Sample Code	:	SE/355
7.	Analysis Starting Date	:	15.01.2026
8.	Analysis Completion Date	:	22.01.2026
9.	Report Issue date	:	23.01.2026
10.	Latitude	:	16.31165
11.	Longitude	:	77.358042

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC40712600001238F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	31
Stack Temperature (°C)	69
Velocity (m/s)	6.0
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	54.6	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	24.8	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	29.3	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--

Analysed by

Authorized Signatory

Hanumanthalah P
Technical Manager



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure 4





MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakalku Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC-4071

Annexure-4

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG - Set 750 KVA-IV
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	14.01.2026
5.	Date of Sample Receipt	:	15.01.2026
6.	Sample Code	:	SE/356
7.	Analysis Starting Date	:	15.01.2026
8.	Analysis Completion Date	:	22.01.2026
9.	Report Issue date	:	23.01.2026
10.	Latitude	:	16.309635
11.	Longitude	:	77.356762

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000001239F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	32
Stack Temperature (°C)	75
Velocity (m/s)	6.2
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	73.1	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	22.6	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	29.5	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory

Hanumanthiah P
Technical Manager

-: END OF REPORT



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



Annexure-4

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG - Set 625KVA- I
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	25.03.2026
5.	Date of Sample Receipt	:	26.03.2026
6.	Sample Code	:	SE/1989
7.	Analysis Starting Date	:	26.03.2026
8.	Analysis Completion Date	:	30.03.2026
9.	Report Issue date	:	31.03.2026
10.	Latitude	:	16.309605
11.	Longitude	:	77.356788

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000008520F
GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	32
Stack Temperature (°C)	64
Velocity (m/s)	5.8
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.1965

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	71.5	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	16.2	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	20.3	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annex-4



GPS Map Camera

Chicksugur, Karnataka, India

8954+rc3, Chicksugur, Karnataka 584134, India
Lat 16.309605° Long 77.356788°
25/03/2026 10:52 AM GMT +05:30

Google



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvballary2018@gmail.com, labmsv@gmail.com, Website : www.msvballary.com



Annexure-4

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG - Set 625KVA- II
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	25.03.2026
5.	Date of Sample Receipt	:	26.03.2026
6.	Sample Code	:	SE/1990.
7.	Analysis Starting Date	:	26.03.2026
8.	Analysis Completion Date	:	30.03.2026
9.	Report Issue date	:	31.03.2026
10.	Latitude	:	16.309628
11.	Longitude	:	77.356797

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC40712600008521F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	32
Stack Temperature (°C)	64
Velocity (m/s)	5.8
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.1965

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	64.1	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	11.8	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	23.5	50

INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthalah P
Technical Manager



Note: 1. The results listed only to the tested samples & applicable parameters.


2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified

Annexure-4



GPS Map Camera

Chicksugur, Karnataka, India

8954+rc3, Chicksugur, Karnataka 584134, India

Lat 16.309628° Long 77.356797°

25/03/2026 10:18 AM GMT +05:30

Google



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC-4071

Annex-4

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG - Set 625KVA- III
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	25.03.2026
5.	Date of Sample Receipt	:	26.03.2026
6.	Sample Code	:	SE/1991
7.	Analysis Starting Date	:	26.03.2026
8.	Analysis Completion Date	:	30.03.2026
9.	Report Issue date	:	31.03.2026
10.	Latitude	:	16.31165
11.	Longitude	:	77.358042

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC40712600008522F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	33
Stack Temperature (°C)	64
Velocity (m/s)	5.7
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.1965

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	52.8	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	20.1	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	25.4	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--

Analysed by

Authorized Signatory


Hanumanthaiah. P
Technical Manager

--- END OF REPORT ---



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annex-4



GPS Map Camera

Chicksugar, Karnataka, India

100% Export Oriented Unit, Plot #33, Raichur
Growth Centre, 33a & 40 To 47, Chicksugar,
Karnataka 584134, India

Lat 16.31165° Long 77.358042°

25/03/2026 11:43 AM GMT +05:30

Google



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvballary2018@gmail.com, labmsv@gmail.com, Website : www.msvballary.com



Annexure-4

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG - Set 750 KVA-IV
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	25.03.2026
5.	Date of Sample Receipt	:	26.03.2026
6.	Sample Code	:	SE/1992
7.	Analysis Starting Date	:	26.03.2026
8.	Analysis Completion Date	:	30.03.2026
9.	Report Issue date	:	31.03.2026
10.	Latitude	:	16.309635
11.	Longitude	:	77.356762

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000008523F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	33
Stack Temperature (°C)	70
Velocity (m/s)	6.8
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	72.5	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	21.2	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	27.3	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory

Hanumanthiah P
Technical Manager



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 895/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

Annexure - 4

MSVAL/QR/7.8/1/Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2,
Plot No. 33, 33A, 40-47, Raichur Industrial Growth
Center, Chicksugur village, Raichur.
2. Stack ID : Boiler - 10TPH & 6TPH
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 29.11.2025
5. Date of Sample Receipt : 01.12.2025
6. Sample Code : SE/3935
7. Analysis Starting Date : 01.12.2025
8. Analysis Completion Date : 06.12.2025
9. Report Issue date : 08.12.2025
10. Latitude : 16.311643
11. Longitude : 77.358016

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

ULR No: TC407125000028626F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	30.2
Stack Temperature (°C)	134
Velocity (m/s)	7.8
Height (m)	30 mtr AGL
Diameter (m)	1.12
Cross sectional area (m ²)	0.9856

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS 11255 Part-3	m ³ /hr	27675.6	---
Particulate Matter	IS 11255 Part-1	mg/Nm ³	79.8	150
Sulphur dioxide	IS 11255 Part-2	PPM	BDL	100
Nitrogen dioxide	IS 11255 Part-7	PPM	30.2	50
Acid mist(HCl Mist)	MSVAL/SOP/USEPA/SE/002	mg/Nm ³	BDL	35
Carbon Monoxide as CO	IS 13270	PPM	58	<150
Carbon Dioxide as CO ₂	(Orsat Apparatus USEPA 3A:1989)	%	10.1	<12

INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory


Hanumanthaiah.P
Technical Manager

*** End of Report ***



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure-4



GPS Map

Chicksugur, Karnataka, India 

100% Export Oriented Unit, Plot #33, Raichur Growth Ce

33a & 40 To 47, Chicksugur, Karnataka 584134, India

Lat 16.311643° Long 77.358016°

29/11/2025 12:40 PM GMT +05:30

Google



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC- 4071

Annexure-4

MSVAL/QR/7.8/1/Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2,
Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center,
Chicksugur village, Raichur.
2. Stack ID : DG - Set 625KVA- I
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 29.11.2025
5. Date of Sample Receipt : 01.12.2025
6. Sample Code : SE/3940
7. Analysis Starting Date : 01.12.2025
8. Analysis Completion Date : 06.12.2025
9. Report Issue date : 08.12.2025
10. Latitude : 16.311643
11. Longitude : 77.358016

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

ULR No: TC407125000028631F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	30
Stack Temperature (°C)	94
Velocity (m/s)	7.2
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS 11255 Part-1	mg/Nm ³	48.7	150
Sulphur dioxide	IS 11255 Part-2	mg/Nm ³	15.2	100
Nitrogen dioxide	IS 11255 Part-7	mg/Nm ³	28.4	50

INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory


Hanumanthaiah.P
Technical Manager

*** End of Report ***



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure -4



GPS Map

Chicksugur, Karnataka, India 

100% Export Oriented Unit, Plot #33, Raichur Growth Ce

33a & 40 To 47, Chicksugur, Karnataka 584134, India

Lat 16.311643° Long 77.358016°

29/11/2025 10:29 AM GMT +05:30

Google 



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08382-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



Annexure-4

MSVAL/QR/7.8/1/Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2,
Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center,
Chicksugur village, Raichur.
2. Stack ID : DG - Set 625KVA- II
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 29.11.2025
5. Date of Sample Receipt : 01.12.2025
6. Sample Code : SE/3941
7. Analysis Starting Date : 01.12.2025
8. Analysis Completion Date : 06.12.2025
9. Report Issue date : 08.12.2025
10. Latitude : 16.311643
11. Longitude : 77.358016

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

ULR No: TC407125000028632F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	30
Stack Temperature (°C)	90
Velocity (m/s)	7.5
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS 11255 Part-1	mg/Nm ³	59.6	150
Sulphur dioxide	IS 11255 Part-2	mg/Nm ³	20.2	100
Nitrogen dioxide	IS 11255 Part-7	mg/Nm ³	31.6	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory


Hanumanthaiah.P
Technical Manager

*** End of Report ***




- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Amnemy



GPS Map

Chicksugur, Karnataka, India 

100% Export Oriented Unit, Plot #33, Raichur Growth Ce

33a & 40 To 47, Chicksugur, Karnataka 584134, India

Lat 16.311643° Long 77.358016°

29/11/2025 10:59 AM GMT +05:30

Google



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC- 4071

Annexure - 4

MSVAL/QR/7.8/1/Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2,
Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center,
Chicksugur village, Raichur.
2. Stack ID : DG - Set 625KVA- III
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 29.11.2025
5. Date of Sample Receipt : 01.12.2025
6. Sample Code : SE/3942
7. Analysis Starting Date : 01.12.2025
8. Analysis Completion Date : 06.12.2025
9. Report Issue date : 08.12.2025
10. Latitude : 16.311643
11. Longitude : 77.358016

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

ULR No: TC40712500028634F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	31
Stack Temperature (°C)	79
Velocity (m/s)	7.3
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS 11255 Part-1	mg/Nm ³	48.6	150
Sulphur dioxide	IS 11255 Part-2	mg/Nm ³	19.1	100
Nitrogen dioxide	IS 11255 Part-7	mg/Nm ³	28.6	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--

Analysed by

Authorized Signatory


Hanumanthaiah.P
Technical Manager

*** End of Report ***



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure-4





MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC- 4071

Annexure-4

MSVAL/QR/7.8/1/Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2,
Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center,
Chicksugur village, Raichur.
2. Stack ID : DG - Set 750 KVA-IV
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 29.11.2025
5. Date of Sample Receipt : 01.12.2025
6. Sample Code : SE/3943
7. Analysis Starting Date : 01.12.2025
8. Analysis Completion Date : 06.12.2025
9. Report Issue date : 08.12.2025
10. Latitude : 16.311642
11. Longitude : 77.358015

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

ULR No: TC407125000028635F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	32
Stack Temperature (°C)	88
Velocity (m/s)	7.5
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS 11255 Part-1	mg/Nm ³	45.3	150
Sulphur dioxide	IS 11255 Part-2	mg/Nm ³	12.9	100
Nitrogen dioxide	IS 11255 Part-7	mg/Nm ³	21.6	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--

Analysed by

Authorized Signatory

Hanumanthiah.P
Technical Manager

*** End of Report ***



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail ; msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC-4071

Annexure-4

MSVAL/QR/7.8/1/Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID : DG - Set 625KVA-1
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 28.10.2025
5. Date of Sample Receipt : 29.10.2025
6. Sample Code : SE/3230
7. Analysis Starting Date : 29.10.2025
8. Analysis Completion Date : 03.11.2025
9. Report Issue date : 03.11.2025
10. Latitude : 16.311655
11. Longitude : 77.35954

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

ULR No: TC407125000024795F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	32
Stack Temperature (°C)	89
Velocity (m/s)	6.3
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS 11255 Part-1	mg/Nm ³	55.8	150
Sulphur dioxide	IS 11255 Part-2	mg/Nm ³	18.3	100
Nitrogen dioxide	IS 11255 Part-7	mg/Nm ³	24.6	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--

Analysed by

Authorized Signatory


Hanumanthah.P
Technical Manager

*** End of Report ***



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annex-4





MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.18 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255168,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



Annexure - 4

MSVAL/QR/7.8/1/Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2,
Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center,
Chicksugur village, Raichur.
2. Stack ID : DG - Set 625KVA - II
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 28.10.2025
5. Date of Sample Receipt : 29.10.2025
6. Sample Code : SE/3231
7. Analysis Starting Date : 29.10.2025
8. Analysis Completion Date : 03.11.2025
9. Report Issue date : 03.11.2025
10. Latitude : 16.309643
11. Longitude : 77.35679

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

ULR No: TC407125000024796F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	32
Stack Temperature (°C)	84
Velocity (m/s)	6.2
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS 11255 Part-1	mg/Nm ³	65.5	150
Sulphur dioxide	IS 11255 Part-2	mg/Nm ³	18.6	100
Nitrogen dioxide	IS 11255 Part-7	mg/Nm ³	29.4	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--

Analysed by

Authorized Signatory


Hanumanthaiah.P
Technical Manager

*** End of Report ***




- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure-4



GPS Map Camera

Chicksugur, Karnataka, India 

8954+rc3, Chicksugur, Karnataka 584134, India

Lat 16.309643° Long 77.35679°

28/10/2025 10:19 AM GMT +05:30

Google



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakalhu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC-4071

Annexure-4

MSVAL/QR/7.8/1/Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2,
Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center,
Chicksugur village, Raichur.
2. StackID : DG - Set 625KVA- III
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 28.10.2025
5. Date of Sample Receipt : 29.10.2025
6. Sample Code : SE/3232
7. Analysis Starting Date : 29.10.2025
8. Analysis Completion Date : 03.11.2025
9. Report Issue date : 03.11.2025
10. Latitude : 16.309515
11. Longitude : 77.356962

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

ULR No: TC407125000024797F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	30
Stack Temperature (°C)	74
Velocity (m/s)	6.5
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS 11255 Part-1	mg/Nm ³	53.2	150
Sulphur dioxide	IS 11255 Part-2	mg/Nm ³	17.2	100
Nitrogen dioxide	IS 11255 Part-7	mg/Nm ³	24.3	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--

Analysed by

Authorized Signatory


Hanumanthaiah.P
Technical Manager

*** End of Report ***



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure-4



GPS Map Camera

Chicksugur, Karnataka, India 

59, Chicksugur, Karnataka 584134, India

Lat 16.309515° Long 77.356962°

28/10/2025 11:39 AM GMT +05:30

Google



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

Annex-4

MSVAL/QR/7.8/1/Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2,
Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center,
Chicksugur village, Raichur.
2. Stack ID : DG - Set 750 KVA-IV
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 28.10.2025
5. Date of Sample Receipt : 29.10.2025
6. Sample Code : SE/3233
7. Analysis Starting Date : 29.10.2025
8. Analysis Completion Date : 03.11.2025
9. Report Issue date : 03.11.2025
10. Latitude : 16.311642
11. Longitude : 77.358015

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

ULR No: TC407125000024798F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	30
Stack Temperature (°C)	82
Velocity (m/s)	6.9
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS 11255 Part-1	mg/Nm ³	48.3	150
Sulphur dioxide	IS 11255 Part-2	mg/Nm ³	15.5	100
Nitrogen dioxide	IS 11255 Part-7	mg/Nm ³	19.2	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory

Hanumanthalah.P
Technical Manager

*** End of Report ***



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or In part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No. 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



Annure-5

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-I Block -Intermediate Area-SCR-02
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	25.12.2025
5.	Date of Sample Receipt	:	26.12.2025
6.	Sample Code	:	SE/4526
7.	Analysis Starting Date	:	26.12.2025
8.	Analysis Completion Date	:	30.12.2025
9.	Report Issue date	:	31.12.2025
10.	Latitude	:	16.309681
11.	Longitude	:	77.356215

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000030924F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	32
Stack Temperature (°C)	38
Velocity (m/s)	4.9
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m ²)	0.06154

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m ³ /hr	1085.56	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	56.8	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm ³	15.2	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

∴ END OF REPORT ∴



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com

Annexure-1

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-I Block -Intermediate Area-SCR-02
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	25.12.2025
5.	Date of Sample Receipt	:	26.12.2025
6.	Sample Code	:	11714
7.	Analysis Starting Date	:	26.12.2025
8.	Analysis Completion Date	:	30.12.2025
9.	Report Issue date	:	31.12.2025
10.	Latitude	:	16.309681
11.	Longitude	:	77.356215

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2024/6504

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	32
Stack Temperature (°C)	38
Velocity (m/s)	4.9
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m ²)	0.06154

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.005	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--

Analysed by

Authorized Signatory


Hanumanthaiah P
Technical Manager

-: END OF REPORT:-



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

ಅನುರಂಜನ



GPS Map

Chicksugur, Karnataka, India

34/p1, Chicksugur, Karnataka 584134, India

Lat 16.310829° Long 77.355355°

25/12/2025 05:40 PM GMT +05:30

Google



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC-4071

Annexure - 5

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber- E Block -Pharma Area-SCR-03
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Date of Monitoring	:	25.12.2025
5.	Date of Sample Receipt	:	26.12.2025
6.	Sample Code	:	SE/4527
7.	Analysis Starting Date	:	26.12.2025
8.	Analysis Completion Date	:	30.12.2025
9.	Report Issue date	:	31.12.2025
10.	Latitude	:	16.310829
11.	Longitude	:	77.355355

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000030925F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	33
Stack Temperature (°C)	40
Velocity (m/s)	5.2
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m ²)	0.066

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m ³ /hr	1235.52	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	46.8	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm ³	7.2	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT:-



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (D) : 08392-255169,

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com

Annex-5

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber- E Block -Pharma Area-SCR-03
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	25.12.2025
5.	Date of Sample Receipt	:	26.12.2025
6.	Sample Code	:	11715
7.	Analysis Starting Date	:	26.12.2025
8.	Analysis Completion Date	:	30.12.2025
9.	Report Issue date	:	31.12.2025
10.	Latitude	:	16.310829
11.	Longitude	:	77.355355

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2024/6505

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	33
Stack Temperature (°C)	40
Velocity (m/s)	5.2
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m ²)	0.066

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.005	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--

Analysed by

Authorized Signatory


Hanumanthaiah P
Technical Manager

:- END OF REPORT:-



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

ಅನೇಕ-5



GPS Map

Chicksugur, Karnataka, India

33, Chicksugur, Karnataka 584134, India

Lat 16.31048° Long 77.356252°

25/12/2025 04:38 PM GMT +05:30

Google



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695(A)/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail ; msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC- 4071

Annexure-5

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-D Block -Intermediate Area-02
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	25.12.2025
5.	Date of Sample Receipt	:	26.12.2025
6.	Sample Code	:	SE/4529
7.	Analysis Starting Date	:	26.12.2025
8.	Analysis Completion Date	:	30.12.2025
9.	Report Issue date	:	31.12.2025
10.	Latitude	:	16.31048
11.	Longitude	:	77.356252

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000030926F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	32
Stack Temperature (°C)	39
Velocity (m/s)	4.9
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m ²)	0.0907

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m ³ /hr	1599.94	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	43.2	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm ³	9.5	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

:- END OF REPORT:-



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com

Annex-5

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-D Block -Intermediate Area-02
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	25.12.2025
5.	Date of Sample Receipt	:	26.12.2025
6.	Sample Code	:	11716
7.	Analysis Starting Date	:	26.12.2025
8.	Analysis Completion Date	:	30.12.2025
9.	Report Issue date	:	31.12.2025
10.	Latitude	:	16.31048
11.	Longitude	:	77.356252

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2024/6506

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	32
Stack Temperature (°C)	39
Velocity (m/s)	4.9
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m ²)	0.0907

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.003	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory


Hanumanthiah P
Technical Manager

:- END OF REPORT




- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure - 5



GPS Map

Chicksugar, Karnataka, India 
100% Export Oriented Unit, Plot #33, Raichur Growth Cell
33a & 40 To 47, Chicksugar, Karnataka 584134, India
Lat 16.311643° Long 77.358016°
25/12/2025 12:45 PM GMT +05:30

Google



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103 Contact No : Mob : 94498 03895, (O) : 08302-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

Handwritten signature

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-C Block-Intermediate Area-01
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	25.12.2025
5.	Date of Sample Receipt	:	26.12.2025
6.	Sample Code	:	SE/4531
7.	Analysis Starting Date	:	26.12.2025
8.	Analysis Completion Date	:	30.12.2025
9.	Report Issue date	:	31.12.2025
10.	Latitude	:	16.31048
11.	Longitude	:	77.356252

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000030927F

GENERAL DETAILS

Instrument Used for Sampling	* Sample collected with VSS_1
Ambient Temperature (°C)	33
Stack Temperature (°C)	39
Velocity (m/s)	5.0
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m ²)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m ³ /hr	1634.4	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	44.1	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm ³	13.8	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--


Analysed by

Handwritten signature

Authorized Signatory

Handwritten signature
Hanumanthaiah P
Technical Manager

-: END OF REPORT:-



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com

Annexure - 1

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-C Block-Intermediate Area-01
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	25.12.2025
5.	Date of Sample Receipt	:	26.12.2025
6.	Sample Code	:	11717
7.	Analysis Starting Date	:	26.12.2025
8.	Analysis Completion Date	:	30.12.2025
9.	Report Issue date	:	31.12.2025
10.	Latitude	:	16.31048
11.	Longitude	:	77.356252

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2024/6507

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	33
Stack Temperature (°C)	39
Velocity (m/s)	5.0
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m ²)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.006	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

[Signature]

Authorized Signatory


[Signature]
Hanumanthaiah P
Technical Manager

~~END OF REPORT~~



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Announcements



GPS Map

Chicksugur, Karnataka, India

33, Chicksugur, Karnataka 584134, India

Lat 16.31048° Long 77.356252°

25/12/2025 04:38 PM GMT +05:30

Google



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No.19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



Amendment

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-I Block
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	20.02.2026
5.	Date of Sample Receipt	:	21.02.2026
6.	Sample Code	:	SE/1251
7.	Analysis Starting Date	:	21.02.2026
8.	Analysis Completion Date	:	25.02.2026
9.	Report Issue date	:	26.02.2026
10.	Latitude	:	16.309862
11.	Longitude	:	77.356171

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000005525F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	32
Stack Temperature (°C)	37
Velocity (m/s)	4.5
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m ²)	0.06154

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m ³ /hr	996	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	55.1	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm ³	16.3	35

INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

M

Authorized Signatory

Hanumanthiah P
Technical Manager

:- END OF REPORT:-



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com

Signature of

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-1 Block
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	20.02.2026
5.	Date of Sample Receipt	:	21.02.2026
6.	Sample Code	:	756
7.	Analysis Starting Date	:	21.02.2026
8.	Analysis Completion Date	:	25.02.2026
9.	Report Issue date	:	26.02.2026
10.	Latitude	:	16.309862
11.	Longitude	:	77.356171

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2026/733

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	32
Stack Temperature (°C)	37
Velocity (m/s)	4.5
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m ²)	0.06154

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.005	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--

Analysed by

(Signature)

Authorized Signatory


(Signature)
Hanumanthaiah P
Technical Manager

-: END OF REPORT:-



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Ammer-f



GPS Map Camera

Chicksugur, Karnataka, India

8954+rc3, Chicksugur, Karnataka 584134, India

Lat 16.309862° Long 77.356171°

20/02/2026 02:55 PM GMT +05:30

Google



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (D) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

Annexure - 5

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugar village, Raichur.
2.	Stack ID	:	Scrubber- E Block
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	20.02.2026
5.	Date of Sample Receipt	:	21.02.2026
6.	Sample Code	:	SE/1252
7.	Analysis Starting Date	:	21.02.2026
8.	Analysis Completion Date	:	25.02.2026
9.	Report Issue date	:	26.02.2026
10.	Latitude	:	16.310681
11.	Longitude	:	77.355509

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000005526F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	32
Stack Temperature (°C)	38
Velocity (m/s)	4.7
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m ²)	0.066

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m ³ /hr	1116	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	47.4	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm ³	8.6	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction. Only.
5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com

Annexure - 5

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber- E Block
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	20.02.2026
5.	Date of Sample Receipt	:	21.02.2026
6.	Sample Code	:	757
7.	Analysis Starting Date	:	21.02.2026
8.	Analysis Completion Date	:	25.02.2026
9.	Report Issue date	:	26.02.2026
10.	Latitude	:	16.310681
11.	Longitude	:	77.355509

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2026/734

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	32
Stack Temperature (°C)	38
Velocity (m/s)	4.7
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m ²)	0.066

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.003	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--

Analysed by

[Signature]

Authorized Signatory

[Signature]
Hanumanthiah P
Technical Manager

END OF REPORT:-



Note: 1. The results listed only to the tested samples & applicable parameters:


2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified

ಚಿಕ್ಕಸುಗುರು



GPS Map Camera

Chicksugur, Karnataka,
India

34/p1, Chicksugur, Karnataka 584134, India
Lat 16.310681° Long 77.355509°
20/02/2026 05:48 PM GMT +05:30

Google



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



Annexure-5

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-D Block
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	20.02.2026
5.	Date of Sample Receipt	:	21.02.2026
6.	Sample Code	:	SE/1253
7.	Analysis Starting Date	:	21.02.2026
8.	Analysis Completion Date	:	25.02.2026
9.	Report Issue date	:	26.02.2026
10.	Latitude	:	16.310734
11.	Longitude	:	77.355887

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC4071260000005527F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	31
Stack Temperature (°C)	36
Velocity (m/s)	4.4
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m ²)	0.0907

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m ³ /hr	1436	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	43.1	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm ³	6.2	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--

Analysed by

Authorized Signatory

Hanumanthalah P
Technical Manager

--: END OF REPORT:--



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure-6

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-D Block
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	20.02.2026
5.	Date of Sample Receipt	:	21.02.2026
6.	Sample Code	:	758
7.	Analysis Starting Date	:	21.02.2026
8.	Analysis Completion Date	:	25.02.2026
9.	Report Issue date	:	26.02.2026
10.	Latitude	:	16.310734
11.	Longitude	:	77.355887

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2026/735

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	31
Stack Temperature (°C)	36
Velocity (m/s)	4.4
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m ²)	0.0907

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.003	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--

Analysed by


Authorized Signatory

Hanumantratah P
Technical Manager



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annex-5



GPS Map Camera

Wadloor, Karnataka, India 

8964+cm9, Wadloor, Karnataka 584134, India

Lat 16.310734° Long 77.355887°

20/02/2026 04:54 PM GMT +05:30

Google

www.google.com



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015; ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,

E-mail : msvabellary2018@gmail.com, labmsv@gmail.com, Website : www.msvabellary.com



TC-4071

Annexure - 1

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-C Block
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	20.02.2026
5.	Date of Sample Receipt	:	21.02.2026
6.	Sample Code	:	SE/1254
7.	Analysis Starting Date	:	21.02.2026
8.	Analysis Completion Date	:	25.02.2026
9.	Report issue date	:	26.02.2026
10.	Latitude	:	16.31065
11.	Longitude	:	77.356221

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000005528F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	31
Stack Temperature (°C)	35
Velocity (m/s)	4.4
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m ²)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m ³ /hr	1438	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	42.9	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm ³	11.3	35

INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Q

Authorized Signatory

H
Hanumanthaiah P
Technical Manager



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure-1

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-C Block
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	20.02.2026
5.	Date of Sample Receipt	:	21.02.2026
6.	Sample Code	:	759
7.	Analysis Starting Date	:	21.02.2026
8.	Analysis Completion Date	:	25.02.2026
9.	Report Issue date	:	26.02.2026
10.	Latitude	:	16.31065
11.	Longitude	:	77.356221

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2026/736

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	31
Stack Temperature (°C)	35
Velocity (m/s)	4.4
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m ²)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.008	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory


Hanumanthiah P
Technical Manager

:- END OF REPORT:-



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

ಅನಿಲಾಸಕ್ತ - 5



Chicksugar, Karnataka,
India 🇮🇳

33, Chicksugar, Karnataka 584134, India

Lat 16.31065° Long 77.356221°

20/02/2026 03:41 PM GMT +05:30

Google



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

AD-12-11-1

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-H Block
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	14.01.2026
5.	Date of Sample Receipt	:	15.01.2026
6.	Sample Code	:	129
7.	Analysis Starting Date	:	15.01.2026
8.	Analysis Completion Date	:	22.01.2026
9.	Report Issue date	:	23.01.2026
10.	Latitude	:	16.310638
11.	Longitude	:	77.356205

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2026/102

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	30
Stack Temperature (°C)	39
Velocity (m/s)	4.5
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m ²)	0.06154

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.005	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory


Hanumanthaiah P
Technical Manager

END OF REPORT



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annex-1



GPS Map Camera

Chicksugur, Karnataka,
India 

33, Chicksugur, Karnataka 584134, India

Lat 16.310638° Long 77.356205°

14/01/2026 03:58 PM GMT +05:30

Google



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



Annexure - 1

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber- AI Block
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	14.01.2026
5.	Date of Sample Receipt	:	15.01.2026
6.	Sample Code	:	SE/350
7.	Analysis Starting Date	:	15.01.2026
8.	Analysis Completion Date	:	22.01.2026
9.	Report Issue date	:	23.01.2026
10.	Latitude	:	16.310638
11.	Longitude	:	77.356205

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC40712600001233F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	30
Stack Temperature (°C)	40
Velocity (m/s)	4.8
Height (m)	3 intr AGL
Diameter (m)	0.29
Cross sectional area (m ²)	0.066

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m ³ /hr	1140.48	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	49.6	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm ³	9.3	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory

Hanumanthalah P
Technical Manager

-: END OF REPORT



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 895/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure 6

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber- AI Block
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	14.01.2026
5.	Date of Sample Receipt	:	15.01.2026
6.	Sample Code	:	130
7.	Analysis Starting Date	:	15.01.2026
8.	Analysis Completion Date	:	22.01.2026
9.	Report Issue date	:	23.01.2026
10.	Latitude	:	16.310638
11.	Longitude	:	77.356205

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2026/103

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	30
Stack Temperature (°C)	40
Velocity (m/s)	4.8
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m ²)	0.066

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.003	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory


Hanumanthaiah P
Technical Manager

:- END OF REPORT:-



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or In part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure - 5



GPS Map Camera

Chicksugur, Karnataka,
India 

33, Chicksugur, Karnataka 584134, India

Lat 16.310638° Long 77.356205°

14/01/2026 04:38 PM GMT +05:30

Google



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

Annexure-5

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-AJ Block
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	14.01.2026
5.	Date of Sample Receipt	:	15.01.2026
6.	Sample Code	:	SE/351
7.	Analysis Starting Date	:	15.01.2026
8.	Analysis Completion Date	:	22.01.2026
9.	Report Issue date	:	23.01.2026
10.	Latitude	:	16.310324
11.	Longitude	:	77.355502

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000001234F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	41
Velocity (m/s)	5.0
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m ²)	0.0907

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255 (Part-3) - 2018	m ³ /hr	1632.6	---
Particulate Matter	IS-11255 (Part-1) - 2019	mg/Nm ³	40.2	---
Sulphur dioxide	IS-11255 (Part-2) - 2019	mg/Nm ³	BDL	---
Nitrogen dioxide	IS-11255 (Part-7) - 2017	mg/Nm ³	BDL	---
Acid mist (HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm ³	6.9	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

END OF REPORT



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure - 1

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-AJ Block
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	14.01.2026
5.	Date of Sample Receipt	:	15.01.2026
6.	Sample Code	:	131
7.	Analysis Starting Date	:	15.01.2026
8.	Analysis Completion Date	:	22.01.2026
9.	Report Issue date	:	23.01.2026
10.	Latitude	:	16.310324
11.	Longitude	:	77.355502

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2026/104

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	31
Stack Temperature (°C)	41
Velocity (m/s)	5.0
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m ²)	0.0907

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.003	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory


Hanumanthaiah P
Technical Manager

:- END OF REPORT



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure - 5



GPS Map Camera

Chicksugur, Karnataka, India

34/p1, Chicksugur, Karnataka 584134, India

Lat 16.310324° Long 77.355502°

14/01/2026 5:15 PM GMT +05:30

Google



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC- 4071

Annexure - 5

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-C Block
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	14.01.2026
5.	Date of Sample Receipt	:	15.01.2026
6.	Sample Code	:	SE/352
7.	Analysis Starting Date	:	15.01.2026
8.	Analysis Completion Date	:	22.01.2026
9.	Report Issue date	:	23.01.2026
10.	Latitude	:	16.310638
11.	Longitude	:	77.356205

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000001235F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	30
Stack Temperature (°C)	38
Velocity (m/s)	4.7
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m ²)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m ³ /hr	1536.33	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	41.2	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm ³	10.6	35

INFERENCE As per KSPCB Standards
Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Handwritten signature/initials

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-C Block
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	14.01.2026
5.	Date of Sample Receipt	:	15.01.2026
6.	Sample Code	:	132
7.	Analysis Starting Date	:	15.01.2026
8.	Analysis Completion Date	:	22.01.2026
9.	Report Issue date	:	23.01.2026
10.	Latitude	:	16.310638
11.	Longitude	:	77.356205

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2026/105

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	30
Stack Temperature (°C)	38
Velocity (m/s)	4.7
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m ²)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.008	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--

Analysed by

Handwritten signature

Authorized Signatory


Handwritten signature
Hanumanthaiah P
Technical Manager

:- END OF REPORT:-



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure-5



GPS Map Camera

Chicksugur, Karnataka,
India 

33, Chicksugur, Karnataka 584134, India
Lat 16.310638° Long 77.356205°
14/01/2026 03:02 PM GMT +05:30

Google



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498-03895, (D) : 08392-255169,
E-mail : msvballary2018@gmail.com, labmsv@gmail.com, Website : www.msvballary.com



TC- 4071

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG - Set 625KVA- I
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	14.01.2026
5.	Date of Sample Receipt	:	15.01.2026
6.	Sample Code	:	SE/353
7.	Analysis Starting Date	:	15.01.2026
8.	Analysis Completion Date	:	22.01.2026
9.	Report Issue date	:	23.01.2026
10.	Latitude	:	16.31165
11.	Longitude	:	77.358042

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC40712600001236F
GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	31
Stack Temperature (°C)	63
Velocity (m/s)	5.8
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	72.3	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	17.6	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	24.3	50

INFERENCE As per KSPCB Standards
Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthalah P
Technical Manager

:- END OF REPORT



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



Annexure - 6

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugar village, Raichur.
2.	Stack ID	:	Scrubber-AI Block -02
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	25.03.2026
5.	Date of Sample Receipt	:	26.03.2026
6.	Sample Code	:	SE/1985
7.	Analysis Starting Date	:	26.03.2026
8.	Analysis Completion Date	:	30.03.2026
9.	Report Issue date	:	31.03.2026
10.	Latitude	:	16.310638
11.	Longitude	:	77.356205

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC40712600008516F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	33
Stack Temperature (°C)	34
Velocity (m/s)	4.8
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m ²)	0.06154

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m ³ /hr	1063	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	53.6	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm ³	14.8	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT -:



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 895/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Amruth

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-AI Block -02
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	25.03.2026
5.	Date of Sample Receipt	:	26.03.2026
6.	Sample Code	:	927
7.	Analysis Starting Date	:	26.03.2026
8.	Analysis Completion Date	:	30.03.2026
9.	Report Issue date	:	31.03.2026
10.	Latitude	:	16.310638
11.	Longitude	:	77.356205

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2026/923

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	33
Stack Temperature (°C)	34
Velocity (m/s)	4.8
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m ²)	0.06154

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.004	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--

Analysed by


Authorized Signatory

Hanumanthajiah P
Technical Manager



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Announcement



GPS Map Camera



Chicksugur, Karnataka,
India

33, Chicksugur, Karnataka 584134, India
Lat 16.310638° Long 77.356205°
25/03/2026 2:48 PM GMT +05:30



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
 (Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Bellari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

Amesur

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber- E Block -02
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	25.03.2026
5.	Date of Sample Receipt	:	26.03.2026
6.	Sample Code	:	SE/1986
7.	Analysis Starting Date	:	26.03.2026
8.	Analysis Completion Date	:	30.03.2026
9.	Report Issue date	:	31.03.2026
10.	Latitude	:	16.310829
11.	Longitude	:	77.355355

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000008517F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	33
Stack Temperature (°C)	35
Velocity (m/s)	4.8
Height (m)	73 mtr AGL
Diameter (m)	0.29
Cross sectional area (m ²)	0.066

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m ³ /hr	1140	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	45.1	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm ³	9.5	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory

Hanumanthalah P
Technical Manager

:- END OF REPORT:-



- Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Samples Will be disposed after the specified retention period.
 3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
 5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure - 1

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber- E Block -02
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	25.03.2026
5.	Date of Sample Receipt	:	26.03.2026
6.	Sample Code	:	928
7.	Analysis Starting Date	:	26.03.2026
8.	Analysis Completion Date	:	30.03.2026
9.	Report Issue date	:	31.03.2026
10.	Latitude	:	16.310829
11.	Longitude	:	77.355355

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2026/924

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	33
Stack Temperature (°C)	35
Velocity (m/s)	4.8
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m ²)	0.066

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.002	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--

Analysed by


Authorized Signatory

Hanumanthaiah P
Technical Manager



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Structure - 6



GPS Map Camera

Chicksugur, Karnataka, India

34/p1, Chicksugur, Karnataka 584134, India

Lat 16.310829° Long 77.355355°

25/03/2026 4:32 PM GMT +05:30

Google



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No. 18 & C.T.C W.No.16 T.S No. 895/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



Annexure - I

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-H Block -02
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	25.03.2026
5.	Date of Sample Receipt	:	26.03.2026
6.	Sample Code	:	SE/1987
7.	Analysis Starting Date	:	26.03.2026
8.	Analysis Completion Date	:	30.03.2026
9.	Report Issue date	:	31.03.2026
10.	Latitude	:	16.309061
11.	Longitude	:	77.356215

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC40712600008518F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	33
Stack Temperature (°C)	37
Velocity (m/s)	4.8
Height (m)	73 mtr AGL
Diameter (m)	0.34
Cross sectional area (m ²)	0.0907

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m ³ /hr	1567	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	42.5	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm ³	5.4	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com

Annexure - 6

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-H Block -02
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	25.03.2026
5.	Date of Sample Receipt	:	26.03.2026
6.	Sample Code	:	929
7.	Analysis Starting Date	:	26.03.2026
8.	Analysis Completion Date	:	30.03.2026
9.	Report Issue date	:	31.03.2026
10.	Latitude	:	16.309861
11.	Longitude	:	77.356215

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2026/925

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	33
Stack Temperature (°C)	37
Velocity (m/s)	4.8
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m ²)	0.0907

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.002	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

--- END OF REPORT ---



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified

ಅನುಬಂಧ-5



GPS Map Camera

Chicksugur, Karnataka, India

8954+rc3, Chicksugur, Karnataka 584134, India

Lat 16.309861° Long 77.356215°

25/03/2026 5:36 PM GMT +05:30

Google



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



Annexure - 1

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-C Block-01
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	25.03.2026
5.	Date of Sample Receipt	:	26.03.2026
6.	Sample Code	:	SE/1988
7.	Analysis Starting Date	:	26.03.2026
8.	Analysis Completion Date	:	30.03.2026
9.	Report Issue date	:	31.03.2026
10.	Latitude	:	16.31048
11.	Longitude	:	77.356252

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000008519F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	32
Stack Temperature (°C)	34
Velocity (m/s)	4.6
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m ²)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m ³ /hr	1503	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	40.2	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	BDL	---
Acid mist (HCl Mist)	MSVAL/SQP/SE/002:2022	mg/Nm ³	10.5	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or In part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2016@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure - 1

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-C Block-01
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	25.03.2026
5.	Date of Sample Receipt	:	26.03.2026
6.	Sample Code	:	930
7.	Analysis Starting Date	:	26.03.2026
8.	Analysis Completion Date	:	30.03.2026
9.	Report Issue date	:	31.03.2026
10.	Latitude	:	16.31048
11.	Longitude	:	77.356252

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2026/926

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	32
Stack Temperature (°C)	34
Velocity (m/s)	4.6
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m ²)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.006	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--

Analysed by

Authorized Signatory


Handumanthalah P
Technical Manager

:- END OF REPORT



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure-5



GPS Map Camera

Chicksugur, Karnataka, India

33, Chicksugur, Karnataka 584134, India

Lat 16.31048° Long 77.356252°

25/03/2026 3:41 PM GMT +05:30

Google



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S.No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

Analytical

MSVAL/QR/7.8/1/Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

- Name and Address of the Industry** : M/S. Shilpa Pharma Life Sciences Limited unit-2,
Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center,
Chicksugur village, Raichur.
- Stack ID** : Scrubber-AI Block -Intermediate Area-SCR-03
- Sample Collected By** : MSV Analytical Laboratories, Bellary
- Date of Monitoring** : 29.11.2025
- Date of Sample Receipt** : 01.12.2025
- Sample Code** : 11656
- Analysis Starting Date** : 01.12.2025
- Analysis Completion Date** : 06.12.2025
- Report Issue date** : 08.12.2025
- Latitude** : 16.311643
- Longitude** : 77.358016

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

Test Report No: MSVAL/2025/5702

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	30
Stack Temperature (°C)	49
Velocity (m/s)	5.2
Height (m)	13 mtr AGL
Diameter (m)	0.28
Cross sectional area (m ²)	0.06154

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.001	Shall not be more than 0.01

INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

[Signature]

Authorized Signatory

Hanumanthaiah.P
Technical Manager

*** End of Report ***



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.18 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG - Set 750 KVA-IV
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	25.03.2026
5.	Date of Sample Receipt	:	26.03.2026
6.	Sample Code	:	SE/1992
7.	Analysis Starting Date	:	26.03.2026
8.	Analysis Completion Date	:	30.03.2026
9.	Report Issue date	:	31.03.2026
10.	Latitude	:	16.309635
11.	Longitude	:	77.356762

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000008523F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	33
Stack Temperature (°C)	70
Velocity (m/s)	6.8
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	72.5	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	21.2	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	27.3	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--

Analysed by


Authorized Signatory

Hanumanthaiah P
Technical Manager



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure - 1



GPS Map

Chicksugar, Karnataka, India 

100% Export Oriented Unit, Plot #33, Raichur Growth Cell

33a & 40 To 47, Chicksugar, Karnataka 584134, India

Lat 16.311643° Long 77.358016°

29/11/2025 02:52 PM GMT +05:30

Google



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03896, (O) : 08392-255169,
E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC- 4071

Annex-1

MSVAL/QR/7.8/1/Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

- Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2,
Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center,
Chicksugur village, Raichur.
- Stack ID : Scrubber- C Block -Intermediate Area-SCR-03
- Sample Collected By : MSV Analytical Laboratories, Bellary
- Date of Monitoring : 29.11.2025
- Date of Sample Receipt : 01.12.2025
- Sample Code : SE/3937
- Analysis Starting Date : 01.12.2025
- Analysis Completion Date : 06.12.2025
- Report Issue date : 08.12.2025
- Latitude : 16.311643
- Longitude : 77.358016

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

ULR No: TC407125000028628F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	30
Stack Temperature (°C)	48
Velocity (m/s)	4.9
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m ²)	0.066

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS 11255 Part-3	m ³ /hr	1164.2	---
Particulate Matter	IS 11255 Part-1	mg/Nm ³	36.4	---
Sulphur dioxide	IS 11255 Part-2	mg/Nm ³	BDL	---
Nitrogen dioxide	IS 11255 Part-7	mg/Nm ³	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/USEPA/SE/002	mg/Nm ³	21.3	35

INFERENCE As per KSPCB Standards
Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

[Signature]

Authorized Signatory

[Signature]
Hanumanthaiah.P
Technical Manager

*** End of Report***



- Note: 1. The results listed only to the tested samples & applicable parameters
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255189,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

Annexure-1

MSVAL/QR/7.8/1/Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2,
Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center,
Chicksugur village, Raichur.
2. Stack ID : Scrubber- C Block -Intermediate Area-SCR-03
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 29.11.2025
5. Date of Sample Receipt : 01.12.2025
6. Sample Code : 11657
7. Analysis Starting Date : 01.12.2025
8. Analysis Completion Date : 06.12.2025
9. Report Issue date : 08.12.2025
10. Latitude : 16.311643
11. Longitude : 77.358016

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2025/5703

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	30
Stack Temperature (°C)	48
Velocity (m/s)	4.9
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m ²)	0.066

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.005	Shall not be more than 0.01

INFERENCE As per KSPCB Standards
Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah.P
Technical Manager

*** End of Report ***




- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure - 6



GPS Map



Chicksugur, Karnataka, India 

100% Export Oriented Unit, Plot #33, Raichur Growth Ce

33a & 40 To 47, Chicksugur, Karnataka 584134, India

Lat 16.311643° Long 77.358016°

29/11/2025 04:55 PM GMT +05:30



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255189,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

Annex-1

MSVAL/QR/7.8/1/Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2,
Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center,
Chicksugur village, Raichur.
2. Stack ID : Scrubber-H Block -Intermediate Area-02
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 29.11.2025
5. Date of Sample Receipt : 01.12.2025
6. Sample Code : SE/3938
7. Analysis Starting Date : 01.12.2025
8. Analysis Completion Date : 06.12.2025
9. Report Issue date : 08.12.2025
10. Latitude : 16.311643
11. Longitude : 77.358016

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

ULR No: TC407125000028629F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	32
Stack Temperature (°C)	51
Velocity (m/s)	5.8
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m ²)	0.0907

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS 11255 Part-3	m ³ /hr	1893.8	---
Particulate Matter	IS 11255 Part-1	mg/Nm ³	39.6	---
Sulphur dioxide	IS 11255 Part-2	mg/Nm ³	BDL	---
Nitrogen dioxide	IS 11255 Part-7	mg/Nm ³	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/USEPA/SE/002	mg/Nm ³	16.7	35

INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah.P
Technical Manager

*** End of Report ***



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255100,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure - 1

MSVAL/QR/7.8/1/Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2,
Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center,
Chicksugur village, Raichur.
2. Stack ID : Scrubber-H Block -Intermediate Area-02
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 29.11.2025
5. Date of Sample Receipt : 01.12.2025
6. Sample Code : 11658
7. Analysis Starting Date : 01.12.2025
8. Analysis Completion Date : 06.12.2025
9. Report Issue date : 08.12.2025
10. Latitude : 16.310555
11. Longitude : 77.355648

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2025/5704

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	32
Stack Temperature (°C)	51
Velocity (m/s)	5.8
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m ²)	0.0907

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.003	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--

Analysed by

Authorized Signatory


Handmanthaiah.P
Technical Manager

*** End of Report***



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annex-5



GPS Map

Chicksugur, Karnataka, India 

100% Export Oriented Unit, Plot #33, Raichur Growth Cell
33a & 40 To 47, Chicksugur, Karnataka 584134, India

Lat 16.311643° Long 77.358016°

29/11/2025 03:50 PM GMT +05:30

Google



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail ; msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

Amisur

MSVAL/QR/7.8/1/Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID : Scrubber-G AJ Block-Intermediate Area-01
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 29.11.2025
5. Date of Sample Receipt : 01.12.2025
6. Sample Code : SE/3939
7. Analysis Starting Date : 01.12.2025
8. Analysis Completion Date : 06.12.2025
9. Report Issue date : 08.12.2025
10. Latitude : 16.311643
11. Longitude : 77.358016

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

ULR No: TC407125000028630F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	30
Stack Temperature (°C)	48
Velocity (m/s)	4.5
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m ²)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS 11255 Part-3	m ³ /hr	1470.9	---
Particulate Matter	IS 11255 Part-1	mg/Nm ³	39.6	---
Sulphur dioxide	IS 11255 Part-2	mg/Nm ³	BDL	---
Nitrogen dioxide	IS 11255 Part-7	mg/Nm ³	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/USEPA/SE/002	mg/Nm ³	16.7	35


INFERENCE As per KSPCB Standards
Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah.P
Technical Manager

*** End of Report***



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com

Annexure-5

MSVAL/QR/7.8/1/Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID : Scrubber-G AJ Block-Intermediate Area-01
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 29.11.2025
5. Date of Sample Receipt : 01.12.2025
6. Sample Code : 11659
7. Analysis Starting Date : 01.12.2025
8. Analysis Completion Date : 06.12.2025
9. Report Issue date : 08.12.2025
10. Latitude : 16.311643
11. Longitude : 77.358016

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2025/5705

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	30
Stack Temperature (°C)	48
Velocity (m/s)	4.5
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m ²)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.002	Shall not be more than 0.01

INFERENCE

As per KSPCB Standards
Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory


Hanumanthaiah.P
Technical Manager

*** End of Report***



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure 5



GPS Map

Chicksugur, Karnataka, India

100% Export Oriented Unit, Plot #33, Raichur Growth Ce

33a & 40 To 47, Chicksugur, Karnataka 584134, India

Lat 16.311643° Long 77.358016°

29/11/2025 02:06 PM GMT +05:30

Google



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakalu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (D) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure-6

MSVAL/QR/7.8/1/Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID : Scrubber-AI Block -Intermediate Area-SCR-1
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 28.10.2025
5. Date of Sample Receipt : 29.10.2025
6. Sample Code : 10206
7. Analysis Starting Date : 29.10.2025
8. Analysis Completion Date : 03.11.2025
9. Report Issue date : 03.11.2025
10. Latitude : 16.310324
11. Longitude : 77.355502

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2025/4710

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	31
Stack Temperature (°C)	45
Velocity (m/s)	4.1
Height (m)	73 mtr AGL
Diameter (m)	0.28
Cross sectional area (m ²)	0.06154

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.002	Shall not be more than 0.01

INFERENCE

As per KSPCB Standards
Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory


Hanumanthaiah.P
Technical Manager

*** End of Report ***



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

ಅನುಮತಿ



GPS Map Camera

Chicksugur, Karnataka, India

34/p1, Chicksugur, Karnataka 584134, India

Lat 16.310324° Long 77.355502°

28/10/2025 4:35 PM GMT +05:30

Google



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (D) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

Handwritten signature

MSVAL/QR/7.8/1/Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2,
Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center,
Chicksugur village, Raichur.
2. Stack ID : Scrubber- C Block -Intermediate Area-SCR-1
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 28.10.2025
5. Date of Sample Receipt : 29.10.2025
6. Sample Code : SE/3227
7. Analysis Starting Date : 29.10.2025
8. Analysis Completion Date : 03.11.2025
9. Report Issue date : 03.11.2025
10. Latitude : 16.310614
11. Longitude : 77.356258

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

ULR No: TC407125000024792F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS 1
Ambient Temperature (°C)	32
Stack Temperature (°C)	42
Velocity (m/s)	4.2
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m ²)	0.066

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS 11255 Part-3	m ³ /hr	997.9	---
Particulate Matter	IS 11255 Part-1	mg/Nm ³	39.6	---
Sulphur dioxide	IS 11255 Part-2	mg/Nm ³	BDL	---
Nitrogen dioxide	IS 11255 Part-7	mg/Nm ³	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/USEPA/SE/002	mg/Nm ³	18.5	35

INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Handwritten signature

Authorized Signatory

Handwritten signature
Hanumanthaiah.P
Technical Manager

*** End of Report ***



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvballary2018@gmail.com, labmsv@gmail.com, Website : www.msvballary.com

Annexure - 6

MSVAL/QR/7.8/1/Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2,
Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center,
Chicksugur village, Raichur.
2. Stack ID : Scrubber- C Block -Intermediate Area-SCR-1
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 28.10.2025
5. Date of Sample Receipt : 29.10.2025
6. Sample Code : 10207
7. Analysis Starting Date : 29.10.2025
8. Analysis Completion Date : 03.11.2025
9. Report Issue date : 03.11.2025
10. Latitude : 16.310614
11. Longitude : 77.356258

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

Test Report No: MSVAL/2025/4711

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	32
Stack Temperature (°C)	42
Velocity (m/s)	4.2
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m ²)	0.066

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.005	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory


Handwritten signature
Hanumanthaiah.P
Technical Manager

*** End of Report ***



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction. Only.
5. Sampling is not done by us unless otherwise specified

PHOSPHATE



GPS Map Camera



Chicksugur, Karnataka, India 

33, Chicksugur, Karnataka 584134, India

Lat 16.310614° Long 77.356258°

28/10/2025 02:52 PM GMT +05:30



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



Annex-6

MSVAL/QR/7.8/1/Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2,
Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center,
Chicksugur village, Raichur.
2. Stack ID : Scrubber-E Block -Intermediate Area-02
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 28.10.2025
5. Date of Sample Receipt : 29.10.2025
6. Sample Code : SE/3228
7. Analysis Starting Date : 29.10.2025
8. Analysis Completion Date : 03.11.2025
9. Report Issue date : 03.11.2025
10. Latitude : 16.310555
11. Longitude : 77.355648

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

ULR No: TC407125000024793F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	30
Stack Temperature (°C)	48
Velocity (m/s)	5.3
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m ²)	0.0907

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS 11255 Part-3	m ³ /hr	1730.5	---
Particulate Matter	IS 11255 Part-1	mg/Nm ³	33.4	---
Sulphur dioxide	IS 11255 Part-2	mg/Nm ³	BDL	---
Nitrogen dioxide	IS 11255 Part-7	mg/Nm ³	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/USEPA/SE/002	mg/Nm ³	17.3	35

INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analyzed by

Authorized Signatory

Hanumanthaiah.P
Technical Manager



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com

Annex-5

MSVAL/QR/7.8/1/Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Stack ID : Scrubber-E Block -Intermediate Area-02
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 28.10.2025
5. Date of Sample Receipt : 29.10.2025
6. Sample Code : 10208
7. Analysis Starting Date : 29.10.2025
8. Analysis Completion Date : 03.11.2025
9. Report Issue date : 03.11.2025
10. Latitude : 16.310555
11. Longitude : 77.355648

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2025/4712

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	30
Stack Temperature (°C)	48
Velocity (m/s)	5.3
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m ²)	0.0907

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.003	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Ramesh

Authorized Signatory


Hanumanthaiah.P
Technical Manager

*** End of Report ***



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure 05



GPS Map Camera

Chicksugur, Karnataka, India 

34/p1, Chicksugur, Karnataka 584134, India

Lat 16.310555° Long 77.355648°

28/10/2025 02:13 PM GMT +05:30

Google



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



Answer

MSVAL/QR/7.8/1/Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2,
Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center,
Chicksugur village, Raichur.
2. Stack ID : Scrubber-G AJ Block-Intermediate Area-01
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 28.10.2025
5. Date of Sample Receipt : 29.10.2025
6. Sample Code : SE/3229
7. Analysis Starting Date : 29.10.2025
8. Analysis Completion Date : 03.11.2025
9. Report Issue date : 03.11.2025
10. Latitude : 16.310324
11. Longitude : 77.355502

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

ULR No: TC40712500024794F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	32
Stack Temperature (°C)	43
Velocity (m/s)	3.9
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m ²)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS 11255 Part-3	m ³ /hr	1274.8	---
Particulate Matter	IS 11255 Part-1	mg/Nm ³	36.6	---
Sulphur dioxide	IS 11255 Part-2	mg/Nm ³	BDL	---
Nitrogen dioxide	IS 11255 Part-7	mg/Nm ³	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/USEPA/SE/002	mg/Nm ³	14.8	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
------------------	--

Analysed by

Romey

Authorized Signatory

Hanumanthaiah.P
Technical Manager

*** End of Report ***



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples will be disposed after the specified retention period.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com

Annexure - 6

MSVAL/QR/7.8/1/Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2,
Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center,
Chicksugur village, Raichur.
2. Stack ID : Scrubber-G AJ Block-Intermediate Area-01
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 28.10.2025
5. Date of Sample Receipt : 29.10.2025
6. Sample Code : 10209
7. Analysis Starting Date : 29.10.2025
8. Analysis Completion Date : 03.11.2025
9. Report Issue date : 03.11.2025
10. Latitude : 16.310324
11. Longitude : 77.355502

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

Test Report No: MSVAL/2025/4713

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	32
Stack Temperature (°C)	43
Velocity (m/s)	3.9
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m ²)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.003	Shall not be more than 0.01

INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

[Signature]

Authorized Signatory


[Signature]
Hanumanthaiah.P
Technical Manager

*** End of Report ***



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure-1



GPS Map Camera

Chicksugur, Karnataka, India

34/p1, Chicksugur, Karnataka 584134, India

Lat 16.310324° Long 77.355502°

28/10/2025 3:45 PM GMT +05:30

Google



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 563103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvballary2018@gmail.com, labmsv@gmail.com, Website : www.msvballary.com



MSVAL/QR/7.8/1/Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2,
Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center,
Chicksugur village, Raichur,
2. Stack ID : DG - Set 625KVA- 1
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 28.10.2025
5. Date of Sample Receipt : 29.10.2025
6. Sample Code : SE/3230
7. Analysis Starting Date : 29.10.2025
8. Analysis Completion Date : 03.11.2025
9. Report Issue date : 03.11.2025
10. Latitude : 16.311655
11. Longitude : 77.35954

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

ULR No: TC407125000024795F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	32
Stack Temperature (°C)	89
Velocity (m/s)	6.3
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS 11255 Part-1	mg/Nm ³	55.8	150
Sulphur dioxide	IS 11255 Part-2	mg/Nm ³	18.3	100
Nitrogen dioxide	IS 11255 Part-7	mg/Nm ³	24.6	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory

Hanumanthaiah.P
Technical Manager

*** End of Report ***



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganekallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

MSV/A/F/16/02

MSV/A/F/16/02

ANALYSIS REPORT

Test Report No: MSVAL/2024/6509

Issued Date:31.12.2025

1.	Name of the Industry	:	M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
3.	Name of the parameter	:	Volatile Organic Compounds
4.	Date of Monitoring	:	25.12.2025

S. No	Name of the location	Date of Sampling	Duration of monitoring	Method		
				EPA/625/R-96/010b Compendium of Methods Second Edition Compendium Method TO-17		
				Result	Units	Std
1	Near Near Main Gate Area	25.12.2025	8hours	0.17	mg/m ³	---
2	Near Production Block Area	25.12.2025	8hours	0.22	mg/m ³	---
3	Scrubber-I Block -Intermediate Area-SCR-02	25.12.2025	8hours	0.29	mg/m ³	---
4	Scrubber- E Block -Pharma Area-SCR-03	25.12.2025	8hours	0.26	mg/m ³	---
5	Scrubber-D Block -Intermediate Area-02	25.12.2025	8hours	0.33	mg/m ³	---
6	Scrubber-C Block-Intermediate Area-01	25.12.2025	8hours	0.24	mg/m ³	---

Analysed by

Authorized Signatory

Hanumanthaiah.P
Technical Manager

END OF REPORT



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169;

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

praveen b

MSVAL/QR/7.8/01

Test Report No: MSVAL/2026/927

ANALYSIS REPORT

Issued Date:30.03.2026

1.	Name of the Industry	:	M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
3.	Name of the parameter	:	Volatile Organic Compounds
4.	Date of Monitoring	:	25.03.2026

S.No	Name of the location	Date of Sampling	Duration of monitoring	Method		
				Result	Units	Std
1	Near Near Main Gate Area	25.03.2026	8hours	0.15	mg/m ³	---
2	Near Production Block Area	25.03.2026	8hours	0.19	mg/m ³	---
3	Scrubber-I Block -Intermediate Area-SCR-02	25.03.2026	8hours	0.24	mg/m ³	---
4	Scrubber- E Block -Pharma Area-SCR-03	25.03.2026	8hours	0.23	mg/m ³	---
5	Scrubber-D Block -Intermediate Area-02	25.03.2026	8hours	0.31	mg/m ³	---
6	Scrubber-C Block-Intermediate Area-01	25.03.2026	8hours	0.25	mg/m ³	---

Analysed by

[Signature]

MSV

Authorized Signatory

[Signature]
Hanumanthaiah.P
Technical Manager

END OF REPORT



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified



Form 2 -[Rule 6(2)] Authorization
under Hazardous & Other Wastes
[Management & Transboundary
Movement]Rules,2016

Authorization No: 328814

Valid upto: 30/06/2026

Karnataka State Pollution Control Board
Parisara Bhavana, No.49, Church
Street, Bengaluru-560001
Tele : 080-25589112/3, 25581383
Fax:080-25586321
email id: ho@kspcb.gov.in

Annexure-7

(This document contains 4 pages excluding annexure)

Authorization No: 328814

PCB ID:

28295

Date: 21/12/2021

FORM FOR GRANT OR RENEWAL OF AUTHORISATION BY STATE POLLUTION CONTROL BOARD TO THE OCCUPIERS, RECYCLERS, REPROCESSORS, REUSERS, USER AND OPERATORS OF DISPOSAL FACILITIES

Ref: 1. Authorization application submitted by the industry/organization on 05/10/2021 at
Regional Office.

2. Inspection of the project site/organization by Regional Officer , Raichur on 05/10/2021
3. Proceedings of CCM dated: , held on:

1. Number of authorization 328814 and date of issue 21/12/2021

2. Reference of application No. 21136 Inward Date 05/10/2021

3. Managing director of Shilpa Medicare Ltd 100% EouPlot no 33,33A,40 to 47,Raichur Growth Centre is hereby granted an authorization based on the enclosed signed inspection report for Generation,Collection,Reception or any other use of hazardous or other wastes or both on the premises situated at the location Address: Plot no 30, 31, 32 and 35-39, 33,33A, 40 TO 47 , Raichur Growth Centre Industrial Area : Chiksugur , Taluk : Raichur , District : Raichur

Details of Authorization:

Category of Hazardous waste as per the Schedule I,II & IV of these rules	Description of Hazardous Waste	Quantity/Annum	Unit	Authorized Mode of Disposal or recycling or utilization or co-processing, etc.,
I	28.5~Date-expired products	1.000	M.T	As Per Annexure
I	5.1~Used Spent Oil	3.000	KLT	As Per Annexure
I	28.3~Spent carbon	3.000	M.T	As Per Annexure
I	20.3~Distillation Residues	20.300	M.T	As Per Annexure
I	28.1~Process Residue and wastes	8.682	M.T	As Per Annexure



Form 2 -[Rule 6(2)] Authorization
under Hazardous & Other Wastes
[Management & Transboundary
Movement]Rules,2016

Authorization No: 328814

Valid upto: 30/06/2026

(This document contains 4 pages excluding annexure)

Karnataka State Pollution Control Board
Parisara Bhavana, No.49, Church
Street, Bengaluru-560001
Tele : 080-25589112/3, 25581383
Fax:080-25586321
email id: ho@kspcb.gov.in

Annexure-7

28.2~Spent catalyst	11.800	KLT	As Per Annexure
28.6~ Spent solvents	623.288	M.T	As Per Annexure
33.1~Empty barrels/containers/liners contaminated with hazardous chemicals /wastes	60.000	M.T	As Per Annexure
35.3~Chemical Sludge From Waste Water Treatment	1112.857	M.T	As Per Annexure

1. The authorization shall be valid for a period upto 30/06/2026

A. General Conditions of authorization:

1. The authorized person shall comply with the provisions of the Environment (Protection) Act, 1986 and the Rules made there under.
2. The authorization or its renewal shall be produced for inspection at the request of an Officer authorized by the Karnataka State Pollution Control Board.
3. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous wastes and other wastes except what is permitted through this authorization and without obtaining prior permission of the KSPCB.
4. Any unauthorized change in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorization.
5. The person authorized shall implement Emergency Response Procedure (ERP) for which this authorization is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time.
6. The person authorized shall comply with the provisions outlined in the Central Pollution Control Board guidelines on "Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Waste and Penalty".
7. It is the duty of the authorized person to take prior permission of the Karnataka State Pollution Control Board to close down the facility.
8. The imported hazardous and other wastes shall be fully insured for transit as well as for any accidental occurrence and its clean-up operation.



Form 2 -[Rule 6(2)] Authorization
under Hazardous & Other Wastes
[Management & Transboundary
Movement]Rules,2016

Authorization No: 328814

Valid upto: 30/06/2026

Karnataka State Pollution Control Board
Parisara Bhavana, No.49, Church
Street, Bengaluru-560001
Tele : 080-25589112/3, 25581383
Fax:080-25586321
email id: ho@kspcb.gov.in

Annexure-7

(This document contains 4 pages excluding annexure)

9. The importer or exporter shall bear the cost of import or export and mitigation of damages if any.
10. Any other conditions for compliance as per the Guidelines issued by the Ministry of Environment, Forest and Climate Change or Central Pollution Control Board from time to time.
11. An application for the renewal of an authorization shall be made '3' months before the date of expiry.
12. The Person authorized shall bring to the notice of the Board, if any increase in quantity, change in category and handling operation. In such cases, the authorized Person has to obtain fresh authorization.
13. Karnataka State Pollution Control Board reserves the right to review, impose additional condition or conditions, revoke, change or alter the terms and conditions of this authorization or to suspend or cancel this authorization.
14. The Person authorized shall take steps for reduction and prevention of the waste generated or for recycling or reuse.
15. The authorized person shall maintain the records at site in Form-3 and shall submit the annual returns in Form-4 within 30th June every year for the Period April to March and manifest in Form-10.
16. The record of consumption and fate of the imported hazardous and other wastes shall be maintained.
17. The hazardous and other waste which gets generated during recycling or reuse or recovery or per-processing or utilization of imported hazardous or other wastes shall be treated and disposed of as per specific conditions of authorization.
18. The transportation of hazardous waste shall have to be carried out only through registered/authorized vehicles meant for transportation of hazardous waste.
19. The Person Authorized shall not store the Hazardous Waste more than ninety days as per Rule 8 (1).
20. The Person Authorized shall transport and store the raw materials in a manner so as not to cause any damage to environment, life and property. The applicant shall be solely responsible for any damages to environment.
21. Display Boards: The person authorized shall display sign boards at the storage site as "Hazardous Waste Storage Site" and "Danger" and the site shall be provided with accident preventive measures.

Additional Conditions:

1. The list of waste categories and quantities mentioned in Annexure attached as additional document with this authorization shall only be considered as authorized waste category and quantity.

For and on behalf of the
Karnataka State Pollution Control Board



Form 2 -[Rule 6(2)] Authorization
under Hazardous & Other Wastes
[Management & Transboundary
Movement]Rules,2016

Authorization No: 328814

Valid upto: 30/06/2026

Karnataka State Pollution Control Board
Parisara Bhavana, No.49, Church
Street, Bengaluru-560001
Tele : 080-25589112/3, 25581383
Fax:080-25586321
email id: ho@kspcb.gov.in

Annexure-7

(This document contains 4 pages excluding annexure)

CHIEF/ SENIOR ENVIRONMENTAL OFFICER

COPY TO:

1. The Environmental Officer, KSPCB, Regional Office, for information and to inspect the industry during your next visit to the area.
2. Master copy (Dispatch).
3. Office copy.

ಕರ್ನಾಟಕ ರಾಜ್ಯ ಮಾಲಿನ್ಯ ನಿಯಂತ್ರಣ ಮಂಡಳಿ

ನಿರೀಕ್ಷಣೆ ಮತ್ತು ಮಂಡಳಿ

ಕರ್ನಾಟಕ

Annexure - VIII

Scrubber details

Scrubber systems are a diverse group of air pollution control devices that can be used to remove particulates and/or gases from industrial exhaust streams. Traditionally, the term "scrubber" has reference to pollution control devices that used liquid to "scrub" unwanted pollutants from a gas stream. Recently, the term is also used to describe systems that inject a dry reagent or slurry into a dirty exhaust stream to "scrub out" acid gases. Scrubbers are one of the primary devices that control gaseous emissions, especially acid gases.

Wet scrubber is a form of pollution control technology in which the polluted gas stream is brought into contact with the scrubbing liquid by spraying it with the liquid, by forcing it through a pool of liquid, or by some other contact method, so as to remove the pollutants.

The design of wet scrubbers or any air pollution control device depends on the industrial process conditions and the nature of the air pollutants involved. Inlet gas characteristics and dust properties (if particles are present) are of primary importance. Scrubbers can be designed to collect particulate matter and/or gaseous pollutants. Wet scrubbers remove dust particles by capturing them in liquid droplets; remove pollutant gases by dissolving or absorbing them into the liquid.

Any droplets that are in the scrubber inlet gas must be separated from the outlet gas stream by means of another device referred to as a mist eliminator or entrainment separator (these terms are interchangeable). Also, the resultant scrubbing liquid must be treated prior to any ultimate discharge or before being reused in the plant.

There are numerous configurations of scrubbers and scrubbing systems, all designed to provide good contact between the liquid and polluted gas stream.

The process and solvent recovery sections are provided with scrubber to scrub the fumes and vapors generated in order to remove such emissions before it is let out into the atmosphere.

Scrubber Details:

1) Scrubbing system for C block intermediate reactors

Type	:	Single Stage Counter Flow Packed Bed
Dia	:	1250 mm
Height	:	4000 mm
M O C	:	PP/FRP
PP	:	5 mm
FRP	:	7 mm with Isophthalic Resin
Packing	:	Polypropylene Pal Rings
Size	:	40 mm dia x 40 mm height
Filter Plate	:	PP Perforated - 15 mm thick
Spray	:	Polypropylene Jet Spray System

b) Blower:

Annexure - VIII

Type	:	Backward Curve SISW
Casing	:	PP/FRP with Isophthalic Resin
Impeller	:	MS/FRP with Bisphenol Resin
Capacity	:	18000 CMH
Stat. Pressure	:	150 mmwg
Motor	:	20 HP FLP – 1440 RPM
Make	:	Kirloskar or CG
Drive	:	Belt

c) Ducting Details:

M O C	:	PP/FRP
Sizes	:	250, 350, 450 & 700 mm dia

Ducting includes Straight lengths, Elbows, T-sections & Reducers

d) Liquid Circulation Tank:

Capacity	:	3 K L
PP	:	5 mm
FRP	:	7 mm with Isophthalic Resin

- Cylindrical, vertical, flat bottom & conical top
- External MS/FRP Reinforcement
- Necessary Nozzles & Manhole

e) Pump:

Make	:	Antico
Model	:	130 CT
Drive Motor	:	3 HP – 2900 RPM FLP

f) Liquid Circulation Lines:

MOC	:	HDPE
Sizes	:	Variable from 40 mm dia to 75 mm dia

g) MS Support Structure for Scrubber with Anti Corrosive Coating:

2) Scrubbing System for Pharma Block Centrifuges:

CSSR-15& CGLR-14, CSSANFD-02

Ducting from Each Reactor from Ist floor& from CSSANFD Ground Floor. Ducting, Scrubber, Blower, MS structure & pump.

System for Centrifuges:

- CSSCF-01, CSSCF-02, CSSCF-03, CSSCF-04, RCVD-01, RCVD-02, ANFD-01,

a) Scrubber Details:

Type	:	Single Stage Counter Flow Packed Bed
Dia	:	700 mm
Height	:	4000 mm
M O C	:	PP/FRP
PP	:	5 mm
FRP	:	4 mm with Isophthalic Resin
Packing	:	Polypropylene Pal Rings.
Size	:	40 mm dia x 40 mm height.
Filter Plate	:	PP Perforated - 15 mm thick.
Spray	:	Polypropylene Jet Spray System.

b) Blower:

Type	:	Backward Curve SISW
Casing	:	PP/FRP with Isophthalic Resin
Impeller	:	MS/FRP with Bisphenol Resin

Annexure - VIII

- | | | |
|----------------|---|-----------------------|
| Capacity | : | 5500 CMH |
| Stat. Pressure | : | 150 mmwg |
| Motor | : | 7.5 HP FLP – 1440 RPM |
| Make | : | Kirloskar or CG |
| Drive | : | Belt |
- c) Ducting Details:**
- | | | |
|-------|---|-----------------------|
| M O C | : | PP/FRP |
| Sizes | : | 200, 275 & 375 mm dia |
- Ducting includes Straight lengths, Elbows, T-sections & Reducers
- d) Liquid Circulation Tank:**
- | | | |
|----------|---|-----------------------------|
| Capacity | : | 2 K L |
| PP | : | 5 mm |
| FRP | : | 6 mm with Isophthalic Resin |
- Cylindrical, vertical, flat bottom & conical top
 - External MS/FRP Reinforcement
 - Necessary Nozzles & Manhole
- e) Pump:**
- | | | |
|-------------|---|---------------------|
| Make | : | Antico |
| Model | : | 120 CT |
| Drive Motor | : | 2 HP – 2900 RPM FLP |
- f) Liquid Circulation Lines:**
- | | | |
|-------|---|--------------------------------------|
| MOC | : | HDPE |
| Sizes | : | Variable from 40 mm dia to 63 mm dia |
- g) MS Support Structure for Scrubber with Anti Corrosive Coating:**

3). Wet Scrubbing System at Production Block – D:

Equipments Connected to the System:

- DSSR-04, DSSR-05, , DGLR-01, DGLR-02, DGLR-03, DGLR-06, DGLR-07, DSSRF-01, DSSRF-02, DSSRF-03, DSSVTD-01, DSSVTD02, DSSVTD-03, Isolator & 3 spare points

a) Scrubber Details:

Type	:	Single Stage Counter Flow Packed Bed
Dia	:	1100 mm
Height	:	4000 mm
M O C	:	PP/FRP
PP	:	5 mm
FRP	:	7 mm with Isophthalic Resin
Packing	:	Polypropylene Pal Rings
Size	:	40 mm dia x 40 mm height
Filter Plate	:	PP Perforated - 15 mm thick
Spray	:	Polypropylene Jet Spray System

b) Blower:

Type	:	Backward Curve SISW
Casing	:	PP/FRP with Isophthalic Resin
Impeller	:	MS/FRP with Bisphenol Resin
Capacity	:	13000 CMH
Stat.Pressure	:	150 mmwg
Motor	:	15 HP FLP – 1440 RPM
Make	:	Kirloskar or CG

Annexure - VIII

- Drive : Belt
- c) Ducting Details:**
M O C : PP/FRP
Sizes : 150, 200, 225, 250, 450, 500 & 600 mm dia
Ducting includes Straight lengths, Elbows, T-sections & Reducers
- d) Liquid Circulation Tank:**
Capacity : 3 K L
PP : 5 mm
FRP : 7 mm with Isophthalic Resin
- Cylindrical, vertical, flat bottom & conical top
 - External MS/FRP Reinforcement
 - Necessary Nozzles & Manhole
- e) Pump:**
Make : Antico
Model : 130 CT
Drive Motor : 2 HP – 2900 RPM FLP
- f) Liquid Circulation Lines:**
MOC : HDPE
Sizes : Variable from 40 mm dia to 75 mm dia
- g) MS Support Structure for Scrubber with Anti Corrosive Coating:**

4) Scrubbing System for Pharma Area:

DGLR-08, DSSR-09 in first Floor& ANFD Isolator In Ground floor must given with separate scrubber & Ducting

a) Scrubber Details:

- Type : Single Stage Counter Flow Packed Bed
Dia : 1100 mm
Height : 4000 mm
M O C : PP/FRP
PP : 5 mm
FRP : 7 mm with Isophthalic Resin
Packing : Polypropylene Pal Rings
Size : 40 mm dia x 40 mm height
Filter Plate : PP Perforated - 15 mm thick
Spray : Polypropylene Jet Spray System

b) Blower:

- Type : Backward Curve SISW
Casing : PP/FRP with Isophthalic Resin
Impeller : MS/FRP with Bisphenol Resin
Capacity : 13000 CMH
Stat. Pressure : 150 mmwg
Motor : 15 HP FLP – 1440 RPM
Make : Kirloskar or CG
Drive : Belt

c) Ducting Details:

- M O C : PP/FRP
Sizes : 150, 200, 225, 250, 450, 500 & 600 mm dia
Ducting includes Straight lengths, Elbows, T-sections & Reducers

d) Liquid Circulation Tank:

Annexure - VIII

Capacity	:	3 K L
PP	:	5 mm
FRP	:	7 mm with Isophthalic Resin

- Cylindrical, vertical, flat bottom & conical top
- External MS/FRP Reinforcement
- Necessary Nozzles & Manhole

e) Pump:

Make	:	Antico
Model	:	130 CT
Drive Motor	:	2 HP – 2900 RPM FLP

f) Liquid Circulation Lines:

MOC	:	HDPE
Sizes	:	Variable from 40 mm dia to 75 mm dia

g) MS Support Structure for Scrubber with Anti Corrosive Coating:

5). Wet Scrubbing System at Production Block – E:

System for Reactors:

- ESSR-01, ESSR-02, ESSR-03, ESSR-04, ESSR-08, ESSR-10, ESSR-11, ESSR-12, ESSR-14, EGLR-05, EGLR-06, EGLR-07, EGLR-09 & EGLR-13

a) Scrubber Details:

Type	:	Single Stage Counter Flow Packed Bed
Dia	:	1200 mm
Height	:	4000 mm
M O C	:	PP/FRP
PP	:	5 mm
FRP	:	7 mm with Isophthalic Resin
Packing	:	Polypropylene Pal Rings
Size	:	40 mm dia x 40 mm height
Filter Plate	:	PP Perforated - 15 mm thick
Spray	:	Polypropylene Jet Spray System

b) Blower:

Type	:	Backward Curve SISW
Casing	:	PP/FRP with Isophthalic Resin
Impeller	:	MS/FRP with Bisphenol Resin
Capacity	:	17000 CMH
Stat. Pressure	:	150 mmwg
Motor	:	20 HP FLP – 1440 RPM
Make	:	Kirloskar or CG
Drive	:	Belt

c) Ducting Details:

M O C	:	PP/FRP
Sizes	:	250, 350, 450 & 675 mm dia

Ducting includes Straight lengths, Elbows, T-sections & Reducers

d) Liquid Circulation Tank:

Capacity	:	3 K L
PP	:	5 mm
FRP	:	7 mm with Isophthalic Resin

- Cylindrical, vertical, flat bottom & conical top

Annexure - VIII

- External MS/FRP Reinforcement
- Necessary Nozzles & Manhole

e) Pump:

Make	:	Antico
Model	:	130 CT
Drive Motor	:	3 HP – 2900 RPM FLP

f) Liquid Circulation Lines:

MOC	:	HDPE
Sizes	:	Variable from 40 mm dia to 75 mm dia

g) MS Support Structure for Scrubber with Anti Corrosive Coating:

6) Scrubbing System for Pharma Block reactors & Centrifuges:

EGLR-13 & ESSR-14, ESSCF-05.

Ducting from Each Reactors from Ist floor & from Ground Floor centrifuge .Ducting, Scrubber, Blower, MS structure

System for Centrifuges:

CSSCF-01, CSSCF-02, CSSCF-03, CSSCF-04, ESSRVCD-01, ESSRVCD-02, ESSTD01 & ESSANFD-01

a) Scrubber Details:

Type	:	Single Stage Counter Flow Packed Bed
Dia	:	750 mm
Height	:	4000 mm
M O C	:	PP/FRP
PP	:	5 mm
FRP	:	4 mm with Isophthalic Resin
Packing	:	Polypropylene Pal Rings
Size	:	40 mm dia x 40 mm height
Filter Plate	:	PP Perforated - 15 mm thick
Spray	:	Polypropylene Jet Spray System

b) Blower:

Type	:	Backward Curve SISW
Casing	:	PP/FRP with Isophthalic Resin
Impeller	:	MS/FRP with Bisphenol Resin
Capacity	:	6200 CMH
Stat. Pressure	:	150 mmwg
Motor	:	7.5 HP FLP – 1440 RPM
Make	:	Kirloskar or CG
Drive	:	Belt

c) Ducting Details:

M O C	:	PP/FRP
Sizes	:	150, 200, 300 & 400 mm dia

Ducting includes Straight lengths, Elbows, T-sections & Reducers

d) Liquid Circulation Tank:

Capacity	:	2 K L
PP	:	5 mm
FRP	:	6 mm with Isophthalic Resin

- Cylindrical, vertical, flat bottom & conical top
- External MS/FRP Reinforcement

Annexure - VIII

- Necessary Nozzles & Manhole

e) Pump:

Make	:	Antico
Model	:	120 CT
Drive Motor	:	2 HP – 2900 RPM FLP

f) Liquid Circulation Lines:

MOC	:	HDPE
Sizes	:	Variable from 40 mm dia to 63 mm dia

g) MS Support Structure for Scrubber with Anti Corrosive Coating:

7. Wet Scrubbing System at Production Block – H:

Equipments Connected to the System:

HSSR-01, HSSR-02, HSSR-03, HSSR-04, HSSR-05, HSSR-07, HGLR-06, HGLR-08, HGLR-10, HGLR-09, , HSSRF-01, HSSRF-02, HSSRF-03, HSSRF-04, VTD-01, VTD-02, VTD-03, ANFD & 3 SPARE POINTS

a) Scrubber Details:

Type	:	Single Stage Counter Flow Packed Bed
Dia	:	1200 mm
Height	:	4000 mm
M O C	:	PP/FRP
PP	:	5 mm
FRP	:	7 mm with Isophthalic Resin
Packing	:	Polypropylene Pal Rings
Size	:	40 mm dia x 40 mm height
Filter Plate	:	PP Perforated - 15 mm thick
Spray	:	Polypropylene Jet Spray System

b) Blower:

Type	:	Backward Curve SISW
Casing	:	PP/FRP with Isophthalic Resin
Impeller	:	MS/FRP with Bisphenol Resin
Capacity	:	16000 CMH
Stat.Pressure	:	150 mm wg
Motor	:	17.5 HP FLP – 1440 RPM
Make	:	Kirloskar or CG
Drive	:	Belt

c) Ducting Details:

M O C	:	PP/FRP
Size	:	200, 425, 475 & 650 mm dia

Ducting includes Straight lengths, Elbows, T-sections & Reducers

d) Liquid Circulation Tank:

Capacity	:	3 K L
PP	:	5 mm
FRP	:	7 mm with Isophthalic Resin

- Cylindrical, vertical, flat bottom & conical top
- External MS/FRP Reinforcement
- Necessary Nozzles & Manhole

e) Pump:

Make	:	Antico
Model	:	130 CT

Annexure - VIII

- Drive Motor : 3 HP – 2900 RPM FLP
- f) Liquid Circulation Lines:**
- MOC : HDPE
- Sizes : Variable from 40 mm dia to 75 mm dia
- g) MS Support Structure for Scrubber with Anti Corrosive Coating**

8. Wet Scrubbing System at Production Block – H:

Equipments Connected to the System:

HGLR-11, HGLR-12, HGLR-13 in First Floor & ANFD isolator in Ground floor Must given Separately with ducting Blower.

a) Scrubber Details:

- Type : Single Stage Counter Flow Packed Bed
- Dia : 1200 mm
- Height : 4000 mm
- M O C : PP/FRP
- PP : 5 mm
- FRP : 7 mm with Isophthalic Resin
- Packing : Polypropylene Pal Rings
- Size : 40 mm dia x 40 mm height
- Filter Plate : PP Perforated - 15 mm thick
- Spray : Polypropylene Jet Spray System

b) Blower:

- Type : Backward Curve SISW
- Casing : PP/FRP with Isophthalic Resin
- Impeller : MS/FRP with Bisphenol Resin
- Capacity : 16000 CMH
- Stat.Pressure : 150 mm wg
- Motor : 17.5 HP FLP – 1440 RPM
- Make : Kirloskar or CG
- Drive : Belt

c) Ducting Details:

- M O C : PP/FRP
- Size : 150, 200, 275, 300, 450, 550 & 650mm dia
- Ducting includes Straight lengths, Elbows, T-sections & Reducers

d) Liquid Circulation Tank:

- Capacity : 3 K L
- PP : 5 mm
- FRP : 7 mm with Isophthalic Resin
- Cylindrical, vertical, flat bottom & conical top
 - External MS/FRP Reinforcement
 - Necessary Nozzles & Manhole

e) Pump:

- Make : Antico
- Model : 130 CT
- Drive Motor : 3 HP – 2900 RPM FLP

f) Liquid Circulation Lines:

- MOC : HDPE
- Sizes : Variable from 40 mm dia to 75 mm dia

g) MS Support Structure for Scrubber with Anti Corrosive Coating

Annexure - VIII

9. Wet Scrubbing System at Production Block – I :

Equipments Connected to the System:

IGLR-01, IGLR-02, IGLR-03, IGLR-04, IGLR-05, IAGR-06, IGLR-09, IGLR-07, IGLR-08, IGLR-10, ISSRF-01, ESSRF-02, ISSRF-03, VTD-01, VTD-02, VTD-03, & 3 SPARE POINTS.

a) Scrubber Details:

Type	:	Single Stage Counter Flow Packed Bed
Dia	:	1050 mm
Height	:	4000 mm
M O C	:	PP/FRP
PP	:	5 mm
FRP	:	7 mm with Isophthalic Resin
Packing	:	Polypropylene Pal Rings
Size	:	40 mm dia x 40 mm height
Filter Plate	:	PP Perforated - 15 mm thick
Spray	:	Polypropylene Jet Spray System

b) Blower:

Type	:	Backward Curve SISW
Casing	:	PP/FRP with Isophthalic Resin
Impeller	:	MS/FRP with Bisphenol Resin
Capacity	:	12500 CMH
Stat.Pressure	:	150 mmwg
Motor	:	15 HP FLP – 1440 RPM
Make	:	Kirloskar or CG
Drive	:	Belt

c) Ducting Details:

M O C	:	PP/FRP
Size	:	150, 225, 300, 450 & 600 mm dia

Ducting includes Straight lengths, Elbows, T-sections & Reducers

d) Liquid Circulation Tank:

Capacity	:	3 K L
PP	:	5 mm
FRP	:	7 mm with Isophthalic Resin

- Cylindrical, vertical, flat bottom & conical top
- External MS/FRP Reinforcement
- Necessary Nozzles & Manhole

e) Pump:

Make	:	Antico
Model	:	130 CT
Drive Motor	:	3 HP – 2900 RPM FLP

f) Liquid Circulation Lines:

MOC	:	HDPE
Sizes	:	Variable from 40 mm dia to 75 mm dia

g) MS Support Structure for Scrubber with Anti Corrosive Coating:

10. Scrubbing System For Pharma Area:

Annexure - VIII

IGLR-11, IGLR-12 in First floor & ANFD isolator in ground floor must be given with separate scrubber, ducting

a) Scrubber Details:

Type	:	Single Stage Counter Flow Packed Bed
Dia	:	1050 mm
Height	:	4000 mm
M O C	:	PP/FRP
PP	:	5 mm
FRP	:	7 mm with Isophthalic Resin
Packing	:	Polypropylene Pal Rings
Size	:	40 mm dia x 40 mm height
Filter Plate	:	PP Perforated - 15 mm thick
Spray	:	Polypropylene Jet Spray System

b) Blower:

Type	:	Backward Curve SISW
Casing	:	PP/FRP with Isophthalic Resin
Impeller	:	MS/FRP with Bisphenol Resin
Capacity	:	12500 CMH
Stat. Pressure	:	150 mmwg
Motor	:	15 HP FLP – 1440 RPM
Make	:	Kirloskar or CG
Drive	:	Belt

c) Ducting Details:

M O C	:	PP/FRP
Size	:	150, 225, 300, 450 & 600 mm dia

Ducting includes Straight lengths, Elbows, T-sections & Reducers

d) Liquid Circulation Tank:

Capacity	:	3 K L
PP	:	5 mm
FRP	:	7 mm with Isophthalic Resin

- Cylindrical, vertical, flat bottom & conical top
- External MS/FRP Reinforcement
- Necessary Nozzles & Manhole

e) Pump:

Make	:	Antico
Model	:	130 CT
Drive Motor	:	3 HP – 2900 RPM FLP

f) Liquid Circulation Lines:

MOC	:	HDPE
Sizes	:	Variable from 40 mm dia to 75 mm dia

g) MS Support Structure for Scrubber with Anti Corrosive Coating:

11. Wet Scrubbing System at Production Block – AI:

Equipments Connected to the System:

AI/RE-01, AI/RE-02, AI/RE-03, AI/RE-04, AI/RE-05, AI/RE-06, AI/RE-07, AI/RE-08, AI/RE-09, AI/RE-10, AI/RE-11, AI/ISNF-01, AI/ISVTD-01, AI/IS-01, AI/PIS-01, AI/VTD-01, AI/VTD-02, AI/VTD-03, AI/VTD-04.

a) Scrubber Details:

Type	:	Single Stage Counter Flow Packed Bed
------	---	--------------------------------------

Annexure - VIII

- | | | |
|--------------|---|--------------------------------|
| Dia | : | 1050 mm |
| Height | : | 4000 mm |
| M O C | : | PP/FRP |
| PP | : | 5 mm |
| FRP | : | 7 mm with Isophthalic Resin |
| Packing | : | Polypropylene Pal Rings |
| Size | : | 40 mm dia x 40 mm height |
| Filter Plate | : | PP Perforated - 15 mm thick |
| Spray | : | Polypropylene Jet Spray System |
- b) Blower:**
- | | | |
|---------------|---|-------------------------------|
| Type | : | Backward Curve SISW |
| Casing | : | PP/FRP with Isophthalic Resin |
| Impeller | : | MS/FRP with Bisphenol Resin |
| Capacity | : | 12500 CMH |
| Stat.Pressure | : | 150 mmwg |
| Motor | : | 15 HP FLP – 1440 RPM |
| Make | : | Kirloskar or CG |
| Drive | : | Belt |
- c) Ducting Details:**
- | | | |
|-------|---|---------------------------------|
| M O C | : | PP/FRP |
| Size | : | 150, 225, 300, 450 & 600 mm dia |
- Ducting includes Straight lengths, Elbows, T-sections & Reducers
- d) Liquid Circulation Tank:**
- | | | |
|----------|---|-----------------------------|
| Capacity | : | 3 K L |
| PP | : | 5 mm |
| FRP | : | 7 mm with Isophthalic Resin |
- Cylindrical, vertical, flat bottom & conical top
 - External MS/FRP Reinforcement
 - Necessary Nozzles & Manhole
- e) Pump:**
- | | | |
|-------------|---|---------------------|
| Make | : | Antico |
| Model | : | 130 CT |
| Drive Motor | : | 3 HP – 2900 RPM FLP |
- f) Liquid Circulation Lines:**
- | | | |
|-------|---|--------------------------------------|
| MOC | : | HDPE |
| Sizes | : | Variable from 40 mm dia to 75 mm dia |
- g) MS Support Structure for Scrubber with Anti Corrosive Coating:**

11. Wet Scrubbing System at Production Block – AJ:

Equipments Connected to the System:

AJ/RE-01, AJ/RE-02, AJ/RE-03, AJ/RE-04, AJ/RE-05, AJ/RE-06.

a) Scrubber Details:

Type	:	Single Stage Counter Flow Packed Bed
Dia	:	1050 mm
Height	:	4000 mm
M O C	:	PP/FRP
PP	:	5 mm
FRP	:	7 mm with Isophthalic Resin
Packing	:	Polypropylene Pal Rings

Annexure - VIII

- | | | |
|--------------|---|--------------------------------|
| Size | : | 40 mm dia x 40 mm height |
| Filter Plate | : | PP Perforated - 15 mm thick |
| Spray | : | Polypropylene Jet Spray System |
- b) Blower:**
- | | | |
|---------------|---|-------------------------------|
| Type | : | Backward Curve SISW |
| Casing | : | PP/FRP with Isophthalic Resin |
| Impeller | : | MS/FRP with Bisphenol Resin |
| Capacity | : | 12500 CMH |
| Stat.Pressure | : | 150 mmwg |
| Motor | : | 15 HP FLP – 1440 RPM |
| Make | : | Kirloskar or CG |
| Drive | : | Belt |
- c) Ducting Details:**
- | | | |
|-------|---|---------------------------------|
| M O C | : | PP/FRP |
| Size | : | 150, 225, 300, 450 & 600 mm dia |
- Ducting includes Straight lengths, Elbows, T-sections & Reducers
- d) Liquid Circulation Tank:**
- | | | |
|----------|---|-----------------------------|
| Capacity | : | 3 K L |
| PP | : | 5 mm |
| FRP | : | 7 mm with Isophthalic Resin |
- Cylindrical, vertical, flat bottom & conical top
 - External MS/FRP Reinforcement
 - Necessary Nozzles & Manhole
- e) Pump:**
- | | | |
|-------------|---|---------------------|
| Make | : | Antico |
| Model | : | 130 CT |
| Drive Motor | : | 3 HP – 2900 RPM FLP |
- f) Liquid Circulation Lines:**
- | | | |
|-------|---|--------------------------------------|
| MOC | : | HDPE |
| Sizes | : | Variable from 40 mm dia to 75 mm dia |
- g) MS Support Structure for Scrubber with Anti Corrosive Coating:**

12. Ammonia Scrubbing System at Production Block – AO:

Equipments Connected to the System:

AO/RE-01, AO/RE-02, AO/RE-03, AO/RE-04, AO/RE-05, AO/RE-06.

a) Process Data for 300 NB SCH 20 X MS Column:

Normal Pressure -0.3 kg/cm² (300 MM WC),
Design Pressure -0.35 kg/cm² (350 MM WC),
Normal Temperature -50 Deg C,
Design Temperature -100 Deg C,
Dish Dimension = Top, Bottom Dish X 5 Thk X 10% Torispherical,
Shell Dimension = 300 NB SCH 20 X 6.825 M Length,
Sections-02 No's,
Body Flange Gasket MOC : Teflon Envelope non metallic asbestos Free (TENMAF),
Body Flange MOC : MS as per ASME B16.5 Class150,
MOC - Shell = MS,MOC of Nozzle Pipe = MS,MOC of Nozzle Flanges = MS,MOC- Support =

Annexure - VIII

MS, MOC of bolts / nuts shall be hot dipped galvanized,
 SA 193 Gr. B7 / SA 194 Gr. 2H, MOC (Contact Parts) = MS, MOC: Sight & Light Glass = MS,
 Nozzles = As Per Drawing. Support = 2 No's, Lugs Supports in Each Section,
 Joint Efficiency (Shell / Dish): 85% / 100 %,
 Radiography (Shell/Dish): 10% / 100%,
 External Painting = On MS Parts 2 Coats of Red Oxide Primer. Feed/Reflux pipe assembly,
 Support cleat fro packing support & other parts welded to shell

b) Blower:

Type	:	Backward Curve 6 damper
Casing	:	PP/FRP with Isophthalic Resin
Impeller	:	MS/FRP with Bisphenol Resin
Capacity	:	200 CFW
Start .Pressure	:	300 mm wC
Motor	:	1 HP NFLP – 12880 RPM
Make	:	HMM
Drive	:	Direct

c) Ducting Details:

M O C	:	PP/FRP
Size	:	150, 225, 300, 450 & 600 mm dia

Ducting includes Straight lengths, Elbows, T-sections & Reducers

d) MS Support Structure for Scrubber with Anti Corrosive Coating:

Vertical Design 6 L Kcal Capacity Oil fired Thermic Fluid Heater:

Equipments Connected to the System:

AO/RE-01

Technical specifications:

MODEL	VRT-HT-06
HEAT OUTPUT [KCAL/H]	600000
THERMIC FLUID FLOW THROUGH THE	UNIT [L/H] 79000
TEMPERATURE AT HEATER OUTLET	345 ° C
THERMAL EFFICIENCY [%]	88
FUEL OIL CONSUMPTION AT MAX. OUTPUT [KG/H]	FO/LDO
- FURNACE OIL 9650 KCAL/KG NCV	70.65
- LDO OF 10200 KCAL/KG NCV	66.85
ELECTRICAL CONNECTED LOADS [KW]	
THERMIC FLUID PUMP MOTOR	22 KW
BLOWER MOTOR	3.7 KW
FUEL OIL PUMP	0.37 KW
ELECTRICAL OIL PRE HEATER	(3.0+3.0+3) KW
ELECTRIC SUPPLY	AC;3PHASE;415±5%V;50±3% HZ;4WIRE SYSTEM

Annexure - VIII

APPROX. OVERALL SIZE [MM]	
LENGTH	2650
WIDTH	1650
HEIGHT	2520
APPROX. DRY WEIGHT [KG]	3100

a) Technical Comparison for Thermic Fluid Heater

Sr. No	Item Description	
1	Make	Maxima
2	Model	VRT-HT-06
3	Type	Fully automatic, coil type, pressurized, Thermic fluid tube. Vertical Unit
4	Heat output	600000 kcal/Hr
5	Thermic fluid inlet temperature 0C	325 Deg C
6	Thermic fluid outlet temperature 0C	340 Deg C
7	Furnace oil consumption (kg/hr)	71 Kgs/Hr
8	Thermal Efficiency	88%
9	Overall dimensions including space for cleaning and maintenance (L X B X H), mm	L-2100 x W-2100 x H-2950 add another 3.0 mtr for coil removal
10	Empty weight of the unit	3100 Kgs
11	Operating weight of the unit	3397 Kgs
12	Dimensions of coil (Dia X Length X no of turns)	
a	Quantity of Thermic fluid required	Coil Hold-up 297 Litrs
b	Pressure Drop across Hot Oil Unit	20 MLC
13	Expansion tank 3 KL	
a	Dimensions (L x B x H), mm	1900 x 1300 x 1300 mm
b	MOC	IS 2062
c	Empty weight (kg)	1296 Kgs
d	Operating weight (kg)	4406 Kgs
14	Thermic fluid storage tank or Dump Tank 5 KL	

Annexure - VIII

a	Dimensions (L x B x H), mm	2500 x 1600 x 1850 mm
b	MOC	IS 2062
c	Empty weight (kg)	1719 Kgs
d	Operating weight (kg)	6746 Kgs
15	Furnace oil day tank 0.99 KL	
a	Dimensions (L x B x H), mm	1000 x 1000 x 990 mm
b	MOC	IS 2062
c	Empty weight (kg)	380 Kgs
d	Operating weight (kg)	1370 Kgs
16	Thermic fluid circulation pumps	
a	Capacity 79 M3/Hr	
b	Head	60 MLC
c	Speed	2900 rpm
d	BKW / Recommended motor	BKW - 18 / KW- 22KW
e	MOC of casing	CI
f	MOC of impeller	CI
g	Shaft seal details	Mechanical Seal
h	Flushing plan details	Drain Point
17	Thermic fluid filling pump	
a	Capacity	1000 LPH
b	Head	50 MLC


Annexure - VIII

c	Speed	1440 rpm
d	BKW / Recommended motor	BKW - 0.5 / KW- 0.75 KW
e	MOC of casing	CI/CS
f	MOC of impeller	EN (Gear + Shaft)
g	Shaft seal details	Mechnaical Seal
h	Flushing plan details	Drain Point
18	Blower	
a	Capacity	1800 M3/Hr
b	Head	400 mm Wc
c	BKW / Rec. motor (KW)	BKW - 3 / KW- 3.7 KW
19	Thermic fluid Drain pump Not Required	
a	Capacity	1000 LPH
b	Head	50 MLC
c	Speed	1440 rpm
d	BKW / Recommended motor	BKW - 0.5 / KW- 0.75 KW
e	MOC of casing	CI/CS
f	MOC of impeller	EN (Gear + Shaft)
g	Shaft seal details	Mechnaical Seal
h	Flushing plan details	Drain Point
20	Stack Details Customer Scope	
a	Diameter	350 mm

Annexure - VIII

b	Height	30.5 Mtr
c	M.O.C.	IS 2062
d	Type	Self Supported, as per IS 6533
e	Connected Electric load	22.22 KW
21	OIL PUMP Make	Prakash /Eqvt
a	Type	Gear
b	Capacity	300 LPH
c	Head	300 mWC
d	BKW / Recommended motor	BKW - 0.6 / KW- 0.75 KW
22	BURNER Make	Maxima
a	Type	Pr. Jet Spill return
b	Capacity	0.8 MW
c	Modulation	Two stage

Annexure - VIII




**NOTE: APPROXIMATE DUCT
PIPE LENGTH 25.00 M**

Annexure - VIII

Mechanical dust collector / Multi cyclone

Capacity of boiler	:	8 Ton
Output gas flow	:	24000 CMH
Type of fuel	:	Coal/husk
Temp of flue gases	:	180°C-220°C
Air quantity to be handled	:	24000 CMH
Pressure drop across the system	:	70-75 MMWG
Total no of cyclones	:	16 No.'s
Size of output pipe	:	Φ 150 mm
Thickness of cones	:	10 mm
Material of construction of cones	:	IS 210
Thickness of outer casing & hopper	:	3.15 mm




LONGITUDINAL SECTION OF MULTICYCLONE FOR DUST COLLECTION

Annexure-9

SOLVENT RECOVERY SYSTEM

- After the reaction is complete the solvents are recovered in a distillation unit.
- The distillation unit has two condensers (shell and tube type).
- The first condenser has cooling tower water, while the second condenser will have the chilled water at 0 - 2^o C as coolants.
- After the vapors are condensed, the condensate along with un-condensed vapors is passed through a trap which is cooled externally with chilled water.
- The vents of condenser and receiver are connected to scrubber system.
- All the reaction vessels and centrifuges are connected to a common line. These fumes and exhausts are sucked by ID fan and scrubbed by alkali.
- The air after scrubbing is let out into the atmosphere and the scrubbed water is sent to ETP for further treatment.
- This wet scrubber absorbs acidic vapors, traces of solvents etc. and purified gas stream is let out into the atmosphere.

Typical solvent recovery system





MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC-4071

Annexure-10

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Boiler - 10TPH & 6TPH
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	25.12.2025
5.	Date of Sample Receipt	:	26.12.2025
6.	Sample Code	:	SE/4525
7.	Analysis Starting Date	:	26.12.2025
8.	Analysis Completion Date	:	30.12.2025
9.	Report Issue date	:	31.12.2025
10.	Latitude	:	16.311643
11.	Longitude	:	77.358016

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000030923F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	31
Stack Temperature (°C)	109
Velocity (m/s)	8.2
Height (m)	30 mtr AGL
Diameter (m)	1.12
Cross sectional area (m ²)	0.9856

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m ³ /hr	29094.9	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	71.6	150
Sulphur dioxide	IS-11255(Part-2) - 2019	PPM	BDL	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	PPM	16.4	50
Acid mist (HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm ³	BDL	35
Carbon Monoxide as CO	IS 13270	PPM	40	<150
Carbon Dioxide as CO ₂	(Orsat Apparatus USEPA 3A:1989)	%	9.4	<12

BDL: Below Detection limit

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory

Hanumanthalah P
Technical Manager



Note: 1. The results listed only to the tested samples & applicable parameters.


2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified

annexure-10



GPS Map

Chicksugur, Karnataka, India

100% Export Oriented Unit, Plot #33, Raichur Growth Cell
33a & 40 To 47, Chicksugur, Karnataka 584134, India
Lat 16.311643° Long 77.358016°
25/12/2025 12:45 PM GMT +05:30



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
 (Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
 E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC- 4071

Annex-10

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Boiler - 10TPH & 6TPH
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	20.02.2026
5.	Date of Sample Receipt	:	21.02.2026
6.	Sample Code	:	SE/1250
7.	Analysis Starting Date	:	21.02.2026
8.	Analysis Completion Date	:	25.02.2026
9.	Report Issue date	:	26.02.2026
10.	Latitude	:	16.311643
11.	Longitude	:	77.358016

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000005524F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	33
Stack Temperature (°C)	124
Velocity (m/s)	8.0
Height (m)	30 mtr AGL
Diameter (m)	1.12
Cross sectional area (m ²)	0.9856

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m ³ /hr	28385	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	72.8	150
Sulphur dioxide	IS-11255(Part-2) - 2019	PPM	BDL	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	PPM	18.3	50
Acid mist(HCl Mist)	MSVAL/SOR/SE/002:2022	mg/Nm ³	BDL	35
Carbon Monoxide as CO	IS 13270	PPM	44	<150
Carbon Dioxide as CO ₂	(Orsat Apparatus USEPA 3A:1989)	%	9.2	<12

BDL: Below Detection limit

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager



- Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Samples Will be disposed after the specified retention period.
 3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
 5. Sampling is not done by us unless otherwise specified

Annexure-10



 GPS Map Camera

Chicksugur, Karnataka, India 

100% Export Oriented Unit, Plot #33, Raichur Growth Centre,
33a & 40 To 47, Chicksugur, Karnataka 584134, India

Lat 16.311643° Long 77.358016°

20/02/2026 12:33 PM GMT +05:30



Google



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S.No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103 Contact No : Mob : 94498 03895, (D) : 08392-255189,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



Annexure-10

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Boiler - 10TPH & 6TPH
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	14.01.2026
5.	Date of Sample Receipt	:	15.01.2026
6.	Sample Code	:	SE/348
7.	Analysis Starting Date	:	15.01.2026
8.	Analysis Completion Date	:	22.01.2026
9.	Report Issue date	:	23.01.2026
10.	Latitude	:	16.311643
11.	Longitude	:	77.358016

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000001231F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	32
Stack Temperature (°C)	115
Velocity (m/s)	7.2
Height (m)	30 mtr AGL
Diameter (m)	1.12
Cross sectional area (m ²)	0.9856

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m ³ /hr	29030.4	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	74.6	150
Sulphur dioxide	IS-11255(Part-2) - 2019	PPM	BDL	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	PPM	19.6	50
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm ³	BDL	35
Carbon Monoxide as CO	IS 13270	PPM	45	<150
Carbon Dioxide as CO ₂	(Orsat Apparatus USEPA 3A:1989)	%	9.4	<12

BDL: Below Detection limit

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by


Authorized Signatory


Hanumanthalah P
Technical Manager



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

ಅನಿಲ - 10



 GPS Map Camera

Chicksugar, Karnataka, India 

100% Export Oriented Unit, Plot #33, Raichur Growth Centre,
33a & 40 To 47, Chicksugar, Karnataka 584134, India

Lat 16.311643° Long 77.358016°

14/01/2026 1:37 PM GMT +05:30

Google



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

Annexure - 1

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Boiler - 10TPH & 6TPH
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	25.03.2026
5.	Date of Sample Receipt	:	26.03.2026
6.	Sample Code	:	SE/1984
7.	Analysis Starting Date	:	26.03.2026
8.	Analysis Completion Date	:	30.03.2026
9.	Report Issue date	:	31.03.2026
10.	Latitude	:	16.311643
11.	Longitude	:	77.358016

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000008515F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	32
Stack Temperature (°C)	120
Velocity (m/s)	8.5
Height (m)	30 mtr AGL
Diameter (m)	1.12
Cross sectional area (m ²)	0.9856

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m ³ /hr	30159	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	74.6	150
Sulphur dioxide	IS-11255(Part-2) - 2019	PPM	BDL	100
Nitrogen dioxide	IS-11255(Part-7) - 2017	PPM	19.5	50
Acid mist(HCl Mist)	MSVAL/SQP/SE/002:2022	mg/Nm ³	BDL	35
Carbon Monoxide as CO	IS 13278	PPM	40	<150
Carbon Dioxide as CO ₂	(Orsat Apparatus USEPA 3A:1989)	%	9.2	<12

BDL: Below Detection limit

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

08/03/2026-10



GPS Map Camera

Chicksugur, Karnataka, India



100% Export Oriented Unit, Plot #33, Raichur Growth Centre,
33a & 40 To 47, Chicksugur, Karnataka 584134, India
Lat 16.311643° Long 77.358016°
25/03/2026 12:37 PM GMT +05:30





MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



Atmosphere - 10

MSVAL/QR/7.8/1/Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2,
Plot No. 33, 33A, 40-47, Raichur Industrial Growth
Center, Chicksugur village, Raichur.
2. Stack ID : Boller - 10TPH & 6TPH
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 29.11.2025
5. Date of Sample Receipt : 01.12.2025
6. Sample Code : SE/3935
7. Analysis Starting Date : 01.12.2025
8. Analysis Completion Date : 06.12.2025
9. Report Issue date : 08.12.2025
10. Latitude : 16.311643
11. Longitude : 77.358016

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

ULR No: TC407125000028626F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	30.2
Stack Temperature (°C)	134
Velocity (m/s)	7.8
Height (m)	30 mtr AGL
Diameter (m)	1.12
Cross sectional area (m ²)	0.9856

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS 11255 Part-3	m ³ /hr	27675.6	—
Particulate Matter	IS 11255 Part-1	mg/Nm ³	79.8	150
Sulphur dioxide	IS 11255 Part-2	PPM	BDL	100
Nitrogen dioxide	IS 11255 Part-7	PPM	30.2	50
Acid mist(HCl Mist)	MSVAL/SOP/USEPA/SE/002	mg/Nm ³	BDL	35
Carbon Monoxide as CO	IS 13270	PPM	58	<150
Carbon Dioxide as CO ₂	(Orsat Apparatus USEPA 3A:1989)	%	10.1	<12

INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

[Signature]

Authorized Signatory


[Signature]
Hanumanthaiah.P
Technical Manager

*** End of Report ***



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

ಅಸ್ತಿತ್ವ - 10



GPS Map

Chicksugur, Karnataka, India

100% Export Oriented Unit, Plot #33, Raichur Growth Ce

33a & 40 To 47, Chicksugur, Karnataka 584134, India

Lat 16.311643° Long 77.358016°

29/11/2025 12:40 PM GMT +05:30

Google



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695JA/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

Annexure-6

MSVAL/QR/7.8/1/Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

- Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
- Stack ID : Boiler - 10TPH & 6TPH
- Sample Collected By : MSV Analytical Laboratories, Bellary
- Date of Monitoring : 28.10.2025
- Date of Sample Receipt : 29.10.2025
- Sample Code : SE/3225
- Analysis Starting Date : 29.10.2025
- Analysis Completion Date : 03.11.2025
- Report Issue date : 03.11.2025
- Latitude : 16.30986
- Longitude : 77.357057

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

ULR No: TC407125000024790F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	30
Stack Temperature (°C)	128
Velocity (m/s)	8.2
Height (m)	30 mtr AGL
Diameter (m)	1.12
Cross sectional area (m ²)	0.9856

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS 11255 Part-3	m ³ /hr	29094.91	---
Particulate Matter	IS 11255 Part-1	mg/Nm ³	73.6	150
Sulphur dioxide	IS 11255 Part-2	PPM	BDL	100
Nitrogen dioxide	IS 11255 Part-7	PPM	23.6	50
Acid mist(HCl Mist)	MSVAL/SOP/USEPA/SE/002	mg/Nm ³	BDL	35
Carbon Monoxide as CO	IS 13270	PPM	52	<150
Carbon Dioxide as CO ₂	(Orsat Apparatus USEPA 3A:1989)	%	9.6	<12

INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah.P
Technical Manager


*** End of Report ***



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

6/10/2025

Amn 24m to 10



GPS Map Camera

Chicksugur, Karnataka, India

33, Chicksugur, Karnataka 584134, India

Lat 16.30986° Long 77.357057°

28/10/2025 12:01 AM GMT +05:30

Google

HWW
Annexure-11

FORM 10
[See rule 19 (1)]
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma lifesciences ltd Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District Telephone:9845745068 E-Mail:sharath@vbsilpa.com		
Sender's authorisation No	28295		
Manifest Document No	HW/28295/2025-26/0000229		
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Transporter's registration No: 23836		
Type of vehicle	Tanker		
Transporter's registration No	23836		
Vehicle registration No.	KA 01 AP 3329		
Receiver's name and mailing address (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Receiver's authorisation No.: 23836		
Receiver's authorisation No.	23836		
Waste description	Waste Category	Physical form	Qty(MT)
	28.6. Spent solvents	Liquid	25.51
Total quantity: No. of Containers	25.51 MT		
Physical form			
Special handling instructions and additional information	USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,		
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.		
Name and stamp: Signature:	MONTH-DAY-YEAR:12-09-2025		
Transporter acknowledgement of receipt of Wastes			
Name and stamp: Signature:	MONTH-DAY-YEAR		
Receiver's certification for receipt of hazardous and other waste			
Name and stamp: Signature:	MONTH-DAY-YEAR		



Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure-11

FORM 10

[See rule 19 (1)]


MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma lifesciences ltd Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District Telephone:9845745068 E-Mail:sharath@vbsilpa.com		
Sender's authorisation No	20295		
Manifest Document No	HW/20295/2025-26/0000230		
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M 19 Balkampady Indl Area Phone:9845515328 e-mail:zahidroadlines2005@gmail.com Transporter's registration No: 83125		
Type of vehicle	Truck		
Transporter's registration No	83125		
Vehicle registration No.	KA 19 AD 7429		
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No. 158 to 164, KAIDB Kadechu Industrial Area; Village _Kadechur;Tehsil & District Yadgir; Karnataka-585221 Phone:7338464597 e-mail:lab@motherearthenviron.com Receiver's authorisation No: 80996		
Receiver's authorisation No.	80996		
Waste description	Waste Category	Physical form	Qty(MT)
	35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	12.71
	28.1.Process Residue and wastes	Slurry	2.38
	20.3.Distillation Residues	Slurry	2.96
Total quantity: No. of Containers	18.05 MT		
Physical form			
Special handling instructions and additional information	USE PPE WHILE LOADING AND UNLOADING . ANY SPILLAGE WASH WITH PLENTY OF WATER . ANY FIRE USE DCP OR CO2		
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.		
Name and stamp: Signature:	MONTH-DAY-YEAR:12-09-2025		
Transporter acknowledgement of receipt of wastes			
Name and stamp: Signature:	MONTH-DAY-YEAR		
Receiver's certification for receipt of hazardous and other waste			
Name and stamp: Signature:	MONTH-DAY-YEAR		



Shilpa

FORM 10
[See rule 19 (1)]
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma lifesciences ltd Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District Telephone:9845745068 E-Mail:sharath@vshilpa.com														
Sender's authorisation No	28295														
Manifest Document No	HW/28295/2025-26/0000251														
Transporter's name and address: (Including Phone No. and e-mail)	ZAHID ROADLINES M 19 Balkampady Indl Area Phone:9845515328 e-mail:zahidroadlines2005@gmail.com Transporter's registration No: 83125														
Type of vehicle	Truck														
Transporter's registration No	83125														
Vehicle registration No.	KA 16 C 0694														
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No. 158 to 164, KAIDB Kadechu Industrial Area; Village _Kadechur;Tehsil & District Yadgir; Karnataka-585221 Phone:7338464597 e-mail:lab@motherearthenvirom.com Receiver's authorisation No.: 80996														
Receiver's authorisation No.	80996														
Waste Description	<table border="1"> <thead> <tr> <th>Waste Category</th> <th>Physical form</th> <th>Qty(MT)</th> </tr> </thead> <tbody> <tr> <td>35.3.Chemical Sludge From Waste Water Treatment</td> <td>Semi-Solid</td> <td>14.87</td> </tr> <tr> <td>29.2.Spent catalyst</td> <td>Slurry</td> <td>1.4</td> </tr> <tr> <td>29.3.Spent carbon</td> <td>Solid</td> <td>0.86</td> </tr> </tbody> </table>			Waste Category	Physical form	Qty(MT)	35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	14.87	29.2.Spent catalyst	Slurry	1.4	29.3.Spent carbon	Solid	0.86
Waste Category	Physical form	Qty(MT)													
35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	14.87													
29.2.Spent catalyst	Slurry	1.4													
29.3.Spent carbon	Solid	0.86													
Total quantity : No. of Containers	17.13 MT														
Physical form															
Special handling instructions and additional information	USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,														
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorized, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.														
Name and stamp: Signature:															
Transporter acknowledgement of receipt	MONTH-DAY-YEAR:12-09-2025														
Name and stamp: Signature:	MONTH-DAY-YEAR														
Receiver's certification for receipt of hazardous and other waste															
Name and stamp: Signature:	MONTH-DAY-YEAR														

HWW
Dha...-11

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma llescences ltd Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District Telephone:9845745068 E-Mail:sharath@vbshilpa.com		
Sender's authorisation No	28295		
Manifest Document No	HW/28295/2025-26/0000232		
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M 19 Baikampady Indl Area Phone:9845515328 e-mail:zahidroadlines2005@gmail.com Transporter's registration No: 83125		
Type of vehicle	Truck		
Transporter's registration No	83125		
Vehicle registration No.	KA 19 AE 6021		
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No. 158 to 164, KAIDB Kadachu Industrial Area; Village ,Kadachur;Tehsil & District Yadgir; Karnataka-585221 Phone:7338464597 e-mail:lab@motherearthenvron.com Receiver's authorisation No: 80996		
Receiver's authorisation No.	80996		
Waste description	Waste Category	Physical form	Qty(MT)
	35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	25.66
Total quantity : No. of Containers	25.66 MT		
Physical form			
Special handling instructions and additional information	USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,		
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.		
Name and stamp: Signature:	MONTH-DAY-YEAR:12-22-2025		
Transporter acknowledgement of receipt of wastes			
Name and stamp: Signature:	MONTH-DAY-YEAR		
Receiver's certification for receipt of hazardous and other waste			
Name and stamp: Signature:	MONTH-DAY-YEAR		

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Shilpa ^{HW} Pharma

FORM 10
[See rule 19 (1)]
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(Including Phone No. and e-mail)

Shilpa pharma lifesciences ltd
Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District
Telephone:9845745068
E-Mail:sharath@vbsilpa.com

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000243

Transporter's name and address:
(Including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D)
562112
Phone:9845831069
e-mailpanchemukipharmachem@gmail.com
Transporter's registration No: 23836

Type of vehicle

Tanker

Transporter's registration No

23836

Vehicle registration No.

KA 01 AP 3329

Receiver's name and mailing address
(Including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D)
562112
Phone:9845831069
e-mailpanchemukipharmachem@gmail.com
Receiver's authorisation No.: 23836

Receiver's authorisation No.

23836

Waste description

Waste Category	Physical form	Qty(MT)
28.6. Spent solvents	Liquid	26.36

Total quantity :
No. of Containers

26.36 MT

Physical form

Special handling instructions for additional information

USE PPE , WHILE LOADING & UNLOADING

Sender's Certificate



I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

Name and stamp: Signature:

MONTH-DAY-YEAR:02-27-2026

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

Copy 1 (HW) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

HWW
Shilpa

FORM 10
[See rule 19 (1)]
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (Including Phone and e-mail)	Shilpa pharma lifesciences ltd Plot no.33,33A,40to47, Industrial Growth Centre , Chickeugur, Raichur Taluk District						
Sender's authorisation No.	28295						
Manifest Document	NW/28295/2025-26/0000242						
Transporter's name and address (Including Phone and e-mail)	ZAHID ROADLINES M 19 Baikampady Indl Area Phone:9845515328 e-mailzahidroadlines2005@gmail.com Transporter's registration No: 83125						
Type of vehicle	Truck						
Transporter's registration No.	83125						
Vehicle registration	KA 01 AH 7908						
Receiver's name and mailing address (Including Phone and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No. 158 to 164, KAIDB Kadechu Industrial Area; Village _Kadechur;Tehsil & District Yadgir; Karnataka-585221 Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 80996						
Receiver's authorisation No.	80996						
Waste description	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 60%;">Waste Category</th> <th style="width: 20%;">Physical form</th> <th style="width: 20%;">Qty(MT)</th> </tr> </thead> <tbody> <tr> <td>35.3.Chemical Sludge From Waste Water Treatment</td> <td>Semi-Solid</td> <td>26.8</td> </tr> </tbody> </table>	Waste Category	Physical form	Qty(MT)	35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	26.8
Waste Category	Physical form	Qty(MT)					
35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	26.8					
Total quantity : No. of Containers	26.8 MT						
Physical form							
Special handling Notes and additional information	USE PPE WHILE LOADING AND UNLOADING -ANY SPILLAGE WASH WITH PLENTY OF WATER						
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.						
Name and state of transporter	MONTH-DAY-YEAR:02-23-2026						
Transporter acknowledgment Receipt of Wastes							
Name and state of transporter	MONTH-DAY-YEAR						
Receiver's certificate On receipt of hazardous and other waste							
Name and state of receiver	MONTH-DAY-YEAR						



Annexure-11

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(including Phone No. and e-mail)Shilpa pharma lifesciences ltd
Plot no.33,33A,40to47, Industrial Growth Centre . Chicksugur, Raichur Taluk DistrictTelephone:9845745068
E-Mail:sharath@vbshilpa.com

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000238

Transporter's name and address:
(including Phone No. and e-mail)ZAHID ROADLINES
M 19 Baikampady Indl Area
Phone:9845515328
e-mailzahidroadlines2005@gmail.com
Transporter's registration No: 83125

Type of vehicle

Truck

Transporter's registration No

83125

Vehicle registration No.

KA 19 AB 0560

Receiver's name and mailing address
(including Phone No. and e-mail)Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother
Earth Environ Tech Private Limited)
Plot No. 158 to 164, KAIDB Kadechu Industrial Area; Village _Kadechur;Tehsil & District
Yadgir; Karnataka-585221
Phone:7338464597
e-maillab@motherearthenviron.com
Receiver's authorisation No.: 80996

Receiver's authorisation No.

80996

Waste description

Waste Category	Physical form	Qty(MT)
35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	21.85

Total quantity:
No. of Containers

21.85 MT

Physical form

Special handling instructions and additional information

USE PPE WHILE LOADING AND UNLOADING -ANY SPILLAGE WASH WITH PLENTY
OF WATER

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately
described above by proper shipping name and are categorised, packed, marked,
and labelled, and are in all respects in proper conditions for transport by road
according to applicable national government regulations.

Name and stamp: Signature

MONTH-DAY-YEAR:02-06-2026

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

HW
Ana Xerox - 11

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma llfsciences ltd Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District Telephone:9845745068 E-Mail:sharath@vbsilpa.com		
Sender's authorisation No	28295		
Manifest Document No	HW/28295/2025-26/000240		
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M 19 Baikampady Indl Area Phone:9845515328 e-mailzahidroadlines2005@gmail.com Transporter's registration No: 83125		
Type of vehicle	Truck		
Transporter's registration No	83125		
Vehicle registration No.	KA 19 AD 6834		
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No. 15B to 164, KAIDB Kadachu Industrial Area; Village _Kadachur; Tehsil & District Yadgir; Karnataka-585221 Phone:7338464597 e-mail:lab@motherearthenvirom.com Receiver's authorisation No.: 80996		
Receiver's authorisation No.	80996		
Waste description	Waste Category		Physical form
	35.3.Chemical Sludge From Waste Water Treatment		Semi-Solid
		Qty(MT)	22.32
Total quantity: No. of Containers	22.32 MT		
Physical form			
Special handling instructions and additional information	USE PPE WHILE LOADING AND UNLOADING -ANY SPILLAGE WASH WITH PLENTY OF WATER		
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.		
Name and stamp: Signature:	MONTH-DAY-YEAR:02-12-2026		
Transporter acknowledgement of receipt of wastes			
Name and stamp: Signature:	MONTH-DAY-YEAR		
Receiver's certification for receipt of hazardous and other waste			
Name and stamp: Signature:	MONTH-DAY-YEAR		

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Shilpa Pharma Lifesciences Ltd

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (Including Phone No. and e-mail)	Shilpa pharma lifesciences ltd Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District Telephone:9845745068 E-Mail:sharath@vbslilpa.com		
Sender's authorisation No	28295		
Manifest Document No	HW/28295/2025-26/0000241		
Transporter's name and address: (Including Phone No. and e-mail)	HAJIRA ENTERPRISES 324 t 2nd Phase harohalli industrial area Phone:9986250505 e-mailsyedmoosa@hotmail.com Transporter's registration No: 22794		
Type of vehicle	Truck		
Transporter's registration No	22794		
Vehicle registration No.	KASID5620		
Receiver's name and mailing address (Including Phone No. and e-mail)	HAJIRA ENTERPRISES 324 t 2nd Phase harohalli industrial area Phone:9986250505 e-mailsyedmoosa@hotmail.com Receiver's authorisation No.: 22794		
Receiver's authorisation No.	22794		
Waste description	Waste Category	Physical form	Qty(MT)
	33.1.Empty barrels/containers/liners contaminated with hazardous chemicals /wastes	Solid	12.213
Total quantity: No. of Containers	12.213 MT		
Physical form			
Special handling instructions and additional information	USE PPE , WHILE LOADING & UNLOADING		
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.		
Name and stamp: Signature:	MONTH-DAY-YEAR:02-14-2026		
Transporter acknowledgement of receipt of Wastes			
Name and stamp: Signature:	MONTH-DAY-YEAR		
Receiver's certification for receipt of hazardous and other waste			
Name and stamp: Signature:	MONTH-DAY-YEAR		

Copy 1 (MHW) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure-11

FORM 10
[See rule 19 (1)]
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma lifesciences ltd Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District Telephone:9845745068 E-Mail:sharath@vbshilpa.com		
Sender's authorisation No	28295		
Manifest Document No	HW/28295/2025-26/0000239		
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Transporter's registration No: 23836		
Type of vehicle	Tanker		
Transporter's registration No	23836		
Vehicle registration No.	KA 51 AL 8736		
Receiver's name and mailing address (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Receiver's authorisation No: 23836		
Receiver's authorisation No.	23836		
Waste description	Waste Category	Physical form	Qty(MT)
	28.6. Spent solvents	Liquid	24.16
Total quantity: No. of Containers	24.16 MT		
Physical form			
Special handling instructions and additional information	USE PPE WHILE LOADING AND UNLOADING -ANY SPILLAGE WASH WITH PLENTY OF WATER		
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.		
Name and stamp: Signature	MONTH-DAY-YEAR:02-12-2026		
Transporter's name and address: Name of recipient			
Name and stamp: Signature	MONTH-DAY-YEAR		
Receiver's name and address: Name of recipient of hazardous and other waste			
Name and stamp: Signature	MONTH-DAY-YEAR		



1) (white) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure-11

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma lifesciences ltd Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District Telephone:9845745068 E-Mail:sharath@vbsilpa.com		
Sender's authorisation No	28295		
Manifest Document No	HW/28295/2025-26/0000235		
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Transporter's registration No: 23836		
Type of vehicle	Tanker		
Transporter's registration No	23836		
Vehicle registration No.	KA OF AP 3329		
Receiver's name and mailing address (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Receiver's authorisation No: 23836		
Receiver's authorisation No.	23836		
Waste description	Waste Category	Physical form	Qty(MT)
	28.6. Spent solvents	Liquid	24.35
Total quantity: No. of Containers	24.35 MT		
Physical form			
Special handling instructions and additional information	USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,		
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.		
Name and stamp: Signature:	MONTH-DAY-YEAR:01-12-2026		
Transporter acknowledgement of receipt of wastes			
Name and stamp: Signature:	MONTH-DAY-YEAR		
Receiver's certification for receipt of hazardous and other waste			
Name and stamp: Signature:	MONTH-DAY-YEAR		

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure-1

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma Lifesciences Ltd Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District Telephone:9845745068 E-Mail:sharath@vbshilpa.com		
Sender's authorisation No	28295		
Manifest Document No	HW/28295/2025-26/0000237		
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Transporter's registration No: 23836		
Type of vehicle	Tanker		
Transporter's registration No	23836		
Vehicle registration No.	KA 01 AP 3329		
Receiver's name and mailing address (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Receiver's authorisation No.: 23836		
Receiver's authorisation No.	23836		
Waste description	Waste Category	Physical form	Qty(MT)
	28.6. Spent solvents	Liquid	26.23
Total quantity : No. of Containers	26.23 MT		
Physical form			
Special handling instructions and additional information	USE PPE WHILE LOADING AND UNLOADING -ANY SPILLAGE WASH WITH PLENTY OF WATER		
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.		
Name and stamp: Signature:	MONTH-DAY-YEAR:01-23-2026		
Transporter acknowledgement of receipt of Wastes			
Name and stamp: Signature:	MONTH-DAY-YEAR		
Receiver's certification for receipt of hazardous and other waste			
Name and stamp: Signature:	MONTH-DAY-YEAR		

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

HWW
Anorexer-4

FORM 10
[See rule 19 (1)]
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (Including Phone No. and e-mail)	Shilpa pharma lifesciences ltd Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District Telephone:9845745068 E-Mail:sharath@vbsilpa.com		
Sender's authorisation No	28295		
Manifest Document No	HW/28295/2025-26/0000234		
Transporter's name and address: (Including Phone No. and e-mail)	ZAHID ROADLINES M 19 Baikampady Indl Area Phone:9845515328 e-mail:zahidroadlines2005@gmail.com Transporter's registration No: 83125		
Type of vehicle	Truck		
Transporter's registration No	83125		
Vehicle registration No.	KA 01 AH 7908		
Receiver's name and mailing address (Including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No. 158 to 164, KAIDB Kadechu Industrial Area; Village _Kadechur;Tehsil & District Yadgir; Karnataka-585221 Phone:7338464597 e-mail:lab@motherearthenviro.com Receiver's authorisation No.: 80996		
Receiver's authorisation No.	80996		
Waste description	Waste Category	Physical form	Qty(MT)
	35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	19.83
Total quantity: No. of Containers	19.83 MT		
Physical form			
Special handling instructions and additional information	USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,		
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.		
Name and stamp: Signature:	MONTH-DAY-YEAR:01-12-2025		
Transporter acknowledgement of receipt of Wastes			
Name and stamp: Signature:	MONTH-DAY-YEAR		
Receiver's certification for receipt of hazardous and other waste			
Name and stamp: Signature:	MONTH-DAY-YEAR		



Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

HW
Annexure - I

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma lifesciences ltd Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District Telephone:9845745068 E-Mail:sharath@vbshillpa.com								
Sender's authorisation No	28295								
Manifest Document No	HW/28295/2025-26/0000236								
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M 19 Baikampady Indl Area Phone:9845515328 e-mail:zahidroadlines2005@gmail.com Transporter's registration No: 83125								
Type of vehicle	Truck								
Transporter's registration No	83125								
Vehicle registration No.	KA 19 AD 7429								
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No. 158 to 164, KAIDB Kadachu Industrial Area; Village ..Kadachur;Tehsil & District Yadgir; Karnataka-585221 Phone:7338464597 e-mail:lab@motherearthenviro.com Receiver's authorisation No.: 80996								
Receiver's authorisation No.	80996								
Waste description	<table border="1"> <thead> <tr> <th>Waste Category</th> <th>Physical form</th> <th>Qty(MT)</th> </tr> </thead> <tbody> <tr> <td>35.3.Chemical Sludge From Waste Water Treatment</td> <td>Semi-Solid</td> <td>21.31</td> </tr> </tbody> </table>			Waste Category	Physical form	Qty(MT)	35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	21.31
Waste Category	Physical form	Qty(MT)							
35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	21.31							
Total quantity : No. of Containers	21.31 MT								
Physical form									
Special handling instructions and additional information	USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,								
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.								
Name and stamp: Signature:	MONTH-DAY-YEAR:01-19-2026								
Transporter acknowledgement of receipt of waste									
Name and stamp: Signature:	MONTH-DAY-YEAR								
Receiver's certification for receipt of hazardous and other waste									
Name and stamp: Signature:	MONTH-DAY-YEAR								

Annexure-11

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE



Sender's name and mailing address (including Phone No. and e-mail)	Shilpa Pharma Lifesciences Pvt Plot no. 33, 33A, 40 to 47, Industrial Growth Centre, Chicksalur, Raichur Taluk District Telephone: 9845745068 E-Mail: shilpa@svbshilpa.com		
Sender's authorisation No.	26385		
Manifest Document No.	HW/33233/2025-26/0000333		
Transporter's name and address (including Phone No. and e-mail)	ZAHID ROADLINES M 18 Ballewady Indl Area Phone: 9845616328 e-mail: zahir@roadlines2005@gmail.com Transporter's registration No: 83125		
Type of vehicle	Truck		
Transporter's registration No.	83125		
Vehicle registration No.	KA 18 AS 2326		
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyani Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Enviro Tech Private Limited) Plot No. 155 to 164, KAIDB Kadachy Industrial Area, Village - Kadachy, Tehsil & District Yadgiri, Karnataka-585221 Phone: 7332464597 E-mail: kalyan@motherearthenviro.com Receiver's authorisation No: 80986		
Receiver's authorisation No.	80986		
Waste description	Waste Category	Physical form	Qty(MT)
	35 X Chemical Sludge From Waste Water Treatment	Semi-Solid	26.43
Total quantity: No. of Containers	26.43 MT		
Physical form			
Special handling instructions and additional information	USE GPE, WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER.		
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorized, packed, marked, and labeled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.		
Name and stamp: Signature	 MONTH-DAY-YEAR: 01-05-2026		
Transporter acknowledgement of receipt of Waste			
Name and stamp: Signature	 MONTH-DAY-YEAR:		
Receiver's certification for receipt of hazardous and other waste			
Name and stamp: Signature	MONTH-DAY-YEAR:		

03/03/2026-11

FORM - 10
[See Rule 19(1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

1

1.	Sender's Name and Mailing Address (Including Phone No. and e-mail)	Shilpa Pharma Lifesciences Limited. 100 % EOU, Unit-2 Plot No. 30,31,32,35 to 39,33,33A & 40-47 Raichur Industrial Growth Center, Wadloor Road, Dist. GUR-584 134 Raichur District, Karnataka, India						
2.	Sender's Authorisation No. :	28295						
3.	Manifest Documentation :	HW/28295/25-26/001						
4.	Transporter's Name and Address : (including Phone No. and e-mail)	M-TECH PETROLEUMS PLOT No. 192(B) KJADG, VASANTH NARASAPURA 2 nd PHASE KORA HOBLI ROAD No 19 TUMKUR-572106						
5.	Type of Vehicle :	Truck <input type="checkbox"/>	Tanker <input type="checkbox"/>	Special Vehicle <input checked="" type="checkbox"/>				
6.	Transporter's Registration No. :	S2142						
7.	Vehicle Registration No. :	KA 05 AS 0513						
8.	Receiver's name and mailing address (including Phone No. and e-mail) :	M-TECH PETROLEUMS PLOT No. 192(B) KJADG, VASANTH NARASAPURA 2 nd PHASE KORA HOBLI ROAD No 19 TUMKUR-572106						
9.	Receiver's authorisation No. :	S2142						
10.	Waste Description :	S-1 USED OIL - SPENT OIL						
11.	Total Quantity Waste	1.625 in m3 or Tone						
	No. of Containers	8 Containers.						
12.	Physical Form	-	-	-	-			
		Solid	Semi Solid	Sludge	Oily	Tarry	Slurry	Liquid
13.	Special Handling Instructions and Additional Information	Use PPE's while loading & unloading						
14.	Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorized, packed, marked, and Labeled, and in all respects in proper condition for transport by road according to applicable national government regulations.						
			03	04	2026			
			Month	Day	Year			
15.	Transporter's Acknowledgement of Receipt of Waster							
	Name and Stamp	Signature	03	04	2026			
			Month	Day	Year			
16.	Receiver's Certification of Receipt of Hazardous and other Waste							
	Name and Stamp	Signature	Month	Day	Year			

of Environment in our life

HW
As a xure - 11

FORM 10
 [See rule 19 (1)]
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address including Phone No. and e-mail	Shilpa pharma Lifesciences ltd Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District Telephone:9845745068 E-Mail:sharath@vishilpa.com		
Sender's authorisation No	28295		
Manifest Document No	HW/28295/2025-26/0000248		
Transporter's name and address including Phone No. and e-mail	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Transporter's registration No: 23836		
Type of vehicle	Tanker		
Transporter's registration No	23836		
Vehicle registration No.	KA 01 AP 3329		
Receiver's name and mailing address including Phone No. and e-mail	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Receiver's authorisation No: 23836		
Receiver's authorisation No.	23836		
Waste description	Waste Category	Physical form	Qty(MT)
	28.6. Spent solvents	Liquid	26.52
Total quantity ; No. of Containers	26.52 MT		
Physical form			
Special handling instructions and additional information	USE PPE WHILE LOADING AND UNLOADING -ANY SPILLAGE WASH WITH PLENTY OF WATER		
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.		
Name and stamp: Signature:	MONTH-DAY-YEAR:03-27-2026		
Transporter acknowledgement of receipt of Wastes			
Name and stamp: Signature:	MONTH-DAY-YEAR		
Receiver's certification for receipt of hazardous and other waste			
Name and stamp: Signature:	MONTH-DAY-YEAR		



Annex-11

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (Including Phone No. and e-mail)	Shilpa pharma lifesciences ltd Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District Telephone:9845745068 E-Mail:shareth@vbsilpa.com								
Sender's authorisation No	28295								
Manifest Document No	HW/28295/2025-26/0000247								
Transporter's name and address: (Including Phone No. and e-mail)	ZAHID ROADLINES M 19 Balkampady Indl Area Phone:9845515328 e-mail:zahidroadlines2005@gmail.com Transporter's registration No: 83125								
Type of vehicle	Truck								
Transporter's registration No	83125								
Vehicle registration No.	KA 01 AH 7908								
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No. 158 to 164, KAIDB Kadachu Industrial Area; Village _Kadachur;Tehsil & District Yadgir; Karnataka-585221 Phone:7338464597 e-mail:lab@motherearthenviron.com Receiver's authorisation No.: 80996								
Receiver's authorisation No.	80996								
Waste description	<table border="1"><thead><tr><th>Waste Category</th><th>Physical form</th><th>Qty(MT)</th></tr></thead><tbody><tr><td>35.3.Chemical Sludge From Waste Water Treatment</td><td>Semi-Solid</td><td>28.93</td></tr></tbody></table>			Waste Category	Physical form	Qty(MT)	35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	28.93
Waste Category	Physical form	Qty(MT)							
35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	28.93							
Total quantity: No. of Containers	28.93 MT								
Physical form									
Special handling instructions and additional information	Use Ppe while loading and unloading								
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.								
Name and stamp: Signature	MONTH-DAY-YEAR:03-23-2026								
Transporter acknowledgement of receipt of Wastes									
Name and stamp: Signature:	MONTH-DAY-YEAR								
Receiver's certification for receipt of hazardous and other waste									
Name and stamp: Signature:	MONTH-DAY-YEAR								



1 (Printed) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

8330 e xerc -11

FORM 10
[See rule 19 (1)]
MANIFEST FOR HAZARDOUS AND OTHER WASTE


Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma lifesciences ltd Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District Telephone:9845745068 E-Mail:sharath@vbsilpa.com		
Sender's authorisation No	28295		
Manifest Document No	HW/28295/2025-28/0000244		
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M 19 Balkampady Indl Area Phone:9845515328 e-mailzahidroadlines2005@gmail.com Transporter's registration No: 83125		
Type of vehicle	Truck		
Transporter's registration No	83125		
Vehicle registration No.	KA 19 AE 2135		
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No. 158 to 164, KAIDB Kadachu Industrial Area; Village ,Kadachur;Tehsil & District Yadgir; Karnataka-585221 Phone:7338464597 e-maillab@motherearthenviro.com Receiver's authorisation No.: 80996		
Receiver's authorisation No.	80996		
Waste description	Waste Category	Physical form	Qty(MT)
	35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	18.72
	20.3.Distillation Residues	Slurry	4.25
	28.2.Spent catalyst	Solid	2.57
Total quantity: No. of Containers	25.54 MT		
Physical form			
Special handling instructions and additional information	USE PPE , WHILE LOADING & UNLOADING and any spillage wash with plenty of water		
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.		
Name and stamp: Signature:	MONTH-DAY-YEAR:03-03-2026		
Transporter acknowledgement of receipt of hazardous waste:			
Name and stamp: Signature:	MONTH-DAY-YEAR		
Receiver's certification for receipt of hazardous and other waste			
Name and stamp: Signature:	MONTH-DAY-YEAR		



(White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - II

FORM 10
[See rule 19 (1)]
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma Lifesciences Ltd Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District Telephone:9845745068 E-Mail:sharath@vbsilpa.com														
Sender's authorisation No	28295														
Manifest Document No	HW/28295/2025-26/0000245														
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M 19 Beikampady Indl Area Phone:9845515328 e-mail:zahidroadlines2005@gmail.com Transporter's registration No: 83125														
Type of vehicle	Truck														
Transporter's registration No	83125														
Vehicle registration No.	KA 19 AB 2495														
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No. 15B to 164, KAIDB Kadachu Industrial Area; Village _Kadachur;Tehsil & District Yadgir; Karnataka-585221 Phone:7338464597 e-mail:lab@motherearthenvirom.com Receiver's authorisation No.: 80996														
Receiver's authorisation No.	80996														
Waste description	<table border="1"> <thead> <tr> <th>Waste Category</th> <th>Physical form</th> <th>Qty(MT)</th> </tr> </thead> <tbody> <tr> <td>28.5.Date-expired products</td> <td>Solid</td> <td>0.852</td> </tr> <tr> <td>28.1.Process Residue and wastes</td> <td>Slurry</td> <td>1.8</td> </tr> <tr> <td>35.3.Chemical Sludge From Waste Water Treatment</td> <td>Semi-Solid</td> <td>19.138</td> </tr> </tbody> </table>			Waste Category	Physical form	Qty(MT)	28.5.Date-expired products	Solid	0.852	28.1.Process Residue and wastes	Slurry	1.8	35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	19.138
Waste Category	Physical form	Qty(MT)													
28.5.Date-expired products	Solid	0.852													
28.1.Process Residue and wastes	Slurry	1.8													
35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	19.138													
Waste quantity : No of Containers	21.8 MT														
Waste physical form															
Special handling instructions and additional information	USE PPE , WHILE LOADING & UNLOADING and any spillage wash with plenty of water .														
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.														
Date and stamp: Signature:	 MONTH-DAY-YEAR:03-12-2026														
Transporter acknowledgement															
Date and stamp: Signature:	MONTH-DAY-YEAR														
Receiver's certification for receipt of hazardous and other waste															
Date and stamp: Signature:	MONTH-DAY-YEAR														

(10) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Approved

FORM 10
[See rule 19 (1)]
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (Including Phone No. and e-mail)	Shilpa pharma lifesciences ltd Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District Telephone:9845745068 E-Mail:sharath@vshilpa.com								
Sender's authorisation No	28295								
Manifest Document No	HW/28295/2025-26/0000249								
Transporter's name and address: (Including Phone No. and e-mail)	ZAHID ROADLINES M 19 Baikampady Indl Area Phone:9845515328 e-mail:zahidroadlines2005@gmail.com Transporter's registration No: 83125								
Type of vehicle	Truck								
Transporter's registration No	83125								
Vehicle registration No.	KA 19 AD 7429								
Receiver's name and mailing address (Including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No. 158 to 164, KAIDB Kadachu Industrial Area; Village _Kadachur;Tehsil & District Yadgir; Karnataka-585221 Phone:7338464897 e-mail:lab@motherearthenviro.com Receiver's authorisation No: 80996								
Receiver's authorisation No.	80996								
Waste description	<table border="1"> <thead> <tr> <th>Waste Category</th> <th>Physical form</th> <th>Qty(MT)</th> </tr> </thead> <tbody> <tr> <td>35.3.Chemical Sludge From Waste Water Treatment</td> <td>Semi-Solid</td> <td>23.53</td> </tr> </tbody> </table>			Waste Category	Physical form	Qty(MT)	35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	23.53
Waste Category	Physical form	Qty(MT)							
35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	23.53							
Total quantity : No. of Containers	23.53 MT								
Physical form									
Special handling instructions and additional information	USE PPE , WHILE LOADING & UNLOADING and any spillage wash with plenty of water								
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.								
Name and stamp: Signature:	MONTH-DAY-YEAR:03-27-2026								
Transporter acknowledgement of receipt of wastes									
Name and stamp: Signature:	MONTH-DAY-YEAR								
Receiver's certificate of receipt of hazardous and other waste									
Name and stamp: Signature:	MONTH-DAY-YEAR								



ZAHID ROADLINES
1st Floor, Bantwal Chambers
Baikampady, MANGALORE - 575 011

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure-11

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma Lifesciences Ltd Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District Telephone:9845745068 E-Mail:sharath@vbsilpa.com		
Sender's authorisation No	28295		
Manifest Document No	HW/28295/2025-26/0000245		
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M 19 Baikampady Indl Area Phone:9845515328 e-mailzahidroadlines2005@gmail.com Transporter's registration No: 83125		
Type of vehicle	Truck		
Transporter's registration No	83125		
Vehicle registration No.	KA 19 AB 2495		
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No. 158 to 164, KAIDB Kadachu Industrial Area; Village _Kadachur;Tehsil & District Yadgir, Karnataka-585221 Phone:7338464597 e-mailkab@motherearthenviron.com Receiver's authorisation No.: 80996		
Receiver's authorisation No.	80996		
Waste description	Waste Category	Physical form	Qty(MT)
	28.5.Date-expired products	Solid	0.862
	28.1.Process Residue and wastes	Slurry	1.8
	35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	19.138
Total quantity: No. of Containers	21.8 MT		
Physical form			
Special handling instructions and additional information	USE PPE , WHILE LOADING & UNLOADING and any spillage wash with plenty of water .		
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.		
Name and stamp: Signature:	MONTH-DAY-YEAR:03-12-2026		
Transporter acknowledgement			
Name and stamp: Signature:	MONTH-DAY-YEAR		
Receiver's certification for receipt of hazardous and other waste			
Name and stamp: Signature:	MONTH-DAY-YEAR		



Annexure II

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma lifesciences ltd Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District Telephone:9845745068 E-Mail:sharath@vbsshilpa.com		
Sender's authorisation No	28295		
Manifest Document No	HW/28295/2025-26/0000246		
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M 19 Baikampady Indl Area Phone:9845515328 e-mail:zahidroadlines2005@gmail.com Transporter's registration No: 83125		
Type of vehicle	Truck		
Transporter's registration No	83125		
Vehicle registration No.	KA 19 AF 1922		
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No. 158 to 164, KAIDB Kadechu Industrial Area, Village _Kadechur,Tehsil & District Yadgir, Karnataka-585221 Phone:7338464597 e-mail:lab@motherearthenviron.com Receiver's authorisation No.: 80996		
Receiver's authorisation No.	80996		
Waste description	Waste Category	Physical form	Qty(MT)
	35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	8.95
Total quantity : No. of Containers	8.95 MT		
Physical form			
Special handling instructions and additional information	USE PPE , WHILE LOADING & UNLOADING and any spillage wash with plenty of water .		
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorized, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.		
Name and stamp: Signature:	MONTH-DAY-YEAR:03-14-2025		
Transporter acknowledgement of receipt Name and stamp: Signature:	MONTH-DAY-YEAR		
Receiver's certification for receipt of hazardous and other waste Name and stamp: Signature:	MONTH-DAY-YEAR		



(White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure-VI

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(including Phone No. and e-mail)

Shilpa pharma lifesciences ltd
Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District

Telephone:9845745068
E-Mail:sharath@vbsilpa.com

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000224

Transporter's name and address:
(including Phone No. and e-mail)

ZAHID ROADLINES
M 19 Baikampady Indl Area
Phone:9845515328
e-mail:zahidroadlines2005@gmail.com
Transporter's registration No: 83125

Type of vehicle

Truck

Transporter's registration No

83125

Vehicle registration No.

KA 19 AB 2394

Receiver's name and mailing address
(including Phone No. and e-mail)

Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited)
Plot No. 158 to 364, KAIDB Kadachur Industrial Area; Village _Kadachur;Tehsil & District Yadgir; Karnataka-585221
Phone:7338464597
e-mail:lab@motherearthenvirom.com
Receiver's authorisation No: 80996

Receiver's authorisation No.

80996

Waste description

Waste Category	Physical form	Qty(MT)
35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	24.49

Total quantity:
No. of Containers

24.49 MT

Physical form


Special handling instructions and additional information

USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER.

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

Name and stamp: Signature:



MONTH-DAY-YEAR:11-17-2025

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:


MONTH-DAY-YEAR

Annexure - 4

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma lifesciences ltd Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District Telephone:9845745068 E-Mail:sharath@vbshilpa.com								
Sender's authorisation No	28295								
Manifest Document No	HW/28295/2025-26/0000219								
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M 19 Baikampady Indl Area Phone:9845515328 e-mailzahidroadlines2005@gmail.com Transporter's registration No: 83125								
Type of vehicle	Truck								
Transporter's registration No	83125								
Vehicle registration No.	KA 19 AD 6834								
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No. 158 to 164, KAIDB Kadechu Industrial Area; Village _Kadechur;Tehsil & District Yadgir; Karnataka-585221 Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 80996								
Receiver's authorisation No.	80996								
Waste description	<table border="1"><thead><tr><th>Waste Category</th><th>Physical form</th><th>Qty(MT)</th></tr></thead><tbody><tr><td>35.3.Chemical Sludge From Waste Water Treatment</td><td>Semi-Solid</td><td>27.41</td></tr></tbody></table>			Waste Category	Physical form	Qty(MT)	35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	27.41
Waste Category	Physical form	Qty(MT)							
35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	27.41							
Total quantity : No. of Containers	27.41 MT								
Physical form									
Special handling instructions and additional information	USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,								
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.								
Name and stamp: Signature:	 MONTH-DAY-YEAR:11-03-2025								
Transporter acknowledgement of receipt of Wastes									
Name and stamp: Signature:	MONTH-DAY-YEAR								
Receiver's certification for receipt of hazardous and other waste									
Name and stamp: Signature:	MONTH-DAY-YEAR								

Annexure-II

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(Including Phone No. and e-mail)

Shilpa pharma lifesciences ltd
Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District
Telephone:9845745068
E-Mail:sharath@vbsilpa.com

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000220

Transporter's name and address:
(including Phone No. and e-mail)

ZAHID ROADLINES
M 19 Balkempady Indl Area
Phone:9845515328
e-mailzahidroadlines2005@gmail.com
Transporter's registration No: 83125

Type of vehicle

Truck

Transporter's registration No

83125

Vehicle registration No.

KA 01 AK 9431

Receiver's name and mailing address
(including Phone No. and e-mail)

Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited)
Plot No.158 to 164, KAIDB Kadachu Industrial Area; Village _Kadachur;Tehsil & District Yadgir; Karnataka-585221
Phone:7338464597
e-mailab@motherearthenviron.com
Receiver's authorisation No.: 80996

Receiver's authorisation No.

80996

Waste description

Waste Category	Physical form	Qty(MT)
20.3.Distillation Residues	Slurry	3.27
28.2.Spent catalyst	Semi-Solid	2.36
35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	18.95

Total quantity :
No. of Containers

24,58 MT

Physical form

Special handling instructions and additional information

USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

Name and stamp: Signature:



MONTH-DAY-YEAR:11-11-2025

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

009000-11

FORM 10
[See rule 19 (1)]
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(including Phone No. and e-mail) Shilpa pharma lifesciences ltd
Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District
Telephone:9845745068
E-Mail:sharath@vbsilpa.com

Sender's authorisation No 28295

Manifest Document No HW/ 28295/ 2025-26 / 0000225

Transporter's name and address:
(including Phone No. and e-mail) ZAHID ROADLINES
M 19 Bakampady Indl Area
Phone:9845515328
e-mail:zahidroadlines2005@gmail.com
Transporter's registration No: 83125

Type of vehicle Truck

Transporter's registration No 83125

Vehicle registration No. KA 19 AB 0560

Receiver's name and mailing address
(including Phone No. and e-mail) Kalyana Kamataka Waste Management Project Private Limited (Formerly M/s Mother
Earth Environ Tech Private Limited)
Plot No. 158 to 164, KAIDB Kadechu Industrial Area; Village _Kadechur;Tehsil & District
Yadgir; Karnataka-585221
Phone: 7338464597
e-mail:ab@motherearthenvirom.com
Receiver's authorisation No.: 80996

Receiver's authorisation No. 80996

Waste description	Waste Category	Physical form	Qty(MT)
	35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	17.62

Total quantity : 17.62 MT
No. of Containers

Physical form

Special handling instructions and additional information Use pep while loading and unloading ,any spillage wash with plenty of water

Sender's Certificate I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.


Name and stamp: Signature: MONTH-DAY-YEAR: 11 -21 -2025

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature: MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste.

Name and stamp: Signature: MONTH-DAY-YEAR



11/22/25

Annexure-11

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma lifesciences ltd Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District Telephone:9845745068 E-Mail:sharath@vshilpa.com		
Sender's authorisation No	28295		
Manifest Document No	HW/28295/2025-26/0000223		
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mail:panchamukipharmachem@gmail.com Transporter's registration No: 23836		
Type of vehicle	Truck		
Transporter's registration No	23836		
Vehicle registration No.	KA 05 AK 2581		
Receiver's name and mailing address (Including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mail:panchamukipharmachem@gmail.com Receiver's authorisation No: 23836		
Receiver's authorisation No.	23836		
Waste description	Waste Category	Physical form	Qty(MT)
	28.6. Spent solvents	Liquid	10.5
Total quantity: No. of Containers	10.5 MT		
Physical form			
Special handling instructions and additional information	USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,		
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.		
Name and stamp: Signature:	MONTH-DAY-YEAR:11-12-2025		
Transporter acknowledgement of receipt of wastes			
Name and stamp: Signature:	MONTH-DAY-YEAR		
Receiver's certification for receipt of hazardous and other waste			
Name and stamp: Signature:	MONTH-DAY-YEAR		

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Anoeneru-11

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma lifesciences ltd Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District Telephone:9845745068 E-Mail:sharath@vbsilpa.com		
Sender's authorisation No	28295		
Manifest Document No	HW/28295/2025-26/0000226		
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Transporter's registration No: 23836		
Type of vehicle	Tanker		
Transporter's registration No	23836		
Vehicle registration No.	KA 01 AP 3329		
Receiver's name and mailing address (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Receiver's authorisation No.: 23836		
Receiver's authorization No.	23836		
Waste description	Waste Category	Physical form	Qty(MT)
	28.6. Spent solvents	Liquid	28.42
Total quantity: No. of Containers	28.42 MT		
Physical form			
Special handling instructions and additional information	USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,		
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.		
Name and stamp: Sign	MONTH-DAY-YEAR:11-25-2025		
Transporter acknowledgement, receipt of Wastes			
Name and stamp: Signature:	MONTH-DAY-YEAR		
Receiver's certification for receipt of hazardous and other waste			
Name and stamp: Signature:	MONTH-DAY-YEAR		

Copy 2 (below) - To be retained by the sender after taking signature on it from the transporter and the rest of the five signed copies to be carried by the transporter.

HW/28295-11

FORM 10
[See rule 19 (1)]
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(including Phone No. and e-mail)

Shilpa pharma lifesciences ltd
Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District

Telephone:9845745068
E-Mail:sharath@vbsilpa.com

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000215

Transporter's name and address:
(including Phone No. and e-mail)

ZAHID ROADLINES
M 19 Balkampady Indl Area
Phone:9845515328
e-mail:zahidroadlines2005@gmail.com
Transporter's registration No: 83125

Type of vehicle

Truck

Transporter's registration No

83125

Vehicle registration No.

KA 37B 1476

Receiver's name and mailing address
(including Phone No. and e-mail)

Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited)
Plot No. 158 to 164, KAIDB Kadechu Industrial Area; Village _Kadechur,Tehsil & District Yadgir; Karnataka-585221
Phone:7338464597
e-mail:lab@motherearthenviro.com
Receiver's authorisation No.: 80996

Receiver's authorisation No.

80996

Waste description

Waste Category	Physical form	Qty(MT)
35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	31.16

Total quantity :
No. of Containers

31,16 MT

Physical form

Special handling instructions and additional information

USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,

Sender's Certificate

Name and stamp: Signature:

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

MONTH-DAY-YEAR:10-06-2025

MONTH-DAY-YEAR

MONTH-DAY-YEAR

Shilpa pharma

FORM 10
[See rule 19 (1)]
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(including Phone No. and e-mail)

Shilpa pharma Wesciences Ltd
Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District
Telephone:9845745068
E-Mail:sharath@vbshilpa.com

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-28/0000216

Transporter's name and address:
(including Phone No. and e-mail)

ZAMID ROADLINES
M 19 Baikampady Indi Area
Phone:9845515328
e-mail:zamidroadlines2005@gmail.com
Transporter's registration No: 83125

Type of vehicle

Truck

Transporter's registration No

83125

Vehicle registration No.

KA 19 AB 2394

Receiver's name and mailing address
(including Phone No. and e-mail)

Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited)
Plot No. 158 to 164, KAIDB Kadechu Industrial Area; Village _Kadechu;Tehsil & District Yadgir; Karnataka-585221
Phone:7338464597
e-mail:lab@motherearthenviro.com
Receiver's authorisation No.: 80996

Receiver's authorisation No.

80996

Waste description

Waste Category	Physical form	Qty(MT)
35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	22.68

Total quantity:

22.68 MT

No. of Containers

Physical form

Special handling instructions and additional information

USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

Name and stamp: Signature:

MONTH-DAY-YEAR:10-13-2025

Transporter acknowledgment of receipt of Wastes

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

HWW
ASHM 2025-11

FORM 10
[See rule 19 (1)]
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(including Phone No. and e-mail)

Shilpa pharma lifesciences ltd
Plot no.33,33A,40to47, Industrial Growth Centre, Chicksalur, Raichur Taluk District
Telephone:9845745068
E-Mail:sharath@vbsilpa.com

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000218

Transporter's name and address:
(including Phone No. and e-mail)

ZAHID ROADLINES
M 19 Baikampedy Indl Area
Phone:9645515328
e-mailzahidroadlines2005@gmail.com
Transporter's registration No: 83125

Type of vehicle

Truck

Transporter's registration No

83125

Vehicle registration No.

KA 19 AE 2135

Receiver's name and mailing address
(including Phone No. and e-mail)

Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited)
Plot No. 15B to 164, KAIDB Kadachu Industrial Area; Village _Kadachur;Tehsil & District Yadgir; Karnataka-585221
Phone:7338464597
e-mailkab@motherearthenvron.com
Receiver's authorisation No.: 80996

Receiver's authorisation No.

80996

Waste description

Waste Category	Physical form	Qty(MT)
35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	25.77

Total quantity:
No. of Containers

25.77 MT

Physical form

Special handling instructions and additional information

USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER.

Sender's Certificate



I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper condition for transport by road according to applicable national government regulations.

Name and stamp: Signature:

MONTH-DAY-YEAR:10-23-2025

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

Ana...-11

FORM 10
[See rule 19 (1)]
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(including Phone No. and e-mail)

Shilpa pharma llsciences ltd
Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District
Telephone:9845745068
E-Mail:sharath@vbsilpa.com

Sender's authorisation No

28295

Manifest Document No

HW/28295/2025-26/0000214

Transporter's name and address:
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D)
562112
Phone:9845831069
e-mailpanchamukipharmachem@gmail.com
Transporter's registration No: 23836

Type of vehicle

Tanker

Transporter's registration No

23836

Vehicle registration No.

KA 01 AP 3329

Receiver's name and mailing address
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D)
562112
Phone:9845831069
e-mailpanchamukipharmachem@gmail.com
Receiver's authorisation No.: 23836

Receiver's authorisation No.

23836

Waste description

Waste Category	Physical form	Qty(MT)
28.6. Spent solvents	Liquid	26.59

Total quantity :
No. of Containers

26.59 MT

Physical form

Special handling instructions and additional information

USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

Name and stamp: Signature:

MONTH-DAY-YEAR:10-07-2025

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR


11 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies

Annexure - 11

Form 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE M/s. SVD ECO SERVICES

1	Sender's name and mailing address (including Phone No. And e-mail):	Plot No. 179, KIADB, Kolhar Industrial Area, Bidar District, Karnataka State, India Rajendra Nagar, Bidar Wadloor Road, Bidar Bidar District, Karnataka State, India
2	Sender's authorisation No.:	32-5854
3	Manifest Document No.:	166
4	Transporter's name and address (including Phone No. And e-mail):	M/S. S.V. SRI ENTERPRISES # 64/13TH MAIN ROAD, RAJENDRA NAGAR, BIDAR DISTRICT, KARNATAKA STATE, INDIA
5	Type of vehicle:	(Truck/Tanker/Special Vehicle)
6	Transporter's registration No.:	PCB/WMC-2/105/HWM/2023-24
7	Vehicle registration No.:	TG-08 T 7116
8	Receiver's name and mailing address (including Phone No. And e-mail):	M/s. SVD ECO SERVICES Plot No. 179, KIADB, Kolhar Industrial Area Bidar-Karnataka-585402
9	Receiver's authorisation No. :	Aw348260
10	Waste description:	Organic Residue waste.
11	Total quantity : No. Of Containers:	30:890 m ³ or MT 01 Nos.
12	Physical form:	(Solid/Semi-Solid/Sludge/Oily/Tarry/Slurry/Liquid)
13	Special handling instructions and additional information:	Use PPE's while Loading of consignment.
14	Sender's Certificate:	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.
	Name and Stamp:  Signature: _____	Month: 10 Day: 16 Year: 2025
15	Transporter acknowledge of receipt of Wastes	
	Name and stamp: _____ Signature: _____	Month: 10 Day: 16 Year: 2025
16	Receiver's certification for receipt of hazardous and other waste	
	Name and stamp: _____ Signature: _____	Month: _____ Day: _____ Year: _____

- Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.
- Copy 2 (Yellow) - To be retained by the sender after taking signature on it from the transporter and the rest of the five signed copies to be carried by the transporter
- Copy 3 (Pink) - To be retained by the receiver (actual user or treatment storage and disposal facility operator) after receiving the waste and the remaining four copies are to be duly signed by the receiver.
- Copy 4 (Orange) - To be handed over to the transporter by the receiver after accepting waste.
- Copy 5 (Green) - To be sent by the receiver to the State Pollution Control Board
- Copy 6 (Blue) - To be sent by the receiver to the sender.
- Copy 7 (Grey) - To be sent by the receiver to the State Pollution Control Board of the sender in case the sender is in another State



Annexure-11

Form 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE
M/s. SVD ECO SERVICES

1	Sender's name and mailing address (including Phone No. And e-mail):	Plot No. 305, KIADB Industrial Area, Raichur, Karnataka State, India. Raichur District, Karnataka State, India.			
2	Sender's authorisation No.:	325854			
3	Manifest Document No.:	150			
4	Transporter's name and address (including Phone No. And e-mail):	M/S. S.V. EXPORT PRIVATE LIMITED, Raichur blocks SP, Raichur, Karnataka State, India.			
5	Type of vehicle:	(Truck/Tanker/Special Vehicle)			
6	Transporter's registration No.:	PCB/WMC-2/05/HUM/2023-24			
7	Vehicle registration No.:	TG08-T-7116			
8	Receiver's name and mailing address (including Phone No. And e-mail):	M/s. SVD ECO SERVICES, Plot No. 179, KIADB Kolhar Industrial Area, Bidar-Karnataka-585402			
9	Receiver's authorisation No.:	Aw348260			
10	Waste description:	Organic residue waste.			
11	Total quantity : No. Of Containers:	32.890 m ³ or MT 01 Nos.			
12	Physical form:	(Solid/Semi-Solid/Sludge/Oily/Tarry/Slurry/Liquid)			
13	Special handling instructions and additional information:	Use PPE's while loading/unloading.			
14	Sender's Certificate:	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.			
	Name and Stamp:	Signature:	Month	Day	Year
			10	08	2025
15	Transporter acknowledge of receipt of Wastes				
	Name and stamp:	Signature:	Month	Day	Year
			10	08	2025
16	Receiver's certification for receipt of hazardous and other waste				
	Name and stamp:	Signature:	Month	Day	Year

- Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.
- Copy 2 (Yellow) - To be retained by the sender after taking signature on it from the transporter and the rest of the five signed copies to be carried by the transporter
- Copy 3 (Pink) - To be retained by the receiver (actual user or treatment storage and disposal facility operator) after receiving the waste and the remaining four copies are to be duly signed by the receiver.
- Copy 4 (Orange) - To be handed over to the transporter by the receiver after accepting waste.
- Copy 5 (Green) - To be sent by the receiver to the State Pollution Control Board
- Copy 6 (Blue) - To be sent by the receiver to the sender.
- Copy 7 (Grey) - To be sent by the receiver to the State Pollution Control Board of the sender in case the sender is in another State



Shilpa - V

10/17/25, 6:05 PM

HW

FORM 10
[See rule 19 (1)]
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail) Shilpa pharma lifesciences ltd
Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District
Telephone:9845745068
E-Mail:sharath@vshilpa.com

Sender's authorisation No 28295

Manifest Document No HW/28295/2025-26/0000217

Transporter's name and address: (including Phone No. and e-mail) S J Enterprises
#64, 13th Main, Raghavendra Block, Srinagar, Bangalore
Phone:9866116789
e-mailsjenterprises3939@gmail.com
Transporter's registration No: 278461

Type of vehicle Tanker

Transporter's registration No 278461

Vehicle registration No. TS 08 UL 9339

Receiver's name and mailing address (including Phone No. and e-mail) M/s. SVD Eco Services
Plot NO 179, Bellur Main Road, Kolar Industrial Area, Bidar
Phone:9740544465
e-mailsvdecoservices@gmail.com
Receiver's authorisation No: 251558

Receiver's authorisation No. 251558

Waste description	Waste Category	Physical form	Qty(MT)
	1.4.Organic Residues	Liquid	28.92

Total quantity : 28.92 MT
No. of Containers

Physical form

Special handling instructions and additional information USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER.

Sender's Certificate I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

Name and stamp: Signature: MONTH-DAY-YEAR:10-17-2025

Transporter acknowledgement of receipt of Wastes
Name and stamp: Signature: MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste
Name and stamp: Signature: MONTH-DAY-YEAR



Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies

Annexure-12



Document Completed Training Report

Attn: Gen-15

<p>Department : Environment Health and Safety</p> <p>Document Number : SPL2/EHS/SOP/GEN/0014</p> <p>Version Number : 01</p> <p>Source : Document</p> <p>Document Name : HANDLING OF HAZARDOUS CHEMICALS</p>	<p>Doc Type / Content Type : SOP/GEN</p> <p>From Date : N/A</p> <p>To Date : N/A</p> <p>Total Trained Duration : 67h 28m 26s</p>
---	--

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
RAMAKRISHNA K. S 3920-	20 Dec 2025	25 Dec 2025	ELANGOVAN ,, BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 6s	Junior Executive	CHANDRASHE KAR SHANTAMALL APPA DUDHANI
MOHAN BHANDARE 3978-GIRISH	20 Dec 2025	22 Dec 2025	ELANGOVAN ,, BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 10m 28s	Manager	VEERESHAPPA 1045 -
3996-ANILKUMAR POLISETTY	20 Dec 2025	27 Dec 2025	ELANGOVAN ,, BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 10m 37s	Senior Executive	DEVENDRA PRATAP SINGH 1209 -

Downloaded By: YERRAGUDI VENKATESH

Downloaded Date: 19 May 2026 09:55:08

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

ASB/2025/13

Department : Environment Health and Safety
Document Number : SPL2/EHS/SOP/GEN/0014
Version Number : 01
Source : Document
Document Name : HANDLING OF HAZARDOUS CHEMICALS

Doc Type / Content Type : SOP/GEN
From Date : N/A
To Date : N/A
Total Trained Duration : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
3822-KADATHALA SRAVAN GOUD	20 Dec 2025	25 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 13m 42s	Executive	1355 - ARUN KUMAR SINGH
3853-KALLIPATI NAGABHUSHANA M .	20 Dec 2025	28 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 10m 7s	Senior Executive	1168 - BIJAY KETAN MANGARAJ
3917-SANTOSH KUMAR	20 Dec 2025	21 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 13m 43s	Senior Executive	1372 - NAGESWARA RAO GUDAVALLI

Downloaded By: YERRAGUDI VENKATESH

Downloaded Date: 19 May 2026 09:55:08

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-13

Department : Environment Health and Safety
Document Number : SPL2/EHS/SOP/GEN/0014
Version Number : 01
Source : Document
Document Name : HANDLING OF HAZARDOUS CHEMICALS

Doc Type / Content Type : SOP/GEN
From Date : N/A
To Date : N/A
Total Trained Duration : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
3644-PRASHANT KALYANI GUNDURE	20 Dec 2025	21 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 6m 27s	Executive	1372 - NAGESWARA RAO GUDAVALLI
3776-RAJASHEKHAR .	20 Dec 2025	30 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 46s	Executive	1355 - ARUN KUMAR SINGH
3784-NARASIMHULU AMJALA	20 Dec 2025	30 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 9s	Chemist	6808 - ELANGO VAN .
3785-G PRATAP REDDY .	20 Dec 2025	04 Feb 2026	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 13m 29s	Senior Executive	1168 - BIJAY KETAN MANGARAJ

Downloaded By: YERRAGUDI VENKATESH

Downloaded Date: 19 May 2026 09:55:08

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-17

Department : Environment Health and Safety
Document Number : SPL2/EHS/SOP/GEN/0014
Version Number : 01
Source : Document
Document Name : HANDLING OF HAZARDOUS CHEMICALS

Doc Type / Content Type : SOP/GEN
From Date : N/A
To Date : N/A
Total Trained Duration : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
3481-BALACHANDAR B	20 Dec 2025	27 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 20s	Senior Executive	7539 - SHANI PT
3523-AMARSING KISANSING RAJPUT	20 Dec 2025	21 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 10m 6s	Senior Executive	1209 - DEVENDRA PRATAP SINGH
3573-AVINASH DIGAMBAR BHALERAO	20 Dec 2025	25 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 12m 28s	Senior Executive	1209 - DEVENDRA PRATAP SINGH
3612-SANTHOSH RAJU POSANI	20 Dec 2025	22 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 3s	Executive	1168 - BIJAY KETAN MANGARAJ

Downloaded By: YERRAGUDI VENKATESH

Downloaded Date: 19 May 2026 09:55:08

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure - I

Department : Environment Health and Safety
Document Number : SPL2/EHS/SOP/GEN/0014
Version Number : 01
Source : Document
Document Name : HANDLING OF HAZARDOUS CHEMICALS

Doc Type / Content Type : SOP/GEN
From Date : N/A
To Date : N/A
Total Trained Duration : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
3382-LEELA MOHAN BURRA	20 Dec 2025	28 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 9s	Executive	1168 - BIJAY KETAN MANGARAJ
3406-VAIBHAV VILAS DESHPANDE	20 Dec 2025	26 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 56s	Senior Executive	7539 - SHANI PT
3421-RAJSHEKHAR BHIMASHA GAIKWAD	20 Dec 2025	25 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 6m 2s	Deputy Manager	1355 - ARUN KUMAR SINGH
3476-MASULDAR ABDUL ZABER SHAIK	20 Dec 2025	22 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 34s	Executive	7539 - SHANI PT

Downloaded By: YERRAGUDI VENKATESH

Downloaded Date: 19 May 2026 09:55:08

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annex-13

Department : Environment Health and Safety
Document Number : SPL2/EHS/SOP/GEN/0014
Version Number : 01
Source : Document
Document Name : HANDLING OF HAZARDOUS CHEMICALS

Doc Type / Content Type : SOP/GEN
From Date : N/A
To Date : N/A
Total Trained Duration : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
3090-RAKESH KUMAR K	20 Dec 2025	22 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 11s	Site Incharge	4332 - MANJUNATHA D N
3100-THONDAMALLA VENKATA PRAVEEN KUMAR	20 Dec 2025	22 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 1s	Executive	7539 - SHANI PT
3152-SUDHIR PATANGE	20 Dec 2025	06 Jan 2026	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 6m 51s	Engineer	4332 - MANJUNATHA D N
3323-PURNAPRAJNA KULKARNI	20 Dec 2025	28 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 34s	Senior Chemist	1168 - BIJAY KETAN MANGARAJ

Downloaded By: YERRAGUDI VENKATESH

Downloaded Date: 19 May 2026 09:55:08

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annex-13

Department : Environment Health and Safety
Document Number : SPL2/EHS/SOP/GEN/0014
Version Number : 01
Source : Document
Document Name : HANDLING OF HAZARDOUS CHEMICALS

Doc Type / Content Type : SOP/GEN
From Date : N/A
To Date : N/A
Total Trained Duration : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
2972-CHANDRA SEKHAR KUMMARI	20 Dec 2025	30 Dec 2025	ELANGO VAN .. BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 4s	Senior Chemist	1168 - BIJAY KETAN MANGARAJ
2995-ARAVIND GIDDALUR	20 Dec 2025	26 Dec 2025	ELANGO VAN .. BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 10s	Senior Executive	1355 - ARUN KUMAR SINGH
3017-KASI SANDEEP BURUGUPALLI	20 Dec 2025	23 Dec 2025	ELANGO VAN .. BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 16m 35s	Senior Executive	5528 - NAGARAJU GAMIDI
3019-FAYAZ AHMAD SHAIK	20 Dec 2025	28 Dec 2025	ELANGO VAN .. BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 13m 13s	Senior Executive	5528 - NAGARAJU GAMIDI

Downloaded By: YERRAGUDI VENKATESH

Downloaded Date: 19 May 2026 09:55:08

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Arun Kumar 19

Department : Environment Health and Safety
Document Number : SPL2/EHS/SOP/GEN/0014
Version Number : 01
Source : Document
Document Name : HANDLING OF HAZARDOUS CHEMICALS

Doc Type / Content Type : SOP/GEN
From Date : N/A
To Date : N/A
Total Trained Duration : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
2911-BOYINI PARUSHURAM	20 Dec 2025	07 Jan 2026	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 3s	Executive	1355 - ARUN KUMAR SINGH
2919-NAVEEN SAMGAPU	20 Dec 2025	29 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 3s	Executive	5528 - NAGARAJU GAMIDI
2922-VSV PRASAD AKULA	20 Dec 2025	28 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 12s	Senior Executive	1355 - ARUN KUMAR SINGH
2952-ATTUNURU PRASAD REDDY	20 Dec 2025	26 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 6m 35s	Assistant Manager	1209 - DEVENDRA PRATAP SINGH

Downloaded By: YERRAGUDI VENKATESH

Downloaded Date: 19 May 2026 09:55:08

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure - 13

Department : Environment Health and Safety
Document Number : SPL2/EHS/SOP/GEN/0014
Version Number : 01
Source : Document
Document Name : HANDLING OF HAZARDOUS CHEMICALS

Doc Type / Content Type : SOP/GEN
From Date : N/A
To Date : N/A
Total Trained Duration : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
2884-SRINIVASA RAO MUVVALA	20 Dec 2025	21 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 9s	Senior Executive	4866 - DIVI VENUGOPAL
2895-J RAGHAVENDRA YADAV	20 Dec 2025	21 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 9s	Senior Executive	1168 - BIJAY KETAN MANGARAJ
2900-GUNTI VENKATESWARLU	20 Dec 2025	23 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 10m 15s	Senior Executive	1355 - ARUN KUMAR SINGH
2908-PURAMSHETTI SRINIVAS	20 Dec 2025	21 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 9m 1s	Senior Executive	1355 - ARUN KUMAR SINGH

Downloaded By: YERRAGUDI VENKATESH

Downloaded Date: 19 May 2026 09:55:08

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annex-18

Department : Environment Health and Safety
Document Number : SPL2/EHS/SOP/GEN/0014
Version Number : 01
Source : Document
Document Name : HANDLING OF HAZARDOUS CHEMICALS

Doc Type / Content Type : SOP/GEN
From Date : N/A
To Date : N/A
Total Trained Duration : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
2834-SAMEER M	20 Dec 2025	20 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 20s	Assistant	6645 - CHANDRASHE KAR SHANTAMALL APPA DUDHANI
2837-SRINIVAS REDDY NARAVA	20 Dec 2025	26 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 39s	Executive	1168 - BIJAY KETAN MANGARAJ
2849- EDUKONDALU PAGOLU	20 Dec 2025	27 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 6m 0s	Senior Executive	4866 - DIVI VENUGOPAL

Downloaded By: YERRAGUDI VENKATESH

Downloaded Date: 19 May 2026 09:55:08

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-19

Department : Environment Health and Safety
Document Number : SPL2/EHS/SOP/GEN/0014
Version Number : 01
Source : Document
Document Name : HANDLING OF HAZARDOUS CHEMICALS

Doc Type / Content Type : SOP/GEN
From Date : N/A
To Date : N/A
Total Trained Duration : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
2787-RAJEEV PERIMI	20 Dec 2025	22 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 14m 54s	Senior Executive	7539 - SHANI PT
2789-SRINIVASULU REDDY KONDA	20 Dec 2025	25 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 15m 43s	Executive	6808 - ELANGO VAN .
2793-IRFAN MAHAMMAD	20 Dec 2025	30 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 11s	Senior Chemist	1168 - BIJAY KETAN MANGARAJ
2796-G SUBRAMANYAM REDDY	20 Dec 2025	25 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 15m 32s	Senior Executive	1209 - DEVENDRA PRATAP SINGH

Downloaded By: YERRAGUDI VENKATESH

Downloaded Date: 19 May 2026 09:55:08

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-B

Department : Environment Health and Safety
Document Number : SPL2/EHS/SOP/GEN/0014
Version Number : 01
Source : Document
Document Name : HANDLING OF HAZARDOUS CHEMICALS

Doc Type / Content Type : SOP/GEN
From Date : N/A
To Date : N/A
Total Trained Duration : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
2601-MULAPARTHI SAMRAJ	20 Dec 2025	20 Dec 2025	ELANGO VAN .. BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 10m 20s	Senior Executive	7539 - SHANI PT
2636-B.SHIVA KUMAR	20 Dec 2025	02 Jan 2026	ELANGO VAN .. BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 43s	Assistant Manager	1198 - SASIDHAR AVULA
2637-NAGA SAI KOLLIPARA	20 Dec 2025	26 Dec 2025	ELANGO VAN .. BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 5s	Executive	1355 - ARUN KUMAR SINGH
2695-NARESH BHANDARIGAL	20 Dec 2025	08 Jan 2026	ELANGO VAN .. BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 35s	Engineer	4332 - MANJUNATHA D N

Downloaded By: YERRAGUDI VENKATESH

Downloaded Date: 19 May 2026 09:55:08

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure - 19

Department : Environment Health and Safety
Document Number : SPL2/EHS/SOP/GEN/0014
Version Number : 01
Source : Document
Document Name : HANDLING OF HAZARDOUS CHEMICALS

Doc Type / Content Type : SOP/GEN
From Date : N/A
To Date : N/A
Total Trained Duration : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
2409-BRAHMAIAH MANDADAPU	20 Dec 2025	26 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 6m 17s	Assistant Manager	7539 - SHANI PT
2412-MADARVALI SYED	20 Dec 2025	21 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 5s	Senior Executive	1209 - DEVENDRA PRATAP SINGH
2502-VIDYADHAR CHIUVERI	20 Dec 2025	21 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 47s	Executive	1209 - DEVENDRA PRATAP SINGH
2546-SHARANABASAVA REVANNASID KULKARNI	20 Dec 2025	22 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 36s	Assistant Manager	4332 - MANJUNATHA D N

Downloaded By: YERRAGUDI VENKATESH

Downloaded Date: 19 May 2026 09:55:08

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annex-1

Department : Environment Health and Safety
Document Number : SPL2/EHS/SOP/GEN/0014
Version Number : 01
Source : Document
Document Name : HANDLING OF HAZARDOUS CHEMICALS

Doc Type / Content Type : SOP/GEN
From Date : N/A
To Date : N/A
Total Trained Duration : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
2356-BHEEM RAYUDU KONKAL	20 Dec 2025	21 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 10m 2s	Senior Chemist	1168 - BIJAY KETAN MANGARAJ
2362-LINGARAJU CHOLAPPA BETTAPNOR	20 Dec 2025	22 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 9m 10s	Senior Chemist	1209 - DEVENDRA PRATAP SINGH
2404-BHEEMSINGH	20 Dec 2025	30 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 10m 16s	Senior Chemist	1168 - BIJAY KETAN MANGARAJ
2408-NISHANT KUMAR	20 Dec 2025	23 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 14s	Senior Executive	1209 - DEVENDRA PRATAP SINGH

Downloaded By: YERRAGUDI VENKATESH

Downloaded Date: 19 May 2026 09:55:08

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-1)

Department : Environment Health and Safety
Document Number : SPL2/EHS/SOP/GEN/0014
Version Number : 01
Source : Document
Document Name : HANDLING OF HAZARDOUS CHEMICALS

Doc Type / Content Type : SOP/GEN
From Date : N/A
To Date : N/A
Total Trained Duration : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
2271-ARVIND CHANDRAKANT BALKUNDI	20 Dec 2025	26 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 9s	Senior Executive	1168 - BIJAY KETAN MANGARAJ
2307-AVULARAJU POKALA	20 Dec 2025	24 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 17m 16s	Executive	4866 - DIVI VENUGOPAL
2334-SHANKAR MEEDIGADA	20 Dec 2025	29 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 1s	Senior Executive	1209 - DEVENDRA PRATAP SINGH
2343-PRASADU NAKKA	20 Dec 2025	31 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 10m 8s	Executive	1168 - BIJAY KETAN MANGARAJ

Downloaded By: YERRAGUDI VENKATESH

Downloaded Date: 19 May 2026 09:55:08

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure - 10

Department : Environment Health and Safety
Document Number : SPL2/EHS/SOP/GEN/0014
Version Number : 01
Source : Document
Document Name : HANDLING OF HAZARDOUS CHEMICALS

Doc Type / Content Type : SOP/GEN
From Date : N/A
To Date : N/A
Total Trained Duration : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
2212-K SANKAR	20 Dec 2025	24 Dec 2025	ELANGO VAN .. BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 11m 6s	Senior Executive	1372 - NAGESWARA RAO GUDAVALLI
2214-SHRISHAIL SHIVASHARANAPP A BAMBASE	20 Dec 2025	21 Dec 2025	ELANGO VAN .. BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 1s	Shift Incharge	7539 - SHANI PT
2229-DEVI KRISHNA GUJJULA	20 Dec 2025	03 Jan 2026	ELANGO VAN .. BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 15s	Senior Executive	1198 - SASIDHAR AVULA
2236-BOLLA SURENDRA REDDY	20 Dec 2025	22 Dec 2025	ELANGO VAN .. BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 11m 11s	Deputy Manager	1209 - DEVENDRA PRATAP SINGH

Downloaded By: YERRAGUDI VENKATESH

Downloaded Date: 19 May 2026 09:55:08

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure - 1

Department : Environment Health and Safety
Document Number : SPL2/EHS/SOP/GEN/0014
Version Number : 01
Source : Document
Document Name : HANDLING OF HAZARDOUS CHEMICALS

Doc Type / Content Type : SOP/GEN
From Date : N/A
To Date : N/A
Total Trained Duration : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
2142-AMAR SARODE	20 Dec 2025	20 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 4s	Executive	4332 - MANJUNATHA D N
2193-SOMANATH REDDY GADDAM	20 Dec 2025	21 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 10m 3s	Executive	1168 - BIJAY KETAN MANGARAJ
2194-KOVELAKUNTLA VENKATESWARLU	20 Dec 2025	26 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 6m 31s	Executive	7539 - SHANI PT
2199-OMPRAKASH .	20 Dec 2025	30 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 23s	Executive	1168 - BIJAY KETAN MANGARAJ

Downloaded By: YERRAGUDI VENKATESH

Downloaded Date: 19 May 2026 09:55:08

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annex-17

Department : Environment Health and Safety
Document Number : SPL2/EHS/SOP/GEN/0014
Version Number : 01
Source : Document
Document Name : HANDLING OF HAZARDOUS CHEMICALS

Doc Type / Content Type : SOP/GEN
From Date : N/A
To Date : N/A
Total Trained Duration : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
2113-RAJAGOPAL ONTERU	20 Dec 2025	23 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 17s	Executive	4866 - DIVI VENUGOPAL
2127-MALLESU DALAVAI	20 Dec 2025	22 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 15s	Senior Executive	5528 - NAGARAJU GAMIDI
2134-VENKATA PRASAD KONDAPALLI	20 Dec 2025	27 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 4s	Executive	1355 - ARUN KUMAR SINGH
2138-SIVAPRASAD REDDY MUNAGALA	20 Dec 2025	29 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 4s	Senior Executive	1168 - BIJAY KETAN MANGARAJ

Downloaded By: YERRAGUDI VENKATESH

Downloaded Date: 19 May 2026 09:55:08

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-13

Department : Environment Health and Safety
Document Number : SPL2/EHS/SOP/GEN/0014
Version Number : 01
Source : Document
Document Name : HANDLING OF HAZARDOUS CHEMICALS

Doc Type / Content Type : SOP/GEN
From Date : N/A
To Date : N/A
Total Trained Duration : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
2059-MAHESH NARASU BHANDARI	20 Dec 2025	02 Jan 2026	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 12m 5s	Executive	4332 - MANJUNATHA D N
2075-RAMESH BABU YKKALURI	20 Dec 2025	02 Jan 2026	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 11m 15s	Executive	1198 - SASIDHAR AVULA
2078-NAGARAJU EEDA	20 Dec 2025	02 Jan 2026	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 6m 10s	Senior Executive	1168 - BIJAY KETAN MANGARAJ
2085-SRIHARI RAO EMANI	20 Dec 2025	10 Jan 2026	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 10m 40s	Assistant Manager	7539 - SHANI PT

Downloaded By: YERRAGUDI VENKATESH

Downloaded Date: 19 May 2026 09:55:08

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-U

Department : Environment Health and Safety
Document Number : SPL2/EHS/SOP/GEN/0014
Version Number : 01
Source : Document
Document Name : HANDLING OF HAZARDOUS CHEMICALS

Doc Type / Content Type : SOP/GEN
From Date : N/A
To Date : N/A
Total Trained Duration : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
2025-ALURE VASANT	20 Dec 2025	21 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 43s	Senior Executive	7539 - SHANI PT
2027-SANTHOSH MIRJI	20 Dec 2025	26 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 8m 41s	Executive	4332 - MANJUNATHA D N
2033-PAVAN BIJI	20 Dec 2025	21 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 9m 14s	Executive	1168 - BIJAY KETAN MANGARAJ
2040-DEVA KUMAR AMBIGAR	20 Dec 2025	01 Jan 2026	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 13m 26s	Executive	1168 - BIJAY KETAN MANGARAJ

Downloaded By: YERRAGUDI VENKATESH

Downloaded Date: 19 May 2026 09:55:08

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

@Nikhil-13

Department : Environment Health and Safety
Document Number : SPL2/EHS/SOP/GEN/0014
Version Number : 01
Source : Document
Document Name : HANDLING OF HAZARDOUS CHEMICALS

Doc Type / Content Type : SOP/GEN
From Date : N/A
To Date : N/A
Total Trained Duration : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1962-RANGA RAO BAGGU	20 Dec 2025	31 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 12m 15s	Senior Executive	1198 - SASIDHAR AVULA
1974-VENKATARA O SAANA	20 Dec 2025	21 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 13s	Executive	4866 - DIVI VENUGOPAL
1978-CHANUKYA SHAU KAR	20 Dec 2025	27 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 7m 4s	Executive	1168 - BIJAY KETAN MANGARAJ
2006-JINDOBA KASHINATH WAGHMODE	20 Dec 2025	28 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 11m 24s	Senior Executive	7539 - SHANI PT

Downloaded By: YERRAGUDI VENKATESH

Downloaded Date: 19 May 2026 09:55:08

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Ameyu-19

Department : Environment Health and Safety
Document Number : SPL2/EHS/SOP/GEN/0014
Version Number : 01
Source : Document
Document Name : HANDLING OF HAZARDOUS CHEMICALS

Doc Type / Content Type : SOP/GEN
From Date : N/A
To Date : N/A
Total Trained Duration : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1916-VIVEKANAND HOSUR	20 Dec 2025	29 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 43s	Executive	1168 - BIJAY KETAN MANGARAJ
1937-NARASIMHA MURTHY VENKATA NANDURI	20 Dec 2025	29 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 18s	Assistant Manager	7539 - SHANI PT
1945-ESWAR RAO BANISETTI	20 Dec 2025	27 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 6m 22s	Deputy Manager	1355 - ARUN KUMAR SINGH
1958-M RAMU .	20 Dec 2025	22 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 45s	Deputy Manager	7539 - SHANI PT

Downloaded By: YERRAGUDI VENKATESH

Downloaded Date: 19 May 2026 09:55:08

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-18

Department : Environment Health and Safety
Document Number : SPL2/EHS/SOP/GEN/0014
Version Number : 01
Source : Document
Document Name : HANDLING OF HAZARDOUS CHEMICALS

Doc Type / Content Type : SOP/GEN
From Date : N/A
To Date : N/A
Total Trained Duration : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1842-HARI OM KUMAR	20 Dec 2025	05 Jan 2026	ELANGO VAN .. BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 3s	Executive	1198 - SASIDHAR AVULA
1846-PULLA GOWREDDY	20 Dec 2025	21 Dec 2025	ELANGO VAN .. BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 10m 30s	Senior Executive	1168 - BIJAY KETAN MANGARAJ
1913-DEVARAJA .	20 Dec 2025	25 Dec 2025	ELANGO VAN .. BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 2s	Assistant	6645 - CHANDRASHEKAR SHANTAMALL APPA DUDHANI

Downloaded By: YERRAGUDI VENKATESH

Downloaded Date: 19 May 2026 09:55:08

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-17

Department : Environment Health and Safety
Document Number : SPL2/EHS/SOP/GEN/0014
Version Number : 01
Source : Document
Document Name : HANDLING OF HAZARDOUS CHEMICALS

Doc Type / Content Type : SOP/GEN
From Date : N/A
To Date : N/A
Total Trained Duration : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1697-YOGESH PATIL	20 Dec 2025	20 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 30s	Executive	4332 - MANJUNATHA D N
1784-CHINNA MASUM KASANNA GARI	20 Dec 2025	25 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 6m 6s	Executive	1168 - BIJAY KETAN MANGARAJ
1793-MEENAPPA MADIGA	20 Dec 2025	24 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 10m 13s	Deputy Manager	4332 - MANJUNATHA D N
1798-RAJA KUMAR ANIPE	20 Dec 2025	29 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 2s	Senior Executive	1168 - BIJAY KETAN MANGARAJ

Downloaded By: YERRAGUDI VENKATESH

Downloaded Date: 19 May 2026 09:55:08

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure - 13

Department : Environment Health and Safety
Document Number : SPL2/EHS/SOP/GEN/0014
Version Number : 01
Source : Document
Document Name : HANDLING OF HAZARDOUS CHEMICALS

Doc Type / Content Type : SOP/GEN
From Date : N/A
To Date : N/A
Total Trained Duration : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1604-G.NAGARJUNA .	20 Dec 2025	26 Dec 2025	ELANGO VAN .. BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 3s	Deputy Manager	1209 - DEVENDRA PRATAP SINGH
1610-JALANDAR PASULA	20 Dec 2025	30 Dec 2025	ELANGO VAN .. BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 10m 28s	Senior Executive	1168 - BIJAY KETAN MANGARAJ
1627-EDIGA KHAJAN GOUD	20 Dec 2025	22 Dec 2025	ELANGO VAN .. BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 16m 19s	Executive	1168 - BIJAY KETAN MANGARAJ
1679-M.NARESH KUMAR	20 Dec 2025	23 Dec 2025	ELANGO VAN .. BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 6s	Senior Executive	1355 - ARUN KUMAR SINGH

Downloaded By: YERRAGUDI VENKATESH

Downloaded Date: 19 May 2026 09:55:08

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure - 1

Department : Environment Health and Safety
Document Number : SPL2/EHS/SOP/GEN/0014
Version Number : 01
Source : Document
Document Name : HANDLING OF HAZARDOUS CHEMICALS

Doc Type / Content Type : SOP/GEN
From Date : N/A
To Date : N/A
Total Trained Duration : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1563-LINGA REDDY BANAVASI	20 Dec 2025	25 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 7m 35s	Senior Assistant	6645 - CHANDRASHEKAR SHANTAMALL APPA DUDHANI
1569-SURESH KUMAR REDDY PATCHARLA	20 Dec 2025	25 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 10s	Senior Executive	1168 - BIJAY KETAN MANGARAJ
1581-V.N.PRASAD ANDE	20 Dec 2025	30 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 6m 4s	Assistant general manager	1168 - BIJAY KETAN MANGARAJ

Downloaded By: YERRAGUDI VENKATESH

Downloaded Date: 19 May 2026 09:55:08

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-13

Department : Environment Health and Safety
Document Number : SPL2/EHS/SOP/GEN/0014
Version Number : 01
Source : Document
Document Name : HANDLING OF HAZARDOUS CHEMICALS

Doc Type / Content Type : SOP/GEN
From Date : N/A
To Date : N/A
Total Trained Duration : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1486-SURESH GOUD SHAGALA	20 Dec 2025	22 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 29s	Senior Executive	1168 - BIJAY KETAN MANGARAJ
1495-BALAVEERIAH VALADASU	20 Dec 2025	22 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 10m 17s	Shift Incharge	4866 - DIVI VENUGOPAL
1496-PRASANNA RAVINDRA DHANSHETTI	20 Dec 2025	20 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 19s	Assistant Manager	1209 - DEVENDRA PRATAP SINGH

Downloaded By: YERRAGUDI VENKATESH

Downloaded Date: 19 May 2026 09:55:08

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

ADN/WH/19

Department : Environment Health and Safety
Document Number : SPL2/EHS/SOP/GEN/0014
Version Number : 01
Source : Document
Document Name : HANDLING OF HAZARDOUS CHEMICALS

Doc Type / Content Type : SOP/GEN
From Date : N/A
To Date : N/A
Total Trained Duration : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1413-SHIVYOGI SHANKAR KOGNURE	20 Dec 2025	24 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 7m 6s	Senior Executive	1209 - DEVENDRA PRATAP SINGH
1418-SURESH SHIVAMURTHI	20 Dec 2025	21 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 10m 3s	Senior Chemist	4866 - DIVI VENUGOPAL
1482-S P PRABHAKAR SIDDESHWAR KUMBHAR	20 Dec 2025	24 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 12m 22s	Senior Executive	1372 - NAGESWARA RAO GUDAVALLI
1483-SUDHAKAR CHINDUKURI	20 Dec 2025	25 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 16s	Senior Executive	4866 - DIVI VENUGOPAL

Downloaded By: YERRAGUDI VENKATESH

Downloaded Date: 19 May 2026 09:55:08

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure - 1

Department : Environment Health and Safety
Document Number : SPL2/EHS/SOP/GEN/0014
Version Number : 01
Source : Document
Document Name : HANDLING OF HAZARDOUS CHEMICALS

Doc Type / Content Type : SOP/GEN
From Date : N/A
To Date : N/A
Total Trained Duration : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1394-SURESH AKKENA	20 Dec 2025	20 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 6m 18s	Executive	6808 - ELANGO VAN .
1404-KRISHNA .	20 Dec 2025	31 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 11m 36s	Senior Executive	4332 - MANJUNATHA D N
1406-SHIVARAJ JOJAN	20 Dec 2025	21 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 11m 10s	Senior Executive	1168 - BIJAY KETAN MANGARAJ
1411-VITTHAL ABASO BABAR	20 Dec 2025	01 Jan 2026	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 10m 4s	Senior Executive	4866 - DIVI VENUGOPAL

Downloaded By: YERRAGUDI VENKATESH

Downloaded Date: 19 May 2026 09:55:08

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure - 13

Department : Environment Health and Safety
Document Number : SPL2/EHS/SOP/GEN/0014
Version Number : 01
Source : Document
Document Name : HANDLING OF HAZARDOUS CHEMICALS

Doc Type / Content Type : SOP/GEN
From Date : N/A
To Date : N/A
Total Trained Duration : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1360-LAKSHMI KANTH .	20 Dec 2025	24 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 14s	Chemist	1168 - BIJAY KETAN MANGARAJ
1364-NAGESHWAR RAO PADAMATI	20 Dec 2025	23 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 7m 6s	Senior Executive	1209 - DEVENDRA PRATAP SINGH
1372-NAGESWARA RAO GUDAVALLI	20 Dec 2025	20 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 10s	Assistant Manager	1045 - VEERESHAPPA
1389-GURUNATH LOMADA	20 Dec 2025	21 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 17s	Senior Executive	1168 - BIJAY KETAN MANGARAJ

Downloaded By: YERRAGUDI VENKATESH

Downloaded Date: 19 May 2026 09:55:08

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure - 13

Department : Environment Health and Safety
Document Number : SPL2/EHS/SOP/GEN/0014
Version Number : 01
Source : Document
Document Name : HANDLING OF HAZARDOUS CHEMICALS

Doc Type / Content Type : SOP/GEN
From Date : N/A
To Date : N/A
Total Trained Duration : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1318-SRINIVASA RAO KODALI	20 Dec 2025	20 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 16s	Assistant Manager	4332 - MANJUNATHA D N
1321-ANIL GANGADHAR BOLLINENI	20 Dec 2025	21 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 46s	Senior Executive	4866 - DIVI VENUGOPAL
1347-SUMAN MIDDE	20 Dec 2025	22 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 10m 4s	Senior Executive	1355 - ARUN KUMAR SINGH
1355-ARUN KUMAR SINGH	20 Dec 2025	23 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 16m 16s	Senior Manager	1045 - VEERESHAPPA

Downloaded By: YERRAGUDI VENKATESH

Downloaded Date: 19 May 2026 09:55:08

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure -13

Department : Environment Health and Safety
Document Number : SPL2/EHS/SOP/GEN/0014
Version Number : 01
Source : Document
Document Name : HANDLING OF HAZARDOUS CHEMICALS

Doc Type / Content Type : SOP/GEN
From Date : N/A
To Date : N/A
Total Trained Duration : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1304-UMESH JALKOTE	20 Dec 2025	20 Dec 2025	ELANGO VAN .. BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 10m 58s	Senior Chemist	1372 - NAGESWARA RAO GUDAVALLI
1307-ARUN KUMAR GUNJANUR	20 Dec 2025	22 Dec 2025	ELANGO VAN .. BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 7m 12s	Senior Chemist	1209 - DEVENDRA PRATAP SINGH
1308-PRAVEEN KUMAR GADWAL	20 Dec 2025	23 Dec 2025	ELANGO VAN .. BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 8m 8s	Senior Chemist	1355 - ARUN KUMAR SINGH
1310-SRINIVAS AVULA	20 Dec 2025	03 Jan 2026	ELANGO VAN .. BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 9s	Executive	1198 - SASIDHAR AVULA

Downloaded By: YERRAGUDI VENKATESH

Downloaded Date: 19 May 2026 09:55:08

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-17

Department : Environment Health and Safety
Document Number : SPL2/EHS/SOP/GEN/0014
Version Number : 01
Source : Document
Document Name : HANDLING OF HAZARDOUS CHEMICALS

Doc Type / Content Type : SOP/GEN
From Date : N/A
To Date : N/A
Total Trained Duration : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1251-SANDEEP GADDYAPPA VADIGERI	20 Dec 2025	02 Jan 2026	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 19m 0s	Deputy Manager	4332 - MANJUNATHA D N
1257-NARASIMAH LU GADWAL	20 Dec 2025	24 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 9m 27s	Senior Assistant	6645 - CHANDRASHEKAR SHANTAMALL APPA DUDHANI
1262- VENKATA SUBBA REDDY DHANI REDDY	20 Dec 2025	01 Jan 2026	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 11m 46s	Senior Executive	1198 - SASIDHAR AVULA

Downloaded By: YERRAGUDI VENKATESH

Downloaded Date: 19 May 2026 09:55:08

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure - (3)

Department : Environment Health and Safety
Document Number : SPL2/EHS/SOP/GEN/0014
Version Number : 01
Source : Document
Document Name : HANDLING OF HAZARDOUS CHEMICALS

Doc Type / Content Type : SOP/GEN
From Date : N/A
To Date : N/A
Total Trained Duration : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1243-SHARANAPPA NAMMAKAM	20 Dec 2025	29 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 1s	Senior Assistant	6645 - CHANDRASHEKAR SHANTAMALL APPA DUDHANI
1247-SIDDHARTHA REDDY PAMURI	20 Dec 2025	23 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 2s	Senior Executive	4866 - DIVI VENUGOPAL
1248-DEVARAJA .	20 Dec 2025	27 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 32s	Senior Manager	1168 - BIJAY KETAN MANGARAJ

Downloaded By: YERRAGUDI VENKATESH

Downloaded Date: 19 May 2026 09:55:08

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-13

Department : Environment Health and Safety
Document Number : SPL2/EHS/SOP/GEN/0014
Version Number : 01
Source : Document
Document Name : HANDLING OF HAZARDOUS CHEMICALS

Doc Type / Content Type : SOP/GEN
From Date : N/A
To Date : N/A
Total Trained Duration : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1209-DEVENDRA PRATAP SINGH	20 Dec 2025	25 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 15m 44s	Deputy General Manager	1045 - VEERESHAPPA
1210-ARUN KUMAR	20 Dec 2025	23 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 9m 10s	Deputy Manager	1209 - DEVENDRA PRATAP SINGH
1218-RAMAKRISHNA KALIPINDI	20 Dec 2025	26 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 45s	Shift Incharge	6808 - ELANGO VAN .
1234-SANDEEP KULKARNI	20 Dec 2025	29 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 16s	Senior Chemist	1168 - BIJAY KETAN MANGARAJ

Downloaded By: YERRAGUDI VENKATESH

Downloaded Date: 19 May 2026 09:55:08

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure - 17

Department : Environment Health and Safety
Document Number : SPL2/EHS/SOP/GEN/0014
Version Number : 01
Source : Document
Document Name : HANDLING OF HAZARDOUS CHEMICALS

Doc Type / Content Type : SOP/GEN
From Date : N/A
To Date : N/A
Total Trained Duration : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1200-NAGABABU CHENNU	20 Dec 2025	23 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 2s	Assistant Manager	1198 - SASIDHAR AVULA
1201-SUBBA RAO VENKATA MOTHUKURU	20 Dec 2025	26 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 25s	Senior Executive	1355 - ARUN KUMAR SINGH
1205-RAJSHEKAR REDDY KANALA	20 Dec 2025	31 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 12m 22s	Senior Executive	7539 - SHANI PT
1206-S JAYADEV GORANTLA	20 Dec 2025	20 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 10m 15s	Senior Chemist	1168 - BIJAY KETAN MANGARAJ

Downloaded By: YERRAGUDI VENKATESH

Downloaded Date: 19 May 2026 09:55:08

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure - (1)

Department : Environment Health and Safety
Document Number : SPL2/EHS/SOP/GEN/0014
Version Number : 01
Source : Document
Document Name : HANDLING OF HAZARDOUS CHEMICALS

Doc Type / Content Type : SOP/GEN
From Date : N/A
To Date : N/A
Total Trained Duration : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1193-JINDAPPA K	20 Dec 2025	07 Jan 2026	ELANGO VAN .. BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 3s	Shift Incharge	4866 - DIVI VENUGOPAL
1196-UDAY KUMAR TALLAPALLY	20 Dec 2025	03 Jan 2026	ELANGO VAN .. BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 18s	Senior Chemist	1198 - SASIDHAR AVULA
1198-SASIDHAR AVULA	20 Dec 2025	03 Jan 2026	ELANGO VAN .. BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 9m 51s	Manager	3940 - GOVINDAPPA GALAGALI
1199-PRAVEEN CHINTALAPATI	20 Dec 2025	28 Dec 2025	ELANGO VAN .. BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 10m 4s	Executive	7539 - SHANI PT

Downloaded By: YERRAGUDI VENKATESH

Downloaded Date: 19 May 2026 09:55:08

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure -13

Department : Environment Health and Safety
Document Number : SPL2/EHS/SOP/GEN/0014
Version Number : 01
Source : Document
Document Name : HANDLING OF HAZARDOUS CHEMICALS

Doc Type / Content Type : SOP/GEN
From Date : N/A
To Date : N/A
Total Trained Duration : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1168-BIJAY KETAN MANGARAJ	20 Dec 2025	20 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 12s	Associate Vice President	7538 - KARUNAKAR ANATAM
1184-MEER MASOOD ALI	20 Dec 2025	02 Jan 2026	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 11m 43s	Chemist	4866 - DIVI VENUGOPAL
1186-BHARMANNA SHIVARAYA PETARGE	20 Dec 2025	24 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 8m 6s	Assistant general manager	1168 - BIJAY KETAN MANGARAJ
1190- VENKATESHWARU LU C	20 Dec 2025	25 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 10m 4s	Senior Chemist	4866 - DIVI VENUGOPAL

Downloaded By: YERRAGUDI VENKATESH

Downloaded Date: 19 May 2026 09:55:08

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure - 13

Department : Environment Health and Safety
Document Number : SPL2/EHS/SOP/GEN/0014
Version Number : 01
Source : Document
Document Name : HANDLING OF HAZARDOUS CHEMICALS

Doc Type / Content Type : SOP/GEN
From Date : N/A
To Date : N/A
Total Trained Duration : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1135-ANJALIYA BABU DANDU	20 Dec 2025	21 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 3s	Shift Incharge	4866 - DIVI VENUGOPAL
1147-VIJAY KUMAR KURUVA	20 Dec 2025	31 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 9m 51s	Senior Shift Incharge	1355 - ARUN KUMAR SINGH
1157-KRISHNA .	20 Dec 2025	20 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 6s	Senior Chemist	1168 - BIJAY KETAN MANGARAJ
1162-S.NANDAKISHORE .	20 Dec 2025	21 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 10m 39s	Deputy Manager	4332 - MANJUNATHA D N

Downloaded By: YERRAGUDI VENKATESH

Downloaded Date: 19 May 2026 09:55:08

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-13

Department : Environment Health and Safety
Document Number : SPL2/EHS/SOP/GEN/0014
Version Number : 01
Source : Document
Document Name : HANDLING OF HAZARDOUS CHEMICALS

Doc Type / Content Type : SOP/GEN
From Date : N/A
To Date : N/A
Total Trained Duration : 67h 28m 26s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1069-CHANNA REDDY .	20 Dec 2025	29 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 33m 50s	Senior Incharge	6645 - CHANDRASHE KAR SHANTAMALL APPA DUDHANI
1070- GOVINDARAJULU MENDI SRINIVASULU	20 Dec 2025	26 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 10m 24s	Senior Shift Incharge	1355 - ARUN KUMAR SINGH
1071-PARMANAND RAMANNA PATIL	20 Dec 2025	29 Dec 2025	ELANGO VAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 10s	Senior Shift Incharge	4866 - DIVI VENUGOPAL

Downloaded By: YERRAGUDI VENKATESH

Downloaded Date: 19 May 2026 09:55:08

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-1

Department : Environment Health and Safety
Document Number : SPL2/EHS/SOP/GEN/0006
Version Number : 02
Source : Document
Document Name : FIRST AID

Doc Type / Content Type : SOP/GEN
From Date : N/A
To Date : N/A
Total Trained Duration : 4h 11m 17s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
9458-KASA SUBBARAO	16 Apr 2026	08 May 2026	N/A	JR Training	100.0	0h 10m 14s	Senior Chemist	7539 - SHANI PT
9466-VIJAY SIDDHESHWAR JADHAV	20 Apr 2026	16 May 2026	N/A	JR Training	90.00	0h 8m 32s	Senior Chemist	1198 - SASIDHAR AVULA
9506-JAGANNATH BISOYI	28 Apr 2026	16 May 2026	N/A	JR Training	100.0	0h 58m 55s	Senior Chemist	7539 - SHANI PT
9511-AMIT KANT KUSHWAHA	29 Apr 2026	14 May 2026	N/A	JR Training	100.0	0h 18m 50s	Senior Chemist	1355 - ARUN KUMAR SINGH

Downloaded By: YERRAGUDI VENKATESH

Downloaded Date: 19 May 2026 09:53:51

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-3

Department : Environment Health and Safety
Document Number : SPL2/EHS/SOP/GEN/0006
Version Number : 02
Source : Document
Document Name : FIRST AID

Doc Type / Content Type : SOP/GEN
From Date : N/A
To Date : N/A
Total Trained Duration : 4h 11m 17s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
9402-VASA DURGARAO	03 Apr 2026	21 Apr 2026	N/A	JR Training	100.0	0h 5m 1s	Executive	7539 - SHANI PT
9409-RUSHIKESH SOMNATH SHINDE	08 Apr 2026	27 Apr 2026	N/A	JR Training	100.0	0h 15m 14s	Senior Process Engineer	7539 - SHANI PT
9427-KURVA SHASHIDHAR	11 Apr 2026	05 May 2026	N/A	JR Training	100.0	0h 12m 21s	Senior Chemist	1209 - DEVENDRA PRATAP SINGH
9428-CHANNAMALLIKA RJUN SANGAPPA BURLI	11 Apr 2026	05 May 2026	N/A	JR Training	90.00	0h 5m 5s	Trainee Chemist	1209 - DEVENDRA PRATAP SINGH
9443-ABHAY SINGH	14 Apr 2026	14 May 2026	N/A	JR Training	90.00	0h 46m 38s	Trainee Chemist	1355 - ARUN KUMAR SINGH
9448-KISHOR SINGH	14 Apr 2026	21 Apr 2026	N/A	JR Training	100.0	0h 11m 0s	Junior Executive	6808 - ELANGO VAN .

Downloaded By: YERRAGUDI VENKATESH

Downloaded Date: 19 May 2026 09:53:51

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-1

Department : Environment Health and Safety
Document Number : SPL2/EHS/SOP/GEN/0006
Version Number : 02
Source : Document
Document Name : FIRST AID

Doc Type / Content Type : SOP/GEN
From Date : N/A
To Date : N/A
Total Trained Duration : 4h 11m 17s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
5503-S SUMAN .	26 Mar 2026	04 Apr 2026	ELANGO VAN ., VIJAY KUMAR N	Target Training - Revision	100.0	0h 5m 6s	Executive	6808 - ELANGO VAN .
7188-BADESAB HUSEN SHAIKH	26 Mar 2026	30 Mar 2026	ELANGO VAN ., VIJAY KUMAR N	Target Training - Revision	100.0	0h 5m 5s	Junior Executive	6808 - ELANGO VAN .
7260-NAGARAJ GANGANAVAR	26 Mar 2026	02 Apr 2026	ELANGO VAN ., VIJAY KUMAR N	Target Training - Revision	100.0	0h 5m 4s	Junior Executive	6808 - ELANGO VAN .
9273-TADI SIVA RAMA KRISHNA REDDY	26 Mar 2026	30 Mar 2026	ELANGO VAN ., VIJAY KUMAR N	Target Training - Revision	100.0	0h 11m 37s	Senior Chemist	6808 - ELANGO VAN .
9343-NAMILA KONDA VAMSHIDHAR RAO	14 Mar 2026	25 Apr 2026	N/A	JR Training	100.0	0h 5m 1s	Senior Executive	1198 - SASIDHAR AVULA

Downloaded By: YERRAGUDI VENKATESH

Downloaded Date: 19 May 2026 09:53:51

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Amritha-17

Department : Environment Health and Safety
Document Number : SPL2/EHS/SOP/GEN/0006
Version Number : 02
Source : Document
Document Name : FIRST AID

Doc Type / Content Type : SOP/GEN
From Date : N/A
To Date : N/A
Total Trained Duration : 4h 11m 17s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1218-RAMAKRISHNA KALIPINDI	26 Mar 2026	31 Mar 2026	ELANGO VAN ., VIJAY KUMAR N	Target Training - Revision	90.00	0h 5m 26s	Shift Incharge	6808 - ELANGO VAN .
1394-SURESH AKKENA	26 Mar 2026	30 Mar 2026	ELANGO VAN ., VIJAY KUMAR N	Target Training - Revision	100.0	0h 5m 8s	Executive	6808 - ELANGO VAN .
1404-KRISHNA .	16 Apr 2026	24 Apr 2026	N/A	JR Training	90.00	0h 5m 41s	Senior Executive	4332 - MANJUNATHA D N
2789-SRINIVASULU REDDY KONDA	26 Mar 2026	29 Mar 2026	ELANGO VAN ., VIJAY KUMAR N	Target Training - Revision	100.0	0h 5m 3s	Executive	6808 - ELANGO VAN .
3784-NARASIMHULU AMJALA	26 Mar 2026	01 Apr 2026	ELANGO VAN ., VIJAY KUMAR N	Target Training - Revision	100.0	0h 6m 16s	Chemist	6808 - ELANGO VAN .

Downloaded By: YERRAGUDI VENKATESH

Downloaded Date: 19 May 2026 09:53:51

This is electronically generated report and there is no need of any manual signature



PANCHASHEEL
MEDICAL SERVICES PVT. LTD.,
INSTITUTE OF INDUSTRIAL & OCCUPATIONAL HEALTH



401 A & B, Navketan Complex, Clock Tower, Secunderabad-500 003. T.S. INDIA.
Cell: 90001 44488, 99634 17491 | Email: drraaj@hotmail.com | Website: www.panchasheel.com

Anneerully

Confidential

SHILPA PHARMA LIFESCIENCES LTD UNIT-2
Plot No:33,33A & 40-47, Raichur Industrial Growth Centre Chicksugur-584134,Raichur,
District, Karnataka State, India
MEDICAL SURVEILLANCE PROFORMA

DATE: 25/11/2025

NAME	: Mr.Anjaliya Babu Dandu	DEPARTMENT	: Production
D.O.B/SEX	: 03/04/1982 / Male	SECTION	: AJ-Block
Lab No / E. Code	: 4014 / 1135	D.O.J	: 22/08/2006
DIET	: Normal (Mixed)	BLOOD GROUP	: "A" Positive
ALLERGY	: No		

PERSONAL HISTORY

	SMOKING	ALCOHOL	TOBACCO CHEWING	SNUFF
QUANTITY				
DURATION	No	No	No	No
TYPE				

PRESENTING COMPLAINTS	Nil
PAST HISTORY	Nil Particular
FAMILY HISTORY	DM:- No HTN:- No

GENERAL PHYSICAL EXAMINATION

DEFECTS/DISABILITY	: No
--------------------	------


Height	: 161Cms	Weight	: 88 Kgs	Body Mass Index (BMI)	: 33.9 kg/m ²
Ideal Weight	: 61 Kgs	Pulse Rate (Normal : 60-100pm)	: 74per Min	Blood Pressure (BP) (Normal : 120/80) mmhg	: 140/87 mmhg
Normal Weight	: 56 - 66 Kgs				

Interpreting Your BODY MASS INDEX

Adults	Women	Men
Under weight	<19.1	<20.7
In normal range	19.1-25.8	20.7-26.4
Marginally over weight	25.8-27.3	26.4-27.8
Over weight	27.3-32.3	27.8-31.1
Very overweight or obese	>32.3	>31.1

Diagnosis Makes the Difference

"Exclusive NABL Accredited Lab for Industrial & Occupational Health"



ECG analysis results:

Rate (b/min)	80
PR Int. (ms)	167
QT/QTc Int. (ms)	396 / 369
P/QRS/T Axis (Deg)	57 / 69 / 19
RV5/SV5 Amp. (mV)	0.32 / 0.46
RV5/SV1 Amp. (mV)	1.20 / 0.67

ST Level (mV)	
I	II
-0.00	-0.03
V1	V2
+0.06	+0.10
aVR	aVL
+0.02	+0.00
V3	V4
+0.05	+0.01
aVF	V5
-0.02	+0.00
V6	V6
-0.03	-0.03

800 Normal Sinus Rhythm
 500 rSR Pattern in V1/V2
 611 T Abnormality (Flat T)
 *** Borderline Abnormal ECG ***

Note: Unconfirmed Report Need to Review

V2/21 Technician

Annexure - 14



PANCHASHEEL
MEDICAL SERVICES PVT. LTD.,
 INSTITUTE OF INDUSTRIAL & OCCUPATIONAL HEALTH



ISO 9001:2015
 Certified Company

401 A & B, Navketan Complex, Clock Tower, Secunderabad-500 003. T.S. INDIA.
 Cell: 90001 44488, 99634 17491 | Email: drraj@hotmail.com | Website: www.panchasheel.com

Lab No / E. Code : 4014 / 1135

VISUAL ACUITY

VISION	DISTANT VISION	NEAR VISION	COLOUR VISION	CORRECTIONS
RIGHT	6/6	N6	Normal	Normal Vision
LEFT	6/6	N6	Normal	

SYSTEMIC EXAMINATION

RESPIRATORY SYSTEM	Respiratory Sounds are Clear.
CARDIO-VASCULAR SYSTEM	S1 S2 Normal.
CENTRAL NERVOUS SYSTEM	Normal.
ELECTRO CARDIOGRAM (ECG)	Within Normal Limits.
CHEST X-RAY IMPRESSION	Normal Chest Radiograph.
ABDOMEN	Liver and Spleen Not Palpable

LAB INVESTIGATION

BLOOD			URINE		
Test	Result	Normal Range	Test	Result	Normal Range
HB	13.3	M14 to 18 gm/dL F 12 to 16 gm/dL	Colour	Pale Yellow	White to Yellow
RBC	4.43	4.0 - 6.0 mill/cumm	Appearance	Clear	Clear
TC	8300	4000 - 11000 cells/cumm	Reaction	Acidic	Acidic
DLC (%)	P-48 L-47 E-02 M-03	Neutrophils (or segs): 40 - 70% Lymphocytes: 20 - 40% Eosinophils: 02 - 06% Monocytes: 02 - 08% Basophils: 0.4% - 1%	Albumin	Nil	Nil
AEC	166	40-440 cells/cumm	Sugar	0.5%	Nil
RBC Smear	Normocytic Normochromic		Pus cells	Nil	1-5/hpf
WBC Smear	Within Normal Limits		RBC	Nil	Nil
VDRL	Non-Reactive	Non-Reactive	EP CELLS	Occasional	1-5/hpf
RBS	158	70 - 160 mg/dl	Others	Nil	Nil
Advise Fbs. Pibs & HbA1c					

SPUTUM FOR AFB: Negative.
 (Acid fast bacillus)

ADVICE/REMARKS: Healthy & free from contagious diseases.

FIT TO WORK

Dr. RAJA VOJALA
 MBBS, MD (Path) JAFIH (CLI)
 Physician Industrial Medicine
 Regd. No: 13067

Medical officer


Diagnosis Makes the Difference

"Exclusive NABL Accredited Lab for Industrial & Occupational Health"

Phaeoxuri-14

4014

L



Annexure-15 Green Belt



Annexure-15
Green Belt



Annexure-15
Green Belt



Annexure-15 Green Belt





भारत सरकार

Government of India

वाणिज्य और उद्योग मंत्रालय

Ministry of Commerce & Industry

पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन (पैसो)

Petroleum & Explosives Safety Organisation (PESO)

सीटी सेंटर, दुसरी मंजिल, होटल रुपा के सामने, बालमट्टा रोड

मैंगलूर - 575001

2nd floor, City Centre,

Opposite Hotel Roopa, Balmatta Road,

Mangalore - 575001

S. M. Mannan

E-mail : dyccemangalore@explosives.gov.in

Phone/Fax No : 0824 - 2420167,2441588

संख्या /No. : P/HQ/KA/15/2631 (P234951)

दिनांक /Dated : 17/11/2025

सेवा में
/To,

M/s. SHILPA PHARMA LIFESCIENCES LIMITED,
100 Export Oriented Unit,
10/80, 1st Floor,
RAJENDRA GUNJ,
RAJENDRA GUNJ,
Taluka: Raichur,
District: RAICHUR,
State: Karnataka
PIN: 584102

विषय Plot No, Plot No. 33, 33A & 40 to 47, Raichur Indl. Growth Centre, NA, Chicksugur Village, Raichur, Taluka: Raichur,
/Sub : District: RAICHUR, State: Karnataka, PIN: 584134 में स्थित विद्यमान पेट्रोलियम वर्ग B,C अधिष्ठापन में अनुज्ञप्ति सं P/HQ/KA/15/2631
(P234951) के नवीकरण के संदर्भ में ।
Existing Petroleum Class B,C Installation at Plot No, Plot No. 33, 33A & 40 to 47, Raichur Indl. Growth Centre, NA,
Chicksugur Village, Raichur, Taluka: Raichur, District: RAICHUR, State: Karnataka, PIN: 584134 - Licence No.
P/HQ/KA/15/2631 (P234951) - Renewal regarding.

महोदय
/Sir(s),

कृपया आपके पत्र क्रमांक OIN2146120 दिनांक 11/11/2025 का अवलोकन करें ।
Please refer to your letter No.: OIN2146120, dated 11/11/2025

अनुज्ञप्ति संख्या P/HQ/KA/15/2631 (P234951) दिनांक 12/02/2016 को दिनांक 31/12/2035 तक नवीनीकृत कर इस पत्र के साथ अग्रपिठ की जा
रही है ।

Licence No. P/HQ/KA/15/2631 (P234951) dated 12/02/2016 is forwarded herewith duly renewed upto 31/12/2035.

कृपया पेट्रोलियम नियम 2002 के अधीन बनाए गए नियम 148 में दी गई प्रक्रिया का कड़ाई से पालन करें । अनुज्ञप्ति के नवीकरण हेतु समस्त दस्तावेजों को
अनुज्ञप्ति की वैधता समाप्त होने की तिथि से कम से कम 30 दिन पूर्व कार्यालय को प्रेषित करें ।

Please follow the procedure strictly as laid down in rule 148 of the Petroleum Rules, 2002 and submit complete documents for the
Renewal of the licence so as to reach this office on or before the date on which Licence expires.

कृपया पावती दें।

Please acknowledge the receipt.

भवदीय /Yours faithfully,

((डा.एस.एम.मन्नन)
(Dr. S. M. Mannan))
उप मुख्य विस्फोटक नियंत्रक
Dy. Chief Controller of Explosives
मैंगलूर/Mangalore

Note:-This is system generated document does not require signature.

(अधिक जानकारी जैसे आवेदन की स्थिति, शुल्क तथा अन्य विवरण के लिए हमारी वेबसाइट : <http://peso.gov.in> देखें)

(For more information regarding status, fees and other details please visit our website: <http://peso.gov.in>)

Amendment - 12

प्ररूप XV
(प्रथम अनुसूची का अनुच्छेद 6 देखिए)
FORM XV
(see Article 6 of the First Schedule)

अधिष्ठापनों में पेट्रोलियम के आयात और भंडारकरण के लिए अनुज्ञप्ति
LICENCE TO IMPORT AND STORE PETROLEUM IN AN INSTALLATION

अनुज्ञप्ति सं. (Licence No.): P/HQ/KA/15/2631(P234951)

फीस रूपए (Fee Rs.) 10000/- per year

M/s. SHILPA PHARMA LIFESCIENCES LIMITED, 100 Export Oriented Unit, 10/80, 1st Floor, RAJENDRA GUNJ, RAJENDRA GUNJ, Taluka: Raichur, District: RAICHUR, State: Karnataka, PIN: 584102 को केवल इसमें यथा विनिर्दिष्ट वर्ग और मात्राओं में पेट्रोलियम 40.00 KL आयात करने के लिए और उसका, नीचे वर्णित और अनुमोदित नक्शा संख्या P/HQ/KA/15/2631(P234951) तारीख 12/05/2022 जो कि इससे उपाबद्ध है, में दिखाए गए स्थान पर भण्डारकरण के लिए पेट्रोलियम अधिनियम, 1934 के उपबंधों या उसके अधीन बनाए गए नियमों तथा इस अनुज्ञप्ति की अतिरिक्त शर्तों के अधीन रहते हुए, यह अनुज्ञप्ति अनुदत्त की जाती है।

Licence is hereby granted to M/s. SHILPA PHARMA LIFESCIENCES LIMITED, 100 Export Oriented Unit, 10/80, 1st Floor, RAJENDRA GUNJ, RAJENDRA GUNJ, Taluka: Raichur, District: RAICHUR, State: Karnataka, PIN: 584102 valid only for the importation and storage of 40.00 KL Petroleum of the class and quantities as herein specified and storage thereof in the place described below and shown on the approved plan No P/HQ/KA/15/2631(P234951) dated 12/05/2022 attached hereto subject to the provisions of the Petroleum Act, 1934 and the rule made thereunder and to the further conditions of this Licence.

यह अनुज्ञप्ति 31st day of December 2035 तक प्रवृत्त रहेगी।

The Licence shall remain in force till the 31st day of December 2035

पेट्रोलियम का विवरण /Description of Petroleum	अनुज्ञप्त मात्रा (किलोलीटरों में) /Quantity licenced in KL
वर्ग क प्रपुंज पेट्रोलियम /Petroleum Class A in bulk	NIL
वर्ग क प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class A, otherwise than in bulk	NIL
वर्ग ख प्रपुंज पेट्रोलियम /Petroleum Class B in bulk	20.00 KL
वर्ग ख प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class B, otherwise than in bulk	NIL
वर्ग ग प्रपुंज पेट्रोलियम /Petroleum Class C in bulk	20.00 KL
वर्ग ग प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class C, otherwise than in bulk	NIL
कुल क्षमता /Total Capacity	40.00 KL

April 19, 2010

Chief Controller of Explosives

1). Amendment dated - 12/02/2016

अनुज्ञप्त परिसरों का विवरण और अवस्थान
DESCRIPTION AND LOCATION OF THE LICENSED PREMISES

अनुज्ञप्त परिसर जिसकी विन्यास सीमाएं अन्य विशिष्टायां संलग्न अनुमोदित नक्शों में दिखाई गई हैं Plot No: Plot No. 33, 33A & 40 to 47, Raichur Indl. Growth Centre, NA, Chicksugur Village, Raichur, Taluka: Raichur, District: RAICHUR, State: Karnataka, PIN: 584134 स्थान पर अवस्थित है तथा उसमें निम्नलिखित 1 Above Ground tank(s) for CLASS B , 1 Above Ground tank(s) for CLASS C , सम्मिलित हैं।

The licensed premises, the layout , boundaries and other particulars of which are shown in the attached approved plan are situated at Plot No: Plot No. 33, 33A & 40 to 47, Raichur Indl. Growth Centre, NA, Chicksugur Village, Raichur, Taluka: Raichur, District: RAICHUR, State: Karnataka, PIN: 584134 and consists of 1 Above Ground tank(s) for CLASS B , 1 Above Ground tank(s) for CLASS C , together with connected facilities.

Note:-This is system generated document does not require signature.

Annexure - 11

**नवीनीकरण के पृष्ठांकन के लिए स्थान
SPACE FOR ENDORSEMENT OF RENEWALS**

पेट्रोलियम अधिनियम, १९३४ के उपबन्धों या उनके अधीन बनाए गए नियमों या इस अनुज्ञप्ति की शर्तों का उल्लंघन न होने की दशा में यह अनुज्ञप्ति फिस में बिना किसी छूट के दस वर्ष तक नवीकृत की जा सकेगी।

This licence shall be renewable without any concession in fee for ten years in the absence of contravention of any provisions of the Petroleum Act, 1934 or of the rules framed thereunder or of any of the conditions of this licence.

	नवीकरण की तारीख Date of Renewal	समाप्ति की तारीख Date of Expiry of license	अनुज्ञापन प्राधिकारी के हस्ताक्षर और स्टाम्प Signature and office stamp of the licencing authority.
1).	20/05/2013	31/12/2015	Sd/- Dr. R. K. S. Chauhan Dy. Chief Controller of Explosives Mangalore
2).	18/11/2015	31/12/2025	Sd/- For Dy. Chief Controller of Explosives Mangalore
3).	17/11/2025	31/12/2035	Dr. S. M. Mannan Dy. Chief Controller of Explosives Mangalore

यदि अनुज्ञप्ति परिसर इसमें उपाबद्ध विवरण और शर्तों के अनुरूप नहीं पाए जाते हैं और जिन नियमों और शर्तों के अधीन यह अनुज्ञप्ति मंजूर की गई है उनमें से किसी का उल्लंघन होने की दशा में यह अनुज्ञप्ति रद्द की जा सकती है और अनुज्ञप्तिधारी प्रथम अपराध के लिए साधारण कारावास से, जो एक मास तक हो सकता है, या जुर्माने से, जो एक हजार रुपये तक हो सकता है, या दोनों से, और प्रत्येक पश्चातवर्ती अपराध के लिए साधारण कारावास से जो तीन मास तक हो सकता है, या जुर्माने से, जो पांच हजार रुपये तक हो सकता है, या दोनों से, दण्डनीय होगा।

This licence is liable to be cancelled if the licensed premises are not found conforming to the description given on the approved plan attached hereto and contravention of any of the rules and conditions under which this licence is granted and the holder of this licence is also punishable for the first offence with simple imprisonment which may be extend to one month, or with fine which may extend to one thousand rupees, or with both and for every subsequent offence with simple imprisonment which may extend to three months, or with fine which may extend to five thousand rupees or with both.

Note:-This is system generated document does not require signature.

Annexure-17



भारत सरकार

Government of India

वाणिज्य और उद्योग मंत्रालय

Ministry of Commerce & Industry

पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन (पैसो)

Petroleum & Explosives Safety Organisation (PESO)

सीटी सेंटर, दुसरी मंजिल, होटल रुपा के सामने, बालमट्टा रोड

मैंगलूर - 575001

2nd floor, City Centre, Opposite Hotel Roopa, Balmatta Road,
Mangalore - 575001

E-mail : dyccemangalore@explosives.gov.in

Phone/Fax No : 0824 - 2420167,2441588

संख्या /No. : P/HQ/KA/15/2540 (P189192)

दिनांक /Dated : 18/07/2023

सेवा में
/To,

SHILPA PHARMA LIFESCIENCES LIMITED,
100 Export Oriented Unit,
2nd Floor, 10/80, Rajendra Gunj,
CHIKSUGUR,
Raichur,
Taluka: Raichur,
District: RAICHUR,
State: Karnataka
PIN: 584102

विषय Plot No, Plot No. 33A, 34 & 40 to 47, NA, Raichur Growth Center, Wadloor Rd, Chiksugur Cross Chiksugur, Raichur, Taluka:
/Sub : Raichur, District: RAICHUR, State: Karnataka, PIN: 584134 में स्थित विद्यमान पेट्रोलियम वर्ग A अधिष्ठापन में अनुज्ञप्ति सं P/HQ/KA/15/2540 (P189192) के नवीकरण के संदर्भ में।
Existing Petroleum Class A Installation at Plot No, Plot No. 33A, 34 & 40 to 47, NA, Raichur Growth Center, Wadloor Rd, Chiksugur Cross Chiksugur, Raichur, Taluka: Raichur, District: RAICHUR, State: Karnataka, PIN: 584134 - Licence No. P/HQ/KA/15/2540 (P189192) - Renewal regarding.

महोदय
/Sir(s),

कृपया आपके पत्र क्रमांक OIN1384262 दिनांक 11/07/2023 का अवलोकन करें।

Please refer to your letter No.: OIN1384262, dated 11/07/2023

अनुज्ञप्ति संख्या P/HQ/KA/15/2540 (P189192) दिनांक 12/05/2022 को दिनांक 31/12/2028 तक नवीनीकृत कर इस पत्र के साथ अग्रपिठ की जा रही है।

Licence No. P/HQ/KA/15/2540 (P189192) dated 12/05/2022 is forwarded herewith duly renewed upto 31/12/2028.

कृपया पेट्रोलियम नियम 2002 के अर्थात् बनाए गए नियम 148 में दी गई प्रक्रिया का कड़ाई से पालन करें। अनुज्ञप्ति के नवीकरण हेतु समस्त दस्तावेजों को अनुज्ञप्ति की वैधता समाप्त होने की तिथि से कम से कम 30 दिन पूर्व कार्यालय को प्रेषित करें।

Please follow the procedure strictly as laid down in rule 148 of the Petroleum Rules, 2002 and submit complete documents for the Renewal of the licence so as to reach this office on or before the date on which Licence expires.

कृपया पावती दें।

Please acknowledge the receipt.

भवदीय /Yours faithfully,

((अहिन नंदी)
(AHIN NANDI))

उप विस्फोटक नियंत्रक

Dy. Controller of Explosives

कृते उप मुख्य विस्फोटक नियंत्रक

For Dy. Chief Controller of Explosives

मैंगलूर/Mangalore

Note:-This is system generated document does not require signature.

(अधिक जानकारी जैसे आवेदन की स्थिति, शुल्क तथा अन्य विवरण के लिए हमारी वेबसाइट : <http://peso.gov.in> देखें)

(For more information regarding status, fees and other details please visit our website: <http://peso.gov.in>)

Annexure-17

प्ररूप XV
(प्रथम अनुसूची का अनुच्छेद 6 देखिए)
FORM XV
(see Article 6 of the First Schedule)

अधिष्ठापनों में पेट्रोलियम के आयात और भंडारकरण के लिए अनुज्ञप्ति LICENCE TO IMPORT AND STORE PETROLEUM IN AN INSTALLATION

अनुज्ञप्ति सं. (Licence No.): P/HQ/KA/15/2540(P189192)

फीस रूपए (Fee Rs.) 13500/- per year

SHILPA PHARMA LIFESCIENCES LIMITED, 100 Export Oriented Unit, 2nd Floor, 10/80, Rajendra Gunj, CHIKSUGUR, Raichur, Taluka: Raichur, District: RAICHUR, State: Karnataka, PIN: 584102 को केवल इसमें यथा विनिर्दिष्ट वर्ग और मात्राओं में पेट्रोलियम 220.00 KL आयात करने के लिए और उसका, नीचे वर्णित और अनुमोदित नक्शा संख्या P/HQ/KA/15/2540(P189192) तारीख 12/05/2022 जो कि इससे उपाबद्ध है, में दिखाए गए स्थान पर भण्डारकरण के लिए पेट्रोलियम अधिनियम, 1934 के उपबंधों या उसके अधीन बनाए गए नियमों तथा इस अनुज्ञप्ति की अतिरिक्त शर्तों के अधीन रहते हुए, यह अनुज्ञप्ति अनुदत्त की जाती है।

Licence is hereby granted to **SHILPA PHARMA LIFESCIENCES LIMITED, 100 Export Oriented Unit, 2nd Floor, 10/80, Rajendra Gunj, CHIKSUGUR, Raichur, Taluka: Raichur, District: RAICHUR, State: Karnataka, PIN: 584102** valid only for the importation and storage of 220.00 KL Petroleum of the class and quantities as herein specified and storage thereof in the place described below and shown on the approved plan No P/HQ/KA/15/2540(P189192) dated 12/05/2022 attached hereto subject to the provisions of the Petroleum Act, 1934 and the rule made thereunder and to the further conditions of this Licence.

यह अनुज्ञप्ति 31st day of December 2028 तक प्रवृत्त रहेगी।
The Licence shall remain in force till the 31st day of December 2028

पेट्रोलियम का विवरण /Description of Petroleum	अनुज्ञप्त मात्रा (किलोलीटरों में) /Quantity licenced in KL
वर्ग क प्रपुंज पेट्रोलियम /Petroleum Class A in bulk	220.00 KL
वर्ग क प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class A, otherwise than in bulk	NIL
वर्ग ख प्रपुंज पेट्रोलियम /Petroleum Class B in bulk	NIL
वर्ग ख प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class B, otherwise than in bulk	NIL
वर्ग ग प्रपुंज पेट्रोलियम /Petroleum Class C in bulk	NIL
वर्ग ग प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class C, otherwise than in bulk	NIL
कुल क्षमता /Total Capacity	220.00 KL

January 22, 2008

Chief Controller of Explosives

अनुज्ञप्त परिसरों का विवरण और अवस्थान DESCRIPTION AND LOCATION OF THE LICENSED PREMISES

अनुज्ञप्त परिसर जिसकी विन्यास सीमाएं अन्य विशिष्टां सलग्न अनुमोदित नक्शों में दिखाई गई हैं Plot No: Plot No. 33A, 34 & 40 to 47, NA, Raichur Growth Center, Wadloor Rd, Chiksugur Cross Chiksugur, Raichur, Taluka: Raichur, District: RAICHUR, State: Karnataka, PIN: 584134 स्थान पर अवस्थित है तथा उसमें निम्नलिखित 15 aboveground Petroleum Class A storage tanks together with connected facilities. सम्मिलित हैं।

The licensed premises, the layout, boundaries and other particulars of which are shown in the attached approved plan are situated at Plot No: Plot No. 33A, 34 & 40 to 47, NA, Raichur Growth Center, Wadloor Rd, Chiksugur Cross Chiksugur, Raichur, Taluka: Raichur, District: RAICHUR, State: Karnataka, PIN: 584134 and consists of 15 aboveground Petroleum Class A storage tanks together with connected facilities. together with connected facilities.

Note:-This is system generated document does not require signature.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.18 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895; (O) : 08392-255169,
E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC- 4071

Annexure - 18

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	25.12.2025
5.	Report Issue Date	:	31.12.2025
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407124000030933F

S.No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	DG Set Area	At 07:00 AM	74.2	72.6	73.4	75
2		At 08:00 AM	69.5	65.2	67.4	
3		At 09:00 AM	65.9	60.1	63.0	
4		At 10:00 AM	74.2	70.5	72.4	
5		At 11:00 AM	72.6	70.2	71.4	
6		At 12:00 PM	69.1	65.2	67.2	
7		At 01:00 PM	65.2	60.9	63.1	
8		At 02:00 PM	69.4	65.9	67.7	
9		At 03:00 PM	65.2	63.2	64.2	
10		At 04:00 PM	58.9	55.1	57.0	
11		At 05:00 PM	71.2	70.9	71.1	
12		At 06:00 PM	69.1	66.3	67.7	
13		At 07:00 PM	65.9	63.9	64.9	
14		At 08:00 PM	70.2	69.2	69.7	
15		At 09:00 PM	73.6	65.2	69.4	
16		At 10:00 PM	59.4	55.1	57.3	
17		At 11:00 PM	66.9	60.9	63.9	
18		At 12:00 AM	65.6	60.1	62.9	70
19		At 01:00 AM	56.4	54.9	55.7	
20		At 02:00 AM	58.1	52.9	55.5	
21		At 03:00 AM	48.6	44.3	46.5	
22		At 04:00 AM	50.2	49.2	49.7	
23		At 05:00 AM	48.9	40.9	44.9	
24		At 06:00 AM	56.4	52.6	54.5	

INFERENCE As per KSPCB Standards
Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255189,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

Amritha

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	25.12.2025
5.	Report Issue Date	:	31.12.2025
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407124000030934F

S.No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	Production Area	At 07:00 AM	62.8	60.5	61.7	75
2		At 08:00 AM	69.4	65.7	67.6	
3		At 09:00 AM	60.5	59.4	60.0	
4		At 10:00 AM	69.4	62.8	66.1	
5		At 11:00 AM	71.8	63.9	67.9	
6		At 12:00 PM	62.9	60.1	61.5	
7		At 01:00 PM	74.8	71.5	73.2	
8		At 02:00 PM	65.9	62.9	64.4	
9		At 03:00 PM	66.9	60.8	63.9	
10		At 04:00 PM	74.2	72.5	73.4	
11		At 05:00 PM	69.1	65.9	67.5	
12		At 06:00 PM	72.8	70.2	71.5	
13		At 07:00 PM	70.8	65.9	68.4	
14		At 08:00 PM	69.1	66.4	67.8	
15		At 09:00 PM	65.2	60.1	62.7	
16		At 10:00 PM	66.8	65.5	66.2	
17		At 11:00 PM	65.8	63.9	64.9	70
18		At 12:00 AM	69.4	66.2	67.8	
19		At 01:00 AM	56.8	52.9	54.9	
20		At 02:00 AM	66.3	64.3	65.3	
21		At 03:00 AM	58.8	46.9	52.9	
22		At 04:00 AM	54.2	50.2	52.2	
23		At 05:00 AM	60.2	56.4	58.3	
24		At 06:00 AM	59.9	48.9	54.4	

INFERENCE As per KSPCB Standards
Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

:- END OF REPORT:-



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
 (Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
 C.M.C Ward No. 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
 E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



Annexure - I

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	25.12.2025
5.	Report Issue Date	:	31.12.2025
6.	Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407124000030935F

S.No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	Near Main Gate	At 07:00 AM	56.1	50.6	53.4	75
2		At 08:00 AM	66.8	62.5	64.7	
3		At 09:00 AM	60.5	59.4	60.0	
4		At 10:00 AM	60.1	55.1	57.6	
5		At 11:00 AM	56.8	52.6	54.7	
6		At 12:00 PM	60.2	59.4	59.8	
7		At 01:00 PM	66.9	65.2	66.1	
8		At 02:00 PM	72.5	70.5	71.5	
9		At 03:00 PM	65.9	62.4	64.2	
10		At 04:00 PM	66.9	63.4	65.2	
11		At 05:00 PM	72.3	70.1	71.2	
12		At 06:00 PM	69.1	65.2	67.2	
13		At 07:00 PM	70.8	69.4	70.1	
14		At 08:00 PM	72.5	70.1	71.3	
15		At 09:00 PM	71.9	69.4	70.7	
16		At 10:00 PM	69.1	65.6	67.4	
17		At 11:00 PM	70.6	69.4	70.0	
18		At 12:00 AM	74.1	71.5	72.8	
19		At 01:00 AM	60.2	56.9	58.6	70
20		At 02:00 AM	65.9	60.1	63.0	
21		At 03:00 AM	50.5	49.5	50.0	
22		At 04:00 AM	50.1	49.6	49.9	
23		At 05:00 AM	46.9	41.5	44.2	
24		At 06:00 AM	66.2	56.9	61.6	

INFERENCE As per KSPCB Standards
 Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

:- END OF REPORT:-



- Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Samples Will be disposed after the specified retention period.
 3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
 5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No. 16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakalu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC- 4071

Annexure 2

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	25.12.2025
5.	Report Issue Date	:	31.12.2025
6.	Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407124000030936F

S.No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	Near Administration Office	At 07:00 AM	52.6	50.2	51.4	75
2		At 08:00 AM	56.8	54.6	55.7	
3		At 09:00 AM	58.9	52.8	55.9	
4		At 10:00 AM	65.9	62.9	64.4	
5		At 11:00 AM	71.8	70.5	71.2	
6		At 12:00 PM	65.9	62.5	64.2	
7		At 01:00 PM	74.6	70.6	72.6	
8		At 02:00 PM	72.6	69.1	70.9	
9		At 03:00 PM	65.9	64.6	65.3	
10		At 04:00 PM	69.4	65.6	67.5	
11		At 05:00 PM	65.9	60.1	63.0	
12		At 06:00 PM	54.5	52.5	53.5	
13		At 07:00 PM	60.5	59.4	60.0	
14		At 08:00 PM	56.9	52.6	54.8	
15		At 09:00 PM	60.8	56.4	58.6	
16		At 10:00 PM	56.9	50.2	53.6	
17		At 11:00 PM	59.7	56.4	58.1	
18		At 12:00 AM	69	60.4	64.7	
19		At 01:00 AM	56.9	55.1	56.0	
20		At 02:00 AM	63.9	60.2	62.1	
21		At 03:00 AM	64.6	62.8	63.7	
22		At 04:00 AM	55.1	50.5	52.8	
23		At 05:00 AM	50.2	49.5	49.9	
24		At 06:00 AM	56.9	52.8	54.9	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits
------------------	---

Analysed by

Authorized Signatory

Hanumanthiah P
Technical Manager

:- END OF REPORT:-



- Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Samples Will be disposed after the specified retention period.
 3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
 5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
 (Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
 E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC-4071

ANNEXURE 18

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	20.02.2026
5.	Report Issue Date	:	26.02.2026
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000005534F

S.No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	DG Set Area	At 07:00 AM	62.5	59.4	61.0	75
2		At 08:00 AM	60.3	58.2	59.3	
3		At 09:00 AM	70.2	67.1	68.7	
4		At 10:00 AM	61.8	56.4	59.1	
5		At 11:00 AM	62.3	55.3	58.8	
6		At 12:00 PM	70.3	68.5	69.4	
7		At 01:00 PM	68.5	67.1	67.8	
8		At 02:00 PM	61.5	59.2	60.4	
9		At 03:00 PM	66.5	60.3	63.4	
10		At 04:00 PM	72.5	69.4	71.0	
11		At 05:00 PM	60.8	56.3	58.6	
12		At 06:00 PM	70.3	68.5	69.4	
13		At 07:00 PM	68.5	67.1	67.8	
14		At 08:00 PM	61.5	59.2	60.4	
15		At 09:00 PM	66.5	60.3	63.4	
16		At 10:00 PM	72.5	69.4	71.0	
17		At 11:00 PM	59.2	53.1	56.2	
18		At 12:00 AM	62.5	58.1	60.3	
19		At 01:00 AM	63.5	59.2	61.4	
20		At 02:00 AM	62.5	55.2	58.9	
21		At 03:00 AM	69.4	60.5	65.0	
22		At 04:00 AM	60.3	59.4	59.9	
23		At 05:00 AM	58.4	55.3	56.9	
24		At 06:00 AM	56.8	53.4	55.1	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits
------------------	---

Analysed by

Authorized Signatory

Hanumanthiah P
Technical Manager

:- END OF REPORT:-



- Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Samples Will be disposed after the specified retention period.
 3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
 5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakalku Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvlabellary2018@gmail.com, labmsv@gmail.com, Website : www.msvlabellary.com



TC- 4071

Annex-18

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	20.02.2026
5.	Report Issue Date	:	26.02.2026
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000005535F

S.No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	Production Area	At 07:00 AM	74.2	72.3	73.3	75
2		At 08:00 AM	75.2	70.6	72.9	
3		At 09:00 AM	70.6	68.4	69.5	
4		At 10:00 AM	72.8	65.2	69.0	
5		At 11:00 AM	69.8	65.4	67.6	
6		At 12:00 PM	66.3	63.2	64.8	
7		At 01:00 PM	67.2	64.1	65.7	
8		At 02:00 PM	65.1	56.3	60.7	
9		At 03:00 PM	69.3	63.1	66.2	
10		At 04:00 PM	67.8	60.2	64.0	
11		At 05:00 PM	60.5	58.4	59.5	
12		At 06:00 PM	70.3	61.8	66.1	
13		At 07:00 PM	68.5	65.1	66.8	
14		At 08:00 PM	67.9	58.3	63.1	
15		At 09:00 PM	70.6	63.4	67.0	
16		At 10:00 PM	56.2	53.1	54.7	
17		At 11:00 PM	55.3	52.6	54.0	
18		At 12:00 AM	52.8	49.3	51.1	
19		At 01:00 AM	51.9	49.4	50.7	
20		At 02:00 AM	60.3	55.6	58.0	
21		At 03:00 AM	67.3	64.7	66.0	
22		At 04:00 AM	62.8	59.3	61.1	
23		At 05:00 AM	65.2	61.5	63.4	
24		At 06:00 AM	66.3	63.2	64.8	
					70	

INFERENCE As per KSPCB Standards
Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

:- END OF REPORT:-



Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Samples Will be disposed after the specified retention period.
 3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
 5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

Annexure-19

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	20.02.2026
5.	Report Issue Date	:	26.02.2026
6.	Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000005536F

S.No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	Near Main Gate	At 07:00 AM	72.6	68.3	70.5	75
2		At 08:00 AM	70.3	67.4	68.9	
3		At 09:00 AM	69.5	65.2	67.4	
4		At 10:00 AM	68.4	64.3	66.4	
5		At 11:00 AM	71.3	65.4	68.4	
6		At 12:00 PM	70.2	62.3	66.3	
7		At 01:00 PM	72.6	62.8	67.7	
8		At 02:00 PM	71.5	64.3	67.9	
9		At 03:00 PM	70.3	62.8	66.6	
10		At 04:00 PM	71.5	65.4	68.5	
11		At 05:00 PM	68.9	60.1	64.5	
12		At 06:00 PM	69.6	62.6	66.1	
13		At 07:00 PM	66.8	64.9	65.9	
14		At 08:00 PM	72.3	60.3	66.3	
15		At 09:00 PM	66.3	61.2	63.8	
16		At 10:00 PM	64.2	55.8	60.0	
17		At 11:00 PM	63.1	55.6	59.4	
18		At 12:00 AM	60.3	50.2	55.3	70
19		At 01:00 AM	61.2	51.3	56.3	
20		At 02:00 AM	60.3	52.6	56.5	
21		At 03:00 AM	57.2	54.3	55.8	
22		At 04:00 AM	56.3	50.2	53.3	
23		At 05:00 AM	62.3	55.3	58.8	
24		At 06:00 AM	60.1	50.8	55.5	

INFERENCE As per KSPCB Standards
Report Status :- The Noise level for the all locations is within the limits

Analysed by

(Signature)

Authorized Signatory

Hanumanthaiah P
Technical Manager

:- END OF REPORT :-



- Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Samples Will be disposed after the specified retention period.
 3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
 5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC-4071

Annexure-18

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	20.02.2026
5.	Report Issue Date	:	26.02.2026
6.	Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000005537F

S.No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	Near Administration Office	At 07:00 AM	64.2	60.2	63.8	75
2		At 08:00 AM	65.3	61.2	61.8	
3		At 09:00 AM	66.2	60.3	59.3	
4		At 10:00 AM	68.1	57.2	67.4	
5		At 11:00 AM	65.3	56.4	66.5	
6		At 12:00 PM	64.2	58.3	61.5	
7		At 01:00 PM	61.2	54.1	59.8	
8		At 02:00 PM	65.3	59.1	60.9	
9		At 03:00 PM	60.2	56.2	66	
10		At 04:00 PM	61.3	58.3	64.8	
11		At 05:00 PM	65.6	57.1	68.2	
12		At 06:00 PM	65.4	54.2	66.1	
13		At 07:00 PM	65.7	55.8	65	
14		At 08:00 PM	65.2	56.1	63.5	
15		At 09:00 PM	65.3	58.3	66.8	
16		At 10:00 PM	66.8	60.2	64.7	
17		At 11:00 PM	55.3	50.2	63.9	70
18		At 12:00 AM	54.3	50.6	61.4	
19		At 01:00 AM	52.8	49.3	57.1	
20		At 02:00 AM	55.6	48.4	58.3	
21		At 03:00 AM	55.1	46.2	55.4	
22		At 04:00 AM	54.3	50.3	52.4	
23		At 05:00 AM	53.1	48.4	51.8	
24		At 06:00 AM	52.8	47.6	49.8	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits
-----------	---

Analysed by

(Signature)

Authorized Signatory

Hanumanthaiah P
Technical Manager

:- END OF REPORT:-



- Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Samples Will be disposed after the specified retention period.
 3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
 5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



Annex-1F

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	14.01.2026
5.	Report Issue Date	:	23.01.2026
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000001241F

S.No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	DG Set Area	At 07:00 AM	72.1	70.3	71.2	75
2		At 08:00 AM	74.3	72.1	73.2	
3		At 09:00 AM	68.9	66.5	67.7	
4		At 10:00 AM	66.5	62.4	64.5	
5		At 11:00 AM	64.3	61.8	63.1	
6		At 12:00 PM	63.2	59.2	61.2	
7		At 01:00 PM	65.4	60.9	63.2	
8		At 02:00 PM	67.9	64.2	66.1	
9		At 03:00 PM	73.9	70.9	72.4	
10		At 04:00 PM	69.2	63.8	66.5	
11		At 05:00 PM	63.8	59.4	61.6	
12		At 06:00 PM	70.2	67.2	68.7	
13		At 07:00 PM	71.6	68.2	69.9	
14		At 08:00 PM	66.3	63.2	64.8	
15		At 09:00 PM	64.2	61.5	62.9	
16		At 10:00 PM	69.8	64.2	67.0	
17		At 11:00 PM	58.9	55.7	57.3	
18		At 12:00 AM	67.9	63.2	65.6	
19		At 01:00 AM	63.4	60.9	62.2	
20		At 02:00 AM	61.7	57.4	59.6	
21		At 03:00 AM	60.9	57.2	59.1	
22		At 04:00 AM	58.7	55.3	57.0	
23		At 05:00 AM	57.4	53.7	55.6	
24		At 06:00 AM	55.6	52.1	53.9	

INFERENCE

As per KSPCB Standards

Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthiah P
Technical Manager

:- END OF REPORT:-

Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No. 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



Amexure - 18

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	14.01.2026
5.	Report Issue Date	:	23.01.2026
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000001242F

S.No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Maximum In dB(A) Leq	Minimum In dB(A) Leq	Avg. in dB(A) Leq	
1	Production Area	At 07:00 AM	73.6	70.1	71.9	75
2		At 08:00 AM	74.8	72.4	73.6	
3		At 09:00 AM	71.2	67.8	69.5	
4		At 10:00 AM	72.4	69.2	70.8	
5		At 11:00 AM	69.8	65.4	67.6	
6		At 12:00 PM	67.5	63.2	65.4	
7		At 01:00 PM	65.3	62.8	64.1	
8		At 02:00 PM	64.8	59.6	62.2	
9		At 03:00 PM	68.1	64.5	66.3	
10		At 04:00 PM	66.3	63.2	64.8	
11		At 05:00 PM	62.3	60.9	61.6	
12		At 06:00 PM	63.7	61.8	62.8	
13		At 07:00 PM	67.9	64.2	66.1	
14		At 08:00 PM	61.8	56.3	59.1	
15		At 09:00 PM	73.4	70.4	71.9	
16		At 10:00 PM	58.9	52.3	55.6	
17		At 11:00 PM	56.4	54.5	55.5	
18	At 12:00 AM	54.7	51.8	53.3	70	
19	At 01:00 AM	62.3	60.8	61.6		
20	At 02:00 AM	64.7	62.8	63.8		
21	At 03:00 AM	68.7	64.7	66.7		
22	At 04:00 AM	64.2	61.1	62.7		
23	At 05:00 AM	66.9	63.7	65.3		
24	At 06:00 AM	68.5	64.2	66.4		

INFERENCE As per KSPCB Standards
Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

END OF REPORT



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC- 4071

Annexure - 1f

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	14.01.2026
5.	Report Issue Date	:	23.01.2026
6.	Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000001243F

S.No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	Near Main Gate	At 07:00 AM	58.7	54.8	56.8	75
2		At 08:00 AM	68.9	65.4	67.2	
3		At 09:00 AM	63.4	61.2	62.3	
4		At 10:00 AM	62.8	60.7	61.8	
5		At 11:00 AM	64.7	62.7	63.7	
6		At 12:00 PM	63.9	59.8	61.9	
7		At 01:00 PM	66.7	63.4	65.1	
8		At 02:00 PM	69.8	67.8	68.8	
9		At 03:00 PM	70.2	68.9	69.6	
10		At 04:00 PM	72.4	70.4	71.4	
11		At 05:00 PM	73.8	71.3	72.6	
12		At 06:00 PM	68.9	66.5	67.7	
13		At 07:00 PM	67.2	65.1	66.2	
14		At 08:00 PM	65.4	63.7	64.6	
15		At 09:00 PM	58.7	55.4	57.1	
16		At 10:00 PM	56.3	52.9	54.6	
17		At 11:00 PM	54.7	51.8	53.3	
18		At 12:00 AM	68.9	65.7	67.3	70
19		At 01:00 AM	65.7	63.1	64.4	
20		At 02:00 AM	64.3	62.7	63.5	
21		At 03:00 AM	62.2	60.8	61.5	
22		At 04:00 AM	60.9	58.7	59.8	
23		At 05:00 AM	67.2	65.9	66.6	
24		At 06:00 AM	66.3	62.7	64.5	

INFERENCE

As per KSPCB Standards

Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC- 4071

Annexure - 8

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	14.01.2026
5.	Report Issue Date	:	23.01.2026
6.	Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC40712600001244F

S.No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	Near Administration Office	At 07:00 AM	65.3	62.3	63.8	75
2		At 08:00 AM	63.4	60.1	61.8	
3		At 09:00 AM	60.8	57.8	59.3	
4		At 10:00 AM	69.3	65.4	67.4	
5		At 11:00 AM	67.5	65.4	66.5	
6		At 12:00 PM	62.3	60.7	61.5	
7		At 01:00 PM	61.7	57.8	59.8	
8		At 02:00 PM	62.9	58.9	60.9	
9		At 03:00 PM	67.8	64.2	66.0	
10		At 04:00 PM	66.8	62.8	64.8	
11		At 05:00 PM	69.7	66.7	68.2	
12		At 06:00 PM	67.4	64.8	66.1	
13		At 07:00 PM	66.3	63.7	65.0	
14		At 08:00 PM	64.9	62.1	63.5	
15		At 09:00 PM	68.2	65.4	66.8	
16		At 10:00 PM	65.5	63.8	64.7	
17		At 11:00 PM	64.2	63.5	63.9	
18	At 12:00 AM	62.3	60.4	61.4	70	
19	At 01:00 AM	58.9	55.3	57.1		
20	At 02:00 AM	59.7	56.9	58.3		
21	At 03:00 AM	57.4	53.4	55.4		
22	At 04:00 AM	53.1	51.7	52.4		
23	At 05:00 AM	52.7	50.9	51.8		
24	At 06:00 AM	50.8	48.7	49.8		

INFERENCE As per KSPCB Standards
Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager



- Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Samples Will be disposed after the specified retention period.
 3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
 5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by MABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor).
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03885, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



Annexure - 1f

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	25.03.2026
5.	Report Issue Date	:	31.03.2026
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000008525F

S.No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	DG Set Area	At 07:00 AM	63.5	59.5	61.5	75
2		At 08:00 AM	66.3	62.4	64.4	
3		At 09:00 AM	63.5	58.3	60.9	
4		At 10:00 AM	65.4	55.2	60.3	
5		At 11:00 AM	61.2	52.3	56.8	
6		At 12:00 PM	63.8	56.4	60.1	
7		At 01:00 PM	62.3	53.2	57.8	
8		At 02:00 PM	64.1	58.1	61.1	
9		At 03:00 PM	61.3	57.2	59.3	
10		At 04:00 PM	62.3	56.2	59.3	
11		At 05:00 PM	64.3	56.2	60.3	
12		At 06:00 PM	67.4	56.3	61.9	
13		At 07:00 PM	66.8	57.1	62.0	
14		At 08:00 PM	64.2	58.3	61.3	
15		At 09:00 PM	66.3	57.2	61.8	
16		At 10:00 PM	62.5	57.4	60.0	
17		At 11:00 PM	54.3	51.2	52.8	70
18		At 12:00 AM	52.6	48.2	50.4	
19		At 01:00 AM	60.3	47.2	53.8	
20		At 02:00 AM	54.2	47.5	50.9	
21		At 03:00 AM	56.2	45.2	50.7	
22		At 04:00 AM	52.8	48.3	50.6	
23		At 05:00 AM	51.6	47.3	49.5	
24		At 06:00 AM	50.6	45.7	48.2	

INFERENCE As per KSPCB Standards
Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthalah P
Technical Manager

-: END OF REPORT



- Note: 1. The results listed only to the tested samples & applicable parameters,
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S.No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

Annexure 18

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	25.03.2026
5.	Report Issue Date	:	31.03.2026
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC40712600008526F

S.No	Sample Location	Time Frequency	Results			Permissible limits In dB(A) Leq
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	Production Area	At 07:00 AM	73.5	70.5	72.0	75
2		At 08:00 AM	74.1	71.4	72.8	
3		At 09:00 AM	68.5	65.3	66.9	
4		At 10:00 AM	70.3	66.4	68.4	
5		At 11:00 AM	68.5	63.8	66.2	
6		At 12:00 PM	65.4	62.1	63.8	
7		At 01:00 PM	65.3	63.6	64.5	
8		At 02:00 PM	64.3	60.5	62.4	
9		At 03:00 PM	68.3	62.4	65.4	
10		At 04:00 PM	66.4	60.2	63.3	
11		At 05:00 PM	61.8	58.4	60.1	
12		At 06:00 PM	66.3	61.8	64.1	
13		At 07:00 PM	69.4	64.8	67.1	
14		At 08:00 PM	65.4	56.1	60.8	
15		At 09:00 PM	68.2	62.5	65.4	
16		At 10:00 PM	54.7	52.8	53.8	
17		At 11:00 PM	54.3	51.6	53.0	
18		At 12:00 AM	55.8	50.5	53.2	70
19		At 01:00 AM	52.3	49.5	50.9	
20		At 02:00 AM	58.5	55.6	57.1	
21		At 03:00 AM	65.1	63.5	64.3	
22		At 04:00 AM	60.2	57.4	58.9	
23		At 05:00 AM	64.3	62.3	63.3	
24		At 06:00 AM	64.2	60.7	62.5	

INFERENCE As per KSPCB Standards
Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthiah P
Technical Manager

:- END OF



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

Annexure - 18

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	25.03.2026
5.	Report Issue Date	:	31.03.2026
6.	Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC40712600008527F

S.No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq	
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq		
1	Near Main Gate	At 07:00 AM	68.5	66.3	67.4	75	
2		At 08:00 AM	69.3	65.3	67.3		
3		At 09:00 AM	70.2	66.7	68.5		
4		At 10:00 AM	71.6	63.8	67.7		
5		At 11:00 AM	72.5	66.2	69.4		
6		At 12:00 PM	70.5	61.7	66.1		
7		At 01:00 PM	68.3	60.9	64.6		
8		At 02:00 PM	67.6	63.7	65.7		
9		At 03:00 PM	66.2	60.2	63.2		
10		At 04:00 PM	66.3	64.1	65.2		
11		At 05:00 PM	65.1	61.2	63.2		
12		At 06:00 PM	64.2	63.7	64.0		
13		At 07:00 PM	65.1	63.5	64.3		
14		At 08:00 PM	64.3	61.2	62.8		
15		At 09:00 PM	71.2	68.3	69.8		
16		At 10:00 PM	65.2	56.2	60.7		70
17		At 11:00 PM	64.3	54.3	59.3		
18		At 12:00 AM	63.5	52.8	58.2		
19		At 01:00 AM	62.8	51.6	57.2		
20		At 02:00 AM	60.1	56.3	58.2		
21		At 03:00 AM	59.4	53.8	56.6		
22		At 04:00 AM	58.5	51.4	55.0		
23		At 05:00 AM	60.7	56.8	58.8		
24		At 06:00 AM	58.2	51.2	54.7		

INFERENCE As per KSPCB Standards
Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthah P
Technical Manager

:- END OF REPORT :-



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or In part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
 (Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
 E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



Annex-18

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	25.03.2026
5.	Report Issue Date	:	31.03.2026
6.	Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC40712600008528F

S.No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	Near Administration Office	At 07:00 AM	68.5	66.3	67.4	75
2		At 08:00 AM	69.3	65.3	67.3	
3		At 09:00 AM	70.2	66.7	68.5	
4		At 10:00 AM	71.6	63.8	67.7	
5		At 11:00 AM	72.5	66.2	69.4	
6		At 12:00 PM	70.5	61.7	66.1	
7		At 01:00 PM	68.3	60.9	64.6	
8		At 02:00 PM	67.6	63.7	65.7	
9		At 03:00 PM	66.2	60.2	63.2	
10		At 04:00 PM	66.3	64.1	65.2	
11		At 05:00 PM	65.1	61.2	63.2	
12		At 06:00 PM	64.2	63.7	64.0	
13		At 07:00 PM	65.1	63.5	64.3	
14		At 08:00 PM	64.3	61.2	62.8	
15		At 09:00 PM	71.2	68.3	69.8	
16		At 10:00 PM	65.2	56.2	60.7	
17		At 11:00 PM	64.3	54.3	59.3	70
18		At 12:00 AM	63.5	52.8	58.2	
19		At 01:00 AM	62.8	51.6	57.2	
20		At 02:00 AM	60.1	56.3	58.2	
21		At 03:00 AM	59.4	53.8	56.6	
22		At 04:00 AM	58.5	51.4	55.0	
23		At 05:00 AM	60.7	56.8	58.8	
24		At 06:00 AM	58.2	51.2	54.7	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits
-----------	---

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager



- Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Samples Will be disposed after the specified retention period.
 3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
 5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
 (Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
 C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
 Sanganakalu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
 E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



Annexure - A

MSVAL/QR/7.8/1/Test Report

AMBIENT NOISE LEVEL MONITORING REPORT

1. Name of the Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2,
Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center,
Chicksugur village, Raichur.
2. Sample Collected By : MSV Analytical Laboratories, Bellary
3. Particulars of Sample Collected : Noise meter
4. Date of Monitoring : 29.11.2025
5. Report Issue Date : 08.12.2025
6. Method Adopted : IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407125000028637F

S. No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	DG Set Area	At 06:00 AM	72.5	65.7	69.1	75
2		At 07:00 AM	68.7	63.2	66.0	
3		At 08:00 AM	68.6	62.2	65.4	
4		At 09:00 AM	71.2	65.6	68.4	
5		At 10:00 AM	73.6	70.1	71.9	
6		At 11:00 AM	74.1	65.7	69.9	
7		At 12:00 PM	64.2	62.2	63.2	
8		At 01:00 PM	68.7	63.2	66.0	
9		At 02:00 PM	70.1	64.5	67.3	
10		At 03:00 PM	69.8	66.9	68.4	
11		At 04:00 PM	71.2	64.2	67.7	
12		At 05:00 PM	65.6	59.6	62.6	
13		At 06:00 PM	67.3	62.2	64.8	
14		At 07:00 PM	64.3	60.1	62.2	
15		At 08:00 PM	62.8	58.7	60.8	
16		At 09:00 PM	67.3	58.6	63.0	
17		At 10:00 PM	63.2	55.7	59.5	
18		At 11:00 PM	59.6	52.2	55.9	
19		At 12:00 AM	58.7	56.6	57.7	
20		At 01:00 AM	62.2	54.2	58.2	
21		At 02:00 AM	57.6	53.2	55.4	
22		At 03:00 AM	63.4	54.6	59.0	
23		At 04:00 AM	64.2	58.7	61.5	
24		At 05:00 AM	58.6	52.2	55.4	

INFERENCE As per KSPCB Standards
 Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah.P
Technical Manager

*** End of Report ***



Note: 1. The results listed only to the tested samples & applicable parameters
 2. Samples Will be disposed after the specified retention period.
 3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
 5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



Annexure - 18

MSVAL/QR/7.8/1/Test Report

AMBIENT NOISE LEVEL MONITORING REPORT

1. Name of the industry : M/S. Shilpa Pharma Life Sciences Limited unit-2,
Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center,
Chicksugur village, Raichur.
2. Sample Collected By : MSV Analytical Laboratories, Bellary
3. Particulars of Sample Collected : Noise meter
4. Date of Monitoring : 29.11.2025
5. Report Issue Date : 01.12.2025
6. Method Adopted : IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC40712500028638F

S. No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Maximum in dB(A) Leq	Minimum In dB(A) Leq	Avg. in dB(A) Leq	
1	Production Area	At 06:00 AM	69.3	63.2	66.3	75
2		At 07:00 AM	65.7	60.1	62.9	
3		At 08:00 AM	71.5	65.6	68.6	
4		At 09:00 AM	73.6	68.7	71.2	
5		At 10:00 AM	65.8	62.2	64.0	
6		At 11:00 AM	67.4	63.1	65.3	
7		At 12:00 PM	71.2	65.6	68.4	
8		At 01:00 PM	69.4	63.2	66.3	
9		At 02:00 PM	72.6	62.2	67.4	
10		At 03:00 PM	73.4	70.1	71.8	
11		At 04:00 PM	68.8	63.6	66.2	
12		At 05:00 PM	67.4	62.2	64.8	
13		At 06:00 PM	65.8	59.6	62.7	
14		At 07:00 PM	71.4	67.4	69.4	
15		At 08:00 PM	65.3	61.5	63.4	
16		At 09:00 PM	66.9	59.6	63.3	
17		At 10:00 PM	63.2	58.7	61.0	
18		At 11:00 PM	64.2	60.1	62.2	
19		At 12:00 AM	58.6	52.2	55.4	
20		At 01:00 AM	64.1	60.1	62.1	
21		At 02:00 AM	62.2	56.6	59.4	
22		At 03:00 AM	59.6	53.2	56.4	
23		At 04:00 AM	64.1	60.1	62.1	
24		At 05:00 AM	62.2	58.7	60.5	

INFERENCE As per KSPCB Standards
Report Status :- The Noise level for the all locations is within the limits

Analysed by

[Signature]

Authorized Signatory

[Signature]
Hanumanthiah.P
Technical Manager

*** End of Report ***



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.18 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03995, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

Annexure - 18

MSVAL/QR/7.8/1/Test Report

AMBIENT NOISE LEVEL MONITORING REPORT

- Name of the Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2,
Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center,
Chicksugur village, Raichur.
- Sample Collected By : MSV Analytical Laboratories, Bellary
- Particulars of Sample Collected : Noise meter
- Date of Monitoring : 28.10.2025
- Report Issue Date : 03.11.2025
- Method Adopted : IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407125000028639F

S. No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	Near Main Gate	At 06:00 AM	74.1	71.2	72.7	75
2		At 07:00 AM	72.6	67.6	70.1	
3		At 08:00 AM	73.2	70.1	71.7	
4		At 09:00 AM	69.8	63.2	66.5	
5		At 10:00 AM	71.5	65.8	68.7	
6		At 11:00 AM	72.2	67.4	69.8	
7		At 12:00 PM	71.9	65.6	68.8	
8		At 01:00 PM	68.8	63.2	66.0	
9		At 02:00 PM	67.3	62.2	64.8	
10		At 03:00 PM	70.2	66.9	68.6	
11		At 04:00 PM	69.6	62.4	66.0	
12		At 05:00 PM	73.2	68.7	71.0	
13		At 06:00 PM	74.1	68.9	71.5	
14		At 07:00 PM	69.7	63.2	66.5	
15		At 08:00 PM	72.2	65.6	68.9	
16		At 09:00 PM	74.1	71.8	73.0	
17		At 10:00 PM	63.4	58.6	61.0	
18		At 11:00 PM	68.7	53.2	61.0	
19		At 12:00 AM	67.3	54.7	61.0	
20		At 01:00 AM	62.2	56.6	59.4	
21		At 02:00 AM	59.6	52.2	55.9	
22		At 03:00 AM	64.1	60.1	62.1	
23		At 04:00 AM	63.2	59.8	61.5	
24		At 05:00 AM	65.7	62.2	64.0	

INFERENCE As per KSPCB Standards
Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah.P
Technical Manager



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
G.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

Annexure - 18

MSVAL/QR/7.8/1/Test Report

AMBIENT NOISE LEVEL MONITORING REPORT

- Name of the industry : M/S. Shilpa Pharma Life Sciences Limited unit-2,
Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center,
Chicksugur village, Raichur.
- Sample Collected By : MSV Analytical Laboratories, Bellary
- Particulars of Sample Collected : Noise meter
- Date of Monitoring : 28.10.2025
- Report Issue Date : 03.11.2025
- Method Adopted : IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407125000028640F

S. No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	Near Administration Office	At 06:00 AM	65.6	62.2	63.9	75
2		At 07:00 AM	68.7	63.6	66.2	
3		At 08:00 AM	70.1	68.7	69.4	
4		At 09:00 AM	65.9	65.6	65.8	
5		At 10:00 AM	68.7	63.2	66.0	
6		At 11:00 AM	71.6	65.7	68.7	
7		At 12:00 PM	65.9	62.2	64.1	
8		At 01:00 PM	63.8	59.6	61.7	
9		At 02:00 PM	67.2	62.2	64.7	
10		At 03:00 PM	71.6	65.7	68.7	
11		At 04:00 PM	73.6	70.1	71.9	
12		At 05:00 PM	68.7	63.2	66.0	
13		At 06:00 PM	67.6	62.2	64.9	
14		At 07:00 PM	66.9	61.6	64.3	
15		At 08:00 PM	68.2	62.2	65.2	
16		At 09:00 PM	69.4	63.7	66.6	
17		At 10:00 PM	69.1	63.7	66.4	
18		At 11:00 PM	65.3	61.4	63.4	70
19		At 12:00 AM	65.3	62.2	63.8	
20		At 01:00 AM	68.9	63.8	66.4	
21		At 02:00 AM	65.2	61.4	63.3	
22		At 03:00 AM	59.6	54.6	57.1	
23		At 04:00 AM	63.2	58.7	61.0	
24		At 05:00 AM	58.7	53.2	56.0	

INFERENCE As per KSPCB Standards
Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah.P
Technical Manager

*** End of Report ***



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvballary2018@gmail.com, labmsv@gmail.com, Website : www.msvballary.com



TC-4071

Annexure - 8

MSVAL/QR/7.8/1/Test Report

AMBIENT NOISE LEVEL MONITORING REPORT

- Name of the industry** : M/S. Shilpa Pharma Life Sciences Limited unit-2,
Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center,
Chicksugur village, Raichur.
- Sample Collected By** : MSV Analytical Laboratories, Bellary
- Particulars of Sample Collected** : Noise meter
- Date of Monitoring** : 28.10.2025
- Report Issue Date** : 03.11.2025
- Method Adopted** : IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407125000024801F

S. No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	DG Set Area	At 06:00 AM	74.2	71.3	72.8	75
2		At 07:00 AM	73.9	70.6	72.3	
3		At 08:00 AM	69.5	66.9	68.2	
4		At 09:00 AM	60.5	59.4	60.0	
5		At 10:00 AM	60.9	58.1	59.5	
6		At 11:00 AM	74.2	70.2	72.2	
7		At 12:00 PM	73.6	70.6	72.1	
8		At 01:00 PM	74	72.6	73.3	
9		At 02:00 PM	69.5	66.9	68.2	
10		At 03:00 PM	65.5	62.5	64.0	
11		At 04:00 PM	69.5	65.6	67.6	
12		At 05:00 PM	72.3	70.2	71.3	
13		At 06:00 PM	71.9	69.2	70.6	
14		At 07:00 PM	66.9	65.2	66.1	
15		At 08:00 PM	72.2	70.2	71.2	
16		At 09:00 PM	70.6	69.2	69.9	
17		At 10:00 PM	65.2	58.1	61.7	
18		At 11:00 PM	69.2	66.2	67.7	
19		At 12:00 AM	65	62.2	63.6	
20		At 01:00 AM	58.9	55	57.0	
21		At 02:00 AM	62.4	60.1	61.3	
22		At 03:00 AM	65.9	64.9	65.4	
23		At 04:00 AM	66.1	65.2	65.7	
24		At 05:00 AM	60.6	59.5	60.1	

INFERENCE

As per KSPCB Standards

Report Status :- The Noise level for the all locations is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah.P
Technical Manager

*** End of Report ***



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S.No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255189,
E-mail : msvballary2018@gmail.com, labmsv@gmail.com, Website : www.msvballary.com



TC- 4071

Handwritten signature/initials

MSVAL/QR/7.8/1/Test Report

AMBIENT NOISE LEVEL MONITORING REPORT

- Name of the industry : M/S. Shilpa Pharma Life Sciences Limited unit-2,
Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center,
Chicksugur village, Raichur.
- Sample Collected By : MSV Analytical Laboratories, Bellary
- Particulars of Sample Collected : Noise meter
- Date of Monitoring : 28.10.2025
- Report Issue Date : 03.11.2025
- Method Adopted : IS 9989

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Ambient Noise

ULR No: TC40712500024802F

S. No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	Production Area	At 06:00 AM	62.2	60.2	65.1	75
2		At 07:00 AM	70.8	69.5	71.8	
3		At 08:00 AM	74.6	72.2	71.4	
4		At 09:00 AM	68.2	65.2	63.9	
5		At 10:00 AM	65.5	63.5	68.3	
6		At 11:00 AM	70.2	68.8	71.1	
7		At 12:00 PM	69.4	66.5	66.7	
8		At 01:00 PM	66.8	65.1	64	
9		At 02:00 PM	74.2	72.2	71.7	
10		At 03:00 PM	69.8	66.9	67.6	
11		At 04:00 PM	60.5	59.9	61	
12		At 05:00 PM	65.8	64.5	63.5	
13		At 06:00 PM	74.1	72.2	63.3	
14		At 07:00 PM	69.5	68.8	59	
15		At 08:00 PM	59.8	55.5	56.6	
16		At 09:00 PM	73.3	72.2	69.9	
17		At 10:00 PM	69.5	66.6	57.9	
18		At 11:00 PM	54.6	55.8	54	
19		At 12:00 AM	69.5	66.6	63.9	
20		At 01:00 AM	65.2	64.2	63.1	
21		At 02:00 AM	68	67.1	62.3	
22		At 03:00 AM	65.5	64.2	64.5	
23		At 04:00 AM	67.7	66	67	
24		At 05:00 AM	61	58.2	59.7	

INFERENCE

As per KSPCB Standards

Report Status :- The Noise level for the all locations is within the limits

Analysed by

Handwritten signature

Authorized Signatory

Handwritten signature
Hanumanthaiah.P
Technical Manager

*** End of Report ***



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC-4071

Annexure - 1 f

MSVAL/QR/7.8/1/Test Report

AMBIENT NOISE LEVEL MONITORING REPORT

- Name of the industry** : M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
- Sample Collected By** : MSV Analytical Laboratories, Bellary
- Particulars of Sample Collected** : Noise meter
- Date of Monitoring** : 28.10.2025
- Report Issue Date** : 03.11.2025
- Method Adopted** : IS 9989: 2020

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Ambient Noise

ULR No: TC40712500024803F

S. No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	Near Main Gate	At 06:00 AM	74.2	73.2	71.7	75
2		At 07:00 AM	73.6	70.2	68.1	
3		At 08:00 AM	72.2	71.2	69.3	
4		At 09:00 AM	69.5	65.5	65.5	
5		At 10:00 AM	66.2	64.2	61.9	
6		At 11:00 AM	70.8	69.2	70.3	
7		At 12:00 PM	65.9	62.5	67.5	
8		At 01:00 PM	72.2	70.2	73.2	
9		At 02:00 PM	69.2	65.4	66.2	
10		At 03:00 PM	65.8	62.3	65.2	
11		At 04:00 PM	72.5	70.8	71.8	
12		At 05:00 PM	69.5	66.2	68.6	
13		At 06:00 PM	74.2	71.2	69.3	
14		At 07:00 PM	65.9	62.3	67.8	
15		At 08:00 PM	66.9	62.9	60.4	
16		At 09:00 PM	74.2	71.2	70.4	
17		At 10:00 PM	69.6	65.5	65.1	
18		At 11:00 PM	63.3	62.2	61.3	
19		At 12:00 AM	65.2	64.9	65.9	
20		At 01:00 AM	65.9	64.6	68.4	
21		At 02:00 AM	69.2	65.5	67.6	
22		At 03:00 AM	60.2	59.2	62.4	
23		At 04:00 AM	66.2	62.5	68.2	
24		At 05:00 AM	60.5	59.4	61.6	

INFERENCE

As per KSPCB Standards

Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah.P
Technical Manager

*** End of Report ***



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

Annexure - 18

MSVAL/QR/7.8/1/Test Report

AMBIENT NOISE LEVEL MONITORING REPORT

1. Name of the Industry : M/S. Shilpa Pharma Life Sciences Limited unit-2,
Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center,
Chicksugur village, Raichur.
2. Sample Collected By : MSV Analytical Laboratories, Bellary
3. Particulars of Sample Collected : Noise meter
4. Date of Monitoring : 28.10.2025
5. Report Issue Date : 03.11.2025
6. Method Adopted : IS 9989: 2020

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Ambient Noise

ULR No: TC407125000024804F

S. No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq	
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. In dB(A) Leq		
1	Near Administration Office	At 06:00 AM	64.8	60.1	62.4	75	
2		At 07:00 AM	66.7	64.9	65.8		
3		At 08:00 AM	68.1	65.2	66.6		
4		At 09:00 AM	65.9	63.4	64.6		
5		At 10:00 AM	64.0	61.5	62.7		
6		At 11:00 AM	67.2	65.2	66.2		
7		At 12:00 PM	65.3	61.9	63.6		
8		At 01:00 PM	66.5	63.6	65.0		
9		At 02:00 PM	69.7	65.2	67.4		
10		At 03:00 PM	68.0	64.9	66.4		
11		At 04:00 PM	67.2	64.2	65.7		
12		At 05:00 PM	65.3	63.6	64.4		
13		At 06:00 PM	59.3	56.1	57.7		70
14		At 07:00 PM	56.2	54.8	55.5		
15		At 08:00 PM	57.8	55.2	56.5		
16		At 09:00 PM	55.6	53.4	54.5		
17		At 10:00 PM	57.4	54.1	55.7		
18		At 11:00 PM	58.1	56.6	57.3		
19		At 12:00 AM	56.0	53.5	54.7		
20		At 01:00 AM	58.2	54.1	56.1		
21		At 02:00 AM	57.4	53.2	55.3		
22		At 03:00 AM	56.3	53.6	54.9		
23		At 04:00 AM	58.2	54.8	56.5		
24		At 05:00 AM	59.1	56.2	57.6		

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits
------------------	---

Analysed by

Authorized Signatory

Hanumanthaiah.P
Technical Manager

*** End of Report ***



- Note:
1. The results listed only to the tested samples & applicable parameters.
 2. Samples Will be disposed after the specified retention period.
 3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
 5. Sampling is not done by us unless otherwise specified

SHILPA MEDICARE LIMITED 100% EOU
 Plot No: 33,33A & 40 - 47,
 Industrial growth centre, KIDB industrial area,
 Chick sugar, Raichur-584134.

Environmental clearance obtained for the Shilpa Medicare Ltd 100%EOU for the Expansion and Modification of Active pharmaceutical ingredients, manufacturing unit.

EC No: SEIAA 50 IND 2016 dated:28-04-2017
 Details are available at www.moef.nic.in

SDI-
 MANAGING DIRECTOR.

ಕರ್ನಾಟಕ ಸರ್ಕಾರ
ಜಿಲ್ಲಾ ಯೋಜನಾ ಸಮನ್ವಯಾಧಿಕಾರಿಗಳ ಕಾರ್ಯಾಲಯ, ಎಸ್.ಎಸ್.ಎ., ಬಿಜಯಪುರ
 ☎: 08352-244701 Email: egovbijapur@gmail.com

ಬೆಂಗಳೂರು ಪ್ರಕಟಣೆ
 ಸರ್ಕಾರಿ ಅಭಿಯಾನ ಯೋಜನೆ ಅಡಿಯಲ್ಲಿ ಹೊರಗುತ್ತಿಗೆ ಆಧಾರದ ಮೇಲೆ ಬೆಂಗಳೂರು 04 ಕೆ.ಕೆ.ಬಿ.ವಿ. ವಸತಿ ನಿಲಯಗಳಿಗೆ ಆಹಾರ ಪೂರೈಕೆಗಾಗಿ ಮತ್ತು ಜಿಲ್ಲಾ ಹಾಗೂ ತಾಲೂಕು ಕಛೇರಿಗೆ ಕಂಪ್ಯೂಟರ್ ಪ್ರೊಗ್ರಾಮರ್, ಲೆಕ್ಕ ಸಹಾಯಕರು ಇ-ಪ್ರಕ್ರಮಣ ಮತ್ತು ಮೂಲಕ ಕೆಳಕಂಡ ಬೆಂಚರ್ ಆಹ್ವಾನಿಸಲಾಗಿದೆ. ಬೆಂಚರ್ ಮಾಹಿತಿಯನ್ನು <http://www.eproc.karnataka.gov.in> ಜಿಲ್ಲಾ ಮಾಹಿತಿಗಾಗಿ ಕಛೇರಿಯ ದೂರವಾಣಿ ಸಂಖ್ಯೆ : 08352-244701 ಸಂಪರ್ಕಿಸಬಹುದು.

ಸಹಿ/- ಉಪನಿರ್ದೇಶಕರು (ಆಡಳಿತ)
 ಜಿಲ್ಲಾ ಯೋಜನಾ ಸಮನ್ವಯಾಧಿಕಾರಿಗಳು, ಎಸ್.ಎಸ್.ಎ., ಬಿಜಯಪುರ.

ಸುಧಾ-ಮಯೂರ

ಜನಪ್ರಿಯ ಅಭಿವೃದ್ಧಿ ಪ್ರಾಜೆಕ್ಟ್
ಜ್ಞಾನಭಾರತಿ ಅಂಗ್ಲ ಮಾಧ್ಯಮ ಹಿರಿಯ ಪ್ರಾಥಮಿಕ ಶಾಲೆ
 ಬದವರ, ತಾ. ಮಾನವಿ, ಜಿ. ರಾಯಚೂರು

NURSERY ಇಂದ 8ನೇ ತರಗತಿಯವರೆಗೆ
 (ನಿರ್ದೇಶನ, ಶೈಕ್ಷಣಿಕ, ಮೆಡಿಕಲ್ ಮತ್ತು ಲ್ಯಾಬ್ ತರಬೇತಿ ಕೇಂದ್ರ)
9900977124
9535659976

ಪ್ರಜಾಪೀಠ ವಾಣಿ
DH
 ಸುಧಾ-ಮಯೂರ
ರಾಯಚೂರು
ರಾಜ್‌ವೆಂಸ್ಟ್ರ
9986299090
ನುರುತ್ತರಣೆ ಮುಕ್ತ
9343684455

ಪುರಸಭೆ ಕಾರ್ಯಾಲಯ
 ಸಂಖ್ಯೆ:ಸು/ಸೇಂ/ಒ/ಆರಂಭ/2017

ಸಾರ್ವಜನಿಕ

ನಿಜವು : ಸೇಂ ನಗರದ ಒಳಪಡುವ ಸೇಂ ಜಿಲ್ಲಾ ಪಟ್ಟಣ ಸರ್ಕಾರಿ ನಗರ ಪಾಲಿಕೆಯ ನಿರೀಕ್ಷಿಸಿದ ಕರ್ನಾಟಕ ನಗರ ಪಟ್ಟಣವನ್ನು ಒಳಗೊಂಡು ಕರ್ನಾಟಕ ನಗರ ನಿಯಮಗಳನ್ವಯ ಯು.ಪಿ.ಡಿ. ಕಾರ್ಯಾಲಯ ಸಂಖ್ಯೆ 2 ರಿಜಿಸ್ಟ್ರೇಷನ್ ಅನುಮೋದನೆ ದಿನಾಂಕ ರಾಜ್ಯಪತ್ರ ಸಂಖ್ಯೆ 10-06-2017 ರಂದು ಕರ್ನಾಟಕ ಸರ್ಕಾರದಿಂದ ಮಂಜೂರು ಮಾಡಿ ನಿರ್ಧರಿಸಲಾಗಿದೆ.

ಅಧಿಕಾರ ಸೇಂ ಜಿಲ್ಲಾ ಪಟ್ಟಣದ ಯು.ಪಿ.ಡಿ. ಕಾರ್ಯಾಲಯದಿಂದ ರೇಷನ್ ಕಾರ್ಡ್ ಹಾಗೂ ಸೇಂ ನಗರ ಪಾಲಿಕೆಯ ನಿರೀಕ್ಷಿಸಿದ ಕರ್ನಾಟಕ ನಗರ ನಿಯಮಗಳನ್ವಯ ಯು.ಪಿ.ಡಿ. ಕಾರ್ಯಾಲಯ ಸಂಖ್ಯೆ 2 ರಿಜಿಸ್ಟ್ರೇಷನ್ ಅನುಮೋದನೆ ದಿನಾಂಕ 18-03-2017 ರಂದು ಕರ್ನಾಟಕ ಸರ್ಕಾರದಿಂದ ಮಂಜೂರು ಮಾಡಿ ನಿರ್ಧರಿಸಲಾಗಿದೆ.

ಅಧಿಕಾರ ಸಂಖ್ಯೆ:ಸು/ಸೇಂ/ಒ/ಆರಂಭ/2017 ರ ವರೆಗೆ ಮುಖ್ಯಾಧಿಕಾರಿಗಳ ಅಧಿಕಾರ ವ್ಯಾಪ್ತಿಯಲ್ಲಿ ಇರುವ ಅಧಿಕಾರಿಗಳನ್ನು,

ಪುರಸಭಾ ಕಾರ್ಯಾಲಯ, ಕುಮಟಾ (ಉ.ಕ.)
 ದೂರವಾಣಿ/ಫ್ಯಾಕ್ಸ್: 08386-222820 ಇ-ಮೇಲ್: okumata@yahoo.com ವೆಬ್‌ಸೈಟ್: www.kumatatown.gov.in
 ಸಂಸ್ಥಾಪನಾ ದಿನಾಂಕ: 27.05.2017

ಬೆಂಚರ್ ಪ್ರಕಟಣೆ (ಇ-ಪ್ರಕ್ರಮಣ ಮೂಲಕ)

ಕರ್ನಾಟಕ ಸರ್ಕಾರದ ಸಾರ್ವಜನಿಕ ಕಾರ್ಯದ ಮತ್ತು ಕಾನೂನು ಹಾಗೂ ನಿಯಮಾವಳಿ-2000 ರಂತೆ, ಆರ್.ಎ. ಸೇಂ ನಗರ ಪಾಲಿಕೆಯ ವಿಜ್ಞಾನ ಸಂಸ್ಥೆಯಿಂದ ಈ ಕೆಳಕಂಡ ಕಾರ್ಯಾಂಗಕ್ಕೆ ಕೆ.ಬಿ.1 ರ ನಿಯಮಗಳ ಒಳಪಟ್ಟು ಒಂದು ಬೆಂಚರ್ ಇ-ಪ್ರಕ್ರಮಣ ಮೂಲಕ ಕೆಳಕಂಡಂತೆ ಆಹ್ವಾನಿಸಲಾಗಿದೆ. ಆಹ್ವಾನಿಸಲಾಗುವ ತಮಗೆ ಬೇಕಾದ ಬೆಂಚರ್ ಮಾಹಿತಿಗಳನ್ನು ವೆಬ್‌ಸೈಟ್ ವಿಳಾಸ www.kumatatown.gov.in ರ ಮೂಲಕ ಪಡೆದುಕೊಂಡು ಈ ಕೆಳಗೆ ಕಾನೂನುಬಾಹಿರ ಪದ್ಧತಿಗಳನ್ನು ಪಟ್ಟಿ ಬೆಂಚರ್ ಇ-ಪ್ರಕ್ರಮಣ ಮೂಲಕ ಮಾತ್ರ ಸಲ್ಲಿಸಬಹುದು. ಬೆಂಚರ್ ಸಲ್ಲಿಸುವ ಕೊನೆಯ ದಿನಾಂಕವಾದ ದಿನಾಂಕ: 30.06.2017 ರಂದು ಸಾಂಪ್ರದಾಯಿಕ 4.00 ಗಂಟೆಗಳಿಗಾಗಿ ಇ-ಪ್ರಕ್ರಮಣ ಮೂಲಕ ವೆಬ್‌ಸೈಟ್‌ನಲ್ಲಿ ಸಲ್ಲಿಸಬಹುದು. ದಿನಾಂಕ: 01.07.2017 ರಂದು 11.00 ಗಂಟೆಗೆ ಈ ಪುರಸಭೆಯಲ್ಲಿ ಇ-ಪ್ರಕ್ರಮಣ ಮೂಲಕ ವೆಬ್‌ಸೈಟ್‌ನಲ್ಲಿ ಸ್ವೀಕೃತವಾಗಿರುವ ಬೆಂಚರ್‌ಗಳನ್ನು ಬೆಂಚರ್ ಪರಿಶೀಲನಾ ಸಮಿತಿ ಸಭೆಯಲ್ಲಿ ತರಬೇತಿಸುವುದು. ಆಧಾರ ಮಂಡನೆ ದಿನಾಂಕವನ್ನು ಈ ಕೆಳಗೆ ನೀಡಿ ಮೇಲ್ಕಂಡಂತೆ ತಿಳಿಸಬೇಕಾಗುವುದು.

ಕ್ರ. ಸಂ.	ವ್ಯಾಜ್ ಸಂ, ಯೋಜನೆಯ ವಿವರ, ಬೆಂಚರ್ ಹಂತ ಹಾಗೂ ಕಾರ್ಯಾಲಯ ವಿವರ	ಅಂದಾಜು ರೂ. (ಲಾ.ಸಂ.)	ಉ.ಎಂ.ಡಿ ರೂ. (ಉ.ಸಂ.)	ನುಸ್ತೆಗಾರರ ವಿವರ	ಕಾರ್ಯಾಂಗಕ್ಕೆ ಸಲ್ಲಿಸಬೇಕಾದ ದಿನಾಂಕ ರಿಂದ ಕಾಲಾಧಿ
1	2017-18 ರೇ ವಾರ್ಡ್ 14ನೇ ಹಣಕಾಸು ಯೋಜನೆಯ ವಸತಿ ಬೆಂಚರ್ ಗ್ಯಾಂಟ್ ಮತ್ತು 2015-16 ರೇ ವಾರ್ಡ್ 14ನೇ ಹಣಕಾಸು ಯೋಜನೆಯ ವಸತಿ ಬೆಂಚರ್ ಗ್ಯಾಂಟ್	7.64	19,100.00	ಸಂಜೆ 6:00 ರಿಂದ 11:00 ರ ವರೆಗೆ ನುಸ್ತೆಗಾರರಾಗಿ ರಾತ್ರಿ	15 ದಿನಗಳು

Indent number -DMA/2017-18/IND5953

• ಪರಿಷ್ಕರಣೆ ಮತ್ತು ಇತರ ತಾಂತ್ರಿಕ ವಿವರಗಳಿಗಾಗಿ ಪುರಸಭೆ ವೆಬ್‌ಸೈಟ್ www.kumatatown.gov.in ಸಂಪರ್ಕಿಸುವುದು.
 ಸಹಿ/- ಅಧ್ಯಕ್ಷರು, ಪುರಸಭೆ, ಕುಮಟಾ
 ಸಹಿ/- ಮುಖ್ಯಾಧಿಕಾರಿ, ಪುರಸಭೆ, ಕುಮಟಾ

ನಗರಸಭೆ ಕಾರ್ಯಾಲಯ
 ಬೆಂಗಳೂರು
 Phone No. 08473-25
 Website : www.yadgircity.mrc.gov

ಕುಮಟಾ/ಕುಮಟಾ/ಇ-ಬೆಂಚರ್/ಇ-ಪ್ರಕ್ರಮಣ ಮೂಲಕ

ಕರ್ನಾಟಕ ರಾಜ್ಯದ ರಾಜ್ಯಪಾಲನಗರಸಭೆ ಕುಮಟಾ ನಗರ ಪಾಲಿಕೆಯಿಂದ 1999-2000 ರಿಂದ 2017-18 ರ ವರೆಗೆ ಹಣಕಾಸು ಕಾರ್ಯಾಂಗಕ್ಕೆ ಬೆಂಚರ್ ಗಳನ್ನು, P1 ಗುಸ್ತುಗಾರರು ಕೆ.ಬಿ.ಪಿ.ಎಂ. 1 & 2 ರ ಮೂಲಕ <http://epi> ಮೇಲೆ ಬೆಂಚರ್ ಗಳನ್ನು ಅಧಿಸೂಚಿಸಲಾಗಿದೆ.

1. ಬೆಂಚರ್ ಗಳನ್ನು ಸಲ್ಲಿಸಲು ಒಂದು ಗಂಟೆಗೆ.
 2. ತಾಂತ್ರಿಕ ಮತ್ತು ಆರ್ಥಿಕ ದಿವಾನ್ 16.30 ಗಂಟೆಯ ನಂತರ. ಹೆಚ್ಚಿನ ಮಾಹಿತಿ ಬೇಕಾದಲ್ಲಿ ನಗರ ಪಾಲಿಕೆಯ ಅಧಿಕಾರಿಗಳನ್ನು ಅಧಿಕಾರ ವೆಬ್‌ಸೈಟ್ ನಲ್ಲಿ <http://epi>

Sl.No.	Land Sy.No.	Extent	Village	Sale deed No.
1.	38	12 A-30 G out of which Middle portion 4 acre 10 guntas	Bulapur	2966/95-06 Date : 27-2-1988

Sd/- M. Virupaxigeada, Advocate
B.Sc., LLB (Spl.)
Place Raichur H.No. 1-1-14B, Uday Nagar, Opp. West Police Station,
Date : 29-05-2017 Raichur. Cell No. 9448184132

SHILPA MEDICARE LIMITED 100% EOU
Plot No: 33,33A & 40 - 47,
Industrial growth centre, KIDB industrial area,
Chick sugar, Raichur-584134.

Environmental clearance obtained for the Shilpa Medicare Ltd 100%EOU for the Expansion and Modification of Active pharmaceutical ingredients, manufacturing unit.

EC No: SEIAA 50 IND 2016 dated:28-04-2017
Details are available at www.moef.nic.in

SD/-
MANAGING DIRECTOR.

CET exams, in Chitradurga on Tuesday. Principal Ungaamar and his mother Latha are also seen. DH PHOTO

CET result Annexure-19 Chitradurga lad secures 12th rank

CHITRADURGA: K R Satwik, a student of SRS Educational Institution of the city has secured the 12th rank to the State in engineering division in the Common Entrance Test - 2017 results announced by Karnataka Examination Authority on Tuesday.

He has scored 173 marks out of 200 in CET engineering thus making his parents and college proud.

Speaking to reporters after receiving a felicitation from the

management of SRS Educational Institution in Chitradurga on Tuesday, he expressed his thanks to the management of the college, teaching staff and parents for backing him in his studies. He said, he had scored 95% in the second pre-university exams this year. He said, he never took any tuitions and studied the subjects under the guidance of teachers. Sharing his joy, he said he prefers to study computer sciences in engineering.

DH News Service



'Govt urged to support ryots to remove silt from reservoir'

RAICHUR, DHNS: Efforts of Karnataka Rajya Raitha Sangha & Hasiru Sene to remove silt from Tungabhadra reservoir received support but the water resources minister and the government remained disinterested in the task, said Sangha Honorary President Chamaras Malipatil.



Chamaras Malipatil

Speaking at the press meet here, he said, with the help of public contributions, silt was being removed from a part of the reservoir. But the elected representatives of Raichur, Koppal and Ballari did not show any concern, he said.

The silt removed from the reservoir would be more useful for farmers in maintaining the fertility of their agriculture fields. Farmers were more interested in taking the silt to their fields. The

government should provide only the machines and diesel. Within two to three years the silt from entire reservoir could be removed, he said. If the government did not extend the helping hand, the farmers would collect donations and take up the work, he added.

The government has planned to construct a reservoir at Navali to store 40 TMC ft water. But it was not an easy task. Construction of the reservoir would take a decade as the land should be acquired from farmers.

Therefore, desilting would be an easy task, he said.

PDS rice seized

DAVANGERE, DHNS: Azad Nagar police of the city have seized 30 quintals of Anna Bhagya rice illegally stored at the residence of Mubina, at 5th Cross, Venkabhovi

Colony in Davangere. Police arrested accused Mubina and remanded her to judicial custody. Azadnagar Police have registered a case.



Hosapate

Annexure-20



State Level Environment Impact Assessment Authority-Karnataka

(Constituted by MoEF, Government of India, under section 3(3) of E(P) Act, 1986)

No. SEIAA 50 IND 2016

Date: 29.06.2022

TRANSFER OF ENVIRONMENTAL CLEARANCE

Preamble:

Attention is invited to Authority's letter No. SEIAA 50 IND 2016 dated 28.04.2017 and corrigendum dated 15.03.2018, 16.06.2020 & 31.01.2022 regarding grant of Environmental Clearance for Expansion and Modification of Active Pharmaceutical Ingredients (APIS) & Intermediates Manufacturing Industry with R & D activity manufacturing industry Project at Plot Nos. 30, 31, 32, 35 to 39, 33, 33A, & 40-47 of Raichur Industrial Growth Centre, Wadloor Road, Chicksugur, Raichur District Karnataka to M/s Shilpa Medicare Limited.

M/s Shilpa Pharma Lifesciences Limited vide letter received on 16.04.2022 requested for transfer of EC granted to M/s Shilpa Medicare Limited in favour of M/s. Shilpa Pharma Lifesciences Limited.

The State Level Environment Impact Assessment Authority, Karnataka considered the request made by M/s Shilpa Pharma Lifesciences Limited during the meeting held on 7th May 2022 in the light of provision for "Transferability of Environmental Clearance (EC)" under para 11 of the Notification No. S.O. 1533(E) dated 14th September 2006. The Authority after discussion have decided to transfer the Environmental Clearance issued to M/s Shilpa Medicare Limited, 100% export oriented unit, Unit-II plot No. 30, 31, 32, 35 to 39, 33, 33A, & 40-47, Raichur Industrial Growth Center, Wadloor Road, Chicksugur, Raichur District - 584134 vide letter No. SEIAA 50 IND 2016 dated 28.04.2017 and corrigendum dated 15.03.2018, 16.06.2020 & 31.01.2022 in favour of M/s Shilpa Pharma Lifesciences Limited - Unit-2, Plot No. 30, 31, 32, 35 to 39, 33, 33A, & 40-47, Raichur Industrial Growth Center, Chicksugur - 584 134, Raichur District, Karnataka State on the same terms and conditions under which the prior Environmental Clearance has been granted and for same validity period.



...2

Annexure-20

-2-


Hence the Order.

ORDER

Pursuant to the facts and circumstances in the preamble, the Environmental Clearance granted by our order No. SEIAA 50 IND 2016 dated 28.04.2017 and corrigendum dated 15.03.2018, 16.06.2020 & 31.01.2022 the name of the proponent may be substituted by M/s Shilpa Pharma Lifesciences Limited - Unit 2.



Yours faithfully,


(Vijay Mohan Raj V.)
Member Secretary
SEIAA Karnataka

27/06/22

To,

M/s Shilpa Pharma Lifesciences Limited,
unit-2, Plot No. 30, 31, 32, 35 to 39, 33, 33A, & 40-47,
Raichur Industrial Growth Center,
Chiksugur - 584 134, Raichur District,
Karnataka State

Copy to:

1. The Secretary, Ministry of Environment & Forests and Climate Change Indira Paryavaran Bhavan, Jor Bagh Road, Aliganj, New Delhi-110 003.
2. The Director, Department of Mines and Geology, Khanija Bhavan, Race course road, Bangalore - 560 001.
3. The Member Secretary, Karnataka State Pollution Control Board, Bangalore.
4. The APCCF, Regional Office, Ministry of Environment & Forests (SZ), Kendriya Sadan, IV Floor, E & F Wings, 17th Main Road, Koramangala II Block, Bengaluru - 560 034.
5. M/s Shilpa Medicare Limited, 100% export oriented unit, Unit-II, Plot No. 30, 31, 32, 35 to 39, 33, 33A, & 40-47, Raichur Industrial Growth Center, Wadloor Road, Chicksugur, Raichur District - 584134
6. Guard File.

Annexure-20



State Level Environment Impact Assessment Authority-Karnataka

(Constituted by MoEF, Government of India, under section 3(3) of E(P) Act, 1986)

No. SEIAA 50 IND 2016

Date: 28-04-2017

To,

M/s. Shilpa Medicare Limited
100% export oriented unit
Unit -II Plot No.33, 33A & 44 to 47
Raichur Industrial Growth Centre
Wadloor Road, Chicksugur,
Raichur District-584134


Sir,

Sub: Expansion & Modification of Active Pharmaceutical Ingredients (APIs) & Intermediates manufacturing unit at Plot No. 33, 33A and 40 to 47 of Raichur Industrial Growth Centre, Wadloor Road, Chicksugur, Raichur District of M/s. Shilpa Medicare Limited - Issue of Environmental Clearance - Reg.

This has reference to your online application dated 26th October 2016 bearing proposal No. SIA/KA/IND2/17628/2016 addressed to SEIAA, Karnataka and subsequent letters addressed to SEIAA/SEAC Karnataka furnishing further information/seeking prior Environmental Clearance for the above project under the EIA Notification, 2006.

2. It is inter-alia noted that Environmental Clearance has been issued by MoEF, Govt. of India to this project vide letter No. J-11011/71/2007-IA II (I) dated 12th March 2008 for expansion of Bulk drug unit to manufacturing of Ambroxol HCl of 47 MTA, Anastrozole of 0.1MTA, Bicalutamide of 0.5MTA, Carboplatin of 0.35MTA, Cisplatin of 0.1MTA, Coenzyme Q-10 of 18MTA, Docetaxel of 0.1MTA, Gemcitabine HCl of 0.3MTA, Irinotecan HCl Trihydrate of 0.1MTA, Oxaliplatin of 0.05MTA, Paclitaxel of 0.1MTA, Temozolomide of 0.1MTA, 3a, 7B-Dihydroxy Cholanic Acid of 60 MTA with Total quantity 126.8MTA.

3. Your application for the Environmental Clearance to the proposed Expansion & Modification of Active Pharmaceutical Ingredients (APIs) & Intermediates manufacturing unit by M/s. Shilpa Medicare Limited was appraised as per the prescribed procedure in light of the provisions under the EIA Notification, 2006 on the basis of the mandatory documents enclosed with



Annexure-20

State Level Environment Impact Assessment Authority-Karnataka
(Constituted by MoEF, Government of India under section 3(3) of E(P) Act, 1986)

SEIAA 50 IND 2016

Expansion & Modification of Active Pharmaceutical
Ingredients (APIs) & Intermediates manufacturing unit
by M/s. Shilpa Medicare Limited

the application viz., the Form 1, Pre feasibility report, EIA Report for manufacture of proposed Active Pharmaceutical Ingredients (APIs) & Intermediates and the additional clarifications furnished in response to the observations of the SEAC, Karnataka, in its meetings held on 26th April 2017 and SEAC has recommended for issue of Environmental Clearance for the proposed Expansion & modification.

4. It is, inter-alia, noted that M/s. Shilpa Medicare Limited have proposed for manufacture of Active Pharmaceutical Ingredients (APIs) & Intermediates manufacturing of total capacity 422.415 TPA listed in ANNEXURE -I. The total plot area is 84,984 Sqm(21 Acres), out of which 19,459 Sqm area is for Ground Coverage area, 30,927.5 Sqm area is for Built up area, 9,458.94 Sqm area is for Hard paved area, 26,322 Sqm area is for green belt and 32,433.16 Sqm is unused area. Total water consumption is 577.5 KLD (214.6 KLD from KIADB and 362.9 KLD from recycled & condensate water), out of which 30 KLD for domestic purpose, 532.5 KLD for industrial purpose and 15 KLD for green belt. Power requirement is 1800 KVA. 3 number DG set of 625 KVA will be installed for emergency power back-up with existing DG Set of 1 No X 750 KVA. It is proposed to install 1 No X 6 Lakh Kcal of Furnace oil fired Thermic fluid heater and existing capacity of 1 No. x6 TPH & 1 No X 10 TPH Coal/Husk fired steam boiler. The total cost of the project is Rs.6040 Lakhs.

5. The wastewater generation will be 201 KLD, out of which 25 KLD will be the domestic sewage, 176 KLD will be the industrial effluent (130.5 KLD : Low TDS & 70.5 KLD : High TDS). Domestic sewage and the industrial effluent such as Low TDS effluent shall be treated in ETP of capacity 130.5 KLD followed by RO and High TDS effluent shall be treated in solvent stripper followed by MEE of 100 KLD and ATFT. The MEE condensate shall be treated along with Low TDS effluent. The solid wastes generated are inorganic and organic of total quantity 48 Kg/day and 72 Kg/day respectively shall be composted. The hazardous waste generated are Process residue of 8,682.4Kg/Annum, Spent carbon of 2,536.3 Kg/Annum and Distillation residue of 20.3MT/Annum shall be sent to Co Processing in cement industries, Inorganic salt from process of 96,879.54 Kg/Annum, Salt from MEE system of 393 Tons/ Annum, ETP Sludge of 36,000Kg/Annum shall be sent to TSDF /Co processing industries, waste oil from DG set & Boiler of 1800 L/Annum, Discarded containers/Liners/Barrels of 6000No's /Annum, e-waste of 60 Kg, Spent catalyst of 11,800.8 L/Annum shall be handed over to KSPCB Authorized recyclers/re-processors, spent solvent of 6,23,288 L/Annum shall be distilled in house/ send to re-processors for reuse or recover.

6. The project proposal has been considered by SEAC during the meeting held on 18th & 19th November 2016 and ToR was issued on 9th January 2017 for conducting Environment Impact Assessment (EIA) Study. The project is located within the notified industrial area and hence does not require public



Annexure-20

State Level Environment Impact Assessment Authority-Karnataka
(Constituted by MoEF, Government of India under section 3(3) of E(P) Act, 1986)

SELAA 50 IND 2016

Expansion & Modification of Active Pharmaceutical
Ingredients (APIs) & Intermediates manufacturing unit
by M/s. Shilpa Medicare Limited

consultation. The EIA has been conducted and report submitted by Sri. K R Sreeharsha S/o Late K V Ramaswamy, R/AT No. 5/76, IV Main N R Colony, Bangalore-560 019. Applicability of the Notification No. S. O 648 (E) dated 3rd March 2016 issued by the MoEF, GoI, regarding mandatory accreditation of Environmental consultants from NABET/QCI stands deferred in this case in view of the interim order granted by High Court of Karnataka in W. P. No. 15026-15038/2016 (GM-RES): (Sri. K R Sreeharsha Vs. Union of India represented by MoEF &CC, GoI & Dept Ecology & Environment, GoK) dated 21.03.2016. The project proponent submitted the EIA Report.

7. Based on the information submitted by you, presentation made by you and your consultant Sri. K R Sreeharsha S/o Late K V Ramaswamy, R/AT No. 5/76, IV main N R Colony, Bangalore-560 019. The State Level Expert Appraisal Committee (SEAC) examined the proposal in the meeting held on 22nd April 2017 and 26th April 2017 and has recommended for issue of Environmental Clearance.

8. The SEIAA Karnataka has considered the project in its meeting held on 26th & 27th April 2017 and after due consideration of the relevant documents submitted by the project proponent and additional clarifications furnished in response to its observations and the appraisal and recommendation of the SEAC and decided to accord Environmental Clearance in accordance with the provisions of Environmental Impact Assessment Notification-2006 and its subsequent amendments, subject to strict compliance of the following terms and conditions: -

Part A- SPECIFIC CONDITIONS

1. National Emission Standards for Organic Chemicals Manufacturing Industry issued by the Ministry vide G.S.R. 608(E) dated 21st July, 2010 and amended time to time shall be followed by the unit.
2. The total effluent generation shall not exceed 201 KLD. Domestic sewage and the industrial effluent such as Low TDS effluent shall be treated in ETP of capacity 130.5 KLD followed by RO and High TDS effluent shall be treated in solvent stripper followed by MEE of 100 KLD and ATFT. The MEE condensate shall be treated along with Low TDS effluent.
3. Effluent Treatment Plant shall ensure to prevent ground water contamination due to leakage from unlined tanks.
4. Total water requirement from KIADB water supply shall not exceed 214.6 KLD and prior permission shall be obtained from the concerned Authority. No ground water shall be used.
5. The process emissions from the boiler shall be dispersed through stack of adequate height as per CPCB/SPCB standards. The gaseous emissions from the DG set shall be dispersed through stack height as per CPCB standards shall be provided. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution.

Annexure-20


State Level Environment Impact Assessment Authority-Karnataka

(Constituted by MoEF, Government of India under section 3(3) of E(P) Act, 1986)

SEIAA 50 IND 2016

Expansion & Modification of Active Pharmaceutical
Ingredients (APIs) & Intermediates manufacturing unit
by M/s. Shilpa Medicare Limited

6. Ambient air quality data shall be collected as per NAAQS standards notified by the Ministry vide G.S.R. No. 826(E) dated 16th September, 2009. The levels of PM₁₀, PM_{2.5}, SO₂, NO_x, CO, VOC and HCl shall be monitored in the ambient air and emissions from the stacks and displayed at a convenient location near the main gate of the company and at important public places. The company shall upload the results of monitored data on its website and shall update the same periodically. It shall simultaneously be sent to the Regional office of MoEF - Bangalore, SEIAA - Karnataka, the respective zonal office of CPCB and the KSPCB.
7. The company shall upload the status of compliance of the stipulated environmental clearance conditions, including results of monitored data on its website and shall update the same periodically. It shall simultaneously be sent to the Regional office of MoEF - Bangalore, SEIAA - Karnataka, the respective zonal office of CPCB and the KSPCB. The levels of PM₁₀, PM_{2.5}, SO₂, NO_x, CO and VOC (ambient levels) and emissions from the stacks shall be monitored and displayed at a convenient location near the main gate of the company and at important public places.
8. The Company shall obtain Authorization for collection, storage and disposal of hazardous waste under the Hazardous and other Wastes (Management and Transboundary Movement) Rules, 2016 for management of hazardous wastes and prior permission from KSPCB shall be obtained for disposal of solid / hazardous waste to the TSDF. The concerned company shall undertake measures for firefighting facilities in case of emergency.
9. In plant control measures for checking fugitive emissions from all the vulnerable sources shall be provided. Fugitive emissions shall be controlled by providing closed storage, closed handling & conveyance of chemicals/materials, multi cyclone separator and water sprinkling system. Dust suppression system including water sprinkling system shall be provided at loading and unloading areas to control dust emissions. Fugitive emissions in the work zone environment, product, raw materials storage area etc. shall be regularly monitored. The emissions shall conform to the limits stipulated by the KSPCB.
10. Hazardous chemicals shall be stored in tanks in tank farms, drums, carboys etc. Flame arresters shall be provided on tank farm. Solvent transfer shall be by pumps.
11. The company shall undertake following Waste Minimization measures :-
 - a. Metering and control of quantities of active ingredients minimize waste.
 - b. Reuse of by-products from the process as raw materials or as raw material substitutes in other processes.
 - c. Use of automated filling to minimize spillage.
 - d. Use of Close Feed system into batch reactors.
 - e. Venting equipment through vapour recovery system.



Annexure-20


State Level Environment Impact Assessment Authority-Karnataka

(Constituted by MoEF, Government of India under section 3(3) of E(P) Act, 1986)

SEIAA 50 IND 2016

Expansion & Modification of Active Pharmaceutical
Ingredients (APIs) & Intermediates manufacturing unit
by M/s. Shilpa Medicare Limited

- f. Use of high pressure hoses for equipment clearing to reduce wastewater generation.
12. For control of fugitive emission following steps shall be followed:
 - a. Closed handling system shall be provided for chemicals.
 - b. Reflux condenser shall provide over reactor.
 - c. System of leak detection and repair of pump/pipeline based on preventive maintenance.
 - d. The acids shall be taken from storage tanks to reactors through closed pipeline. Storage tanks shall be vented through trap receiver and condenser operated on chilled water.
 - e. Cathodic protection shall be provided to the underground solvent storage tanks.
13. Solvent management shall be as follows:
 - a. Solvent used in the process shall be completely recovered and reused.
 - b. Efforts are to be made to recover inorganic salts.
 - c. Reactor shall be connected to chilled brine condenser system.
 - d. Reactor and solvent handling pump shall have mechanical seals to prevent leakages.
 - e. The condensers shall be provided with sufficient HTA and residence time so as to achieve more than 95% recovery
 - f. Solvents shall be stored in a separate space specified with all safety measures.
 - g. Proper earthing shall be provided in all the electrical equipment wherever solvent handling is done.
 - h. Entire plant shall be flame proof. The solvent storage tanks shall be provided with breather valve to prevent losses.
 - i. Fugitive emissions in the work zone environment, product, raw materials storage area etc. shall be regularly monitored. The emissions shall conform to the limits imposed by KSPCB.
14. No effluent shall be discharged outside the factory premises and "Zero" discharge concept shall be adopted.
15. Multi-cyclone followed by bag filter shall be provided to the boilers to control particulate emissions within 100 mg/Nm³. The gaseous emissions shall be dispersed through stack of adequate height as per CPCB/KSPCB guidelines.
16. Two stage chilled water/caustic scrubber shall be provided to process vents to control HCl. Two stage scrubbers with caustic lye media solution shall be provided to process vents to control SO₂. The scrubbing media shall be sent to effluent treatment plant (ETP) for treatment. Efficiency of scrubber shall be monitored regularly and maintained properly. At no time, the emission levels shall go beyond the prescribed standards.
17. As proposed. Process residue, Spent carbon and Distillation residue shall be sent to Co Processing in cement industries, Inorganic salt from



Annexure-20


State Level Environment Impact Assessment Authority-Karnataka

(Constituted by MoEF, Government of India under section 3(3) of E(P) Act, 1986)

SEIAA 50 IND 2016

Expansion & Modification of Active Pharmaceutical
Ingredients (APIs) & Intermediates manufacturing unit
by M/s. Shilpa Medicare Limited

- process, Salt from MEE system, ETP Sludge shall be sent to TSDF /Co processing industries, waste oil from DG set & Boiler, Discarded containers/Liners/Barrels, e-waste, Spent catalyst, shall be handed over to KSPCB Authorized recyclers/re-processors, Spent solvent shall be distilled in house/ send to re-processors for reuse or recover.
18. Boiler ash shall be stored separately as per CPCB guidelines so that it shall not adversely affect the air quality, becoming air borne by wind or water regime during rainy season by flowing along with the storm water. Direct exposure of workers to fly ash & dust shall be avoided.
 19. During transfer of materials, spillages shall be avoided and garland drains be constructed to avoid mixing of accidental spillages with domestic waste and storm drains.
 20. The Company shall harvest surface as well as rainwater from the rooftops of the buildings and storm water drains to recharge the ground water and use the same water for the various activities of the project to conserve fresh water.
 21. The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire fighting system shall be as per the OISD 117 norms.
 22. Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.
 23. Usage of PPEs by all employees/ workers shall be ensured.
 24. Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.
 25. Green belt shall be developed in at least 33% of area with suitable species of the plants as per the CPCB guidelines to mitigate the effects of fugitive emissions. Selection of plant species shall be as per the CPCB guidelines.
 26. The adequate financial provisions shall be made in the budget of the project for implementation of the above suggested environmental safeguards. Fund so earmarked shall not be diverted for any other purposes.
 27. The company shall comply with the recommendations made in the EIA/EMP/Risk assessment report. Risk assessment shall be included in the safety Manual.
 28. Provision shall be made for the housing for the construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile sewage treatment plant, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structure to be removed after the completion of the project. All the construction wastes shall be managed so that there is no impact on the surrounding environment.
 29. The coal to be stored in coal stockyard on impervious layer in a covered shed and along the boundary garland canal to be provided leading to a



Annexure-20

State Level Environment Impact Assessment Authority-Karnataka

(Constituted by MoEF, Government of India under section 3(3) of E(P) Act, 1986)


SEIAA 50 IND 2016

Expansion & Modification of Active Pharmaceutical
Ingredients (APIs) & Intermediates manufacturing unit
by M/s. Shilpa Medicare Limited

- exit pond/tank to arrest coal dust run-off and to allow settling of coal fines. The coal fines to be removed periodically.
30. Avoids bromination processes (wherever followed)
 31. Recovers Lithium salts from the effluents wherever Lithium compounds are used in the reactions.
 32. Treatment of recalcitrant's to be documented and kept at all times.
 33. Adopts Good Management Practices (GMP) & Green Chemistry.
 34. Storage facilities for the fuel shall be made in the plant area in consultation with Department of Explosives, Nagpur. Disaster Management Plan shall be prepared to meet any eventuality in case of an accident taking place due to storage of Fuel.
 35. The Project authorities also shall earmark at least 2.5 % of the total cost of the project towards the corporate social responsibility and item-wise details along with time bound action plan shall be prepared and submitted to the Authority.
 36. The project proponent shall use Husk as Fuel for the Boilers.
 37. The project proponent shall store fresh solvents, used solvents, recovered solvents as per the PESO norms and shall not be stored in plastic bags
 38. The industry shall not operate without a functional effluent treatment plant as per the order of the Hon'ble Supreme Court dated February 22, 2017 in W.P. No. 375 of 2012.

B. GENERAL CONDITIONS:

1. The project authorities shall strictly adhere to the stipulations made by the Karnataka State Pollution Control Board (KSPCB).
2. At no time, the emissions shall exceed the prescribed limits. In the event of failure of any pollution control system adopted by the unit, the unit shall be immediately put out of operation and shall not be restarted until the desired efficiency has been achieved.
3. No further expansion or modifications in the plant shall be carried out without prior approval of the SEIAA/Ministry of Environment and Forests as the case may be. In case of deviations or alterations in the project proposal from those submitted to this Authority for clearance, a fresh reference shall be made to the Authority to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
4. The gaseous emissions (PM₁₀, PM_{2.5}, SO₂, NO_x, CO, VOC) and Particulate Matter along with RSPM levels from various process units shall conform to the standards prescribed by the concerned authorities from time to time. At no time, the emission levels shall go beyond the stipulated standards. In the event of failure of pollution control system(s) adopted by the unit, the respective unit shall not be restarted until the control measures are rectified to achieve the desired efficiency. Stack monitoring for PM₁₀, PM_{2.5}, SO₂, NO_x, CO, VOC shall be carried.




Annexure-20

State Level Environment Impact Assessment Authority-Karnataka
(Constituted by MoEF, Government of India under section 3(3) of E(P) Act, 1986)

SEIAA 50 IND 2016

Expansion & Modification of Active Pharmaceutical
Ingredients (APIs) & Intermediates manufacturing unit
by M/s. Shilpa Medicare Limited

5. The project authorities shall strictly comply with the rules and regulations under Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989 as amended in October 1994 and January 2000. All transportation of Hazardous Chemicals shall be as per the MVA, 1989. Authorization from the KSPCB shall be obtained for collection, treatment, storage, and disposal of hazardous wastes.
6. The project authorities must strictly comply with the rules and regulations with regard to handling and disposal of hazardous wastes in accordance with the Hazardous and other Wastes (Management and Transboundary Movement) Rules, 2016. Authorization from the KSPCB must be obtained for collection/treatment/ storage/disposal of hazardous wastes.
7. Application of solar energy should be incorporated for illumination of common areas, lighting for gardens and street lighting in addition to provision for solar water heating. A hybrid system or fully solar system for lighting and heating should be provided. Details in this regard should be submitted to the SEIAA.
8. The overall noise levels in and around the plant area shall be kept well within the standards (85 dBA) by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, Rules, 1989 viz. DBA (day time) and 70 dBA (night time).
9. The project proponent shall also comply with all the environmental protection measures and safeguards as per the information provided.
10. The implementation of the project vis-à-vis environmental action plans shall be monitored by MoEF, Regional Office at Bangalore / KSPCB/ CPCB and the Department of Environment & Ecology, Bangalore. A six monthly compliance status report shall be submitted to monitoring agencies.
11. The project proponent shall inform the public that the project has been accorded environmental clearance by the SEIAA and copies of the clearance letter are available with the KSPCB and may also be seen at Website of the Authority at <http://www.seiaa.karnataka.gov.in> <http://environmentclearance.nic.in/> This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the MoEF Regional Office at Bangalore / KSPCB/ CPCB and the Department of Environment & Ecology, Bangalore/Kalaburgi.
12. The project authorities shall inform the MoEF Regional Office at Bangalore / KSPCB/ CPCB and the Department of Ecology and Environment, Bangalore, Kalaburgi the date of financial closure and final



Annexure-20


State Level Environment Impact Assessment Authority-Karnataka

(Constituted by MoEF, Government of India under section 3(3) of E(P) Act, 1986)

SEIAA 50 IND 2016

Expansion & Modification of Active Pharmaceutical
Ingredients (APIs) & Intermediates manufacturing unit
by M/s. Shilpa Medicare Limited

- approval of the project by the concerned authorities and the date of start of the project.
13. The SEIAA, Karnataka may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
 14. The SEIAA, Karnataka reserves the right to stipulate additional conditions, if found necessary. The company in a time bound manner will implement these conditions.
 15. The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 Hazardous and other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and rules.
 16. The issue of Environment Clearance doesn't confer any right to the project proponent to operate / run the project without obtaining statutory clearances / sanctions from all other concerned Authorities.
 17. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environmental (Protection) Act, 1986.
 18. Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
 19. Officials from the Department of Environment and Ecology, Bangalore/ Regional Office of MoEF, Bangalore who would be monitoring the implementation of Environmental safeguards should be given full cooperation, facilities and documents/ data by the project proponents during their inspection. A complete set of all the documents submitted to MoEF / SEIAA should be forwarded to the APCCF, Regional Office of MoEF, Bangalore/ Department of Ecology and Environment, Bangalore/Kalaburgi/ Regional Officer, KSPCB Bangalore.
 20. In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Authority.
 21. The Authority reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environment (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.
 22. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, Forest Conservation Act, 1980 and Wildlife (Protection) Act, 1972 etc. shall be obtained, as applicable by project proponents from the competent authorities.
 23. These stipulations would be enforced among others under the provisions of water (Prevention and Control of Pollution) Act, 1974, the Air



Annexure-20

State Level Environment Impact Assessment Authority-Karnataka
(Constituted by MoEF, Government of India under section 3(3) of E(P) Act, 1986)

SEIAA 50 IND 2016

Expansion & Modification of Active Pharmaceutical
Ingredients (APIs) & Intermediates manufacturing unit
by M/s. Shilpa Medicare Limited

(Prevention and Control of Pollution) act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.

24. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it is found that construction of the project has been started without obtaining environmental clearance.

Yours faithfully,



[Handwritten Signature]
(RAMACHANDRA)
Member Secretary,
SEIAA - Karnataka.

25/4/17

Copy to:

- 1) The Secretary, Ministry of Environment, Forests and Climate Change, Indira Paryavaran Bhavan, Jor Bagh Road, Aliganj, New Delhi- 110 003.
- 2) The Member Secretary, Karnataka State Pollution Control Board, Bangalore.
- 3) The APCCF, Regional Office, Ministry of Environment & Forests (SZ), Kendriya Sadan, IV Floor, E & F wings, 17th Main Road, Koramangala II Block, Bangalore - 560 034.
- 4) Regional Director (Environment), Ecology and Environment Department, Government of Karnataka, Timmapuri Chowk, Vallabhai Patel Circle, Temple Road Near Court, Kalaburgi.
- 5) Guard File.

Annexure-20

State Level Environment Impact Assessment Authority-Karnataka
(Constituted by MoEF, Government of India under section 3(3) of E(P) Act, 1986)

SEIAA 50 IND 2016

Expansion & Modification of Active Pharmaceutical
Ingredients (APIs) & Intermediates manufacturing unit
by M/s. Shilpa Medicare Limited

Annexure -I to Environment Clearance letter No. SEIAA 47 IND 2016 dated 28-04-2017

Sl. No	Name of products for manufacture (proposed)	Capacity in TPA
1.	Ambroxyl Hcl	10
2	Anatrazole	0.1
3	Gemcitabine Hcl	0.1
4	Paclitaxel	0.1
5	Temezdomide	0.1
6	Bicalutamide	0.5
7	Docetaxel Trihydrate	0.1
8	3a,7B-Dihydroxy Cholanic Acid	60
9	Bendamustine hcl	0.2
10	Bortzomib	0.005
11	Capacitabine	60
12	Imatinib	5
13	Lenalidomide	0.5
14	Letrozole	0.05
15	PMD	0.25
16	Decitabine	0.01
17	Cytrabine	0.05
18	Cabazitaxel	0.01
19	Acebrophylline	10
20	Cloferabine	0.01
21	Melphalan	0.025
22	Cyclophosphamide	1
23	Tenfovir	50
24	PMK	0.25
25	Erlotonib	2
26	Emtricitabine	1
27	Dimethyl fumarate	12
28	Elvitegravir	1
29	Cobicistat	100
30	Busulfan	0.05
31	Zoledranic Acid	0.005
32	Tranexamic Acid	100
33	Sunitinib Malate	3
34	Sorafenib Tosylate	3
35	Abiraterone Acetate	2
	Total	422.415



(RAMACHANDRA) 28/4/17
Member Secretary,
SEIAA - Karnataka.

Annexure-20



State Level Environment Impact Assessment Authority-Karnataka

(Constituted by MoEF, Government of India, under section 3(3) of E(P) Act, 1986)

No. SEIAA 50 IND 2016

Date:15.03.2018

CORRIGENDUM

The following corrections shall be incorporated in the Environmental Clearance letter No. SEIAA 50 IND 2016 dated 28-04-2017 issued to M/s. Shilpa Medicare Limited, 100% export oriented unit, Unit -II Plot No.33, 33A & 44 to 47, Raichur Industrial Growth Centre Wadloor Road, Chicksugur, Raichur District-584134 for expansion & modification of Active Pharmaceutical Ingredients (APIs) & Intermediates manufacturing unit at Plot No. 33, 33A and 40 to 47 of Raichur Industrial Growth Centre, Wadloor Road, Chicksugur, Raichur District:

- 1) Specific Condition No. 30 shall be corrected and read as follows:
"Bromination to be avoided using liquid broming. Explore other alternative brominating reagents such as Poly N-Bromosuccinimide, Cetyltrimethyl ammonium tribromide, tertiary butyl ammonium bromide and Tetrabutyl ammonium tribromide."
- 2) ANNEXURE -I shall be replaced with ANNEXURE -I (R) enclosed to this corrigendum.

Rest of the contents and the conditions of the Environmental Clearance letter No. SEIAA 50 IND 2016 dated 28-04-2017 remains unchanged.



(RAJESH CHANDRA)
Member Secretary,
SEIAA.

To,

M/s. Shilpa Medicare Limited
100% export oriented unit,
Unit -II Plot No.33, 33A & 44 to
Raichur Industrial Growth Centre
Wadloor Road, Chicksugur, Raichur District-584134.

Copy to:

1. The Secretary, Ministry of Environment, Forests and Climate Change, Indira Paryavaran Bhavan, Jor Bagh Road, Aliganj, New Delhi- 110003.
2. The Member Secretary, Karnataka State Pollution Control Board, Bangalore.
3. The APCCF, Regional Office, Ministry of Environment & Forests (SZ), Kendriya Sadan, IV Floor, E & F wings, 17th Main Road, Koramangala II Block, Bangalore-560 034.
4. Regional Director (Environment), Ecology and Environment Department, Government of Karnataka, Timmapuri Chowk, Vallabhai Patel Circle, Temple Road Near Court, Kalaburgi.
5. Guard File.

Annexure-20

State Level Environment Impact Assessment Authority-Karnataka
(Constituted by MoEF, Government of India under section 3(3) of E(P) Act, 1986)

SEIAA 50 IND 2016

Expansion & Modification of Active Pharmaceutical
Ingredients (APIs) & Intermediates manufacturing unit
by M/s. Shilpa Medicare Limited

ANNEXURE -I (R) to Environment Clearance letter No. SEIAA 50 IND 2016 dated 28-04-2017

List of Active Pharmaceutical Ingredients (APIs) & Intermediates to be manufactured:

Sl. No	Products		Intermediates	
	Name of the product	Production capacity Kg/Annum	Name of the Intermediates	Production capacity Kg/Annum
1	Ambroxol HCl	10000	Intermediate-I: 2-Amino 3,5-di bromo-N(trans-4-hydroxy cyclohexyl) benzylamine and it's synonyms	9343
2	Anastrozole	100	2,2-(5-bromomethyl)-1,3-phenylene)bis(2-methylprepio nitrile) and it's synonyms	480
			Intermediate-II: 2,2-(5-(1, H-1,2,4-triazol-1-yl methyl)benzene-1,3-di yl) bis(2-Methyl prepiolitrile) and it's synonyms	270
3	Gemcitabine HCl	100	Intermediate-I: 2',2'-Difluorodeoxycytidine and it's synonyms	184
			Intermediate-II: Dizirconium silicide	124
4	Paclitaxel	100	Intermediate-I: Baccatin-III (Paclitaxel crude) and it's synonyms	240
			Intermediate-II: Paclitaxel Crude	144
			Intermediate-III: Paclitaxel Crude	132
5	Temozolomide	100	Intermediate-I: Temazolamide crude and it's synonyms	240
6	Bicalutamide	500	Intermediate-I: -N-(4-cyano-3-(tri fluoromethyl)phenyl)-3-((4-fluorophenyl) sulphanyl)-2-hydroxy-2-methyl propanomide. and it's synonyms	590.4
7	Docetaxel trihydrate	100	Intermediate-I: 7,10-di-O-chloroacetyl-10-di acetyl baccatin-III and it's synonyms	
			Intermediate-II: 2-O-benyl-7,10-chloro acetyl-decetaxel and it's synonyms	



Annexure-20

State Level Environment Impact Assessment Authority-Karnataka

(Constituted by MoEF, Government of India under section 3(3) of E(P) Act, 1986)

SEIAA 50 IND 2016

Expansion & Modification of Active Pharmaceutical
Ingredients (APIs) & Intermediates manufacturing unit
by M/s. Shilpa Medicare Limited

8	3a,7b-Dihydroxy Cholanic Acid	60000	Intermediate-I: Cholic acid methyl ester and it's synonyms	142800
			Recovery stage- I: 3,7,12 TRIHYDROXY CHOLAN 24 OIC ACID CRUDE	4800
			Intermediate-II: 3a, 7b-diacetyl,12a-hydroxy-methyl cholananate and it's synonyms	125712
			Recovery stage- II: 3,7,12 TRIHYDROXY CHOLAN 24 OIC ACID CRUDE	36000
			Intermediate-III: 3a, 7a-diacetyl-12-keto-methyl cholananate and its synonyms	142800
			Recovery stage:III 3,7,12 TRIHYDROXY CHOLAN 24 OIC ACID CRUDE	9600
			Intermediate-IV: 3a, 7a-dihydroxy-5b-Cholan 24-OIC ACID and it's synonyms	102720
			Intermediate-V: 3a, hydroxy-7-keto-Cholanic acid and it's synonyms Recovery Stage-V: 3a,7b DIHYDROXY 5b-CHOLAN 24 OIC ACID CRUDE	79992 19200
9	BendamustineHCl	200	-	-
10	Bortezomib	5	Intermediate-I: (s)-3-phenyl-2-(phrazine-2-carboxyamido)propanoic acid and it's synonyms	29.52
			Intermediate-II:3-methyl-1-(3-phenyl-2-(phrazine-2-carboxyamido)propanamido)butyl)boromic acid and it's synonyms	6.396
11	Capecitabine	60000	Intermediate-I: (2,3-di-O-acetyl-5 deoxy-5 fluoroctidine) and its synonyms	72000
			Intermediate-II: (2,3-di-O-acetyl-5 deoxy-5-deoxy-5-fluro-n4-(n-pentyloxy carboxyl) and its synonyms	72000
12	Imatinib mesylate	5000	-	-
13	Lenalidomide	500	Intermediate-I: Chromate	-



Annexure-20


State Level Environment Impact Assessment Authority-Karnataka

(Constituted by MoEF, Government of India under section 3(3) of E(P) Act, 1986)

SEIAA 50 IND 2016

Expansion & Modification of Active Pharmaceutical
Ingredients (APIs) & Intermediates manufacturing unit
by M/s. Shulpa Medicare Limited

14	Letrozole	50	Intermediate-I: -4-(1H-1,2,4-triazol-1-yl) methyl)benzonitraile methane sulfonate and it's synonyms	151
15	Pemetrexed disodium	250	Intermediate-I: -N-4[2-(2-amino-4,7-dihydro-4-oxo-1 H-Phyrolol[2,3-d] pyrimidin-5-yl)ethyl]benzoyl)-L- glutanic acid di sodium salt. and it's synonyms	467
16	Decitabine	10	Intermediate-II: Pemetrexed di acid	349.5
			Intermediate-I: 1- methyl-2-deoxy ribose and it's synonyms	155
			Intermediate-II: 1-methyl-3,5-di-o-acetyl-2-deoxy pentafulranose and it's synonyms	208
			Intermediate-III: (1-(3,5-di-O-acetyl-2-deoxy-O-robofurnosol)-5-azacytosize) and it's synonyms	102
			Intermediate-IV: (4-amino-1(2-deoxy-bta-D-erythro pentafulranasol)-1,3,5-trazin-2(1-H)-one and it's synonyms	20
17	Cytarabine	50	Intermediate-I: Cyclocytidine.Hcl and it's synonyms	62
18	Cabazitaxel	10	Intermediate-I: 4a-acetoxy-2a benzoyloxy-5b,2-o-epoxy-1b,hydroxyl-7b,10b-linethoxy-9-oxo-11-haxane-13a-yl(2R,4S,5R)-3tert-hydroxy carbonyl-2-(4-methoxy phenyl)-4phenyl)-4-phenyl-1,3-oxozodidine-5-carboxylate. and it's synonyms	13
			Intermediate-II: Di isopropyl ether solvate of 4a-acetoxy-2a benzoyloxy-5b 2-o-epoxy-1b,hydroxyl-7b,10b-linethoxy-9-oxo-11-haxane-13a-yl(2R,4S,5R)-3tert-butoxycarbonylamino-2-phenylpropionate. and it's synonyms	19
19	Acebrophylline	10000	Intermediate-I: 1,2,3,6-tetrahydro-2H-pyridin-2-ylidene-2,6-dioxo-7H-purin-9-one acetic acid with trans-4-[(2-amino-3,5-dibromophenyl {amino} methyl)oxy]hexanol	



Annexure-20

State Level Environment Impact Assessment Authority-Karnataka
(Constituted by MoEF, Government of India under section 3(3) of E(P) Act, 1986)

SEIAA 50 IND 2016

Expansion & Modification of Active Pharmaceutical
Ingredients (APIs) & Intermediates manufacturing unit
by M/s. Shilpa Medicare Limited

20	Clofarabine	10	Intermediate-I: 2-Deoxy-1-a-bromo-2-B-flumo-3-5-di-O-bezyl-d-ribofuronose and it's synonyms	45
			Intermediate-II: 2-chloro-b-butyl amido purine and it's synonyms	23
21	Melphalan HCl	25	Intermediate-I: (s)-3-(4-aminophenyl)-2-(1,3-dioxo isoindoline-2-yl)propanoic acid. and it's synonyms	514.5
			Intermediate-II: (S)-methyl-3-(4-aminophenyl)-2-(1,3-dioxoisoindoline-2-yl)propanate. and it's synonyms	342
			Intermediate-III: (S) methyl-3-(4-(bis(2-hydroxyethyl)amino)phenyl)-2-(1,3-di oxo isoindolin-2-yl)propanate. and it's synonyms	249
			Intermediate-IV: (S)-2-amino-3-(4-(bis(2-chloro ethyl) amino) phenyl) propanoic acid hydrochloride. and it's synonyms	249
22	Cyclophosphamide	1000	Intermediate-I: Bis(2-chloroethyl)amine hydrochloride	886
			Intermediate-II: Bis(2-chloroethyl) phosphoramidic dichloride and it's synonyms	810
23	TENOFOVIRDISOP ROXIL FUMARATE	50000	Intermediate-I: -9-[-R-2-[bis {[isopropoxycarbonyl]oxo}methaxyl]phosphoniyl]methoxy]propyl]adenine fumarate. and it's synonyms	142500
24	Pemetrexed dipotassium	250	Intermediate-I: -N-4-[2-(2-amino-4,7-dihydro-4-oxo-1H-phyrol(2,3-d)pyrimidin-5-yl)ethyl]benzoyl]-L-glutamic acid, disodium salt and it's synonyms	562
			Intermediate-II: Potassium 2-(4-(2-amino-4-ox-4,7 dihydro-3H-pyrrolo[2,3-d]pyrimidin -5-yl)ethyl)benzamide)pentanedioate	




Annexure-20

State Level Environment Impact Assessment Authority-Karnataka
(Constituted by MoEF, Government of India under section 3(3) of E(P) Act, 1986)

SEIAA 50 IND 2016

Expansion & Modification of Active Pharmaceutical
Ingredients (APIs) & Intermediates manufacturing unit
by M/s. Shilpa Medicare Limited

25	Erlotinib Hcl	2000	Intermediate-I: 2-AMINO-4,5-BIS(2-METHOXYETHOXY)BENZONITRILE and it's synonyms	2733.5
			Intermediate-II: N-(4,5-bis(2 methoxy ethoxy)-2-cynophenyl)-N-N-dimethyl farmamide and it's synonyms	2573
			Intermediate-III: 6,7-Bis-(2-methoxyethoxy)-4(3H)-quinazolinone	2733.5
26	Emtricitabine	1000	Intermediate-I: (1R,2S,5R)-Menthyl-(2R,5S)-5-(4-amino-2-oxo-2H-pyrimidin-1-yl)-[1,3]oxathiolane-2-carboxylic acid and it's synonyms	1935
27	Dimethyl Fumarate	12000	Intermediate-I: Di methyl (E) butane di acitate. and it's synonyms	14666
28	ELVITEGRAVIR	1000	Intermediate-I: (3-chloro-2-fluorophenyl)(2,4-dimethoxyphenyl)methanone and it's synonyms	102.6
			Intermediate-II: 1-(5-3-chloro-2-fluorobenzyl)-2,4-dimethoxy phenyl)ethanone and it's synonyms	918.5
			Intermediate-III: Thyl-3-(5-3-chloro-2-fluorobenzyl)-2-4-dimethoxyphenyl)-3-oxopropanate and it's synonyms	965
			Intermediate-IV: Ethyl-3-(5-3-chloro-2-fluorobenzyl)-2,4-dimethoxyphenyl)-2-((dimethyl amino)methylene)-3-oxopropanate and it's synonyms	1061.4
			Intermediate-V: Ethyl-6(3-chloro-2-fluorobenzyl)-1,4-dihydro-1((s)-1-hydroxy-3-methylbutan-2-yl)-7-methoxy-4-oxoguirolone-3-carboxylate and it's synonyms	1061.5
			Intermediate-VI: -6-(3-chloro-2-flurobenzyle)- 1,4-dihydro-1((s)-hydroxy-3-methylbutan-2-yl)-7-methoxy-4-oxoguirolone-3-carboxylic acid and it's synonyms	



Annexure-20

State Level Environment Impact Assessment Authority-Karnataka (Constituted by MoEF, Government of India under section 3(3) of E(P) Act, 1986)

SEIAA 50 IND 2016

Expansion & Modification of Active Pharmaceutical
Ingredients (APIs) & Intermediates manufacturing unit
by M/s. Shilpa Medicare Limited

29	COBICISTAT	100000	Intermediate-IA: 2-bromo-2-nitro-butane and it's synonyms	34865
			Intermediate-IIA: 1-(6-Ethoxy-2-(methylthio)pyrimidin-4-yl)piperidine-2-carboxylic acid and it's synonyms	40695
			Intermediate-IIIA: Ethyl (2S)-2-(((2-isopropyl-1,3-thiazol-4-yl)methyl)(methyl)carbonyl)amino)-4-(4-morpholinyl)butanoate ethanedioate and it's synonyms	48152
			Intermediate-IB:(L)-amino lactone hydrogen bromide salt and its synonyms	3486.1
			Intermediate-IIB: 3-((cs)-terahydro-2-oxoform-3-yl)-1-(2-isopropylthiazol-4-yl)methyl-1-methyl urea	40659.3
			Intermediate-IIIB: (S) -ethyl-2-[3-(2)-isopropylthiazol-4yl methyl-3-methylamido]-4-morphollin-4-ylbutanate oxalate salt	48151.8
30	Busulfan	50	Intermediate-I: Butane-1,4 diyldimethanesulfomate and it's synonyms	171
31	Zoledronic Acid	5	Intermediate-I: Imidazol-1-yl-acetic acid methyl ester and it's synonyms	12.5
			Intermediate-II: Imidazol-1-yl-acetic acid and it's synonyms	10
			Intermediate-III: (1-hydroxy-2-imdazol-1-phosphono-ethyl)-phosphoric acid and it's synonyms	6
32	TRANEXAMICACID	100000	Intermediate-I: Methyl(4-cyano cyclohexane-1-carboxylate and it's synonyms	128700
			Intermediate-II: Sodium-4-amino methyl cyclohexane carbocylate and it's synonyms	1002564
			Intermediate-III: Sodium-4-aminomethyl cyclohexane carbocylate and it's synonyms	1002318



Annexure-20

State Level Environment Impact Assessment Authority-Karnataka
(Constituted by MoEF, Government of India under section 3(3) of E(P) Act, 1986)

SEIAA 50 IND 2016

Expansion & Modification of Active Pharmaceutical
Ingredients (APIs) & Intermediates manufacturing unit
by M/s. Shilpa Medicare Limited

			Intermediate-IV: 4-amino methyl cyclohexane carbocylate acid sodium salt and it's synonyms	543312
			Intermediate-V: 4-amino methyl cyclohexane-carbocylacid and it's synonyms	124146
			Intermediate-VI: 4-amino methyl cyclohexane-carbocylacid and it's synonyms	113850
33	Sunitinib Maleate	3000	Intermediate-I: 2-[(3,5-Dimethyladamantan-1-yl)carbonyl]hydrazinecarboxamide and it's synonyms	2592
			Intermediate-II: N,N dimethyl sunitinib and it's synonyms	2700
34	Sorefenib Tosylate	3000	Intermediate-I: 4-(4-Aminophenoxy)-N-methyl picolinamide and it's synonyms	2850
			Intermediate-II: 1-(4-(2-methyl carbonyl)pyridine-4-yloxy)phenyl-3-(tri floro methanol)phenol) urea. and it's synonyms	2925
35	Abraterone acetate	2000	Intermediate-I: De hydroepiandrosterone-17-hydrazone and it's synonyms	6600
			Intermediate-II: 17-bromo-androsta-5,16-diene-3-B-ol and it's synonyms	4323
			Intermediate-III: 17-(3-phyridyle)androsta-5,16-diene-3-B-ol and it's synonyms	2640



(RAMESH CHANDRA)
Member Secretary,
SEIAA, Karnataka.

65/3/18

Annexure-20



State Level Environment Impact Assessment Authority-Karnataka

(Constituted by MoEF, Government of India, under section 3(3) of E(P) Act, 1986)

No. SEIAA 50 IND 2016

Date:16.06.2020

CORRIGENDUM

Para 4 (Page 2) of the Environmental Clearance letter No. SEIAA 50 IND 2016 dated 28-04-2017 and the corrigendum dated 15.03.2018 issued to M/s. Shilpa Medicare Limited, 100% export oriented unit, Unit -II Plot No.33, 33A & 44 to 47, Raichur Industrial Growth Centre Wadloor Road, Chicksugur, Raichur District-584134 for expansion & modification of Active Pharmaceutical Ingredients (APIs) & Intermediates manufacturing unit at Plot No. 33, 33A and 40 to 47 of Raichur Industrial Growth Centre, Wadloor Road, Chicksugur, Raichur District shall be corrected and read as follows:

"4. It is, inter-alia, noted that M/s. Shilpa Medicare Limited have proposed for manufacture of Active Pharmaceutical Ingredients (APIs) & Intermediates manufacturing of total capacity 422.415 TPA listed in ANNEXURE -I(R) and the byproducts listed in ANNEXURE- II (R). The total plot area is 84,984 Sqm(21 Acres), out of which 19,459 Sqm area is for Ground Coverage area, 30,927.5 Sqm area is for Built up area, 9,458.94 Sqm area is for Hard paved area, 26,322 Sqm area is for green belt and 32,433.16 Sqm is unused area. Total water consumption is 577.5 KLD (214.6 KLD from KIADB and 362.9 KLD from recycled & condensate water), out of which 30 KLD for domestic purpose; 532.5 KLD for industrial purpose and 15 KLD for green belt. Power requirement is 1800 KVA. 3 number DG set of 625 KVA will be installed for emergency power back-up with existing DG Set of 1 No X 750 KVA. It is proposed to install 1 No X 6 Lakh Kcal of Furnace oil fired Thermic fluid heater and existing capacity of 1 No. x6 TPH & 1 No X 10 TPH Coal/Husk fired steam boiler. The total cost of the project is Rs.6040 Lakhs."

Rest of the contents and the conditions of the Environmental Clearance letter No. SEIAA 50 IND 2016 dated 28-04-2017 and the corrigendum dated 15.03.2018 remains unchanged.




(VIJAYAKUMAR GOGI)
Member Secretary,
SEIAA.

To,

M/s. Shilpa Medicare Limited
100% export oriented unit,
Unit -II Plot No.33, 33A & 44 to 47,
Raichur Industrial Growth Centre,
Wadloor Road, Chicksugur, Raichur District-584134.

Annexure-20

-2-

Copy to:

1. The Secretary, Ministry of Environment, Forests and Climate Change, Indira Paryavaran Bhavan, Jor Bagh Road, Aliganj, New Delhi- 110003.
2. The Member Secretary, Karnataka State Pollution Control Board, Bangalore.
3. The APCCF, Regional Office, Ministry of Environment & Forests (SZ), Kendriya Sadan, IV Floor, E & F wings, 17th Main Road, Koramangala II Block, Bangalore-560 034.
4. Guard File.

Annexure-20

State Level Environment Impact Assessment Authority-Karnataka
(Constituted by MoEF, Government of India under section 3(3) of E(P) Act, 1986)

SEIAA 50 IND 2016


Expansion & Modification of Active Pharmaceutical
Ingredients (APIs) & Intermediates manufacturing unit
by M/s. Shilpa Medicare Limited

**ANNEXURE -II (R) to Environment Clearance letter No. SEIAA 50 IND 2016
dated 28-04-2017**

List of by products to be manufactured:

Sl. No	Name of the Product	Stage	By Product	Quantity / batch (in Kgs)	No. of Batches / Annum	By Product Generated Quantity (MT/ annum)
1	3a,7B-Dihydroxy Cholanic Acid	II	Potassium acetate	595	240	142.8
		IV	Caustic potash lye solution	711.35		170.7
2	Capacitabine	I	Tin salt	500	240	120.0
		II	Pyridine Hcl	160		38.4
3	Decitabine	II	Pyridine Hcl	40.4	20	0.8




(VIJAYAKUMAR GOGI)
Member Secretary,
SEIAA - Karnataka.